



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: August 18, 2006
RE: National Processing Co. / 089-11186-00384
FROM: Nisha Sizemore
Chief, Permits Branch
Office of Air Quality

Notice of Decision: Approval – Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3-7 and IC 13-15-6-1(b) or IC 13-15-6-1(a) require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204.

For an **initial Title V Operating Permit**, a petition for administrative review must be submitted to the Office of Environmental Adjudication within **thirty (30)** days from the receipt of this notice provided under IC 13-15-5-3, pursuant to IC 13-15-6-1(b).

For a **Title V Operating Permit renewal**, a petition for administrative review must be submitted to the Office of Environmental Adjudication within **fifteen (15)** days from the receipt of this notice provided under IC 13-15-5-3, pursuant to IC 13-15-6-1(a).

The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

Pursuant to 326 IAC 2-7-18(d), any person may petition the U.S. EPA to object to the issuance of an initial Title V operating permit, permit renewal, or modification within sixty (60) days of the end of the forty-five (45) day EPA review period. Such an objection must be based only on issues that were raised with reasonable specificity during the public comment period, unless the petitioner demonstrates that it was impracticable to raise such issues, or if the grounds for such objection arose after the comment period.

To petition the U.S. EPA to object to the issuance of a Title V operating permit, contact:

U.S. Environmental Protection Agency
401 M Street
Washington, D.C. 20406

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204-2251
(317) 232-8603
(800) 451-6027
www.in.gov/idem

PART 70 OPERATING PERMIT OFFICE OF AIR QUALITY

**National Processing Co.
4506 W. Cline Ave.
East Chicago, Indiana 46312**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. Noncompliance with any provision of this permit, except any provision specifically designated as not federally enforceable, constitutes a violation of the Clean Air Act. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T089-11186-00384	
Issued by: Origin signed by Nisha Sizemore, Branch Chief Office of Air Quality	Issuance Date: August 18, 2006 Expiration Date: August 18, 2011

TABLE OF CONTENTS

A	SOURCE SUMMARY
A.1	General Information [326 IAC 2-7-4(c)][326 IAC 2-7-5(15)][326 IAC 2-7-1(22)]
A.2	Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]
A.3	Specifically Regulated Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-7-4(c)][326 IAC 2-7-5(15)]
A.4	Part 70 Permit Applicability [326 IAC 2-7-2]
B	GENERAL CONDITIONS
B.1	Definitions [326 IAC 2-7-1]
B.2	Permit Term [326 IAC 2-7-5(2)] [326 IAC 2-1.1-9.5] [326 IAC 2-7-4(a)(1)(D)] [13-15-3-6(a)]
B.3	Term of Conditions [326 IAC 2-1.1-9.5]
B.4	Enforceability [326 IAC 2-7-7]
B.5	Severability [326 IAC 2-7-5(5)]
B.6	Property Rights or Exclusive Privilege [326 IAC 2-7-5(6)(D)]
B.7	Duty to Provide Information [326 IAC 2-7-5(6)(E)]
B.8	Certification [326 IAC 2-7-4(f)] [326 IAC 2-7-6(1)] [326 IAC 2-7-5(3)(C)]
B.9	Annual Compliance Certification [326 IAC 2-7-6(5)]
B.10	Preventive Maintenance Plan [326 IAC 2-7-5(1),(3)and (13)][326 IAC 2-7-6(1)and(6)] [326 IAC 1-6-3]
B.11	Emergency Provisions [326 IAC 2-7-16]
B.12	Permit Shield [326 IAC 2-7-15] [326 IAC 2-7-20] [326 IAC 2-7-12]
B.13	Prior Permits Superseded [326 IAC 2-1.1-9.5]
B.14	Termination of Right to Operate [326 IAC 2-7-10] [326 IAC 2-7-4(a)]
B.15	Deviations from Permit Requirements and Conditions [326 IAC 2-7-5(3)(C)(ii)]
B.16	Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-7-5(6)(C)] [326 IAC 2-7-8(a)] [326 IAC 2-7-9]
B.17	Permit Renewal [326 IAC 2-7-3][326 IAC 2-7-4]
B.18	Permit Amendment or Modification [326 IAC 2-7-11][326 IAC 2-7-12]
B.19	Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-7-5(8)] [326 IAC 2-7-12 (b)(2)]
B.20	Operational Flexibility [326 IAC 2-7-20] [326 IAC 2-7-10.5]
B.21	Source Modification Requirement [326 IAC 2-7-10.5] [326 IAC 2-2-2] and/or [326 IAC 2-3-2]
B.22	Inspection and Entry [326 IAC 2-7-6] [IC 13-14-2-2][IC 13-30-3-1][IC 13-17-3-2]
B.23	Transfer of Ownership or Operational Control [326 IAC 2-7-11]
B.24	Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-7-5(7)][326 IAC 2-1.1-7]
B.25	Credible Evidence [326 IAC 2-7-5(3)][326 IAC 2-7-6][62 FR 8314]
C	SOURCE OPERATION CONDITIONS.....
	Emission Limitations and Standards [326 IAC 2-7-5(1)]
C.1	Opacity [326 IAC 5-1]
C.2	Open Burning [326 IAC 4-1] [IC 13-17-9]
C.4	Incineration [326 IAC 4-2] [326 IAC 9-1-2]
C.4	Fugitive Dust Emissions [326 IAC 6-4]
C.5	Fugitive Dust Emissions [326 IAC 6.8-10]
C.6	Stack Height [326 IAC 1-7]
C.7	Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]
	Testing Requirements [326 IAC 2-7-6(1)]
C.8	Performance Testing [326 IAC 3-6]

Compliance Requirements [326 IAC 2-1.1-11]

C.9 Compliance Requirements [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-7-5(1)] [326 IAC 2-7-6(1)]

C.10 Compliance Monitoring [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]

C.11 Monitoring Methods [326 IAC 3][40 CFR 60][40 CFR 63]

C.12 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-7-5(3)][326 IAC 2-7-6(1)]

Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]

C.13 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

C.14 Risk Management Plan [326 IAC 2-7-5(12)] [40 CFR 68]

C.15 Response to Excursions or Exceedances [326 IAC 2-7-5] [326 IAC 2-7-6]

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5][326 IAC 2-7-6]

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

C.17 Emission Statement [326 IAC 2-7-5(3)(C)(iii)] [326 IAC 2-7-5(7)] [326 IAC 2-7-19(c)][326 IAC 2-6]

C.18 General Record Keeping Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-6] [326 IAC 2-2] [326 IAC 2-3]

C.19 General Reporting Requirements [326 IAC 2-7-5(3)(C)] [326 IAC 2-1.1-11][326 IAC 2-2] [326 IAC 2-3]

Stratospheric Ozone Protection

C.20 Compliance with 40 CFR 82 and 326 IAC 22-1

D.1 FACILITY OPERATION CONDITIONS -

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.1.1 General Provisions Relating to HAPs [326 IAC 20-1-1][40 CFR 63, Subpart A]

D.1.2 National Emission Standards for Hazardous Air Pollutants for Steel Pickling - HCl Process Facilities and Hydrochloric Acid Regeneration Plants [40 CFR 63, Subpart CCC] [40 CFR 63.1157]

D.1.3 NESHAP Maintenance Requirements [40 CFR 63.1160, Subpart CCC]

D.1.4 NESHAP Operational and Equipment Standards [40 CFR 63.63.1159, Subpart CCC]

D.1.5 Particulate Matter (PM) [326 IAC 6.8-1-2]

D.1.6 Preventive Maintenance Plan [326 IAC 2-7-5(13)]

Compliance Determination Requirements

D.1.7 Testing Requirements [40 CFR 63.1161][40 CFR 63.1162]

D.1.8 Hydrochloric Acid (HCl)

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.1.9 Monitoring Requirements [40 CFR 63.1162]

D.1.10 Monitoring Requirements [40 CFR 63.1162]

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

D.1.11 Record Keeping Requirements [40 CFR 63.1165]

D.1.12 Reporting Requirements [40 CFR 63.1164]

D.2 FACILITY OPERATION CONDITIONS -

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.2.1 Particulate Matter Limitation (PM) [326 IAC 6-2-2]

D.2.2 Particulate Matter Limitation (PM) [326 IAC 6.8-1-2]

Certification
Emergency Occurrence Report
Quarterly Deviation and Compliance Monitoring Report

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)] [326 IAC 2-7-1(22)]

The Permittee owns and operates a stationary steel coil pickling line and steel cutting operation.

Authorized individual:	Plant Manager
Source Address:	4506 W. Cline Ave., East Chicago, IN 46312
Mailing Address:	4506 W. Cline Ave., East Chicago, IN 46312
General Source Phone:	(219) 397-5088
SIC Code:	3316
Source Location Status:	Lake
County Status:	Nonattainment for PM2.5 and 8-hour ozone standard Attainment for all other criteria pollutants
Source Status:	Part 70 Permit Program Minor Source, under PSD and Emission Offset Rules Major Source, Section 112 of the Clean Air Act

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)][326 IAC 2-7-5(15)]

This stationary source consists of the following emission units and pollution control devices, installed in 1982:

- (a) One (1) coil steel pickling line, with a maximum pickling throughput of 250,000 pounds of steel coils per hour with hydrochloric acid emissions controlled by a wet scrubber with a maximum flow rate of 7950 actual cubic feet per minute (acfm) exhausting to stack S1 consisting of:
 - (1) one (1) wash tank, with a surface area of 7.5 ft by 8.3 ft
 - (2) three (3) pickling tanks (1-3), each with a corresponding recirculation tank and a surface area of 50 ft by 8.3 ft
 - (3) one (1) four-stage rinse tank system
 - (4) one (1) roll oil coating operation
 - (5) one (1) roll soap coating operation
- (b) Two (2) storage vessels containing hydrochloric acid with a capacity of 24,100 gallons each.
- (c) Three (3) storage vessels containing spent acid with a total combined capacity of 33,000 gallons

A.3 Specifically Regulated Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-7-4(c)][326 IAC 2-7-5(15)]

This stationary source also includes the following specifically regulated insignificant activities, as defined in 326 IAC 2-7-1(21):

- (a) Two (2) natural gas-fired boilers identified as 1 and 2 with a heat input capacity of 0.64 MMBtu/hr each, built in 1982. [326 IAC 6-2-2]
- (b) Two (2) natural gas-fired comfort heating furnaces identified as 3 and 4 with a heat input capacity of 1.925 MMBtu/hr each. [326 IAC 6-2-2]
- (c) One (1) natural gas-fired comfort heating furnace identified as 8 with a heat input capacity of 0.1 MMBtu/hr. [326 IAC 6.8-1-2]
- (d) One (1) natural gas-fired comfort heating furnace identified as 9 with a heat input capacity of 0.12 MMBtu/hr. [326 IAC 6.8-1-2]
- (e) Welding facility, consisting of two (2) welding stations using metal inert gas (MIG) with a maximum consumption of wire per station of 0.03 pounds per hour, six (6) welding stations using electrodes with a maximum consumption of electrodes per station of 0.05 pounds per hour and six (6) welding stations using oxyacetylene with a maximum metal consumption per station of 0.5 pounds per hour. [326 IAC 6.8-1-2]

A.4 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

- (a) It is a major source, as defined in 326 IAC 2-7-1(22);
- (b) It is a source in a source category designated by the United States Environmental Protection Agency (U.S. EPA) under 40 CFR 70.3 (Part 70 - Applicability).

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-7-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

B.2 Permit Term [326 IAC 2-7-5(2)] [326 IAC 2-1.1-9.5] [326 IAC 2-7-4(a)(1)(D)][13-15-3-6(a)]

- (a) This permit, T089-11186-00384, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, including any permit shield provided in 326 IAC 2-7-15, until the renewal permit has been issued or denied.

B.3 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.4 Enforceability [326 IAC 2-7-7]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Severability [326 IAC 2-7-5(5)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.6 Property Rights or Exclusive Privilege [326 IAC 2-7-5(6)(D)]

This permit does not convey any property rights of any sort or any exclusive privilege.

B.7 Duty to Provide Information [326 IAC 2-7-5(6)(E)]

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ, may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The submittal by the Permittee does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34). Upon request, the Permittee shall also furnish to IDEM, OAQ, copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.8 Certification [326 IAC 2-7-4(f)] [326 IAC 2-7-6(1)] [326 IAC 2-7-5(3)(C)]

- (a) Where specifically designated by this permit or required by an applicable requirement, any

application form, report, or compliance certification submitted shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

- (b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.
- (c) A responsible official is defined at 326 IAC 2-7-1(34).

B.9 Annual Compliance Certification [326 IAC 2-7-6(5)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The initial certification shall cover the time period from the date of final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than April 15 of each year to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Air Enforcement Branch - Indiana (AE-17J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-7-5(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ, may require to determine the compliance status of the source.

The submittal by the Permittee does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

B.10 Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)] [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after issuance of this permit, including the following information on each facility:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.
- (b) A copy of the PMPs shall be submitted to IDEM, OAQ, upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ, may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or potential to emit. The PMPs do not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (c) To the extent the Permittee is required by 40 CFR Part 60 or Part 63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.11 Emergency Provisions [326 IAC 2-7-16]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:
- (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
 - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance Section), or
Telephone No.: 317-233-0178 (ask for Compliance Section)
Facsimile No.: 317-233-6865
Northwest Regional Office Telephone Number: (219) 757-0265
Northwest Regional Office Facsimile Number: (219) 757-0267
 - (5) For each emergency lasting one (1) hour or more, the Permittee submitted the

attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-7-5(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
- (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
- (e) The Permittee seeking to establish the occurrence of an emergency shall make records available upon request to ensure that failure to implement a PMP did not cause or contribute to an exceedance of any limitations on emissions. However, IDEM, OAQ, may require that the Preventive Maintenance Plans required under 326 IAC 2-7-4(c)(9) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ, by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-7 and any other applicable rules.
- (g) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
- (h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report.

B.12 Permit Shield [326 IAC 2-7-15] [326 IAC 2-7-20] [326 IAC 2-7-12]

- (a) Pursuant to 326 IAC 2-7-15, the Permittee has been granted a permit shield. The permit shield provides that compliance with the conditions of this permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that either the applicable requirements are included and specifically identified in this permit or the permit contains an explicit determination or concise summary of a determination that other specifically identified requirements are not applicable. The Indiana statutes from IC 13 and rules from 326 IAC, referenced in conditions in this permit, are those applicable at

the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a Part 70 permit under 326 IAC 2-7 or for applicable requirements for which a permit shield has been granted.

This permit shield does not extend to applicable requirements which are promulgated after the date of issuance of this permit unless this permit has been modified to reflect such new requirements.

- (b) If, after issuance of this permit, it is determined that the permit is in nonconformance with an applicable requirement that applied to the source on the date of permit issuance, IDEM, OAQ, shall immediately take steps to reopen and revise this permit and issue a compliance order to the Permittee to ensure expeditious compliance with the applicable requirement until the permit is reissued. The permit shield shall continue in effect so long as the Permittee is in compliance with the compliance order.
- (c) No permit shield shall apply to any permit term or condition that is determined after issuance of this permit to have been based on erroneous information supplied in the permit application. Erroneous information means information that the Permittee knew to be false, or in the exercise of reasonable care should have been known to be false, at the time the information was submitted.
- (d) Nothing in 326 IAC 2-7-15 or in this permit shall alter or affect the following:
 - (1) The provisions of Section 303 of the Clean Air Act (emergency orders), including the authority of the U.S. EPA under Section 303 of the Clean Air Act;
 - (2) The liability of the Permittee for any violation of applicable requirements prior to or at the time of this permit's issuance;
 - (3) The applicable requirements of the acid rain program, consistent with Section 408(a) of the Clean Air Act; and
 - (4) The ability of U.S. EPA to obtain information from the Permittee under Section 114 of the Clean Air Act.
- (e) This permit shield is not applicable to any change made under 326 IAC 2-7-20(b)(2) (Sections 502(b)(10) of the Clean Air Act changes) and 326 IAC 2-7-20(c)(2) (trading based on State Implementation Plan (SIP) provisions).
- (f) This permit shield is not applicable to modifications eligible for group processing until after IDEM, OAQ, has issued the modifications. [326 IAC 2-7-12(c)(7)]
- (g) This permit shield is not applicable to minor Part 70 permit modifications until after IDEM, OAQ, has issued the modification. [326 IAC 2-7-12(b)(8)]

B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5] [326 IAC 2-7-10.5]

- (a) All terms and conditions of permits established prior to T089-6582-00371 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised under 326 IAC 2-7-10.5, or
 - (3) deleted under 326 IAC 2-7-10.5.

- (b) Provided that all terms and conditions are accurately reflected in this combined permit, all previous registrations and permits are superseded by this Part 70 operating permit.

B.14 Termination of Right to Operate [326 IAC 2-7-10] [326 IAC 2-7-4(a)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-7-3 and 326 IAC 2-7-4(a).

B.15 Deviations from Permit Requirements and Conditions [326 IAC 2-7-5(3)(C)(ii)]

- (a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provisions), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

using the attached Quarterly Deviation and Compliance Monitoring Report, or its equivalent. A deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report.

The Quarterly Deviation and Compliance Monitoring Report does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.

B.16 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-7-5(6)(C)] [326 IAC 2-7-8(a)] [326 IAC 2-7-9]

- (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Part 70 permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-7-5(6)(C)] The notification by the Permittee does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ, determines any of the following:
- (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-7-9(a)(3)]
- (c) Proceedings by IDEM, OAQ, to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-7-9(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-7-9(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ, at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ, may

provide a shorter time period in the case of an emergency. [326 IAC 2-7-9(c)]

B.17 Permit Renewal [326 IAC 2-7-3][326 IAC 2-7-4]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ, and shall include the information specified in 326 IAC 2-7-4. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

- (b) A timely renewal application is one that is:
- (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-7 until IDEM, OAQ, takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ, any additional information identified as being needed to process the application.

B.18 Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]

- (a) Permit amendments and modifications are governed by the requirements of 326 IAC 2-7-11 or 326 IAC 2-7-12 whenever the Permittee seeks to amend or modify this permit.

- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

Any such application shall be certified by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]

B.19 Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-7-5(8)][326 IAC 2-7-12 (b)(2)]

- (a) No Part 70 permit revision shall be required under any approved economic incentives, marketable Part 70 permits, emissions trading, and other similar programs or processes for

changes that are provided for in a Part 70 permit.

- (b) Notwithstanding 326 IAC 2-7-12(b)(1) and 326 IAC 2-7-12(c)(1), minor Part 70 permit modification procedures may be used for Part 70 modifications involving the use of economic incentives, marketable Part 70 permits, emissions trading, and other similar approaches to the extent that such minor Part 70 permit modification procedures are explicitly provided for in the applicable State Implementation Plan (SIP) or in applicable requirements promulgated or approved by the U.S. EPA.

B.20 Operational Flexibility [326 IAC 2-7-20] [326 IAC 2-7-10.5]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-7-20(b), (c), or (e), without a prior permit revision, if each of the following conditions is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any preconstruction approval required by 326 IAC 2-7-10.5 has been obtained;
- (3) The changes do not result in emissions which exceed the limitations provided in this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-7-20(b), (c), or (e). The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ, in the notices specified in 326 IAC 2-7-20(b)(1), (c)(1), and (e)(2).

- (b) The Permittee may make Section 502(b)(10) of the Clean Air Act changes (this term is defined at 326 IAC 2-7-1(36)) without a permit revision, subject to the constraint of 326 IAC 2-7-20(a). For each such Section 502(b)(10) of the Clean Air Act change, the required written notification shall include the following:

- (1) A brief description of the change within the source;
- (2) The date on which the change will occur;

- (3) Any change in emissions; and
- (4) Any permit term or condition that is no longer applicable as a result of the change.

The notification which shall be submitted is not considered an application form, report or compliance certification. Therefore, the notification by the Permittee does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) Emission Trades [326 IAC 2-7-20(c)]
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-7-20(c).
- (d) Alternative Operating Scenarios [326 IAC 2-7-20(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-7-5(9). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (e) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

B.21 Source Modification Requirement [326 IAC 2-7-10.5] [326 IAC 2-2-2] [326 IAC 2-3-2]

- (a) A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2 and 326 IAC 2-7-10.5.
- (b) Any modification at an existing major source is governed by the requirements of 326 IAC 2-2-2 and/or 326 IAC 2-3-2.

B.22 Inspection and Entry [326 IAC 2-7-6] [IC 13-14-2-2] [IC 13-30-3-1] [IC 13-17-3-2]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a Part 70 source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.23 Transfer of Ownership or Operational Control [326 IAC 2-7-11]

- (a) The Permittee must comply with the requirements of 326 IAC 2-7-11 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.

- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

The application, which shall be submitted by the Permittee, does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]

B.24 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-7-5(7)][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ, within thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ, the applicable fee is due April 1 of each year.

- (b) Except as provided in 326 IAC 2-7-19(e), failure to pay may result in administrative enforcement action or revocation of this permit.

- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.25 Credible Evidence [326 IAC 2-7-5(3)][326 IAC 2-7-6][62 FR 8314] [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-7-5(1)]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of twenty percent (20%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1. 326 IAC 4-1-3 (a)(2)(A) and (B) are not federally enforceable.

C.3 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as provided in 326 IAC 4-2 and 326 IAC 9-1-2. 326 IAC 9-1-2 is not federally enforceable.

C.4 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.5 Fugitive Dust Emissions [326 IAC 6.8-10]

- (a) Pursuant to 326 IAC 6.8-10 (formerly 326 IAC 6-1-11.1) (Lake County Fugitive Particulate Matter Control Requirements), the particulate matter emissions from source wide activities shall meet the following requirements:
 - (1) The average instantaneous opacity of fugitive particulate emissions from a paved road shall not exceed ten percent (10%).
 - (2) The average instantaneous opacity of fugitive particulate emissions from an unpaved road shall not exceed ten percent (10%).
 - (3) The average instantaneous opacity of fugitive particulate emissions from batch transfer shall not exceed ten percent (10%).
 - (4) The opacity of fugitive particulate emissions from continuous transfer of material onto and out of storage piles shall not exceed ten percent (10%) on a three (3) minute average.
 - (5) The opacity of fugitive particulate emissions from storage piles shall not exceed ten percent (10%) on a six (6) minute average.
 - (6) There shall be a zero (0) percent frequency of visible emission observations of a material during the inplant transportation of material by truck or rail at any time.

- (7) The opacity of fugitive particulate emissions from the inplant transportation of material by front end loaders and skip hoists shall not exceed ten percent (10%).
- (8) There shall be a zero (0) percent frequency of visible emission observations from a building enclosing all or part of the material processing equipment, except from a vent in the building.
- (9) The PM10 emissions from building vents shall not exceed twenty-two thousandths (0.022) grains per dry standard cubic foot and ten percent (10%) opacity.
- (10) The opacity of particulate emissions from dust handling equipment shall not exceed ten percent (10%).
- (11) Any facility or operation not specified in 326 IAC 6.8-10-3 (formerly 326 IAC 6-1-11.1(d)) shall meet a twenty percent (20%), three (3) minute average opacity standard.
- (12) PM10 emissions from each material processing stack shall not exceed 0.022 grains per dry standard cubic foot and ten percent (10%) opacity
- (13) Fugitive particulate matter from the material processing facilities shall not exceed ten percent (10%) opacity

Material processing facilities include crushers, screens, grinders, mixers, dryers, belt conveyors, bucket elevators, bagging operations, storage bins, and truck or railroad car loading stations.

- (b) The Permittee is subject to 326 IAC 6.8-11-4, 326 IAC 6.8-11-5 and 326 IAC 6.8-11-6 (formerly 326 IAC 6-1-11.2(h), (i), (k), (l), (m), (o), (p) and (q) (Lake County Particulate Matter Contingency Measures) because it is subject to the requirements of 326 IAC 6.8-10 (formerly 326 IAC 6-1-11.1).

C.6 Stack Height [326 IAC 1-7]

The Permittee shall comply with the applicable provisions of 326 IAC 1-7 (Stack Height Provisions), for all exhaust stacks through which a potential (before controls) of twenty-five (25) tons per year or more of particulate matter or sulfur dioxide is emitted. The provisions of 326 IAC 1-7-1(3), 326 IAC 1-7-2, 326 IAC 1-7-3(c) and (d), 326 IAC 1-7-4, and 326 IAC 1-7-5(a), (b), and (d) are not federally enforceable.

C.7 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
 - (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:

- (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Asbestos Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Demolition and Renovation**
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Accredited Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Accredited Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos. The requirement to use an Indiana Accredited Asbestos inspector is not federally enforceable.

Testing Requirements [326 IAC 2-7-6(1)]

C.8 Performance Testing [326 IAC 3-6]

- (a) All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ, not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ, if the Permittee submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.9 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-7-5(1)] [326 IAC 2-7-6(1)]

C.10 Compliance Monitoring [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]

Unless otherwise specified in this permit, all monitoring and record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance. If required by Section D, the Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. If due to circumstances beyond its control, that equipment cannot be installed and operated within ninety (90) days, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification, which shall be submitted by the Permittee, does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units or emission units added through a source modification shall be implemented when operation begins.

C.11 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60 Appendix B, 40 CFR 63, or other approved methods as specified in this permit.

C.12 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-7-5(3)][326 IAC 2-7-6(1)]

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale.
- (b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]

C.13 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

Pursuant to 326 IAC 1-5-2 (Emergency Reduction Plans; Submission):

- (a) The Permittee shall prepare written emergency reduction plans (ERPs) consistent with safe operating procedures.
- (b) These ERPs shall be submitted for approval to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

within ninety (90) days after the date of issuance of this permit.

The ERP does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (c) If the ERP is disapproved by IDEM, OAQ, the Permittee shall have an additional thirty (30) days to resolve the differences and submit an approvable ERP.
- (d) These ERPs shall state those actions that will be taken, when each episode level is declared, to reduce or eliminate emissions of the appropriate air pollutants.
- (e) Said ERPs shall also identify the sources of air pollutants, the approximate amount of reduction of the pollutants, and a brief description of the manner in which the reduction will be achieved.
- (f) Upon direct notification by IDEM, OAQ, that a specific air pollution episode level is in effect, the Permittee shall immediately put into effect the actions stipulated in the approved ERP for the appropriate episode level.
[326 IAC 1-5-3]

C.14 Risk Management Plan [326 IAC 2-7-5(12)] [40 CFR 68.215]

If a regulated substance, as defined in 40 CFR 68, is present at a source in more than a threshold

quantity, the Permittee must comply with the applicable requirements of 40 CFR 68.

C.15 Response to Excursions or Exceedances [326 IAC 2-7-5] [326 IAC 2-7-6]

- (a) Upon detecting an excursion or exceedance, the Permittee shall restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions.
- (b) The response shall include minimizing the period of any startup, shutdown or malfunction and taking any necessary corrective actions to restore normal operation and prevent the likely recurrence of the cause of an excursion or exceedance (other than those caused by excused startup or shutdown conditions). Corrective actions may include, but are not limited to, the following:
 - (1) initial inspection and evaluation;
 - (2) recording that operations returned to normal without operator action (such as through response by a computerized distribution control system); or
 - (3) any necessary follow-up actions to return operation to within the indicator range, designated condition, or below the applicable emission limitation or standard, as applicable.
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:
 - (1) monitoring results;
 - (2) review of operation and maintenance procedures and records;
 - (3) inspection of the control device, associated capture system, and the process.
- (d) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (e) The Permittee shall maintain the following records:
 - (1) monitoring data;
 - (2) monitor performance data, if applicable; and
 - (3) corrective actions taken.

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5] [326 IAC 2-7-6]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.
- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred and twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to

noncompliant stack tests.

The response action documents submitted pursuant to this condition do require the certification by the “responsible official” as defined by 326 IAC 2-7-1(34).

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

C.17 Emission Statement [326 IAC 2-7-5(3)(C)(iii)][326 IAC 2-7-5(7)][326 IAC 2-7-19(c)][326 IAC 2-6]

- (a) Pursuant to 326 IAC 2-6-3(a)(1), the Permittee shall submit by July 1 of each year an emission statement covering the previous calendar year. The emission statement shall contain, at a minimum, the information specified in 326 IAC 2-6-4(c) and shall meet the following requirements:
- (1) Indicate estimated actual emissions of all pollutants listed in 326 IAC 2-6-4(a);
 - (2) Indicate estimated actual emissions of regulated pollutants (as defined by 326 IAC 2-7-1(32)) (“Regulated pollutant which is used only for purposes of Section 19 of this rule”) from the source, for purposes of Part 70 fee assessment.

The statement must be submitted to:

Indiana Department of Environmental Management
Technical Support and Modeling Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

The emission statement does require the certification by the “responsible official” as defined by 326 IAC 2-7-1(34).

- (b) The emission statement required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.

C.18 General Record Keeping Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-6] [326 IAC 2-2] [326 IAC 2-3]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.
- (c) If there is a reasonable possibility that a “project” as defined in 326 IAC 2-2-1 (qq) and/or 326 IAC 2-3-1 (ll) at an existing emissions unit, other than projects at a Clean Unit (or at a source with Plant-wide Applicability Limitation (PAL)), which is not part of a “major modification” (as defined in 326 IAC 2-2-1 (ee) and/or 326 IAC 2-3-1 (z)) may result in significant emissions increase and the Permittee elects to utilize the “projected actual emissions” as defined in 326 IAC 2-2-1 (rr) and/or 326 IAC 2-3-1 (mm), the Permittee shall comply with following:
- (1) Before beginning actual construction of the “project” as defined in 326 IAC 2-2-1

(qq) and/or 326 IAC 2-3-1 (ll) at an existing emissions unit, document and maintain the following records:

- (A) A description of the project.
- (B) Identification of any emissions unit whose emissions of a regulated new source review pollutant could be affected by the project.
- (C) A description of the applicability test used to determine that the project is not a major modification for any regulated NSR pollutant, including:
 - (i) Baseline actual emissions;
 - (ii) Projected actual emissions;
 - (iii) Amount of emissions excluded under section 326 IAC 2-2-1(rr)(2)(A)(iii) and/or 326 IAC 2-3-1(mm)(2)(A)(iii); and
 - (iv) An explanation for why the amount was excluded, and any netting calculations, if applicable.

- (2) Monitor the emissions of any regulated NSR pollutant that could increase as a result of the project and that is emitted by any existing emissions unit identified in (1)(B) above; and
- (3) Calculate and maintain a record of the annual emissions, in tons per year on a calendar year basis, for a period of five (5) years following resumption of regular operations after the change, or for a period of ten (10) years following resumption of regular operations after the change if the project increases the design capacity of or the potential to emit that regulated NSR pollutant at the emissions unit.

C.19 General Reporting Requirements [326 IAC 2-7-5(3)(C)] [326 IAC 2-1.1-11] [326 IAC 2-2] [326 IAC 2-3]

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported. This report shall be submitted within thirty (30) days of the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251
- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (d) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (e) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period. Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit "calendar year" means the twelve (12) month period from January 1 to December 31 inclusive.

- (f) If the Permittee is required to comply with the recordkeeping provisions of (c) in Section C- General Record Keeping Requirements for any "project" as defined in 326 IAC 2-2-1 (qq) and/or 326 IAC 2-3-1 (ll) at an existing emissions unit, and the project meets the following criteria, then the Permittee shall submit a report to IDEM, OAQ:
- (1) The annual emissions, in tons per year, from the project identified in (c)(1) in Section C- General Record Keeping Requirements exceed the baseline actual emissions, as documented and maintained under Section C- General Record Keeping Requirements (c)(1)(C)(i), by a significant amount, as defined in 326 IAC 2-2-1 (xx) and/or 326 IAC 2-3-1 (qq), for that regulated NSR pollutant, and
 - (2) The emissions differ from the preconstruction projection as documented and maintained under Section C- General Record Keeping Requirements (c)(1)(C)(ii).
- (g) The report for project at an existing emissions unit shall be submitted within sixty (60) days after the end of the year and contain the following:
- (1) The name, address, and telephone number of the major stationary source.
 - (2) The annual emissions calculated in accordance with (c)(2) and (3) in Section C- General Record Keeping Requirements.
 - (3) The emissions calculated under the actual-to-projected actual test stated in 326 IAC 2-2-2(d)(3) and/or 326 IAC 2-3-2(c)(3).
 - (4) Any other information that the Permittee deems fit to include in this report,

Reports required in this part shall be submitted to:

Indiana Department of Environmental Management
Air Compliance Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

- (h) The Permittee shall make the information required to be documented and maintained in accordance with (c) in Section C- General Record Keeping Requirements available for review upon a request for inspection by IDEM,. The general public may request this information from the IDEM, OAQ under 326 IAC 17.1.

Stratospheric Ozone Protection

C.20 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

- (a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- (b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- (c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

SECTION D.1 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]:

The source consists of the following facilities/units, installed in November 1982:

- (a) One (1) coil steel pickling line, with a maximum pickling throughput of 250,000 pounds of steel coils per hour with hydrochloric acid emissions controlled by a wet scrubber with a maximum flow rate of 7950 actual cubic feet per minute (acfm) exhausting to stack S1 consisting of:
 - (1) one (1) wash tank, with a surface area of 7.5 ft by 8.3 ft
 - (2) three (3) pickling tanks (1-3), each with a corresponding recirculation tank and a surface area of 50 ft by 8.3 ft
 - (3) one (1) four-stage rinse tank system
 - (4) one (1) roll oil coating operation
 - (5) one (1) roll soap coating operation
- (b) Two (2) storage vessels containing hydrochloric acid with a capacity of 24,100 gallons each.
- (c) Three (3) storage vessels containing spent acid with a total combined capacity of 33,000 gallons

The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.1.1 General Provisions Relating to HAPs [326 IAC 20-1-1][40 CFR 63, Subpart A]

The provisions of 40 CFR 63, Subpart A - General Provisions, which are incorporated as 326 IAC 20-1-1, apply to the emission units described in this section except when otherwise specified in 40 CFR 63, Subpart CCC.

D.1.2 National Emission Standards for Hazardous Air Pollutants for Steel Pickling - HCl Process Facilities and Hydrochloric Acid Regeneration Plants [40 CFR 63, Subpart CCC] [40 CFR 63.1157]

Pursuant to 40 CFR 63, Subpart CCC, the pickle line shall comply with the following requirements:

The Permittee shall not cause or allow to be discharged into the atmosphere from the affected pickling line:

- (a) Any gases that contain HCl in a concentration in excess of 18 ppmv; or
- (b) HCl at a mass emission rate that corresponds to a collection efficiency of less than 97 percent.

D.1.3 NESHAP Maintenance Requirements [40 CFR 63.1160, Subpart CCC]

The Permittee shall comply with the operation and maintenance requirements of 40 CFR 63.6(e) (Subpart A, General Provisions). Pursuant to 40 CFR 63.1160, Subpart CCC, the Permittee shall prepare an operation and maintenance plan for each emission control device to be implemented no later than the compliance date. The plan shall be incorporated by reference into the source's Title V Permit. All such plans must be consistent with good maintenance practices and, for a scrubber

emission control device, must at a minimum:

- (a) Require monitoring and recording the pressure drop across the scrubber once per shift while the scrubber is operating in order to identify changes that may indicate a need for maintenance;
- (b) Require the manufacturer's recommended maintenance at the recommended intervals on fresh solvent pumps, recirculating pumps, discharge pumps, and other liquid pumps, in addition to exhaust system and scrubber fans and motors associated with those pumps and fans;
- (c) Require cleaning of the scrubber internals and mist eliminators at intervals sufficient to prevent buildup of solids or other fouling;
- (d) Require an inspection of each scrubber at intervals of no less than 3 months with:
 - (1) Cleaning or replacement of any plugged spray nozzles or other liquid delivery devices;
 - (2) Repair or replacement of missing, misaligned, or damaged baffles, trays, or other internal components;
 - (3) Repair or replacement of droplet eliminator elements as needed;
 - (4) Repair or replacement of heat exchanger elements used to control the temperature of fluids entering or leaving the scrubber; and
 - (5) Adjustment of damper settings for consistency with the required air flow.
- (e) If the scrubber is not equipped with a viewport or access hatch allowing visual inspection, alternate means of inspection approved by the Administrator may be used.
- (f) The Permittee shall initiate procedures for corrective action within 1 working day of detection of an operating problem and complete all corrective actions as soon as practicable. Procedures to be initiated are the applicable actions that are specified in the maintenance plan. Failure to initiate or provide appropriate repair, replacement, or other corrective action is a violation of the maintenance requirement.
- (g) The Permittee shall maintain a record of each inspection, including each item identified in (d) above, that is signed by the responsible maintenance official and that shows the date of each inspection, the problem identified, a description of the repair, replacement, or other corrective action taken, and the date of the repair, replacement, or other corrective action taken.

D.1.4 NESHAP Operational and Equipment Standards [40 CFR 63.63.1159, Subpart CCC]

Hydrochloric acid storage vessels. Pursuant to 40 CFR 63.63.1159, Subpart CCC, the Permittee of an affected vessel shall provide and operate, except during loading and unloading of acid, a closed-vent system for each vessel. Loading and unloading shall be conducted either through enclosed lines or each point where the acid is exposed to the atmosphere shall be equipped with a local fume capture system, ventilated through an air pollution control device.

D.1.5 Particulate Matter (PM) [326 IAC 6.8-1-2]

Pursuant 326 IAC 6.8-1-2 (formerly 326 IAC 6-1-2), the Pickling Line Operation Scrubber shall not discharge to the atmosphere any gases which contain particulate matter in excess of 0.03 grains per dry standard cubic foot of exhaust air.

D.1.6 Preventive Maintenance Plan [326 IAC 2-7-5(13)]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for this facility and any control devices.

Compliance Determination Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.1.7 Testing Requirements [40 CFR 63.1161][40 CFR 63.1162]

- (a) Within twelve (12) months of permit issuance, the Permittee shall conduct a performance test for the Pickling Line (S6A) to determine and demonstrate compliance with the applicable emission limitation according to the requirements of 40 CFR 63.7 (Subpart A, General Provisions). This initial performance test shall meet the following minimum requirements:
- (1) Following approval of the site-specific test plan, the Permittee shall conduct a performance test for each process or control device to either measure simultaneously the mass flows of HCl at the inlet and the outlet of the control device (to determine compliance with the applicable collection efficiency standard) or measure the concentration of HCl in gases exiting the process or the emission control device (to determine compliance with the applicable emission concentration standards).
 - (2) Compliance with the applicable concentration standard or collection efficiency standard shall be determined by the average of three consecutive runs or by the average of any three of four consecutive runs. Each run shall be conducted under conditions representative of normal process operations.
 - (3) Compliance is achieved if either the average collection efficiency as determined by the HCl mass flows at the control device inlet and outlet is greater than or equal to the applicable collection efficiency standard, or the average measured concentration of HCl exiting the process or the emission control device is less than or equal to the applicable emission concentration standard.
- (b) During the performance test for each emission control device, the Permittee using a wet scrubber to achieve compliance shall establish site-specific operating parameter values for the minimum scrubber makeup water flow rate and, for scrubbers that operate with recirculation, the minimum recirculation water flow rate. During the emission test, each operating parameter must be monitored continuously and recorded with sufficient frequency to establish a representative average value for that parameter, but no less frequently than once every 15 minutes. The Permittee shall determine the operating parameter monitoring values as in the averages of the values recorded during any of the runs for which results are used to establish the emission concentration or collection efficiency per 40 CFR 63.1161(a)(2). A Permittee may conduct multiple performance tests to establish alternative compliant operating parameter values. Also, a Permittee may reestablish compliant operating parameter values as part of any performance test that is conducted subsequent to the initial test or tests.
- (c) Conduct performance tests to measure the HCl flows at the control device inlet and outlet or the concentration of HCl exiting the control device according to the procedures described in 40 CFR 63.1161. Performance tests shall be conducted according to an alternative schedule approved by IDEM, OAQ, every two and half (2 .5) years or twice per Part 70 Operating Permit term. If any performance test shows that the HCl emission limitation is being exceeded, the Permittee is in violation of the emission limit.
- (d) Pursuant to 40 CFR 63.1163(d), the Permittee of an affected source shall notify IDEM, OAQ, in writing of his or her intention to conduct a performance test at least 60 calendar days before the performance test is scheduled to begin, to allow IDEM, OAQ, to review and approve the site-specific test plan required under 40 CFR 63.7(c), and, if requested by

IDEM, OAQ, to have an observer present during the test.

- (e) The following test methods from Appendix A of 40 CFR Part 60 shall be used to determine compliance under 40 CFR 63.1157(a);
- (1) Method 1, to determine the number and location of sampling points, with the exception that no sampling traverse point shall be within one inch of the stack or duct wall;
 - (2) Method 2, to determine gas velocity and volumetric flow rate;
 - (3) Method 3, to determine the molecular weight of the stack gas;
 - (4) Method 4, to determine the moisture content of the stack gas; and
 - (5) Method 26A, "Determination of Hydrogen Halide and Halogen Emissions from Stationary Sources – Isokinetic Method," to determine the HCl mass flows at the inlet and outlet of a control device or the concentration of HCl discharged to the atmosphere. If compliance with a collection efficiency standard is being demonstrated, inlet and outlet measurements shall be performed simultaneously. The minimum sampling time for each run shall be 60 minutes and the minimum sample volume 0.85 dry standard cubic meters (dscm) [30 dry standard cubic feet (dscf)]. The concentration of HCl shall be calculated for each run as follows: $C_{HCL}(ppmv) = 0.659 C_{HCL}(mg/dscm)$, where C (ppmv) is concentration in ppmv and C (mg/dscm) is concentration in milligrams per dry standard cubic meter as calculated by the procedure given in Method 26A.
 - (6) The Permittee may use equivalent alternative measurement methods approved by U.S. EPA.

D.1.8 Hydrochloric Acid (HCl)

The wet scrubber HCl control shall be in operation at all times when the pickling line is in operation.

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.1.9 Monitoring Requirements [40 CFR 63.1162]

Pursuant to 40 CFR 63.1162, the Permittee shall:

- (a) In addition to conducting performance tests, if a wet scrubber is used as the emission control device, install, operate and maintain systems for the measurement and recording of the scrubber makeup water flow rate and, if required, recirculation water flow rate. These flow rates must be monitored continuously and recorded at least once per shift while the scrubber is operating. Operation of the wet scrubber with excursions of scrubber makeup water flow rate and recirculation water flow rate less than the minimum values established during the performance test will require initiation of corrective action as specified by the maintenance requirements in 40 CFR 63.1160(b)(2).
- (b) Failure to record each of the operating parameters in 40 CFR 63.1162(a)(2) is a violation of the monitoring requirements of 40 CFR 63, Subpart CCC.
- (c) Each monitoring device shall be certified by the manufacturer to be accurate to within 5 percent and shall be calibrated in accordance with the manufacturer's instructions but not less frequently than once per year.
- (d) The Permittee may develop and implement alternative monitoring requirements subject to approval by U.S. EPA.

D.1.10 Monitoring Requirements [40 CFR 63.1162]

Pursuant to 40 CFR 63.1162, the Permittee of an affected hydrochloric acid storage vessel shall inspect each vessel semiannually to determine that the closed-vent system and either the air pollution control device or the enclosed loading and unloading line, whichever is applicable, are installed and operating when required.

Record Keeping and Reporting Requirement [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

D.1.11 Record Keeping Requirements [40 CFR 63.1165]

- (a) To document compliance with Conditions D.1.2 and D.1.3, the Permittee shall maintain the following records pursuant to 40 CFR 63.1165:
- (1) The Permittee, as required by 40 CFR 63.10(b)(2) (Subpart A, General Provisions), shall maintain general records for 5 years from the date of each record of:
 - (A) The occurrence and duration of each startup, shutdown, or malfunction of operation;
 - (B) The occurrence and duration of each malfunction of the air pollution control equipment;
 - (C) All maintenance performed on the air pollution control equipment;
 - (D) Actions taken during periods of startup, shutdown, and malfunction and the dates of such actions when these actions are different from the procedures specified in the startup, shutdown, and malfunction plan;
 - (E) All information necessary to demonstrate conformance with the startup shutdown, and malfunction plan when all actions taken during periods of startup, shutdown, and malfunction (including corrective actions to restore malfunctioning process and air pollution control equipment to its normal or usual manner of operation) are consistent with the procedures specified in such plan. This information can be recorded in a checklist or similar form (see 40 CFR 63.10(b)(2)(v))
 - (F) All required measurements needed to demonstrate compliance with the standard and to support data that the source is required to report, including but not limited to, performance test measurements (including initial and any subsequent performance tests) and measurements as may be necessary to determine the conditions of the initial test or subsequent tests.
 - (G) All results of initial or subsequent performance tests;
 - (H) If the Permittee has been granted a waiver from record keeping or reporting requirements under 40 CFR 63.10(f), any information demonstrating whether a source is meeting the requirements for a waiver of record keeping or reporting requirements;
 - (I) If the Permittee has been granted a waiver from the initial performance test under 40 CFR 63.7(h), a copy of the full request and approval or disapproval;
 - (J) All documentation supporting initial notifications and notifications of compliance status required by 40 CFR 63.9; and
 - (K) Records of any applicability determination, including supporting analyses.

- (2) In addition to the general records required by 40 CFR 63.1165(a) the Permittee shall maintain records for 5 years from the date of each record of:
 - (A) Scrubber makeup water flow rate and recirculation water flow rate if a wet scrubber is used;
 - (B) Calibration and manufacturer certification that monitoring devices are accurate to within 5 percent;
 - (C) Each maintenance inspection and repair, replacement, or other corrective action; and
 - (3) The Permittee shall keep the written operation and maintenance plan on record after it is developed to be made available for inspection, upon request, by IDEM, OAQ, for the life of the affected source or until the source is no longer subject to these provisions of 40 CFR 63, Subpart CCC. In addition, if the operation and maintenance plan is revised, the Permittee shall keep previous (i.e., superseded) versions of the plan on record to be made available for inspection by IDEM, OAQ, for a period of 5 years after each revision to the plan.
- (b) General records and 40 CFR 63, Subpart CCC records, for the most recent 2 years of operation must be maintained on site for 2 years. Records for the 3 previous years may be maintained off site.
 - (c) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

D.1.12 Reporting Requirements [40 CFR 63.1164]

- (a) As required by 40 CFR 63.10(d)(2), the Permittee of an affected source shall report the results of any performance test as part of the notification of compliance status required in 40 CFR 63.1163.
- (b) The Permittee of an affected source who is required to submit progress reports under 40 CFR 63.6(i), shall submit such reports to IDEM, OAQ, by the dates specified in the written extension of compliance.
- (c) Pursuant to 40 CFR 63.6(e), the Permittee of an affected source is required to operate and maintain each affected emission source, including associated air pollution control equipment, in a manner consistent with good air pollution control practices for minimizing emissions at least to the level required by the standard at all time, including during any period of startup, shutdown, or malfunction. Malfunctions must be corrected as soon as practicable after their occurrence in accordance with the startup, shutdown, and malfunction plan.
 - (1) Pursuant to 40 CFR 63.6(e)(3), the Permittee shall develop and implement a written startup, shutdown, and malfunction plan that describes, in detail, procedures for operating and maintaining the source during periods of startup, shutdown, or malfunction, and a program of corrective action for malfunctioning process and air pollution control equipment used to comply with the relevant standard.
 - (2) Pursuant to 40 CFR 63.10(d)(5)(I) if actions taken by a Permittee during a startup, shutdown, or malfunction of an affected source (including actions taken to correct a malfunction) are consistent with the procedures specified in the startup, shutdown, and malfunction plan, the Permittee shall state such information in a semiannual report. The report, to be certified by the owner/operator or other responsible official, shall be submitted semiannually and delivered or postmarked by the 30th

day following the end of each calendar half; and

- (3) Any time an action taken by an Permittee during a startup, shutdown, or malfunction (including actions taken to correct a malfunction) is not consistent with the procedures in the startup, shutdown, and malfunction plan, the Permittee shall comply with all requirements of 40 CFR 63.10(d)(5)(ii).
- (b) Reports shall be submitted in accordance with Section C - General Reporting Requirements of this permit

SECTION D.2 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]:

Insignificant Activities:

The source also consists of the following specifically regulated insignificant activities, as defined in 326 IAC 2-7-1(21):

- (a) Two (2) natural gas-fired boilers identified as 1 and 2 with a heat input capacity of 0.64 MMBtu/hr each, built in 1982. [326 IAC 6-2-2]
- (b) Two (2) natural gas-fired comfort heating furnaces identified as 3 and 4 with a heat input capacity of 1.925 MMBtu/hr each. [326 IAC 6-2-2]
- (c) One (1) natural gas-fired comfort heating furnace identified as 8 with a heat input capacity of 0.1 MMBtu/hr. [326 IAC 6.8-1-2]
- (d) One (1) natural gas-fired comfort heating furnace identified as 9 with a heat input capacity of 0.12 MMBtu/hr. [326 IAC 6.8-1-2]
- (e) Welding facility, consisting of two (2) welding stations using metal inert gas (MIG) with a maximum consumption of wire per station of 0.03 pounds per hour, six (6) welding stations using electrodes with a maximum consumption of electrodes per station of 0.05 pounds per hour and six (6) welding stations using oxyacetylene with a maximum metal consumption per station of 0.5 pounds per hour. [326 IAC 6.8-1-2]

The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.2.1 Particulate Matter Limitation (PM) [326 IAC 6-2-2]

Pursuant to 326 IAC 6-2-2 (a), particulate emissions from any facility used for indirect heating purposes which has less than 10 MMBtu/hr heat input, shall not exceed 0.6 lb/MMBtu heat input.

D.2.2 Particulate Matter Limitation (PM) [326 IAC 6.8-1-2]

Pursuant 326 IAC 6.8-1-2 (formerly 326 IAC 6-1-2), the comfort heating furnaces identified as 3 and 4, radiant space heaters identified collectively as 6, radiant space heaters identified collectively as 7, comfort heating furnace identified as 8, comfort heating furnace identified as 9, Woodworking facility, and Welding facility shall not discharge to the atmosphere any gases which contain particulate matter in excess of 0.03 grains per dry standard cubic foot of exhaust air.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

PART 70 OPERATING PERMIT CERTIFICATION

Source Name: National Processing Co.
Source Address: 4506 W. Cline Ave., East Chicago, IN 46312
Mailing Address: 4506 W. Cline Ave., East Chicago, IN 46312
Part 70 Permit No.: T089-11186-00384

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify)
- Report (specify)
- Notification (specify)
- Affidavit (specify)
- Other (specify)

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Phone:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH
100 North Senate Avenue
Indianapolis, Indiana 46204
Phone: 317-233-0178
Fax: 317-233-6865**

**PART 70 OPERATING PERMIT
EMERGENCY OCCURRENCE REPORT**

Source Name: National Processing Co.
Source Address: 4506 W. Cline Ave., East Chicago, IN 46312
Mailing Address: 4506 W. Cline Ave., East Chicago, IN 46312
Part 70 Permit No.: T089-11186-00384

This form consists of 2 pages

Page 1 of 2

- | |
|--|
| <input type="checkbox"/> This is an emergency as defined in 326 IAC 2-7-1(12) <ul style="list-style-type: none">C The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); andC The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16. |
|--|

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by:

Title / Position:

Date:

Phone:

A certification is not required for this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION**

**PART 70 OPERATING PERMIT
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: National Processing Co.
Source Address: 4506 W. Cline Ave., East Chicago, IN 46312
Mailing Address: 4506 W. Cline Ave., East Chicago, IN 46312
Part 70 Permit No.: T089-11186-00384

Months: _____ to _____ Year: _____

Page 1 of 2

This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".

NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.

THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD

Permit Requirement (specify permit condition #)

Date of Deviation:

Duration of Deviation:

Number of Deviations:

Probable Cause of Deviation:

Response Steps Taken:

Permit Requirement (specify permit condition #)

Date of Deviation:

Duration of Deviation:

Number of Deviations:

Probable Cause of Deviation:

Response Steps Taken:

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed By:

Title/Position:

Date:

Phone:

Attach a signed certification to complete this report.

Indiana Department of Environmental Management Office of Air Quality

Addendum to the Technical Support Document for a Part 70 Operating Permit

Source Name: National Processing Company
Source Location: 4506 W. Cline Ave., East Chicago, IN 46312
County: Lake
SIC Code: 3316
Operation Permit No.: T089-11186-00384
Permit Reviewer: Teresa Freeman

On February 17, 2006, the Office of Air Quality (OAQ) had a notice published in The Post Tribune in Merrillville, Indiana and The Times in Munster, Indiana, stating that National Processing Company had applied for a Part 70 Operating Permit to operate a stationary steel coil pickling line and steel cutting operation. The notice also stated that OAQ proposed to issue a permit for this operation and provided information on how the public could review the proposed permit and other documentation. Finally, the notice informed interested parties that there was a period of thirty (30) days to provide comments on whether or not this permit should be issued as proposed.

Upon further review, the OAQ has made the following revisions to the permit (bolded language has been added and the language with a line through it has been deleted). The Table of Contents has been modified to reflect these changes. Miscellaneous grammar and spelling corrections have been made throughout the permit also.

Change 1

On the cover page the signature box was changed to reflect the new Branch Chief for the OAQ Permits Branch.

Operation Permit No.: T089-11186-00384	
Issued by: Paul Dubonetzky, Assistant Commissioner Nisha Sizemore, Branch Chief Office of Air Quality	Issuance Date: Expiration Date:

Change 2

B.9(a) Annual Compliance Certification is being revised to remove "in letter form" in order to clarify the intent of the condition.

B.9 Annual Compliance Certification [326 IAC 2-7-6(5)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The initial certification shall cover the time period from the date of final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted ~~in letter form~~ no later than April 15 of each year to:

Change 3

The phone number and the fax number listed in Condition B.11 (b) Emergency Provisions and on the

Emergency Occurrence Report have been corrected.

B.11 Emergency Provisions [326 IAC 2-7-16]

- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:
- (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
 - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance Section), or
Telephone No.: 317-233-56740178 (ask for Compliance Section)
Facsimile No.: 317-233-59676865
Northwest Regional Office Telephone Number: (219) 757-0265
Northwest Regional Office Facsimile Number: (219) 757-0267

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

**OFFICE OF AIR QUALITY
COMPLIANCE BRANCH
100 North Senate Avenue
Indianapolis, Indiana 46204-2251
Phone: 317-233-56740178
Fax: 317-233-59676865**

**PART 70 OPERATING PERMIT
EMERGENCY OCCURRENCE REPORT**

Source Name: National Processing Company
Source Location: 4506 W. Cline Ave., East Chicago, IN 46312
Mailing Address: 4506 W. Cline Ave., East Chicago, IN 46312
Part 70 Permit No.: T089-11186-00384

This form consists of 2 pages

Page 1 of 2

This is an emergency as defined in 326 IAC 2-7-1(12)

- The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-56740178 ask for Compliance Section); and
- The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-59676865), and follow the other requirements of 326 IAC 2-7-16.

Change 4

In Condition B.12, the word “in” has been removed from the second sentence to be consistent with 326 IAC 2-7-15(a).

B.12 Permit Shield [326 IAC 2-7-15] [326 IAC 2-7-20] [326 IAC 2-7-12]

- (a) Pursuant to 326 IAC 2-7-15, the Permittee has been granted a permit shield. The permit shield provides that compliance with the conditions of this permit shall be deemed ~~in~~ compliance with any applicable requirements as of the date of permit issuance, provided that either the applicable requirements are included and specifically identified in this permit or the permit contains an explicit determination or concise summary of a determination that other specifically identified requirements are not applicable. The Indiana statutes from IC 13 and rules from 326 IAC, referenced in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a Part 70 permit under 326 IAC 2-7 or for applicable requirements for which a permit shield has been granted.

Change 5

Condition B.18(d) has been removed as follows:

B.18 Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]

- (a) Permit amendments and modifications are governed by the requirements of 326 IAC 2-7-11 or 326 IAC 2-7-12 whenever the Permittee seeks to amend or modify this permit.
- (b) Any application requesting an amendment or modification of this permit shall be submitted to:
- Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204-2251
- Any such application shall be certified by the “responsible official” as defined by 326 IAC 2-7-1(34).
- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]
- ~~(d) No permit amendment or modification is required for the addition, operation or removal of a nonroad engine, as defined in 40 CFR 89.2.~~

Change 6

Condition C.18 (c)(1)(C)(iii) contains an error in the rule cite and has been changed as follows:

C.18 General Record Keeping Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-6] [326 IAC 2-2] [326 IAC 2-3]

- (c) If there is a reasonable possibility that a “project” as defined in 326 IAC 2-2-1 (qq) and/or 326 IAC 2-3-1 (ll) at an existing emissions unit, other than projects at a Clean Unit (or at a source with Plant-wide Applicability Limitation (PAL)), which is not part of a “major modification” (as defined in 326 IAC 2-2-1 (ee) and/or 326 IAC 2-3-1 (z)) may result in significant emissions increase and the Permittee elects to utilize the “projected actual emissions” as defined in 326 IAC 2-2-1 (rr) and/or 326 IAC 2-3-1 (mm), the Permittee shall

comply with following:

- (1) Before beginning actual construction of the "project" as defined in 326 IAC 2-2-1 (qq) and/or 326 IAC 2-3-1 (ll) at an existing emissions unit, document and maintain the following records:
 - (A) A description of the project.
 - (B) Identification of any emissions unit whose emissions of a regulated new source review pollutant could be affected by the project.
 - (C) A description of the applicability test used to determine that the project is not a major modification for any regulated NSR pollutant, including:
 - (i) Baseline actual emissions;
 - (ii) Projected actual emissions;
 - (iii) Amount of emissions excluded under section 326 IAC 2-2-1(rr)(2)(A)(iii) and/or 326 IAC 2-3-1(mm)(2)(A)(~~iii~~); and
 - (iv) An explanation for why the amount was excluded, and any netting calculations, if applicable.

Change 7

Condition C.5 has been revised to remove requirements for activities at integrated iron and steel plants that do not apply to this source as follows:

C.5 Fugitive Dust Emissions [326 IAC 6.8-10]

- (a) Pursuant to 326 IAC 6.8-10 (formerly 326 IAC 6-1-11.1) (Lake County Fugitive Particulate Matter Control Requirements), the particulate matter emissions from source wide activities shall meet the following requirements:
 - (1) The average instantaneous opacity of fugitive particulate emissions from a paved road shall not exceed ten percent (10%).
 - (2) The average instantaneous opacity of fugitive particulate emissions from an unpaved road shall not exceed ten percent (10%).
 - (3) The average instantaneous opacity of fugitive particulate emissions from batch transfer shall not exceed ten percent (10%).
 - (4) The opacity of fugitive particulate emissions from continuous transfer of material onto and out of storage piles shall not exceed ten percent (10%) on a three (3) minute average.
 - (5) The opacity of fugitive particulate emissions from storage piles shall not exceed ten percent (10%) on a six (6) minute average.
 - (6) There shall be a zero (0) percent frequency of visible emission observations of a material during the inplant transportation of material by truck or rail at any time.
 - (7) The opacity of fugitive particulate emissions from the inplant transportation of material by front end loaders and skip hoists shall not exceed ten percent (10%).
 - (8) There shall be a zero (0) percent frequency of visible emission observations from a building enclosing all or part of the material processing equipment, except from a vent in the building.
 - (9) The PM10 emissions from building vents shall not exceed twenty-two thousandths (0.022) grains per dry standard cubic foot and ten percent (10%) opacity.
 - (10) The opacity of particulate emissions from dust handling equipment shall not exceed

ten percent (10%).

- (11) Any facility or operation not specified in 326 IAC 6.8-10-3 (formerly 326 IAC 6-1-11.1(d)) shall meet a twenty percent (20%), three (3) minute average opacity standard.
- (12) PM10 emissions from each material processing stack shall not exceed 0.022 grains per dry standard cubic foot and ten percent (10%) opacity
- (13) Fugitive particulate matter from the material processing facilities shall not exceed ten percent (10%) opacity
- ~~(14) Slag and kish handling activities at integrated iron and steel plants shall comply with the following particulate emissions limits:
 - ~~(A) The opacity of fugitive particulate emissions from transfer from pots and trucks into pits shall not exceed twenty percent (20%) on a six (6) minute average.~~
 - ~~(B) The opacity of fugitive particulate emissions from transfer from pits into front end loaders and from transfer from front end loaders into trucks shall comply with the fugitive particulate emission limits in 326 IAC 6.8-10-3 (formerly 326 IAC 6-1-11.1(d)(9)).~~~~

Material processing facilities include crushers, screens, grinders, mixers, dryers, belt conveyors, bucket elevators, bagging operations, storage bins, and truck or railroad car loading stations.

- (b) The Permittee is subject to 326 IAC 6.8-11-4, 326 IAC 6.8-11-5 and 326 IAC 6.8-11-6 (formerly 326 IAC 6-1-11.2(h), (i), (k), (l), (m), (o), (p) and (q) (Lake County Particulate Matter Contingency Measures) because it is subject to the requirements of 326 IAC 6.8-10 (formerly 326 IAC 6-1-11.1).

Change 8

On August 7, 2006, a temporary emergency rule took effect redesignating Delaware, Greene, Jackson, Vanderburgh, Vigo and Warrick Counties to attainment for the eight-hour ozone standard, redesignating Lake County to attainment for the sulfur dioxide standard, and revoking the one-hour ozone standard in Indiana. The Indiana Air Pollution Control Board has approved a permanent rule revision to incorporate these changes into 326 IAC 1-4-1. The permanent revision to 326 IAC 1-4-1 will take effect prior to the expiration of the emergency rule.

Therefore, the following changes will be made to the permit:

A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)] [326 IAC 2-7-1(22)]

The Permittee owns and operates a stationary steel coil pickling line and steel cutting operation.

Authorized individual:	Plant Manager
Source Address:	4506 W. Cline Ave., East Chicago, IN 46312
Mailing Address:	4506 W. Cline Ave., East Chicago, IN 46312
General Source Phone:	(219) 397-5088
SIC Code:	3316
Source Location Status:	Lake
County Status:	Nonattainment for PM _{2.5} , SO ₂ , 1-hour ozone and 8-hour ozone standard
Source Status:	Attainment for all other criteria pollutants Part 70 Permit Program Minor Source, under PSD and Emission Offset Rules

Major Source, Section 112 of the Clean Air Act

Although the TSD itself will not be revised as it is a historical document and the TSD was correct at the time of public notice, the following is being provided to show how the county attainment status has been affected as a result of the 8-hour, 1-hour and SO₂ designation changes.

County Attainment Status

The source is located in Lake County.

Pollutant	Status
PM-10	attainment
PM2.5	nonattainment
SO ₂	Nonattainment
NO ₂	attainment
1-hour Ozone	nonattainment
8-hour Ozone	nonattainment
CO	attainment

~~(a) Volatile organic compounds (VOC) and nitrogen oxides (NO_x) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone.~~

~~(1) On January 26, 1996 in 40 CFR 52.777(i), the U.S. EPA granted a waiver of the requirements of Section 182(f) of the CAA for Lake and Porter Counties, including the lower NO_x threshold for nonattainment new source review. Therefore, VOC emissions alone are considered when evaluating the rule applicability relating to the 1-hour ozone standard. Lake County has been designated as nonattainment in Indiana for the 1-hour ozone standard. Therefore, VOC emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3.~~

~~(2) VOC and NO_x emissions are considered when evaluating the rule applicability relating to the 8-hour ozone standard. Lake County has been designated as nonattainment for the 8-hour ozone standard. Therefore, VOC and NO_x emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3.~~

(a) Volatile organic compounds (VOC) and Nitrogen Oxides (NO_x) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NO_x emissions are considered when evaluating the rule applicability relating to the ozone standards. Lake County has been designated as nonattainment for the 8-hour ozone standard. Therefore, VOC and NO_x emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3.

~~(b) Lake County has been classified as nonattainment for SO₂. Therefore, these emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3.~~

(eb) Lake County has been classified as nonattainment for PM_{2.5} in 70 FR 943 dated has directed states to regulate PM₁₀ emissions as surrogate for PM_{2.5} emissions pursuant to the Non-attainment New Source Review requirements. See the State Rule Applicability for the source section.

(ec) Lake County has been classified as attainment or unclassifiable for all other pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

(ed) Fugitive Emissions
Since this type of operation is one of the twenty-eight (28) listed source categories under 326 IAC 2-2, the fugitive emissions are counted toward determination of PSD and Emission

Offset applicability.

On March 16, 2006, Robert Morrisroe of the City of East Chicago, submitted comments on the proposed Part 70 permit. The comments and IDEM responses (with language added shown in bold and deleted language in ~~strikeout~~) are as follows:

Comments

1. What has National Processing been doing since November 2000 to show their good faith effort to comply with IDEM's jurisdiction and standards? What have IDEM's inspections uncovered?
2. What has National Processing done to show a good faith effort to comply with the relevant air quality standards? How does IDEM know National Processing is meeting the TV permit emission standards? Have they filed the necessary support documents and other daily/periodic monitoring reports which are proposed in their TV permit?
3. Your Technical Support Document mentions a stack test of October 17, 2001. Have one or more stack tests occurred since then? Have stack tests been taking place every 2.5 years? What have these stack tests revealed?
4. Stack test(s) would give up-to-date information on plant emissions. The stack test would show whether or not National Processing is in compliance with their requested permit? Please provide information on their most current stack test. Residents of our city and Northwest Indiana cannot obtain new license plates without an emission test every two (2) years. Has National Processing been performing their stack emission tests?
5. What enforcement actions has IDEM taken? Has National Processing been fined for their failure to seek IDEM permits to Construct their facility? What are the current emissions standards, which they are expected to meet?
6. Has National Processing been fined for starting up and Operating their facility without a Title V permit? Have any other penalties been levied on National Processing? Your documents state the proper enforcement action will be taken. That statement was made years ago – what has IDEM done to the company for their past/current violations?

Answers to the questions posed above will provide information to the City and its citizens on whether or not this facility is in compliance with Indiana Air quality Regulations and they will also reveal the effectiveness and follow-through of the agency designated to protect our environmental health. Please provide answers to our questions so that we can advise the community which may be affected by the operation of this plant.

Responses

- 1-2 Commitment inspections were performed on 3-21-02, 12-12-02, 2-9-04 and 6-6-05. No violations of applicable rules were found during the inspections. National Processing hired an engineering firm to improve operation of the pickling line and of the scrubber. The company has not filed monitoring reports with IDEM and will not until issuance of the Part 70 Permit. The inspector has inspected monitoring data being maintained by the company that indicates the scrubbers are operating and being maintained as required.

National Processing is using the Maximum Achievable Control Technology as required by 40 CFR 63, Subpart CCC (Pickling NESHAP). The NESHAP includes specific requirements for controlling the pickling process, monitoring and recordkeeping to ensure compliance. The NESHAP requires the development and implementation of a written startup, shutdown and malfunction plan with detailed procedures for operating and maintaining the source during these periods. The permit also contains requirements to operate control equipment at all times the process is operating, as well as requirements to respond during times of noncompliance. The most stringent requirements have been

included as required by law. An engineering firm is currently assisting the company in developing these requirements prior to issuance of the Part 70 Permit.

- 3-4 National Processing has not performed any stack test since the October 2001 testing. The test revealed that the source was in compliance with the emission limits established in the National Emission Standard for Hazardous Air Pollutants (NESHAP) for Steel Pickling—HCl Process Facilities and Hydrochloric Acid Regeneration Plants, 40 Code of Federal Regulations (CFR) 63, Subpart CCC. National Processing is required by the Part 70 Permit to stack test once every two and one half (2.5) years. Condition D.1.7 contains the testing requirements, which will begin within twelve (12) months of issuance of the permit. The Part 70 Permit does not allow any new emission units to be constructed or operated. The permit requires National Processing to do additional testing, monitoring, recordkeeping and reporting to provide the information needed to evaluate continuous compliance with all applicable emission limitations and standards. National Processing is required to submit an Annual Compliance Certification (see Condition B.9).

Environmental law is complex. Several people have made analogies comparing how IDEM should act if this type of situation were subject to traffic laws, zoning ordinances, or other laws that they are familiar. The analogies just don't apply because the laws governing air permitting are different than laws that apply to other activities.

- 5-6 Indiana is required to issue Title V permits to every major source of air pollution, regardless of past violations. The Clean Air Act requires all major sources of air pollution to apply for and obtain a Title V permit. National has violated two requirements of the Clean Air Act. First, National Processing failed to apply for a construction and operating permit under the Title V program. Second, National Processing failed to comply with the National Emission Standard for Hazardous Air Pollutants (NESHAP) for Steel Pickling—HCl Process Facilities and Hydrochloric Acid Regeneration Plants, 40 Code of Federal Regulations (CFR) 63, Subpart CCC. On June 22, 2001, the requirements of the National Emission Standard for Hazardous Air Pollutants (NESHAP) for Steel Pickling—HCl Process Facilities and Hydrochloric Acid Regeneration Plants, 40 Code of Federal Regulations (CFR) 63, Subpart CCC became applicable to National Processing. Because they failed to obtain a permit prior to the compliance date, which contained a limit for Hazardous Air Pollutants (HAPs) or did not submit a stack test prior to that date to establish compliance with the regulation the requirements of the NESHAP was applied to the source.

At this time enforcement issued an Notice of Violation on November 19, 2000. Further action is pending.

Indiana Department of Environmental Management Office of Air Quality

Technical Support Document (TSD) for a Part 70 Operating Permit

Source Background and Description

Source Name: National Processing Co.
Source Location: 4506 W. Cline Ave., East Chicago, IN 46312
County: Lake
SIC Code: 3316
Operation Permit No.: F089-11186-00384
Permit Reviewer: Teresa Freeman

The Office of Air Quality (OAQ) has reviewed a Part 70 permit application from National Processing Co. relating to the operation of a steel coil pickling line and steel cutting operation.

Unpermitted Emission Units and Pollution Control Equipment

The source consists of the following unpermitted facilities/units, installed in November 1982:

- (a) One (1) coil steel pickling line, with a maximum pickling throughput of 250,000 pounds of steel coils per hour with hydrochloric acid emissions controlled by a wet scrubber with a maximum flow rate of 7950 actual cubic feet per minute (acfm) exhausting to stack S1 consisting of:
 - (1) one (1) wash tank, with a surface area of 7.5 ft by 8.3 ft
 - (2) three (3) pickling tanks (1-3), each with a corresponding recirculation tank and a surface area of 50 ft by 8.3 ft
 - (3) one (1) four-stage rinse tank system
 - (4) one (1) roll oil coating operation
 - (5) one (1) roll soap coating operation
- (b) Two (2) storage vessels containing hydrochloric acid with a capacity of 24,100 gallons each.
- (c) Three (3) storage vessels containing spent acid with a total combined capacity of 33,000 gallons

Insignificant Activities

The source also consists of the following insignificant activities, as defined in 326 IAC 2-7-1(21):

- (a) Two (2) natural gas-fired boilers identified as 1 and 2 with a heat input capacity of 0.64 MMBtu/hr each, built in 1982.
- (b) Two (2) natural gas-fired comfort heating furnaces identified as 3 and 4 with a heat input

capacity of 1.925 MMBtu/hr each.

- (c) One (1) natural gas-fired hot water heater identified as 5 with a heat input capacity of 0.076 MMBtu/hr.
- (d) One hundred thirty (130) natural gas-fired radiant space heaters identified collectively as 6 with a heat input capacity of 0.1 MMBtu/hr each.
- (e) Twenty seven (27) natural gas-fired radiant space heaters identified collectively as 7 with a heat input capacity of 0.05 MMBtu/hr each.
- (f) One (1) natural gas-fired comfort heating furnace identified as 8 with a heat input capacity of 0.1 MMBtu/hr.
- (g) One (1) natural gas-fired comfort heating furnace identified as 9 with a heat input capacity of 0.12 MMBtu/hr.
- (h) One (1) natural gas-fired hot water heater identified as 10 with a heat input capacity of 0.04 MMBtu/hr.
- (i) One (1) natural gas-fired hot water heater identified as 11 with a heat input capacity of 0.034 MMBtu/hr.
- (j) One (1) 16" table saw with emissions controlled by a bag system
- (k) Welding facility, consisting of two (2) welding stations using metal inert gas (MIG) with a maximum consumption of wire per station of 0.03 pounds per hour, six (6) welding stations using electrodes with a maximum consumption of electrodes per station of 0.05 pounds per hour and six (6) welding stations using oxyacetylene with a maximum metal consumption per station of 0.5 pounds per hour.
- (l) Four (4) storage vessels containing oil coating with a capacity of 550 gallons each, installed in 1990
- (m) Two (2) storage vessels containing soap coating with a capacity of 550 gallons and 600 gallons, respectively
- (n) Two (2) storage vessels containing caustic soda with a capacity of 2500 gallons each
- (o) One (1) storage vessel containing diesel fuel with a capacity of 550 gallons.

Air Pollution Control Justification as an Integral Part of the Process

The company has submitted the following justification such that the wet scrubber be considered as an integral part of the pickling line:

The process contains a wet scrubber which collects steam and fumes from the baths which contain hydrochloric acid. The scrubber processes the steam and fumes and returns it to the baths. The wet scrubber is an integral part of the process because it maintains the baths at an operable temperature. It is estimated that the pickling line could continue to operate for up to 30 minutes after the wet scrubber has malfunctioned.

IDEM, OAQ has evaluated the justifications and determined that the wet scrubber will not be considered as an integral part of the pickling line. Although the wet scrubber does have an effect on the temperature of the pickling line baths, the temperature can be adjusted with the use of heat exchangers. In the event of the wet scrubber being inoperable, automatic temperature controllers (ATC) can limit the flow of steam to the heat exchangers thus decreasing the temperature of the acid solution entering the pickling line which allows the pickling line to remain at an operable

temperature. Therefore, the permitting level will be determined using the potential to emit before the scrubber.

Enforcement Issue

- (a) IDEM is aware that equipment has been constructed and operated prior to receipt of the proper permit. The subject equipment is listed in this Technical Support Document under the condition entitled *Unpermitted Emission Units and Pollution Control Equipment*.
- (b) IDEM is reviewing this matter and will take appropriate action. This proposed permit is intended to satisfy the requirements of the construction permit rules.

Recommendation

The staff recommends to the Commissioner that the Part 70 permit be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

An administratively complete Part 70 permit application for the purposes of this review was received on July 26, 1999. Additional information was received on September 20, 1999, June 1, 2001, August 24, 2001, October 17, 2001 and May 6, 2005.

Potential To Emit

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as “the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U. S. EPA.”

Pollutant	Potential To Emit (tons/year)
PM	Less than 25
PM-10	Less than 15
SO ₂	Less than 40
VOC	Less than 25
CO	Less than 100
NO _x	Less than 25
HAP's	Potential To Emit (tons/year)
HCl	153*
TOTAL	153*

*PTE for HCl (before controls) based upon stack test submitted on October 17, 2001

- (a) The potential to emit (as defined in 326 IAC 2-7-1(29)) of hydrochloric acid vapor are equal to or greater than 25 tons per year in Lake county. Therefore, the source is subject to the provisions of 326 IAC 2-7.
- (b) The potential to emit (as defined in 326 IAC 2-7-1(29)) of any single HAP is equal to or greater than ten (10) tons per year. Therefore, the source is subject to the provisions of 326 IAC 2-7.
- (c) Fugitive Emissions
 Since this type of operation is not one of the twenty-eight (28) listed source categories under 326 IAC 2-2 and since there are no applicable New Source Performance Standards

that were in effect on August 7, 1980, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are not counted toward determination of PSD and Emission Offset applicability.

Actual Emissions

No previous emission data has been received from the source.

County Attainment Status

The source is located in Lake County.

Pollutant	Status
PM-10	attainment
SO ₂	nonattainment
NO ₂	attainment
1-hour Ozone	nonattainment
8-hour Ozone	nonattainment
CO	attainment
PM2.5	nonattainment

- (a) Volatile organic compounds (VOC) and Nitrogen Oxides (NOx) are precursors for the formation of ozone.
- (1) On January 26, 1996 in 40 CFR 52.777(i), the U.S. EPA granted a waiver of the requirements of Section 182(f) of the CAA for Lake and Porter Counties, including the lower NOx threshold for nonattainment new source review. Therefore, VOC emissions alone are considered when evaluating the rule applicability relating to the 1-hour ozone standards. Lake County has been designated as nonattainment in Indiana for the 1-hour ozone standard. Therefore, VOC emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3. See the State Rule Applicability for the source section.
- (2) VOC and NOx emissions are considered when evaluating the rule applicability relating to the 8-hour ozone standard. Lake County has been designated as nonattainment for the 8-hour ozone standard. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for nonattainment new source review.
- (b) Lake County has been classified as nonattainment for SO₂. Therefore, these emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3.
- (c) Lake County has been classified as nonattainment for PM_{2.5} in 70 FR 943 dated has directed states to regulate PM₁₀ emissions as surrogate for PM_{2.5} emissions pursuant to the Non-attainment New Source Review requirements. See the State Rule Applicability for the source section.
- (d) Lake County has been classified as attainment or unclassifiable for all other pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

Part 70 Permit Conditions

This source is subject to the requirements of 326 IAC 2-7, pursuant to which the source has to meet the following:

- (a) Emission limitations and standards, including those operational requirements and limitations that assure compliance with all applicable requirements at the time of issuance of Part 70 permits.

- (b) Monitoring and related record keeping requirements which assume that all reasonable information is provided to evaluate continuous compliance with the applicable requirements.

Federal Rule Applicability

- (a) There are no New Source Performance Standards (NSPS)(326 IAC 12 and 40 CFR 60) applicable to this source. The storage tanks are not subject to the requirements of the NSPS, 326 IAC 12, (40 CFR 60.110b, Subpart Kb), due to the size being smaller than 40 cubic meters.
- (b) The source was constructed and operated without permit (CWOP/OWOP) in 1981. This source is a major source of hazardous air pollutants (HAPs) pursuant to the definition in 40 CFR 63.2. The requirements of 40 CFR 63, Subpart CCC are applicable to a pickling operation which is a major HAP source, unless the source applied for and obtained federally enforceable limits prior to the 40 CFR 63, Subpart CCC compliance date of June 22, 2001 to limit source-wide single HAP and total HAPs to less than 10 and 25 tons per year, respectively. Since this source is a major source for HAPs and never received a permit with federally enforceable limits to make the requirements of the Steel Pickling NESHAP (40 CFR 63, Subpart CCC) not applicable, it is subject to the requirements of this NESHAP. National Processing is subject to National Emission Standards for Hazardous Air Pollutants for Steel Pickling - HCl Process Facilities and Hydrochloric Acid Regeneration Plants (40 CFR 63, Subpart CCC) and shall comply with the following requirements:
- (1) The Permittee shall not cause or allow to be discharged into the atmosphere from the affected pickling line:
- (A) Any gases that contain HCl in a concentration in excess of 18 ppmv; or
- (B) HCl at a mass emission rate that corresponds to a collection efficiency of less than 97 percent.
- (2) The Permittee shall comply with the operation and maintenance requirements of 40 CFR 63.6(e) (Subpart A, General Provisions) at the Pickling Line. Additionally, the Permittee shall prepare an operation and maintenance plan for each emission control device to be implemented no later than the compliance date. The plan shall be incorporated by reference into the source's Part 70 Permit. All such plans must be consistent with good maintenance practices and, for a scrubber emission control device, must at a minimum:
- (A) Require monitoring and recording the pressure drop across the scrubber once per shift while the scrubber is operating in order to identify changes that may indicate a need for maintenance;
- (B) Require the manufacturer's recommended maintenance at the recommended intervals on fresh solvent pumps, recirculating pumps, discharge pumps, and other liquid pumps, in addition to exhaust system and scrubber fans and motors associated with those pumps and fans;
- (C) Require cleaning of the scrubber internals and mist eliminators at intervals sufficient to prevent buildup of solids or other fouling;
- (D) Require an inspection of each scrubber at intervals of no less than 3 months with;
- (i) Cleaning or replacement of any plugged spray nozzles or other liquid delivery devices;

- (ii) Repair or replacement of missing, misaligned, or damaged baffles, trays, or other internal components;
 - (iii) Repair or replacement of droplet eliminator elements as needed;
 - (iv) Repair or replacement of heat exchanger elements used to control the temperature of fluids entering or leaving the scrubber; and
 - (v) Adjustment of damper settings for consistency with the required air flow.
- (E) If the scrubber is not equipped with a viewport or access hatch allowing visual inspection, alternate means of inspection approved by the Administrator may be used.
- (F) The Permittee shall initiate procedures for corrective action within 1 working day of detection of an operating problem and complete all corrective actions as soon as practicable. Procedures to be initiated are the applicable actions that are specified in the maintenance plan. Failure to initiate or provide appropriate repair, replacement, or other corrective action is a violation of the maintenance requirement.
- (G) The Permittee shall maintain a record of each inspection, including each item identified in (D) above, that is signed by the responsible maintenance official and that shows the date of each inspection, the problem identified, a description of the repair, replacement, or other corrective action taken, and the date of the repair, replacement, or other corrective action taken.
- (c) The five (5) storage vessels are subject to National Emission Standards for Hazardous Air Pollutants for Steel Pickling - HCl Process Facilities and Hydrochloric Acid Regeneration Plants (40 CFR 63, Subpart CCC) and shall comply with the following requirements:
- (1) Hydrochloric acid storage vessels. The Permittee of an affected vessel shall provide and operate, except during loading and unloading of acid, a closed-vent system for each vessel. Loading and unloading shall be conducted either through enclosed lines or each point where the acid is exposed to the atmosphere shall be equipped with a local fume capture system, ventilated through an air pollution control device.

State Rule Applicability - Entire Source

326 IAC 2-6 (Emission Reporting)

Revisions to 326 IAC 2-6 (Emission Reporting) became effective March 27, 2004. The Permittee is no longer required to submit an emission statement; therefore, the emission statement will be removed from the permit.

326 IAC 5-1 (Opacity Limitations)

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity from a facility located in Lake County shall not exceed an average of twenty percent (20%) opacity in twenty-four (24) consecutive readings as determined by 326 IAC 5-1-4 unless otherwise specified in 326 IAC 6-1-10.1.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity

monitor) in a six (6) hour period.

State Rule Applicability – Individual Facilities

326 IAC 6.8-1-2 (Nonattainment area particulate limitations)

- (a) Pursuant 326 IAC 6.8-1-2 (formerly 326 IAC 6-1-2), the Pickling Line Operation Scrubber shall not discharge to the atmosphere any gases which contain particulate matter in excess of 0.03 grains per dry standard cubic foot of exhaust air.
- (b) Pursuant 326 IAC 6.8-1-2, the comfort heating furnaces identified as 3 and 4, radiant space heaters identified collectively as 6, radiant space heaters identified collectively as 7, comfort heating furnace identified as 8, comfort heating furnace identified as 9, Woodworking facility, and Welding facility shall not discharge to the atmosphere any gases which contain particulate matter in excess of 0.03 grains per dry standard cubic foot of exhaust air.

326 IAC 6-2-2 (Particulate Emission Limitations for Sources of Indirect Heating)

Pursuant to 326 IAC 6-2-2 (Particulate Matter Emission Limitations for Sources of Indirect Heating), particulate emissions from existing indirect heating facilities identified as units 1, 2, 5, 10, and 11 shall be limited by the following equation:

$$Pt = 0.87/Q^{0.16}$$

Where Pt = Pounds of particulate matter emitted per million Btu (lb/MMBtu) heat input.

Q = Total source maximum operating capacity rating in million Btu per hour (MMBtu/hr) heat input. Q is equal to 1.43 MMBtu/hr.

The limit resulting from the calculation of the PM emission rate shown above is 0.82 lb/MMBtu.

Pursuant to 326 IAC 6-2-2 (a), particulate emissions from any facility used for indirect heating purposes which has less than 10 MMBtu/hr heat input, shall not exceed 0.6 lb/MMBtu heat input.

Since the limit calculated based on 326 IAC 6-2-2 (a) of 0.82 lb/MMBtu is more than the limit established by 326 IAC 6-2-2 (a) of 0.6 lb/MMBtu, the PM emissions from the boilers are limited to 0.6 lb/MMBtu.

326 IAC 6-3-2 (Process Operations)

326 IAC 6-3 (Process Operations) will not be applicable to this source because 326 IAC 6.8-1-2 (Nonattainment area particulate limitations) has a more stringent limit and thus will apply to this source.

Testing Requirements

Within twelve (12) months of issuance of this permit, the Permittee shall perform hydrochloric acid (HCl) testing on the pickling line wet scrubber stack S1 utilizing a testing method approved by the Commissioner to show compliance with condition D.1.2, in accordance with Section C - Performance Testing. This test shall be repeated at least once every two and one half (2.5) years from the date of this valid compliance demonstration. In addition to these requirements, IDEM may require compliance testing when necessary to determine if the facility is in compliance.

Compliance Requirements

Permits issued under 326 IAC 2-7 are required to ensure that sources can demonstrate compliance with applicable state and federal rules on a more or less continuous basis. All state and federal rules contain compliance provisions, however, these provisions do not always fulfill the requirement for a more or less continuous demonstration. When this occurs IDEM, OAQ, in conjunction with the source, must develop specific conditions to satisfy 326 IAC 2-7-5. As a result, compliance requirements are divided into two sections: Compliance Determination Requirements and Compliance Monitoring Requirements.

Compliance Determination Requirements in Section D of the permit are those conditions that are found more or less directly within state and federal rules and the violation of which serves as grounds for enforcement action. If these conditions are not sufficient to demonstrate continuous compliance, they will be supplemented with Compliance Monitoring Requirements, also Section D of the permit. Unlike Compliance Determination Requirements, failure to meet Compliance Monitoring conditions would serve as a trigger for corrective actions and not grounds for enforcement action. However, a violation in relation to a compliance monitoring condition will arise through a source's failure to take the appropriate corrective actions within a specific time period.

The pickling line has applicable compliance monitoring conditions as specified below:

- (a) Pursuant to 40 CFR 63.1162, the Permittee shall:
- (1) In addition to conducting performance tests, if a wet scrubber is used as the emission control device, install, operate and maintain systems for the measurement and recording of the scrubber makeup water flow rate and, if required, recirculation water flow rate. These flow rates must be monitored continuously and recorded at least once per shift while the scrubber is operating. Operation of the wet scrubber with excursions of scrubber makeup water flow rate and recirculation water flow rate less than the minimum values established during the performance test will require initiation of corrective action as specified by the maintenance requirements in 40 CFR 63.1160(b)(2).
 - (2) Failure to record each of the operating parameters in 40 CFR 63.1162(a) (2) is a violation of the monitoring requirements of 40 CFR 63, Subpart CCC.
 - (3) Each monitoring device shall be certified by the manufacturer to be accurate to within 5 percent and shall be calibrated in accordance with the manufacturer's instructions but not less frequently than once per year.
 - (4) The Permittee may develop and implement alternative monitoring requirements subject to approval by U.S. EPA.
- (b) Pursuant to 40 CFR 63.1162, the Permittee of an affected hydrochloric acid storage vessel shall inspect each vessel semiannually to determine that the closed-vent system and either the air pollution control device or the enclosed loading and unloading line, whichever is applicable, are installed and operating when required.

Conclusion

The operation of this steel coil pickling line and steel cutting operation shall be subject to the conditions of the attached proposed 70 Permit No. T089-11186-00384.