

January 18, 2002

Mr. Mark Goldman
Pennville Custom Cabinetry
600 E. Votaw Street
Portland, Indiana 47371

Re: Revocation of FESOP
Permit By Rule Status
075-15097-00002

Dear Mr. Goldman:

A notification from Pennville Custom Cabinetry was received on October 17, 2001. Based on the letter, Pennville Custom Cabinetry has indicated that this wood cabinetry facility, located at 600 East Votaw Street, Portland, Indiana 47371, satisfies the requirements of 326 IAC 2-10 (Permit by Rule). The Permit by Rule notification supersedes FESOP 075-13671-00002 issued on August 8, 2001.

Pursuant to 326 IAC 2-10 (Permit by Rule), this source shall comply with the following conditions:

- (a) The source's total actual emissions for every twelve (12) month period shall be less than twenty percent (20%) of any threshold for the following:
 - (1) A major source of regulated air pollutants.
 - (2) A major source of hazardous air pollutants, as defined in Section 112 of the Clean Air Act. [326 IAC 2-10-3(1)]
- (b) The source shall not rely on air pollution control equipment to demonstrate that emissions are below the above-mentioned thresholds. [326 IAC 2-10-3(2)]
- (c) Not later than thirty (30) days after receipt of written request by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ), or U.S. Environmental Protection Agency (EPA), the owner or operator shall demonstrate that the source is in compliance with the above-mentioned conditions. [326 IAC 2-10-4]
- (d) Compliance demonstration shall be based on actual emissions for the previous 12 months and may include, but is not limited to, fuel or material usage or production records. No other demonstration of compliance shall be required. [326 IAC 2-10-4]

This source is hereby notified that this Permit by Rule approval does not relieve the source of the responsibility to comply with the provisions of any applicable federal, state, or local requirements, such as New source Performance Standards (NSPS), 40 CFR Part 60, or National Standards for Hazardous Air Pollutants (NESHAP), 40 CFR Part 61. [326 IAC 2-10-5]

Pennville Custom Cabinetry must obtain the appropriate approval from the OAQ under 326 IAC 2-1.1, 326 IAC 2-2, 326 IAC 2-3, 326 IAC 2-7, 326 IAC 2-8, or 326 IAC 2-9 prior to make any change or modification that would alter operations in such a way that the source will no longer comply with 326 IAC 2-10 (Permit by Rule). Pennville Custom Cabinetry may at any time apply for a state operating permit under 326 IAC 2-6.1, a Part 70 permit under 326 IAC 2-7, a FESOP under 326 IAC 2-8, or an operating agreement under 326 IAC 2-9, as applicable. [326 IAC 2-10-1(b)]

Any violation of 326 IAC 2-10 (Permit by Rule) may result in administrative or judicial enforcement proceedings under IC 13-30-3 and penalties under IC 13-30-4.

Sincerely,

Original Signed by Paul Dubenetzky
Paul Dubenetzky, Chief
Permit Branch
Office of Air Quality

ERG/YC

cc: File - Jay County
Air Compliance Section Inspector - David Rice
Technical Support and Modeling – Michele Boner