

April 17, 2002

Mr. David Klene  
Caldwell Gravel Sales, Inc.  
P.O. Box 212  
Morristown, Indiana 46161

Re: Portable Source Relocation Letter  
Permit #: L-065-15755-05056

Dear Mr. Klene:

Approval is hereby granted to operate the portable warm mix asphalt drum mixer, described in Operation Permit No. T145-14524-05056 issued on November 1, 2001. This source is to be located at 4497 West 350 South, Knightstown, in Henry County, Indiana. This plant was previously located at 8789 East 300 South, Carthage, in Hancock County, Indiana. The site approval for 8789 East 300 South, Carthage, Indiana was issued on November 1, 2001.

Relocation of this plant must take place within 120 days after the issuance of this decision. The enclosed Notice of Decision explains your options to challenge this decision under IC 4-21.5-3-5(f). Pursuant to IC 4-21.5-3-5(f), this approval is not effective until eighteen (18) days from the date of this letter. This approval supersedes all previous site approval letters.

Advance written notice to the Office of Air Quality (OAQ), Air Compliance Section, of start-up is required in order for the OAQ to perform an inspection. If the plant is not operating in compliance with all applicable regulations upon inspection, the plant must cease operation upon notification to you by OAQ staff of such non-compliance. Operations may only resume once remedial actions have been taken and approved by the OAQ.

If you have any questions concerning this relocation site approval, please contact Gary Freeman of my staff at 317/233-5334 or at 1-800-451-6027, ext 3-5334.

Sincerely,

Original signed by  
Paul Dubenetzky, Chief  
Permits Branch  
Office of Air Quality

PD/gkf

Enclosures: Notice of Decision

cc: Henry County

Henry County Health Department  
Hancock County Health Department  
Air Compliance Section - Jay Patterson  
Air Compliance Section - D J Knotts  
Permits Administration File  
Compliance Data Section - Karen Nowak  
Air Programs - Chet Bohannon  
Permit Review Section 1 - Gary Freeman