

May 8, 2003

Mr. Doug Rohrs
Stoneco, Inc.
P. O. Box 29A, 1345 Ford Street
Maumee, Ohio 43537

Re: Response to Review Request No. 103-17611:
SSOA Amendment
SSOA ID: 103-9394-05114

Dear Mr. Rohrs:

Stoneco, Inc., located 1 mile west of U. S. 31 on County Road 500 South, Peru, Indiana 46914, submitted a review request on April 15, 2003. The letter was submitted to notify IDEM that screen 4, a Seco, Single Deck 4 X 10 screen with a capacity of 75 tons per hour is being replaced by a Diester, Double Deck 4 X 10 screen with a capacity of 100 tons per hour.

SSOA limits for Crushed Stone Operations are as follows:

1. The crushed stone operation shall have no more than six (6) crushers, thirteen (13) screens, and one (1) conveying operation.
2. The crushed stone operation annual throughput shall be less than one million (1,000,000) tons per year.

The source may replace the screen as long as the source can continue to satisfy the requirements of SSOA 103-9394-05114 issued on February 27, 1998. If the source can comply with all SSOA 103-9394-05114 levels, the burden of proof lies with the source. If the source requires a definite decision to be made by the IDEM and a permit be issued, filing fees and any other permit fees shall be applicable according to the level of permit required.

Questions should be directed to James Farrell, OAQ, 100 North Senate Avenue, P.O. Box 6015, Indianapolis, Indiana, 46206-6015, or call (800) 451-6027, press 0 and ask for James Farrell or extension 3-8396, or dial (317) 233-8396.

Sincerely,

Signed by

Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

JF

cc: File - Miami County
Miami County Health Department
Air Compliance - Dave Rice
Permit Tracking - DeLisa Lee
Technical Support and Modeling - Michele Boner