

June 12, 2003

Mr. Raymond L. Kassab, Jr.
BP Marketing Environmental Services
8579 Zionsville Road
Indianapolis, IN 46268

Re: 023-17779
Revocation of Construction Permit
CP No. 023-9927-05179

Dear Mr. Kassab:

The letter from BP (formerly Amoco) Marketing Environmental Services, received on May 16, 2003, has been reviewed. This letter requested that CP No. 023-9927-05179, issued for the construction and operation of a portable enhanced fluid recovery system for groundwater remediation, be revoked. The reason for this revocation request is that the source has determined that this operation is ineffective for groundwater remediation, and thus have never operated the recovery system.

Pursuant to rule 326 IAC 2-1.1-9, any permit to construct or operate or any permit revision approval granted by the commissioner may be revoked for any other cause that establishes in the judgement of the commissioner the fact that continuance of the permit or permit revision approval is not consistent with the purposes of this article. Since the plant was not in operation at any time, the CP will be revoked.

If there are any questions about this revocation, please contact Madhurima Moulik at (317) 233-0868 or call (800) 451-6027 and ask for extension 3-0868.

Sincerely,

Original signed by Paul Dubenetzky

Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

mm

cc: File - Clinton County
Clinton County Health Department
Air Compliance - Dave Rice
Permit Tracking
Technical Support and Modeling - Michele Boner
Compliance Data Section - Karen Nowak