



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: March 11, 2005
RE: North Vernon Industry Corporation / 079-20064-00018
FROM: Paul Dubenetzky
Chief, Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot 1/10/05



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

March 11, 2005

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.in.gov/idem

Mr. Kenji Yasuda
North Vernon Industry Corporation
P.O. Box 894
North Vernon, Indiana 47265

Re: Significant Source Modification No:
079-20064-00018

Dear Mr. Kenji Yasuda:

North Vernon Industries Corporation applied for a Part 70 operating permit on July 31, 2001. An application to modify the source was received on September 13, 2004. Pursuant to 326 IAC 2-7-10.5 the following emission units are approved for construction at the source:

One (1) shot blast machine, identified as P1-Shot Blast Machine #2, with a maximum rated capacity of 20 tons of metal per hour, controlled by a dust collector (ID No. Area 6) with an airflow rate of 8,350 scfm and an outlet grain loading of 0.005 gr/scf, exhausting to stack BH-6.

The proposed Significant Source Modification approval will be incorporated into the pending Part 70 permit application pursuant to 326 IAC 2-7-10.5(l)(3). If there are no changes to the proposed construction of the emission units, the source may begin operating on the date that IDEM receives an affidavit of construction pursuant to 326 IAC 2-7-10.5(h). If there are any changes to the proposed construction the source can not operate until an Operation Permit Validation Letter is issued.

Pursuant to Contract No. A305-0-00-36, IDEM, OAQ has assigned the processing of this application to Eastern Research Group, Inc., (ERG). Therefore, questions should be directed to Stephen Treimel, ERG, 1600 Perimeter Park Drive, Morrisville, North Carolina 27560, or call (919) 468-7902 to speak directly to Mr. Treimel. Questions may also be directed to Duane Van Laningham at IDEM, OAQ, 100 North Senate Avenue, P.O. Box 6015, Indianapolis, Indiana, 46206-6015, or call (800) 451-6027, and ask for Duane Van Laningham, or extension 3-6878, or dial (317) 233-6878.

Sincerely,

Original signed by
Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

Attachments
ERG/ST

cc: File - Jennings County
U.S. EPA, Region V
Jennings County Health Department
Air Compliance Section Inspector Jennifer Dorn
Compliance Data Section - Lynetta Brown-Glover
Administrative and Development
Technical Support and Modeling - Michele Boner



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

PART 70 SIGNIFICANT SOURCE MODIFICATION OFFICE OF AIR QUALITY

**North Vernon Industry Corporation
3750 North County Road 75 West
North Vernon, Indiana 47265**

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the emission units described in Section A (Source Summary) of this approval.

This approval is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Source Modification No.: 079-20064-00018

Issued by: Original signed by
Paul Dubenetzky, Branch Chief
Office of Air Quality

Issuance Date: March 11, 2005

TABLE OF CONTENTS

SECTION A	SOURCE SUMMARY	4
A.1	General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)][326 IAC 2-7-1(22)]	
A.2	Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]	
A.3	Part 70 Permit Applicability [326 IAC 2-7-2]	
SECTION B	GENERAL CONSTRUCTION CONDITIONS	5
B.1	Definitions [326 IAC 2-7-1]	
B.2	Effective Date of the Permit [IC13-15-5-3]	
B.3	Revocation of Permits [326 IAC 2-1.1-9(5)][326 IAC 2-7-10.5(i)]	
B.4	Significant Source Modification [326 IAC 2-7-10.5(h)]	
SECTION C	GENERAL OPERATION CONDITIONS	6
C.1	Certification [326 IAC 2-7-4(f)] [326 IAC 2-7-6(1)][326 IAC 2-7-5(3)(C)]	
C.2	Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)]	
C.3	Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]	
C.4	Opacity [326 IAC 5-1]	
C.5	Fugitive Dust Emissions [326 IAC 6-4]	
C.6	Operation of Equipment [326 IAC 2-7-6(6)]	
C.7	Stack Height [326 IAC 1-7]	
	Compliance Requirements [326 IAC 2-1.1-11]	
C.8	Compliance Requirements [326 IAC 2-1.1-11]	
	Compliance Monitoring Requirements [326 IAC 2-7-5(1)] [326 IAC 2-7-6(1)]	
C.9	Compliance Monitoring [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]	
C.10	Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]	
C.11	Pressure Gauge and Other Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-7-5(3)][326 IAC 2-7-6(1)]	
	Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]	
C.12	Compliance Response Plan - Preparation, Implementation, Records, and Reports [326 IAC 2-7-5][326 IAC 2-7-6]	
C.13	Emergency Provisions [326 IAC 2-7-16]	
C.14	Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5] [326 IAC 2-7-6]	
	Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]	
C.15	General Record Keeping Requirements [326 IAC 2-7-5(3)]	
C.16	General Reporting Requirements [326 IAC 2-7-5(3)(C)]	
SECTION D.1	FACILITY OPERATION CONDITIONS – One (1) Shot Blast Machine	12
	Emission Limitations and Standards	
D.1.1	PSD Minor Limitations [326 IAC 2-2]	
D.1.2	Particulate [326 IAC 6-3-2]	
D.1.3	Preventive Maintenance Plan [326 IAC 1-6-3]	
	Compliance Determination Requirements	
D.1.4	Particulate Control	

TABLE OF CONTENTS (Continued)

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

- D.1.5 Visible Emissions Notations
- D.1.6 Parametric Monitoring
- D.1.7 Baghouse Inspections
- D.1.8 Broken or Failed Bag Detection

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

- D.1.9 Record Keeping Requirements

Certification	15
Emergency Occurrence	16

SECTION A

SOURCE SUMMARY

This approval is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) (and local agency if applicable). The information describing the emission units contained in conditions A.1 through A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this approval pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)][326 IAC 2-7-1(22)]

The Permittee owns and operates a stationary gray iron foundry.

Responsible Official:	President
Source Address:	3750 North County Road 75 West, North Vernon, Indiana 47265
Mailing Address:	P.O. Box 894, North Vernon, Indiana 47265
General Source Phone Number:	(812) 346-8772
SIC Code:	3321
County Location:	Jennings
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Part 70 Permit Program Major Source, under PSD Rules Minor Source, Section 112 of the Clean Air Act 1 of 28 Source Categories

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]

This stationary source is approved to construct and operate the following emission units and pollution control devices:

- (a) One (1) shot blast machine, identified as P1-Shot Blast Machine #2, with a maximum rated capacity of 20 tons of metal per hour, controlled by a dust collector (ID No. Area 6) with an airflow rate of 8,350 scfm and an outlet grain loading of 0.005 gr/scf, exhausting to stack BH-6.

A.3 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

- (a) It is a major source, as defined in 326 IAC 2-7-1(22);
- (b) It is a source in a source category designated by the United States Environmental Protection Agency (U.S. EPA) under 40 CFR 70.3 (Part 70 - Applicability).

SECTION B GENERAL CONSTRUCTION CONDITIONS

B.1 Definitions [326 IAC 2-7-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

B.2 Effective Date of the Permit [IC13-15-5-3]

Pursuant to IC 13-15-5-3, this approval becomes effective upon its issuance.

B.3 Revocation of Permits [326 IAC 2-1.1-9(5)][326 IAC 2-7-10.5(i)]

Pursuant to 326 IAC 2-1.1-9(5)(Revocation of Permits), the Commissioner may revoke this approval if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

B.4 Significant Source Modification [326 IAC 2-7-10.5(h)]

This document shall also become the approval to operate pursuant to 326 IAC 2-7-10.5(h) when, prior to start of operation, the following requirements are met:

- (a) The attached affidavit of construction shall be submitted to the Office of Air Quality (OAQ), Permit Administration & Development Section, verifying that the emission units were constructed as proposed in the application. The emissions units covered in the Significant Source Modification approval may begin operating on the date the affidavit of construction is postmarked or hand delivered to IDEM if constructed as proposed.
- (b) If actual construction of the emissions units differs from the construction proposed in the application, the source may not begin operation until the source modification has been revised pursuant to 326 IAC 2-7-11 or 326 IAC 2-7-12 and an Operation Permit Validation Letter is issued.
- (c) If construction is completed in phases; i.e., the entire construction is not done continuously, a separate affidavit must be submitted for each phase of construction. Any permit conditions associated with operation start up dates such as stack testing for New Source Performance Standards (NSPS) shall be applicable to each individual phase.
- (d) The Permittee shall receive an Operation Permit Validation Letter from the Chief of the Permit Administration & Development Section and attach it to this document.
- (e) In the event that the Part 70 application is being processed at the same time as this application, the following additional procedures shall be followed for obtaining the right to operate:
 - (1) If the Part 70 draft permit has not gone on public notice, then the change/addition covered by the Significant Source Modification will be included in the Part 70 draft.
 - (2) If the Part 70 permit has gone through final EPA proposal and would be issued ahead of the Significant Source Modification, the Significant Source Modification will go through a concurrent 45 day EPA review. Then the Significant Source Modification will be incorporated into the final Part 70 permit at the time of issuance.
 - (3) If the Part 70 permit has gone through public notice, but has not gone through final EPA review and would be issued after the Significant Source Modification is issued, then the Modification would be added to the proposed Part 70 permit, and the Title V permit will issued after EPA review.

SECTION C GENERAL OPERATION CONDITIONS

C.1 Certification [326 IAC 2-7-4(f)][326 IAC 2-7-6(1)][326 IAC 2-7-5(3)(C)]

- (a) Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification.
- (c) A responsible official is defined at 326 IAC 2-7-1(34).

C.2 Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)] [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) when operation begins, including the following information on each facility:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

The PMP extension notification does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (b) The Permittee shall implement the PMPs, including any required record keeping, as necessary to ensure that failure to implement a PMP does not cause or contribute to an exceedance of any limitation on emissions or potential to emit.
- (c) A copy of the PMPs shall be submitted to IDEM, OAQ, upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ, may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or contributes to any violation. The PMP does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (d) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation, Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for the unit.

C.3 Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]

- (a) Permit amendments and modifications are governed by the requirements of 326 IAC 2-7-11 or 326 IAC 2-7-12 whenever the Permittee seeks to amend or modify this permit.

- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

Any such application shall be certified by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]
- (d) No permit amendment or modification is required for the addition, operation or removal of a nonroad engine, as defined in 40 CFR 89.2.

C.4 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.5 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions). 326 IAC 6-4-2(4) is not federally enforceable.

C.6 Operation of Equipment [326 IAC 2-7-6(6)]

Except as otherwise provided by statute or rule, or in this permit, all air pollution control equipment listed in this permit and used to comply with an applicable requirement shall be operated at all times that the emission unit(s) vented to the control equipment is (are) in operation.

C.7 Stack Height [326 IAC 1-7]

The Permittee shall comply with the applicable provisions of 326 IAC 1-7 (Stack Height Provisions), for all exhaust stacks through which a potential (before controls) of twenty-five (25) tons per year or more of particulate matter or sulfur dioxide is emitted by using good engineering practices (GEP) pursuant to 326 IAC 1-7-3.

Compliance Requirements [326 IAC 2-1.1-11]

C.8 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-7-5(1)] [326 IAC 2-7-6(1)]

C.9 Compliance Monitoring [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]

If required by Section D, all monitoring and record keeping requirements shall be implemented when operation begins. The Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment.

C.10 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60 Appendix B, 40 CFR 63, or other approved methods as specified in this permit.

C.11 Pressure Gauge and Other Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]

Whenever a condition in this permit requires the measurement of pressure drop across any part of the unit or its control device, the gauge employed shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (± 2%) of full scale reading.

Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]

C.12 Compliance Response Plan - Preparation, Implementation, Records, and Reports [326 IAC 2-7-5] [326 IAC 2-7-6]

- (a) The Permittee is required to prepare a Compliance Response Plan (CRP) for each compliance monitoring condition of this permit. If a Permittee is required to have an Operation, Maintenance and Monitoring (OMM) Plan under 40 CFR 60/63, such plans shall be deemed to satisfy the requirements for a CRP for those compliance monitoring conditions. A CRP shall be submitted to IDEM, OAQ upon request. The CRP shall be prepared within ninety (90) days after issuance of this permit by the Permittee, supplemented from time to time by the Permittee, maintained on site, and comprised of:
- (1) Reasonable response steps that may be implemented in the event that a response step is needed pursuant to the requirements of Section D of this permit; and an expected timeframe for taking reasonable response steps.
 - (2) If, at any time, the Permittee takes reasonable response steps that are not set forth in the Permittee's current Compliance Response and the Permittee documents such response in accordance with subsection (e) below, the Permittee shall amend its Compliance Response to include such response steps taken.
- (b) For each compliance monitoring condition of this permit, reasonable response steps shall be taken when indicated by the provisions of that compliance monitoring condition as follows:
- (1) Reasonable response steps shall be taken as set forth in the Permittee's current Compliance Response Plan; or
 - (2) If none of the reasonable response steps listed in the Compliance Response Plan is applicable or responsive to the excursion, the Permittee shall devise and implement additional response steps as expeditiously as practical. Taking such additional response steps shall not be considered a deviation from this permit so long as the Permittee documents such response steps in accordance with this condition.
 - (3) If the Permittee determines that additional response steps would necessitate that the emissions unit or control device be shut down, and it will be 10 days or more until the unit or device will be shut down, then the permittee shall promptly notify the IDEM, OAQ and OES of the expected date of the shut down, the status of the

applicable compliance monitoring parameter with respect to normal, and the results of the actions taken up to the time of notification.

- (4) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (c) The Permittee is not required to take any further response steps for any of the following reasons:
 - (1) A false reading occurs due to the malfunction of the monitoring equipment and prompt action was taken to correct the monitoring equipment.
 - (2) The Permittee has determined that the compliance monitoring parameters established in the permit conditions are technically inappropriate, has previously submitted a request for a minor permit modification to the permit, and such request has not been denied.
 - (3) An automatic measurement was taken when the process was not operating.
 - (4) The process has already returned or is returning to operating within "normal" parameters and no response steps are required.
- (d) When implementing reasonable steps in response to a compliance monitoring condition, if the Permittee determines that an exceedance of an emission limitation has occurred, the Permittee shall report such deviations pursuant to Section B-Deviations from Permit Requirements and Conditions.
- (e) The Permittee shall record all instances when, in accordance with Section D, response steps are taken. In the event of an emergency, the provisions of 326 IAC 2-7-16 (Emergency Provisions) requiring prompt corrective action to mitigate emissions shall prevail.
- (f) Except as otherwise provided by a rule or provided specifically in Section D, all monitoring as required in Section D shall be performed when the emission unit is operating, except for time necessary to perform quality assurance and maintenance activities.

C.13 Emergency Provisions [326 IAC 2-7-16]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:
 - (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
 - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance Section), or
Telephone Number: 317-233-5674 (ask for Compliance Section)
Facsimile Number: 317-233-5967

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-7-5(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
 - (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
 - (e) IDEM, OAQ, may require that the Preventive Maintenance Plans required under 326 IAC 2-7-4-(c) be revised in response to an emergency.
 - (f) Failure to notify IDEM, OAQ, by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-7 and any other applicable rules.
 - (g) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - (h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report.

C.14 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5] [326 IAC 2-7-6]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of

the test results. The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.

- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one-hundred and twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

C.15 General Record Keeping Requirements [326 IAC 2-7-5(3)][326 IAC 2-7-6]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

C.16 General Reporting Requirements [326 IAC 2-7-5(3)(C)]

- (a) The reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204
- (b) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (d) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period. Reporting periods are based on calendar years.

SECTION D.1 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]

- (a) One (1) shot blast machine, identified as P1-Shot Blast Machine #2, with a maximum rated capacity of 20 tons of metal per hour, controlled by a dust collector (ID No. Area 6) with an airflow rate of 8,350 scfm and an outlet grain loading of 0.005 gr/scf, exhausting to stack BH-6

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards

D.1.1 PSD Minor Modification Limitations [326 IAC 2-2]

- (a) The PM emissions from the shot blast machine (P1-Shot Blast Machine #2) shall be limited to 5.7 pounds per hour.
- (b) The PM10 emissions from the shot blast machine (P1-Shot Blast Machine #2) shall be limited to 3.4 pounds per hour.
- (c) The Lead (Pb) emissions from the shot blast machine (P1-Shot Blast Machine #2) shall be limited to 0.137 pounds per hour.

D.1.2 Particulate [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2 (Particulate Emissions Limitations for Manufacturing Processes), the allowable particulate emission rate from the shot blast machine (P1-Shot Blast Machine #2) shall each not exceed 30.5 pounds per hour when operating at a process weight rate of 40,000 pounds per hour.

The particulate emission rates were calculated as described below.

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

D.1.3 Preventive Maintenance Plan [326 IAC 1-6-3]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for the shot blast machine and its control device.

Compliance Determination Requirements

D.1.4 Particulate Control

To comply with Conditions D.1.1 and D.1.2, the baghouse for particulate control shall be in operation and control emissions from the shot blast machine at all times that this facility is in operation.

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.1.5 Visible Emissions Notations

- (a) Visible emission notations of the shot blast machine stack exhaust shall be performed once per shift during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not

counting startup or shut down time.

- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when an abnormal emission is observed. Failure to take response steps in accordance with Section C - Compliance Response Plan - Preparation, Implementation, Records, and Reports, shall be considered a deviation from this permit.

D.1.6 Parametric Monitoring

The Permittee shall record the total static pressure drop across the baghouse used in conjunction with the shot blast machine at least once per shift when the unit is in operation. When the pressure drop across the baghouse is outside the normal range of 1.0 and 8.0 inches of water or a range established during the latest stack test, the Permittee shall take reasonable response steps in accordance with Section C- Compliance Response Plan-Preparation, Implementation, Records, and Reports. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps in accordance with Section C - Compliance Response Plan - Preparation, Implementation, Records, and Reports, shall be considered a deviation from this permit.

The instrument used for determining the pressure shall comply with Section C - Pressure Gauge and Other Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated at least once every six (6) months.

D.1.7 Baghouse Inspections

An inspection shall be performed each calendar quarter of all bags controlling the shot blast machine. Inspections required by this condition shall not be performed in consecutive months. All defective bags shall be replaced.

D.1.8 Broken or Failed Bag Detection

In the event that bag failure has been observed:

- (a) For multi-compartment units, the affected compartments will be shut down immediately until the failed units have been repaired or replaced. Within eight (8) business hours of the determination of failure, response steps according to the timetable described in the Compliance Response Plan shall be initiated. For any failure with corresponding response steps and timetable not described in the Compliance Response Plan, response steps shall be devised within eight (8) business hours of discovery of the failure and shall include a timetable for completion. Failure to take response steps in accordance with Section C - Compliance Response Plan -Preparation, Implementation, Records, and Reports, shall be considered a deviation from this permit. If operations continue after bag failure is observed and it will be 10 (ten) days or more after the failure is observed before the failed units will be repaired or replaced, the Permittee shall promptly notify the IDEM, OAQ of the expected date the failed units will be repaired or replaced. The notification shall also include the status of the applicable compliance monitoring parameters with respect to normal, and the results of any response actions taken up to the time of notification.
- (b) For single compartment baghouses, if failure is indicated by a significant drop in the baghouse's pressure readings with abnormal visible emissions or the failure is indicated by an opacity violation, or if bag failure is determined by other means, such as gas temperatures, flow rates, air infiltration, leaks, dust traces or triboflows, then failed units and the associated process will be shut down immediately until the failed units have been repaired or replaced. Operations may continue only if the event qualifies as an

emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

D.1.9 Record Keeping Requirements

- (a) To document compliance with Condition D.1.5, the Permittee shall maintain records of visible emission notations from the shot blast machine exhaust (Area 6) once per shift.
- (b) To document compliance with Condition D.1.6 the Permittee shall maintain records of the total static pressure drop once per shift.
- (c) To document compliance with Condition D.1.7, the Permittee shall maintain records of the results of the inspections required under Condition D.1.7 and the dates vents are redirected.
- (d) To document compliance with Condition D.1.3, the Permittee shall maintain records of any additional inspections prescribed by the Preventive Maintenance Plan.
- (e) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

PART 70 SOURCE MODIFICATION CERTIFICATION

Source Name: North Vernon Industry Corporation
Source Address: 3750 North County Road 75 West, North Vernon, Indiana 47265
Mailing Address: P.O. Box 894, North Vernon, Indiana 47265
Source Modification No.: 079-20064-00018

This certification shall be included when submitting monitoring, testing reports/results
or other documents as required by this approval.

Please check what document is being certified:

- Test Result (specify)
- Report (specify)
- Notification (specify)
- Affidavit (specify)
- Other (specify)

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

COMPLIANCE BRANCH
100 North Senate Avenue
Indianapolis, Indiana 46204
Phone: 317-233-5674
Fax: 317-233-5967

PART 70 OPERATING PERMIT EMERGENCY OCCURRENCE REPORT

Source Name: North Vernon Industry Corporation
Source Address: 3750 North County Road 75 West, North Vernon, Indiana 47265
Mailing Address: P.O. Box 894, North Vernon, Indiana 47265
Source Modification No.: 079-20064-00018

This form consists of 2 pages

Page 1 of 2

<p>9 This is an emergency as defined in 326 IAC 2-7-1(12)</p> <ul style="list-style-type: none">• The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-5674, ask for Compliance Section); and• The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-5967), and follow the other requirements of 326 IAC 2-7-16.

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by:

Title / Position:

Date:

Phone:

A certification is not required for this report.

Mail to: Permit Administration & Development Section
Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

North Vernon Industry Corporation
P.O. Box 894
North Vernon, Indiana 47265

Affidavit of Construction

I, _____, being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in _____ County, Indiana and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.
2. I hold the position of _____ for North Vernon Industry Corporation.
(Title)
3. By virtue of my position with North Vernon Industry Corporation, I have personal knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of North Vernon Industry Corporation.
4. I hereby certify that North Vernon Industry Corporation, 3750 North County Road 75W, North Vernon, Indiana 47265, completed construction of the P1-Shotblast Machine #2 on _____ in conformity with the requirements and intent of the construction permit application received by the Office of Air Quality on _____ and as permitted pursuant to Significant Source Modification No. SSM 079-20064-00018, Plant ID No. 079-00018, issued on _____.

Further Affiant said not.

I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature

Date

STATE OF INDIANA)
)SS

COUNTY OF _____)

Subscribed and sworn to me, a notary public in and for _____ County and State of
Indiana on this _____ day of _____, 20 _____.

My Commission expires:

Signature

Name (typed or printed)

**Indiana Department of Environmental Management
Office of Air Quality**

**Technical Support Document (TSD)
for a Part 70 Significant Source Modification**

Source Background and Description

Source Name:	North Vernon Industry Corporation
Source Location:	3750 North County Road 75 West, North Vernon, Indiana 47265
County:	Jennings
SIC Code:	3321
Operation Permit No.:	079-15119-00018
Operation Permit Issuance Date:	Not yet issued
Significant Source Modification No.:	079-20064-00018
Permit Reviewer:	ERG/ST

The Office of Air Quality (OAQ) has reviewed a modification application from North Vernon Industry Corporation relating to the construction of the following emission units and pollution control devices:

- (a) One (1) shot blast machine, identified as P1-Shot Blast Machine #2, with a maximum rated capacity of 20 tons of metal per hour, controlled by a dust collector (ID No. Area 6) with an airflow rate of 8,350 scfm and an outlet grain loading of 0.005, exhausting to stack BH-6.

History

North Vernon Industry Corporation operates an iron foundry in Jennings County, Indiana. North Vernon Industry Corporation was issued a Construction Permit (079-5754-00018) for their initial construction on August 26, 1996. On March 11, 2002, North Vernon Industry Corporation applied for a FESOP permit (079-15119-00018) for their existing plant. That permit is now being processed as an initial Title V permit. The initial Title V permit (079-15119-00018) has not been issued yet. On December 3, 2003, North Vernon Industry Corporation was issued Significant Source Modification 079-17819-00018. This modification allowed North Vernon Industry Corporation to build a second foundry (P2).

On September 13, 2004, North Vernon Industry Corporation submitted an application to the IDEM, OAQ requesting to add a second shot blast machine (P1-Shot Blast #2) to their existing foundry (constructed in 1996-1998). This request is being processed as a Significant Source Modification (079-20064-00018).

Enforcement Issue

IDEM is aware that the source did not apply for a Title V or FESOP within twelve (12) months after the submission of the affidavit of construction on November 26, 1997. There is a case pending (#2001-11109-A). A Notice of Violation was sent on February 25, 2002.

Stack Summary

Stack ID	Height (feet)	Diameter (feet)	Flow Rate (scfm)	Temperature (°F)
BH-6	20	1.6	8,350	75

Recommendation

The staff recommends to the Commissioner that the Part 70 Significant Source Modification be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

An application for the purposes of this review was received on September 13, 2004. Additional information was received on November 3, 2004.

Emission Calculations

See Appendix A of this document for detailed emissions calculations (page 1).

Potential To Emit of Modification

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as “the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U. S. EPA.”

This table reflects the PTE before controls. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Pollutant	Potential To Emit (tons/year)
PM	1489
PM-10	149
SO ₂	0
VOC	0
CO	0
NO _x	0

HAP's	Potential To Emit (tons/year)
Manganese	46.2
Lead	5.7
TOTAL HAPs	51.9

Justification for Modification

The Part 70 Operating permit is being modified through a Part 70 Significant Source Modification. This modification is being performed pursuant to 326 IAC 2-7-10.5(f)(4)(A), as the potential to emit PM is greater than 25 tons per year.

The source is in one of the twenty-eight source categories, and is a PSD major source.

County Attainment Status

The source is located in Jennings County.

Pollutant	Status
PM-10	Attainment
SO ₂	Attainment
NO ₂	Attainment
1-hour Ozone	Attainment
8-hour Ozone	Attainment
CO	Attainment
Lead	Attainment

- (a) Volatile organic compounds (VOC) and Nitrogen Oxides (NO_x) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC emissions and NO_x are considered when evaluating the rule applicability relating to ozone. Jennings County has been designated as attainment or unclassifiable for ozone. Therefore, VOC emissions and NO_x were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.
- (b) Jennings County has been classified as attainment or unclassifiable in Indiana for all other criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.
- (c) Fugitive Emissions
Since this type of operation is one of the twenty-eight (28) listed source categories under 326 IAC 2-2, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are counted toward determination of PSD applicability.

Source Status

Existing Source PSD or Emission Offset Definition (emissions after controls, based upon 8760 hours of operation per year at rated capacity and/or as otherwise limited):

Pollutant	Emissions (tons/year)
PM	189
PM-10	191
SO ₂	5.6
VOC	199
CO	28.4
NO _x	47.9

- (a) This existing source is a major stationary source because an attainment regulated pollutant is emitted at a rate of 100 tons per year or more, and it is in one of the 28 listed source categories.
- (b) These emissions are based upon Significant Source Modification 079-17819-00018, issued on December 3, 2003.

Potential to Emit of Modification After Issuance

The table below summarizes the potential to emit, reflecting all limits, of the significant emission units after controls. The control equipment is considered federally enforceable only after issuance of this Part 70 source modification.

Process/facility	Potential to Emit (tons/year)						
	PM	PM-10	SO ₂	VOC	CO	NO _x	HAPs
P1 Shot Blast Machine #2	1.57 ^a	1.57 ^a	0	0	0	0	Lead 0.006 Others 0.05
Significant Level	25	15	40	40	100	40	Lead 0.6

^a The PM and PM10 emissions are controlled by a baghouse.

This modification to an existing major stationary source is not major because the emissions increase is less than the PSD significant levels. Therefore, pursuant to 326 IAC 2-2, the PSD requirements do not apply.

Federal Rule Applicability

- (a) This significant modification does not involve a pollutant-specific emissions unit with the potential to emit before controls equal to or greater than one hundred (100) tons per year, and that is subject to an emission limit and has a control device that is necessary to meet that limit. Therefore, the requirements of 40 CFR Part 64, Compliance Assurance Monitoring, are not applicable.
- (b) There are no New Source Performance Standards (NSPS)(326 IAC 12 and 40 CFR Part 60) included in the permit for this proposed modification.
- (c) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14 and 40 CFR Part 63) included in the permit for this proposed modification.

State Rule Applicability - Individual Facilities

326 IAC 2-2 (Prevention of Significant Deterioration)

This source (an iron foundry) is in 1 of the 28 source categories, therefore, fugitive emissions are counted towards applicability of PSD.

This source was constructed in 1997-1998 under Construction Permit 079-5754-00018, issued on August 26, 1996. The emission units permitted under CP 079-5754-00018 are collectively identified as P1. The source accepted limits at the time of construction that limited emissions of PM, PM10, SO₂, NO_x, VOC and CO from the emission units collectively identified as P1 to less than 100 tons per year. The source was a minor source under PSD upon construction.

On December 3, 2003, North Vernon Industry Corporation was issued Significant Source Modification 079-17819-00018. This modification allowed North Vernon Industry Corporation to build a second foundry. The emission units permitted under SSM 079-17819-00018 are collectively identified as P2. The source accepted limits at the time of construction that limited emissions of PM, PM10, SO₂, NO_x, VOC and CO from the emission units collectively identified as P2 to less than 100 tons per year. After this modification, the limited PTE for PM and PM10 for the entire source was greater than 100 tons per year. The source was a major source under PSD after SSM 079-17819-00018 was issued.

On September 13, 2004, the source submitted an application to the IDEM, OAQ requesting to add a second shot blast machine (identified as P1-Shot Blast Machine #2) to their existing foundry (constructed in 1996-1998). This request is being processed as a Significant Source Modification (079-20064-00018). In order to limit the PTE of PM and PM10 to less than the PSD significant levels, the source has accepted the following limits:

- (a) The PM emissions from the shot blast machine (P1-Shot Blast Machine #2) shall be limited to 5.7 pounds per hour.
- (b) The PM10 emissions from the shot blast machine (P1-Shot Blast Machine #2) shall be limited to 3.4 pounds per hour.
- (c) The Lead (Pb) emissions from the shot blast machine shall be limited to 0.137 pounds per hour.

326 IAC 6-3-2 (Process Operations)

Pursuant to 326 IAC 6-3-2 (Emissions Limitations for Manufacturing Processes), the particulate matter (PM) from the P1 Shot blast Machine #2 shall be limited to 30.5 lbs per hour when operating at a process weight of 20 tons per hour.

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

The baghouse shall be in operation at all times the shot blast machine is in operation, in order to comply with this limit.

Compliance Requirements

Permits issued under 326 IAC 2-7 are required to ensure that sources can demonstrate compliance with applicable state and federal rules on a more or less continuous basis. All state and federal rules contain compliance provisions, however, these provisions do not always fulfill the requirement for a more or less continuous demonstration. When this occurs IDEM, OAQ, in conjunction with the source, must develop specific conditions to satisfy 326 IAC 2-7-5. As a result, compliance requirements are divided into two sections: Compliance Determination Requirements and Compliance Monitoring Requirements.

Compliance Determination Requirements in Section D of the permit are those conditions that are found more or less directly within state and federal rules and the violation of which serves as grounds for enforcement action. If these conditions are not sufficient to demonstrate continuous compliance, they will be supplemented with Compliance Monitoring Requirements, also Section D of the permit. Unlike Compliance Determination Requirements, failure to meet Compliance Monitoring conditions would serve as a trigger for corrective actions and not grounds for enforcement action. However, a violation in relation to a compliance monitoring condition will arise through a source's failure to take the appropriate corrective actions within a specific time period.

The compliance monitoring requirements applicable to this modification are as follows:

- 1. The shot blast machine has applicable compliance monitoring conditions as specified below:
 - (a) Visible emissions notations of the shot blasting stack exhaust (BH-6) shall be performed once per shift during normal daylight operations. A trained employee will record whether emissions are normal or abnormal. For processes operated

continuously "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time. In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions. A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process. The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when an abnormal emission is observed. Failure to take response steps in accordance with Section C - Compliance Response Plan - Preparation, Implementation, Records, and Reports, shall be considered a deviation from this permit.

- (b) The Permittee shall record the total static pressure drop across the baghouse used in conjunction with the shot blast machine, at least once per shift when the shot blast machine is in operation when venting to the atmosphere. When for any one reading, the pressure drop across the baghouse is outside the normal range of 3.0 and 6.0 inches of water or a range established during the latest stack test, the Permittee shall take reasonable response steps in accordance with Section C- Compliance Response Plan - Preparation, Implementation, Records, and Reports. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps in accordance with Section C - Compliance Response Plan - Preparation, Implementation, Records, and Reports, shall be considered a deviation from this permit.
- (c) The instrument used for determining the pressure shall comply with Section C - Pressure Gauge and Other Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated at least once every six (6) months.
- (d) An inspection shall be performed each calendar quarter of all bags controlling the shot blast machine when venting to the atmosphere. A baghouse inspection shall be performed within three months of redirecting vents to the atmosphere and every three months thereafter. Inspections are optional when venting to the indoors. Inspections required by this condition shall not be performed in consecutive months. All defective bags shall be replaced.
- (e) In the event that bag failure has been observed:
 - (1) For multi-compartment units, the affected compartments will be shut down immediately until the failed units have been repaired or replaced. Within eight (8) business hours of the determination of failure, response steps according to the timetable described in the Compliance Response Plan shall be initiated. For any failure with corresponding response steps and timetable not described in the Compliance Response Plan, response steps shall be devised within eight (8) business hours of discovery of the failure and shall include a timetable for completion. Failure to take response steps in accordance with Section C - Compliance Response Plan - Preparation, Implementation, Records, and Reports, shall be considered a deviation from this permit. If operations continue after bag failure is observed and it will be 10 days or more after the failure is observed before the failed units will be repaired or replaced, the Permittee shall promptly notify the IDEM, OAQ of the expected date the failed units will be repaired or replaced. The notification shall also include the status of the applicable compliance monitoring parameters with respect to normal, and the results of any response actions taken up to the time of notification.

- (2) For single compartment baghouses, if failure is indicated by a significant drop in the baghouse's pressure readings with abnormal visible emissions or the failure is indicated by an opacity violation, or if bag failure is determined by other means, such as gas temperatures, flow rates, air infiltration, leaks, dust traces or triboflows, then failed units and the associated process will be shut down immediately until the failed units have been repaired or replaced. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).

These monitoring conditions are necessary because the baghouse for the shot blast machine must operate properly to ensure compliance with 326 IAC 6-3 (Particulate Emissions for Manufacturing Processes), 326 IAC 2-2 (Prevention of Significant Deterioration) and 326 IAC 2-7 (Part 70).

Conclusion

The construction of this proposed modification shall be subject to the conditions of the attached proposed Part 70 Significant Source Modification No. 079-20064-00018.

Appendix A: Emissions Calculations:
P1_Shot Blast Machine #2

Company Name: North Vernon Industry Corporation
Address: 3750 North County Road 75 West
Minor Source Modification: 079-20064-00018
Reviewer: ERG/ST
Date: December 23, 2004

Emission Unit		Pollutant	Emission Factor	Source of Emission Factor	Control Efficiency %	Capture Efficiency %	PTE Before Controls		PTE After Controls	
							PM (tons/year)	PM10 (tons/year)	PM (tons/year)	PM10 (tons/year)
P1 Shot Blast Machine #2 3-04-003-40	Before Control	PM PM10	17.0 1.70 (lbs/ton)	2003 stack test 2003 stack test	99%		1489	149		
Maximum Capacity 20.00 (tons/hr) metal	After Control	Airflow Rate (scfm)		8,350					1.57	1.57
		Outlet Grain Loading (gr/scf)		0.005						

HAP Emissions	PTE Before Controls		PTE After Controls	
	Lead	Manganese	Lead	Manganese
	(tons/year)	(tons/year)	(tons/year)	(tons/year)
P1 Shot Blast Machine #2	5.73	46.2	0.006	0.049

Emission factors for metallic HAPs are based on mass balance as provided by the source. Casting metal is 0.385% lead and 3.1% manganese by weight. Emissions from the P1_Shot Blast Machine #2 are controlled by a baghouse. Assume all metallic HAP is emitted as PM. Assume all PM emitted is from metallic castings (all PM = metal).

Methodology

PTE for PM/PM10 for Shot Blast Machine Before Controls (tons/yr) = Maximum Capacity (tons metal/hr) x 8760 (hr/yr) x Emission Factor (lb/ton) x 1/2,000 (ton/lbs)

PTE for PM/PM10 for Shot Blast Machine After Controls (tons/yr) = Airflow Rate (scfm) x Outlet Grain Loading (grains/scf) x 60 (min/hr) x 8760 (hr/yr) x 1/7,000 (lb/grains) x 1/2,000 (ton/lbs)

PTE for HAP Before Controls (tons/yr) = PTE PM Before Controls (tons/yr) x Weight % HAP

PTE for HAP After Controls (tons/yr) = PTE PM After Controls (tons/yr) x Weight % HAP