



Mitchell E. Daniels, Jr.  
Governor

Thomas W. Easterly  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
(800) 451-6027  
www.IN.gov/idem

TO: Interested Parties / Applicant  
DATE: December 28, 2005  
RE: Allen Foods, Inc / 039-21980-00643  
FROM: Paul Dubenetzky  
Chief, Permits Branch  
Office of Air Quality

### Notice of Decision: Approval - Registration

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 4-21.5-3-4(d) this order is effective when it is served. When served by U.S. mail, the order is effective three (3) calendar days from the mailing of this notice pursuant to IC 4-21.5-3-2(e).

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FN-REGIS.dot 1/10/05



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We make Indiana a cleaner, healthier place to live.*

*Mitchell E. Daniels, Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204-2251  
(317) 232-8603  
(800) 451-6027  
[www.IN.gov/idem](http://www.IN.gov/idem)

December 28, 2005

James F. McKeown  
Allen Foods, Inc.  
53075 Frederic Drive  
Elkhart, IN 46514

Re: Registered Construction and Operation Status,  
039-21980-00643

Dear Mr. McKeown.:

The application from Allen Foods, Inc., received on November 14<sup>th</sup> 2005, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-5.1, it has been determined that the following commercial bakery, to be located at 53075 Frederic Drive, Elkhart, Indiana, is classified as registered:

- (a) One (1) English Muffin Oven, identified as emission unit 001, to be installed in July 2006, rated at 2.85 MMBtu per hour, with a process rate of 504 pieces per minute, exhausting through seven (7) vents (S01 – S07);
- (b) One (1) Auxiliary Boiler, burning natural gas, identified as emission unit 002, to be installed in May 2006, rated at 1 MMBtu per hour;
- (c) One (1) Process Hot Water Heater, burning natural gas, identified as emission unit 003, to be installed in May 2006, rated at 0.54 MMBtu per hour;
- (d) One (1) Domestic Hot Water Heater, burning natural gas, identified as emission unit 004, to be installed in May 2006, rated at 0.3 MMBtu per hour;
- (e) Five (5) Space Heaters, burning natural gas, identified as emission units 005 – 009, to be installed in May 2006, each rated at 3.5 MMBtu per hour;
- (f) Eleven (11) Space Heaters, burning natural gas, identified as emission units 010 – 020, to be installed in May 2006, each rated at 0.12 MMBtu per hour;
- (g) Two (2) Flour Silos, identified as emission units 021 – 022, to be installed in May 2006, with a maximum capacity of 18,600,000 lbs. of flour per year; and

The following conditions shall be applicable:

- (1) Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in the permit:
  - (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (2) Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions), fugitive dust shall not be visible crossing the boundary or property line of a source. Observances of visible emissions crossing property lines may be refuted by factual data expressed in 326 IAC 6-4-2(1), (2) or (3).
- (3) Particulate Matter (PM) [326 IAC 6-2-4], the particulate matter emissions from the Auxiliary Boiler (Unit 002) shall be limited to 0.6 pounds per million BTU heat input.
- (4) Within 60 days after achieving the maximum production rate but no later than 180 days after startup of the English Muffin Unit, in order to demonstrate compliance with 326 IAC 2-5.1, the Permittee shall perform VOC testing on the English Muffin Unit utilizing methods as approved by the Commissioner.

This registration is first air approval issued to this source. The source may operate according to 326 IAC 2-5.1.

An authorized individual shall provide an annual notice to the Office of Air Quality that the source is in operation and in compliance with this registration pursuant to 326 IAC 2-5.1-2(f)(3). The annual notice shall be submitted to:

**Compliance Data Section  
Office of Air Quality  
100 North Senate Avenue  
Indianapolis, IN 46204-2251**

no later than March 1 of each year, with the annual notice being submitted in the format attached.

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

Sincerely,  
Original signed by  
Nysa James, Section Chief  
Office of Air Quality

GSN/EVP

cc: File - Elkhart County  
Elkhart County Health Department  
Air Compliance - Paul Karkiewicz  
Permit Tracking  
Compliance Data Section

<b>Registration Annual Notification</b>
---

This form should be used to comply with the notification requirements under 326 IAC 2-5.1-2(f)(3)

<b>Company Name:</b>	<b>Allen Foods, Inc.</b>
<b>Address:</b>	<b>53075 Frederic Drive, Elkhart, IN 46514</b>
<b>City:</b>	<b>Elkhart</b>
<b>Authorized individual:</b>	<b>James F. McKeown</b>
<b>Phone #:</b>	<b>610-825-1140 Extension 371</b>
<b>Registration #:</b>	<b>039-21980-00643</b>

I hereby certify that Allen Foods, Inc. is still in operation and is in compliance with the requirements of Registration **039-21980-00643**.

<b>Name (typed):</b>
<b>Title:</b>
<b>Signature:</b>
<b>Date:</b>

**Indiana Department of Environmental Management  
Office of Air Quality**

Technical Support Document (TSD) for a Registration

**Source Background and Description**

<b>Source Name:</b>	<b>Allen Foods, Inc.</b>
<b>Source Location:</b>	<b>53075 Frederic Drive</b>
<b>County:</b>	<b>Elkhart</b>
<b>SIC Code:</b>	<b>2051</b>
<b>Registration No.:</b>	<b>039-21980-00643</b>
<b>Permit Reviewer:</b>	<b>Ganesh Srinivasan/EVP</b>

The Office of Air Quality (OAQ) has reviewed an application from Allen Foods, Inc. relating to the construction and operation of a new commercial bakery operation.

**New Emission Units and Pollution Control Equipment**

The source consists of the following new emission units and pollution control devices during this review process:

- (a) One (1) English Muffin Oven, identified as emission unit 001, to be installed in July 2006, rated at 2.85 MMBtu per hour, with a process rate of 504 pieces per minute, exhausting through seven (7) vents (S01 – S07);
- (b) One (1) Auxiliary Boiler, burning natural gas, identified as emission unit 002, to be installed in May 2006, rated at 1 MMBtu per hour;
- (c) One (1) Process Hot Water Heater, burning natural gas, identified as emission unit 003, to be installed in May 2006, rated at 0.54 MMBtu per hour;
- (d) One (1) Domestic Hot Water Heater, burning natural gas, identified as emission unit 004, to be installed in May 2006, rated at 0.3 MMBtu per hour;
- (e) Five (5) Space Heaters, burning natural gas, identified as emission units 005 – 009, to be installed in May 2006, each rated at 3.5 MMBtu per hour;
- (f) Eleven (11) Space Heaters, burning natural gas, identified as emission units 010 – 020, to be installed in May 2006, each rated at 0.12 MMBtu per hour;
- (g) Two (2) Flour Silos, identified as emission units 021 – 022, to be installed in May 2006, with a maximum capacity of 18,600,000 lbs. of flour per year; and

**Unpermitted Emission Units and Pollution Control Equipment**

There are no unpermitted emission units operating at this source during this review process.

**Enforcement Issue**

There are no enforcement actions pending.

**Stack Summary**

Stack ID	Operation	Height (feet)	Diameter (feet)	Flow rate (acfm)	Temperature (°F)
S01, S02 & S03	English Muffin Oven	30	NA	3000 (total)	550
S04	English Muffin Oven	30	NA	1000	100
S05, S06 & S07	English Muffin Oven	30	NA	4000 (total)	550

**Recommendation**

The staff recommends to the Commissioner that the operation be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

A complete application for the purposes of this review was received on November 14<sup>th</sup>, 2005.

**Emission Calculations**

See Appendix A of this document for detailed emission calculations (pages 1 through 5).

**Potential to Emit of the Source Before Controls**

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as “the maximum capacity of a stationary source or emissions unit to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U.S. EPA, the department, or the appropriate local air pollution control agency.”

Pollutant	Potential to Emit (tons/yr)
PM	1.04
PM10	1.05
SO <sub>2</sub>	0.06
VOC	9.67
CO	8.65
NO <sub>x</sub>	10.30

HAPs	Potential to Emit (tons/yr)
Toluene	Less than 10
Formaldehyde	Less than 10
TDI	Less than 10
MEK	Less than 10
MIBK	Less than 10
Glycol Ethers	Less than 10
Total	Less than 25

- (a) The potential to emit (as defined in 326 IAC 2-7-1(29)) of NOx is less than 25 tons per year, but greater than 10 tons per year. Therefore, the source is subject to the provisions of 326 IAC 2-5.5. A registration will be issued.
- (b) **Fugitive Emissions**  
Since this type of operation is not one of the twenty-eight (28) listed source categories under 326 IAC 2-2 and since there are no applicable New Source Performance Standards that were in effect on August 7, 1980, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are not counted toward determination of PSD and Emission Offset applicability.

### County Attainment Status

The source is located in Elkhart County.

Pollutant	Status
PM-10	Attainment
PM-2.5	Attainment
SO <sub>2</sub>	Attainment
NO <sub>2</sub>	Attainment
1-hour Ozone	Attainment
8-hour Ozone	Basic Non-Attainment
CO	Attainment
Lead	Attainment

- (a) Volatile organic compounds (VOC) and Nitrogen Oxides (NOx) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NOx emissions are considered when evaluating the rule applicability relating to the ozone standards. Elkhart County has been designated as nonattainment for the 8-hour ozone standard. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for Emission Offset, 326 IAC 2-3.
- (b) Elkhart County has been classified as attainment for PM2.5. U.S. EPA has not yet established the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2 for PM 2.5 emissions. Therefore, until the U.S.EPA adopts specific provisions for PSD review for PM2.5 emissions, it has directed states to regulate PM10 emissions as surrogate for PM2.5 emissions. See the State Rule Applicability for the source section.
- (c) Elkhart County has been classified as attainment or unclassifiable in Indiana for all other pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2. See the State Rule Applicability for the source section.
- (d) **Fugitive Emissions**  
Since this type of operation is not one of the 28 listed source categories under 326 IAC 2-2 or 2-3 and since there are no applicable New Source Performance Standards that were in effect on August 7, 1980, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are not counted toward determination of PSD and Emission Offset applicability.

### Source Status

New Source PSD Definition (emissions after controls, based on 8760 hours of operation per year at rated capacity and/or as otherwise limited):

- (a) This new source is **not** a major stationary source because no attainment regulated pollutant is emitted at a rate of 250 tons per year or greater and it is not in one of the 28 listed source categories.

### Part 70 Permit Determination

#### 326 IAC 2-7 (Part 70 Permit Program)

This new source is not subject to the Part 70 Permit requirements because the potential to emit (PTE) of:

- (a) each criteria pollutant is less than 100 tons per year,
- (b) a single hazardous air pollutant (HAP) is less than 10 tons per year, and
- (c) any combination of HAPs is less than 25 tons per year.

This is the first air approval issued to this source.

### Federal Rule Applicability

- (a) The requirements of the New Source Performance Standard, 326 IAC 12, (40 CFR 60.40c, Subpart Dc) are not included in the permit for the one (1) Auxiliary Boiler, identified as emission unit 002, with a maximum heat input capacity of 1.0 MMBtu per hour, because the boiler's capacity is less than the rule applicability threshold of 10 MMBtu per hour.
- (b) There are no other New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in this registration for this source.
- (c) Pursuant to § 63.7485 (40 CFR 63, Subpart DDDDD), this source is not subject to this rule because it is not a major source of HAPs as defined under §63.761 (40 CFR 63, Subpart HH).
- (d) There are no other National Emission Standards for Hazardous Air Pollutants (NESHAP)(326 IAC 14, 20 and 40 CFR Part 61, 63) included in this registration for this source.

### State Rule Applicability – Entire Source

#### 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))

The operation of this source will emit less than 10 tons per year of a single HAP and 25 tons per year of a combination of HAPs. Therefore, 326 IAC 2-4.1 does not apply.

#### 326 IAC 2-6 (Emission Reporting)

Pursuant to 326 IAC 2-6-1, this source is not subject to this rule because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake or Porter counties, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.

#### 326 IAC 5-1 (Opacity Limitations)

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in the permit:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

**326 IAC 6-4 (Fugitive Dust Emissions)**

This source is subject to 326 IAC 6-4 for fugitive dust emissions because it is a potential source of fugitive dust. Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions), fugitive dust shall not be visible crossing the boundary or property line of a source. Observances of visible emissions crossing property lines may be refuted by factual data expressed in 326 IAC 6-4-2(1), (2) or (3).

**State Rule Applicability – Individual Facilities**

**326 IAC 6-2-4 (Particulate Matter (PM))**

The one (1) natural gas fired Auxiliary Boiler rated at 1 MMBtu/hr, to be installed in May 2006, identified as emission unit 002 is subject to the particulate matter limitations of 326 IAC 6-2-4.

Pursuant to this rule, for total source maximum operation capacity rating less than 10 MMBtu/hr, the maximum allowable particulate matter (PM) shall be limited to 0.6 pounds per million BTU heat input.

**326 IAC 8-1-6 (Volatile Organic Compounds)**

This source is not subject to this rule. This rule applies to facilities constructed after January 1980, which have potential VOC emissions of 25 tons or more per year, and are not regulated by any other provisions of 326 IAC 8. All the facilities at this source will be constructed after January 1980, but each has potential VOC emissions of less than 25 tons per year, therefore, this rule does not apply.

**Testing Requirements**

One time emission testing is required for this source since alternate emissions factors have been used for VOC emission calculations.

**Conclusion**

The construction and operation of this commercial bakery operation shall be subject to the conditions of the Registration No. 039-21980-00643.

**Appendix A: Emissions Calculations**

**Company Name:** Allen Foods, Inc.  
**Address City IN Zip:** 53075 Frederic Drive, Elkhart, IN 46514  
**Permit Number:** 039-21980-00643  
**Plt ID:** 039-00643  
**Reviewer:** GSN/EVP  
**Date:** 12/01/05

<b>Potential Emissions before controls (tons/year)</b>				
<b>Pollutant</b>	<b>English Muffin Unit</b>	<b>Combustion Units</b>	<b>Flour Silos</b>	<b>Total</b>
	<b>tons/year</b>	<b>tons/year</b>	<b>tons/year</b>	<b>tons/year</b>
PM	0.00	0.20	0.84	<b>1.04</b>
PM10	0.00	0.78	0.27	<b>1.05</b>
SO <sub>2</sub>	0.00	0.06	0.00	<b>0.06</b>
VOC	9.10	0.57	0.00	<b>9.67</b>
CO	0.00	8.65	0.00	<b>8.65</b>
NOx	0.00	10.30	0.00	<b>10.30</b>

**Appendix A: Emissions Calculations  
English Muffin Unit Emission Calculation**

Page 2 of 5 TSD App A

**Company Name: Allen Foods, Inc.**  
**Address City IN Zip: 53075 Frederic Drive, Elkhart, IN 46514**  
**Permit Number: 039-21980-00643**  
**Plt ID: 039-00643**  
**Reviewer: GSN/EVP**  
**Date: 12/01/05**

**Potential VOC Emissions from the English Muffin Oven**

Maximum Throughput: 504 Pieces/minute

$504 \text{ pieces/min} * 2.22 \text{ oz/piece} * 60 \text{ min/hr} * 1 \text{ lb/16 oz} = 4195.8 \text{ lbs/hr maximum throughput}$

$4195.8 \text{ lbs prod/hr} * 1 \text{ ton/2000 lb} * 0.99 \text{ lb VOC/ ton prod}^1 = 2.077 \text{ lbs VOC/hr}$

**PTE:  $2.077 \text{ lbs VOC/hr} * 8760 \text{ hrs/yr} * 1 \text{ ton/2000 lb} = 9.1 \text{ ton VOC/yr}$**

Note:

<sup>1</sup> Emission Rate of 0.99 lbs VOC/ton product is based on actual compliance stack test performed at the George Weston Bakeries, Greenwich, CT plant on 8/16/05 while producing the same exact product proposed for the Allen Foods Facility.

**Appendix A: Emissions Calculations  
Natural Gas Combustion Only  
MM BTU/HR <100**

**Company Name: Allen Foods, Inc.  
Address City IN Zip: 53075 Frederic Drive, Elkhart, IN 46514  
Permit Number: 039-21980-00643  
Plt ID: 039-00643  
Reviewer: GSN/EVP  
Date: 12/01/05**

Emission Unit	Heat Input Capacity MMBtu/hr	Potential Throughput MMCF/yr
One (1) English Muffin Oven	2.85	
One (1) Auxiliary Boiler	1	
One (1) Process Water Heater	0.54	
One (1) Domestic Water Heater	0.3	
Five (5) Space Heaters	17.5	
Eleven (11) Space Heaters	1.32	
<b>Total</b>	<b>23.51</b>	<b>205.9</b>

Emission Factor in lb/MMCF	Pollutant					
	PM*	PM10*	SO2	NOx	VOC	CO
	1.9	7.6	0.6	100.0	5.5	84.0
				**see below		
Potential Emission in tons/yr	0.20	0.78	0.06	10.30	0.57	8.65

\*PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined.

\*\*Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

**Methodology**

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,000 MMBtu

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03 (SUPPLEMENT D 3/98)

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

See next page for HAPs emissions calculations.

**Appendix A: Emissions Calculations  
Natural Gas Combustion Only  
MM BTU/HR <100**

**HAPs Emissions**

**Company Name: Allen Foods, Inc.  
Address City IN Zip: 53075 Frederic Drive, Elkhart, IN 46514  
Permit Number: 039-21980-00643  
Plt ID: 039-00643  
Reviewer: GSN/EVP  
Date: 12/01/05**

	HAPs - Organics				
Emission Factor in lb/MMcf	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03
Potential Emission in tons/yr	2.162E-04	1.236E-04	7.723E-03	1.854E-01	3.501E-04

	HAPs - Metals				
Emission Factor in lb/MMcf	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03
Potential Emission in tons/yr	5.149E-05	1.133E-04	1.442E-04	3.913E-05	2.162E-04

Methodology is the same as previous page.

The five highest organic and metal HAPs emission factors are provided above.  
Additional HAPs emission factors are available in AP-42, Chapter 1.4.

**Appendix A: Emissions Calculations  
Emissions from Flour Silos**

**Company Name:** Allen Foods, Inc.  
**Address City IN Zip:** 53075 Frederic Drive, Elkhart, IN 46514  
**Permit Number:** 039-21980-00643  
**Plt ID:** 039-00643  
**Reviewer:** GSN/EVP  
**Date:** 12/01/05

Source	Quantity tons/year	Emission Factor		Uncontrolled Emissions	
		PM10 lbs/ton	PM lbs/ton	PM10 lbs/year	PM lbs/year
Flour Silos	9,300	0.0590	0.1800	548.70	1674.00

<b>Total Emissions (tons/year)</b>	<b>0.2744</b>	<b>0.8370</b>
------------------------------------	---------------	---------------

Note: Emissions estimate based on AP-42 Emission Factor for Uncontrolled Grain Receiving from a straight truck  
(Section 9.9.1-1)