



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: December 2, 2005
RE: ARAMARK Uniform & Career Apparel, Inc. / 141-21991-00132
FROM: Paul Dubenetzky
Chief, Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot 1/10/05



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

December 2, 2005

Mr. Paul Sturma

ARAMARK Uniform & Career Apparel, Inc.
3701 Progress Drive
South Bend, Indiana 46628

Re: 141-21991-00132
Third Notice Only Change to
Registration No. 141-15502-00132

Dear Mr. Sturma:

ARAMARK Uniform and Career Apparel, Inc. was issued a Registration on May 13, 2002 for an industrial laundry operation, located at 3701 Progress Drive, South Bend, Indiana, 46628. An application was received on November 10, 2005 for a Notice Only Change. Pursuant to the provisions of 326 IAC 326 2-5.5-6(d) the permit is hereby administratively amended as follows:

- (c) ~~Two (2) natural gas-fired dryers, identified as #3 and #4 each with a heat input capacity of 2.5 mmBtu/hr;~~ **One (1) natural gas-fired dryer, identified as #11 with a heat input capacity of 2.9 mmBtu/hr;**

The following conditions shall be applicable:

1. Opacity Limitations [326 IAC 5-1-2]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations) except as provided in 326 IAC 5-1-3 (Temporary Exemptions **Alternative Opacity Limitations**), opacity shall meet the following:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

The address of IDEM has been updated as follows:

Compliance Data Section
Office of Air Quality
100 North Senate Avenue
~~P.O. Box 6015~~

ARAMARK Uniform and Career Apparel, Inc.
South Bend, Indiana
Permit Reviewer: C Bymaster

Page 2 of 3
Registration No.: 141-21991-00132

Indianapolis, IN 46206-60154

The name of the Authorized individual has been amended as follows:

Authorized individual: ~~Jim Robinson~~ **Heath Williams, General Manager**

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this letter and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Cynthia Bymaster, at (800) 451-6027, press 0 and ask for Cynthia Bymaster or extension 3-2641, or dial (317) 233-2641.

Sincerely,
Original signed by

Nysa L. James, Section Chief
Permits Branch
Office of Air Quality

Attachments: Updated pages

NLJ/clb

cc: File – St. Joseph County
St. Joseph County Health Department
Air Compliance Section Inspector: Rick Reynolds
Permit Review Section 1- Cynthia Bymaster
Billing, Licensing and Training Section - Chet Bohannon
IDEM Northern Regional Office



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

December 2, 2005

Mr. Paul Sturma
ARAMARK Uniform & Career Apparel, Inc.
3701 Progress Drive
South Bend, Indiana 46628

Re: Third Notice Only Change 141-21991-00132 to
Registered Construction and Operation Status
141-15502-00132

Dear Mr. Sturma:

The application from ARAMARK Uniform and Career Apparel, Inc., located at 3701 Progress Drive, South Bend, Indiana 46628 received on April 12, 2004, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-5.5, it has been determined that the following industrial laundry operation, is classified as registered:

- (a) One (1) natural gas-fired boiler, with a heat input capacity of 29.1 million British thermal units per hour (mmBtu/hr);
- (b) Four (4) natural gas-fired dryers, identified as #1, #2 #6, and #7 each with a heat input capacity of 2.75 mmBtu/hr;
- (c) One (1) natural gas-fired dryers, identified as #11 with a heat input capacity of 2.9 mmBtu/hr;
- (d) One (1) natural gas-fired dryer, identified as #5 with a heat input capacity of 2.9 mmBtu/hr;
- (e) One (1) natural gas-fired dryer, identified as #8 with a heat input capacity of 0.25 mmBtu/hr;
- (f) One (1) natural gas-fired dryer, identified as #9 with a heat input capacity of 0.37 mmBtu/hr;
- (g) Two (2) steam tunnel, one is identified as #1 with a heat input capacity of 0.75 mmBtu/hour and the other is identified as #2, with a heat input capacity of 0.50 mmBtu/hour, and
- (h) One (1) 2.9 MMBtu/hr natural gas fired dryer, identified as Dryer #10, with emissions exhausted through Stack 13.

The following conditions shall be applicable:

1. Opacity Limitations [326 IAC 5-1-2]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations) except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.



- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

2. Particulate Matter Emissions (PM) Limitations for Sources of Indirect Heating [326 IAC 6-2]

Pursuant 326 IAC 6-2-3, the PM emissions from the 29.1 mmBtu/hr boiler shall be limited to 0.8 pound per million British thermal unit (lb/mmBtu) heat input.

This registration is the third air approval issued to this source. The source may operate according to 326 IAC 2-5.5.

An authorized individual shall provide an annual notice to the Office of Air Quality that the source is in operation and in compliance with this registration pursuant to 326 IAC 2-5.5-4(a)(3)). The annual notice shall be submitted to:

Compliance Data Section
Office of Air Quality
100 North Senate Avenue
Indianapolis, IN 46204

no later than March 1 of each year, with the annual notice being submitted in the format attached.

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

Sincerely,

Original signed by

Nysa L. James
Section Chief
Permits Branch
Office of Air Quality

Attachments: Updated pages

NLJ/clb

cc: File - St. Joseph County
St. Joseph County Health Department
Air Compliance - Rick Reynolds
IDEM Northern Regional Office
Permit Review Section 1 – Cynthia Bymaster
Billing, Licensing and Training Section - Chet Bohannon
Compliance Data Section

Registration Annual Notification

This form should be used to comply with the notification requirements under 326 IAC 2-5.5-4(a)(3)

Company Name:	ARAMARK Uniform and Career Apparel, Inc.
Address:	3701 Progress Drive
City:	South Bend
Authorized individual:	Heath Williams, General Manager
Phone #:	574-232-8093
Registration #:	141-15502-00132

I hereby certify that **ARAMARK Uniform and Career Apparel, Inc.** is still in operation and is in compliance with the requirements of **Registration 141-15502-00132.**

Name (typed):
Title:
Signature:
Date: