



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: December 12, 2005
RE: TIN Inc. d/b/a Templber-Inland / 037-22042-00115
FROM: Paul Dubenetzky
Chief, Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot 1/10/05



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

Senior Site Manager
TIN Inc. d/b/a Temple-Inland
3565 East 550 South
St. Anthony, Indiana 47575

December 12, 2005

Re: 037-22042-00115
Second Administrative Amendment to
FESOP F037-19190-00115

Dear Site Manager:

Temple-Inland d/b/a Inland Paperboard and Packaging, Inc. was issued a FESOP permit on August 12, 2004 to own and operate a stationary corrugated containers manufacturing plant. A letter requesting a change of the Authorized Individual was received on November 28, 2005. Pursuant to the provisions of 326 IAC 2-8-10(a)(2) the permit is hereby administratively amended as follows:

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary corrugated containers manufacturing plant.

Authorized individual:	General Manager Senior Site Manager
Source Address:	3565 East 550 South, St. Anthony, Indiana 47575
Mailing Address:	P.O. Box 37, St. Anthony, Indiana 47575 3565 East 550 South, St. Anthony, Indiana 47575
General Source Phone:	(812) 326-2125
SIC Code:	2653
Source Location Status:	Dubois
Source Status:	Attainment for all criteria pollutants Federally Enforceable State Operating Permit (FESOP) Minor Source, under PSD or Emission Offset Rules Minor Source, Section 112 of the Clean Air Act Not 1 of 28 Source Categories

TIN Inc., d/b/a Temple-Inland has requested the General Manager position be replaced by the Senior Site Manager position as the Authorized Individual. The Senior Site Manager position meets the requirements of 326 IAC 2-1.1-1(1).

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this amendment and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Gary Freeman, at (800) 451-6027, and ask for Gary Freeman or extension (3-5334), or dial (317) 233-5334.

Sincerely,

Original signed by
Nysa L. James, Section Chief
Permits Branch
Office of Air Quality

Attachments: Updated Pages

PD/gkf

cc: File –Dubois County
Dubois County Health Department
Air Compliance Section Inspector – Gene Kelso
IDEM Southwest Regional Office
Billing, Licensing and Training Section - Chet Bohannon
Permit Review Section 1 - Gary Freeman



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

**FEDERALLY ENFORCEABLE STATE
OPERATING PERMIT (FESOP)
OFFICE OF AIR QUALITY**

**TIN Inc. d/b/a Temple-Inland
3565 East 550 South
St. Anthony, Indiana 47575**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provision of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; and denial of a permit renewal application. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17. **This permit also addresses new source review requirements and is intended to fulfill the new source review procedures and permit revision requirements pursuant to 326 IAC 2-8-11.1, applicable to those conditions.**

Operation Permit No.: F037-19190-00115	
Issued by: Original signed by Paul Dubenetzky Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: August 12, 2004 Expiration Date: August 12, 2009

First Administrative Amendment 037-20637-00015, issued February 3, 2005

Second Administrative Amendment: 037-22042-00115 Page Affected: 5	
Issued by: Original signed by Nysa L. James, Section Chief Office of Air Quality	Issuance Date: December 12, 2005

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) . The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary corrugated containers manufacturing plant.

Authorized individual:	Senior Site Manager
Source Address:	3565 East 550 South, St. Anthony, Indiana 47575
Mailing Address:	3565 East 550 South, St. Anthony, Indiana 47575
General Source Phone:	(812) 326-2125
SIC Code:	2653
Source Location Status:	Dubois
Source Status:	Attainment for all criteria pollutants Federally Enforceable State Operating Permit (FESOP) Minor Source, under PSD or Emission Offset Rules Minor Source, Section 112 of the Clean Air Act Not 1 of 28 Source Categories

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) One (1) flexographic printing press (identified as Akebono), printing corrugated paperboard at a maximum line speed of 200 feet per minute. This unit was constructed prior to 1977.
- (b) Gluing unit (identified as EU-001), gluing corrugated paperboard at a maximum usage rate of 0.67 gallons per hour, applied by contact transfer. This unit was installed prior to 1977.
- (c) One (1) pneumatic trim collection system used to collect scrap cardboard pieces, with a maximum throughput rate of 14,671 pounds per hour. The pneumatic trim collection system uses a cyclone (identified as CE01), which is integral to the collection system. This unit was constructed prior to 1977.
- (d) One (1) flexographic printing press (identified as Ward), constructed in 2004, printing corrugated paperboard at a maximum line speed of 200 feet per minute.
- (e) One (1) flexographic printing press (identified as S&S 701), constructed in 2004, printing corrugated paperboard at maximum line speed of 200 feet per minute.
- (f) Gluing unit (identified as EU-002), constructed in 2004, gluing corrugated paperboard at a maximum usage rate of 0.58 gallons per hour, applied by contact transfer.
- (g) Gluing unit (identified as EU-003), constructed in 2004, gluing corrugated paperboard at a maximum usage rate of 0.44 gallons per hour, applied by contact transfer.