



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: April 26, 2006
RE: Select Wood Lumber and Building Products / 039-22968-00652
FROM: Nisha Sizemore
Chief, Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot 03/23/06



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

Mr. Jeffrey A. Miller, Vice President
Select Wood Lumber and Building Products
23319 Cooper Drive, Building No. 2
Elkhart, Indiana 46514

April 26, 2006

Re: Source Specific Operation Status
039-22968-00652

Dear Mr. Miller:

Based on the data submitted and the provisions in 326 IAC 2, it has been determined that your emission source, a stationary woodworking source, located at 23319 Cooper Drive, Building No. 2, Elkhart, Indiana 46514, has met the criteria required to obtain a Source Specific Operating Agreement.

Pursuant to IC 4-21.5-3-5(a) and (b), approval of this Source Specific Operating Agreement shall not be effective until fifteen (15) days from the date of this letter.

The facilities and processes of this source are hereby granted the Source Specific Operating Agreement provided that the following requirements of 326 IAC 2-9 are satisfied:

Section A: Woodworking Operation: [326 IAC 2-9-4]

1. The particulate matter with a diameter less than ten (10) microns (PM 10) from the woodworking Operation shall not exceed one-thousandth (0.001) grain per actual cubic foot of outlet air.
2. No visible emissions shall be discharged to the outside air from the woodworking operation.
3. The source shall not at any time, exhaust to the atmosphere, greater than four hundred thousand (400,000) actual cubic feet of outlet air per minute.
4. The source shall maintain records of the types of air pollution control devices utilized at the source, and the operation and maintenance manuals for those devices.
5. Compliance with the limitations of this Source Specific Operating Agreement (SSOA) shall be determined utilizing the test methods specified in 40 CFR 60, Appendix A, Methods 1-4 and 201A.



Section B: General Requirements: [326 IAC 2-9-1]

1. The source shall provide an annual notice to the commissioner, stating that the source is in operation, and certifying that its operations are in compliance with the requirements of this Source Specific Operating Agreement. The above annual notice shall be submitted to:

**Compliance Data Section
Office of Air Quality
100 North Senate Avenue
Indianapolis, IN 46204-2251**

no later than January 30 of each year, with the annual notice being submitted in the format attached.

2. Any exceedance of any requirement contained in this operating agreement shall be reported, in writing, within one (1) week of its occurrence. Said report shall include information on the actions taken to correct the exceedance, including measures to reduce emissions, in order to comply with the established limits. If an exceedance is the result of a malfunction, then the provisions of 326 IAC 1-6 apply.
3. Pursuant to 326 IAC 2-9-1(i), the owner or operator is hereby notified that this operating agreement does not relieve the permittee of the responsibility to comply with the provisions of any applicable federal, state, or local rules, or any New Source Performance Standards (NSPS), 40 CFR Part 60, or National Emission Standards for Hazardous Air Pollutants (NESHAP), 40 CFR Part 61 and Part 63.

Any change or modification which will alter operations in such a way that it will no longer comply with the applicable restrictions and conditions of this operating agreement, must obtain the appropriate approval from the Office of Air Quality (OAQ) under 326 IAC 2-5.1, 326 IAC 2-5.5, 326 IAC 2-6.1, 326 IAC 2-2, 326 IAC 2-3, 326 IAC 2-7, and 326 IAC 2-8, before such change may occur.

Sincerely,

Original signed by
Kathy Moore, Section Chief
Permits Branch
Office of Air Quality

KM/jm

cc: File - Elkhart County
Elkhart County Health Department
Air Compliance Section – Tony Pelath
IDEM Northern Regional Office
Compliance Data Section
Permit Review Section II – Janet Mobley

Source Specific Operating Agreement Annual Notification
--

This form should be used to comply with the notification requirements under 326 IAC 2-9.

Company Name:	Select Wood Lumber and Building Products
Address:	23319 Cooper Drive, Building No. 2
City:	Elkhart, IN 46514
Contact Person:	Jeffrey A. Miller
Phone #:	574-262-9663
SSOA #:	S 039-22968-00652

I hereby certify that Select Wood Lumber and Building Products is still in operation and is in compliance with the requirements of Source Specific Operating Agreement (SSOA) S 039-22968-00652.

Name (typed):
Title:
Signature:
Date: