



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: March 8, 2007
RE: Maxon Corporation / 035-24012-00051
FROM: Nisha Sizemore
Chief, Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-17-3-4 and 326 IAC 2, this approval is effective immediately, unless a petition for stay of effectiveness is filed and granted, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3-7 and IC 13-15-7-3 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-MOD.dot 03/23/06



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204-2251
(317) 232-8603
(800) 451-6027
www.in.gov/idem

March 8, 2007

Mr. Harry Fowler
Maxon Corporation
201 East 18th Street
Muncie, IN 47302

Re: **035-24012-00051**
First Minor Revision to
FESOP 035-13978-00051

Dear Mr. Fowler:

Maxon Corporation was issued a Federally Enforceable State Operating Permit (FESOP) F 035-13978-00051 on July 27, 2001 for a stationary combustion unit manufacturing source, located at 201 East 18th Street, Muncie, IN 47302. A letter requesting changes to this permit was received on November 30, 2006. Pursuant to the provisions of 326 IAC 2-8-11.1 a Minor Permit Revision to this permit is hereby approved as described in the attached Technical Support Document.

The revision consists of the removal of the two (2) spray booths, identified as P-1 and P-2, and the construction of two (2) entirely new spray booths, also identified as P-1 and P-2. The capacities of the two (2) booths remain the same at 40 and 60 metal combustion units per hour, respectively.

The following construction conditions are applicable to the proposed project:

1. General Construction Conditions
The data and information supplied with the application shall be considered part of this source modification approval. Prior to any proposed change in construction which may affect the potential to emit (PTE) of the proposed project, the change must be approved by the Office of Air Quality (OAQ).
2. This approval to construct does not relieve the permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.
3. Effective Date of the Permit
Pursuant to IC 13-15-5-3, this approval becomes effective upon its issuance.
4. Pursuant to 326 IAC 2-1.1-9 (Revocation), the Commissioner may revoke this approval if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.
5. All requirements and conditions of this construction approval shall remain in effect unless modified in a manner consistent with procedures established pursuant to 326 IAC 2.

Pursuant to 326 IAC 2-8-11.1, this permit shall be revised by incorporating the minor permit revision into the permit. All other conditions of the permit shall remain unchanged and in effect. For your convenience, the entire revised FESOP, with all revisions and amendments made to it, is being provided.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Michael A. Morrone , c/o OAQ, 100 North Senate Avenue, Indianapolis, Indiana, 46204-2251, at 631-691-3395 or in Indiana at 1-800-451-6027 (ext 631-691-3395).

Sincerely,

Original signed by

Nisha Sizemore, Chief
Permits Branch
Office of Air Quality

MAM/MES
Attachments

cc: File – Delaware County
U.S. EPA, Region V
Delaware County Health Department
Air Compliance Section Inspector – Marc Goldman
Compliance Branch
Administrative and Development Section
Technical Support and Modeling - Michele Boner
Charles N. Hetrick – Maxon Corporation



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204-2251
(317) 232-8603
(800) 451-6027
www.in.gov/idem

**FEDERALLY ENFORCEABLE STATE
OPERATING PERMIT (FESOP)
OFFICE OF AIR QUALITY**

**Maxon Corporation
201 East 18th Street
Muncie, Indiana 47302**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. Noncompliance with any provision of this permit, except any provision specifically designated as not federally enforceable, constitutes a violation of the Clean Air Act. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: F 035-13978-00051	
Issued by: Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: July 27, 2001 Expiration Date: July 27, 2006
First Administrative Amendment 035-20222-00051, issued on January 26, 2005	
First Minor Permit Revision No.: 035-24012-00051	Pages affected: Entire Permit
Issued by: Original signed by Nisha Sizemore, Chief Permits Branch Office of Air Quality	Issuance Date: March 8, 2007 Expiration Date: March 8, 2012

TABLE OF CONTENTS

SECTION A	SOURCE SUMMARY	4
A.1	General Information [326 IAC 2-8-3(b)]	
A.2	Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]	
A.3	Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-8-3(c)(3)(l)]	
A.4	FESOP Applicability [326 IAC 2-8-2]	
A.5	Prior Permit Conditions	
SECTION B	GENERAL CONDITIONS	6
B.1	Permit No Defense [IC 13]	
B.2	Definitions [326 IAC 2-8-1]	
B.3	Permit Term [326 IAC 2-8-4(2)]	
B.4	Enforceability [326 IAC 2-8-6]	
B.5	Termination of Right to Operate [326 IAC 2-8-9] [326 IAC 2-8-3(h)]	
B.6	Severability [326 IAC 2-8-4(4)]	
B.7	Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]	
B.8	Duty to Supplement and Provide Information [326 IAC 2-8-3(f)] [326 IAC 2-8-4(5)(E)]	
B.9	Compliance Order Issuance [326 IAC 2-8-5(b)]	
B.10	Certification [326 IAC 2-8-3(d)] [326 IAC 2-8-4(3)(C)(i)] [326 IAC 2-8-5(1)]	
B.11	Annual Compliance Certification [326 IAC 2-8-5(a)(1)]	
B.12	Preventive Maintenance Plan [326 IAC 1-6-3] [326 IAC 2-8-4(9)] [326 IAC 2-8-5(a)(1)]	
B.13	Emergency Provisions [326 IAC 2-8-12]	
B.14	Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]	
B.15	Permit Modification, Reopening, Revocation and Reissuance, or Termination	
B.16	Permit Renewal [326 IAC 2-8-3(h)]	
B.17	Permit Amendment or Revision [326 IAC 2-8-10] [326 IAC 2-8-11.1]	
B.18	Operational Flexibility [326 IAC 2-8-15]	
B.19	Permit Revision Requirement [326 IAC 2-8-11.1]	
B.20	Inspection and Entry [326 IAC 2-8-5(a)(2)] [IC 13-14-2-2]	
B.21	Transfer of Ownership or Operational Control [326 IAC 2-8-10]	
B.22	Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16]	
SECTION C	SOURCE OPERATION CONDITIONS	15
	Emission Limitations and Standards [326 IAC 2-8-4(1)]	
C.1	Overall Source Limit [326 IAC 2-8]	
C.2	Opacity [326 IAC 5-1]	
C.3	Open Burning [326 IAC 4-1] [IC 13-17-9]	
C.4	Incineration [326 IAC 4-2] [326 IAC 9-1-2(3)]	
C.5	Fugitive Dust Emissions [326 IAC 6-4]	
C.6	Operation of Equipment [326 IAC 2-8-5(a)(4)]	
C.7	Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61 Subpart M]	
	Testing Requirements [326 IAC 2-8-4(3)]	
C.8	Performance Testing [326 IAC 3-6]	
	Compliance Requirements [326 IAC 2-1.1-11]	
C.9	Compliance Requirements [326 IAC 2-1.1-11]	
	Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]	
C.10	Compliance Monitoring [326 IAC 2-8-4(3)] [326 IAC 2-8-5(a)(1)]	
C.11	Monitoring Methods [326 IAC 3] [40 CFR 60][40 CFR 63]	

Corrective Actions and Response Steps [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

- C.12 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68.215]
- C.13 Compliance Monitoring Plan - Failure to Take Response Steps [326 IAC 2-8-4, 5]
- C.14 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4, 5]

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

- C.15 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]
- C.16 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

Stratospheric Ozone Protection

- C.17 Compliance with 40 CFR 82 and 326 IAC 22-1

SECTION D.1 FACILITY OPERATION CONDITIONS: Surface Coating.....22

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.1.1 Hazardous Air Pollutants (HAPs) Limitations [326 IAC 2-8-4]
- D.1.2 Volatile Organic Compound (VOC) Limitations [326 IAC 8-2-9]
- D.1.3 Volatile Organic Compound (VOC) Limitations, Clean-up Requirements [326 IAC 8-2-9]

Compliance Determination Requirements

- D.1.4 Hazardous Air Pollutants (HAPs)

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.1.5 Record Keeping Requirements
- D.1.6 Reporting Requirements

SECTION D.2 FACILITY OPERATION CONDITIONS: Fuel-Oil Combustion.....25

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.2.1 Hazardous Air Pollutants (HAPs)
- D.2.2 Volatile Organic Compounds (VOCs)

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

- D.2.3 Visible Emissions Notations

Record Keeping and Reporting Requirement [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.2.4 Record Keeping Requirements

SECTION D.3 FACILITY OPERATION CONDITIONS: Insignificant Activities.....26

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.3.1 Particulate Matter Limitation (PM) [326 IAC 6-2-3]
- D.3.2 R & D Burner Test Facility Hours of Operation [326 IAC 2-8-4]

Record Keeping and Reporting Requirement [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.3.3 Record Keeping Requirements

Certification.....27

Emergency Occurrence Report.....28

Quarterly Reports.....30

Quarterly Deviation and Compliance Monitoring Report.....32

SECTION A

SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in Conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary combustion unit manufacturing source.

Source Address:	201 East 18th Street, Muncie, Indiana 47302-4124
Mailing Address:	201 East 18th Street, Muncie, Indiana 47302-4124
General Source Phone Number:	765 - 284-3304
SIC Codes:	3433 and 3491
Source Location Status:	Delaware County
County Status:	Nonattainment for ozone under the 8-hour standard Attainment for all criteria pollutants
Source Status:	Federally Enforceable State Operating Permit (FESOP) Minor Source, under PSD Rules; and Nonattainment NSR Minor Source, Section 112 of the Clean Air Act

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) One (1) spray booth, identified as P-1, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-1, capacity: 40 metal combustion unit parts per hour.
- (b) One (1) spray booth, identified as P-2, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-2, capacity: 60 metal combustion unit parts per hour.
- (c) One (1) dip painting area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.
- (d) One (1) rust proof dipping area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.
- (e) One (1) #2 oil-fired OVENPAK burner test furnace, known as T-1, installed prior to January 1980, exhausting through Stack T-1, rated at 5.0 million British thermal units per hour.

A.3 Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities, as defined in 326 IAC 2-7-1(21):

- (a) The following equipment related to manufacturing activities not resulting in the emission of HAPs: brazing equipment, cutting torches soldering equipment, welding equipment. Using 80 tons or less of welding consumables. (326 IAC 6-3-2)
- (b) Grinding and machining operations controller with fabric filters, scrubbers, mist collectors, wet

collectors and electrostatic precipitators with a design grain loading of less than or equal to 0.03 grains per actual cubic foot and a gas flow rate less than or equal to 4,000 actual cubic feet per minute, including the following: deburring; buffing; polishing; abrasive blasting; pneumatic conveying; and woodworking operations. (326 IAC 6-3-2)

- (c) Trash incinerator emitting less than 25 pounds per day of particulate matter. (326 IAC 6-3-2)
- (d) One (1) multi-fuel fired R & D burner test facility (non-production) as defined in 326 IAC 2-7-1(21)(E).
- (e) Replacement or repair of electrostatic precipitators, bags in baghouses and filters in other air filtration equipment.
- (f) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British thermal units per hour.
- (g) Vessels storing lubricating oil, hydraulic oils, machining oils, and machining fluids.
- (h) Machining where an aqueous cutting coolant continuously floods the machining interface.

A.4 FESOP Applicability [326 IAC 2-8-2]

This stationary source, otherwise required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Federally Enforceable State Operating Permit (FESOP) Renewal.

A.5 Prior Permit Conditions

- (a) This permit shall be used as the primary document for determining compliance with applicable requirements established by previously issued permits.
- (b) If, after issuance of this permit, it is determined that the permit is in nonconformance with an applicable requirement that applied to the source on the date of permit issuance, including any term or condition from a previously issued construction or operation permit, IDEM, OAQ, shall immediately take steps to reopen and revise this permit and issue a compliance order to the Permittee to ensure expeditious compliance with the applicable requirement until the permit is reissued.

SECTION B GENERAL CONDITIONS

B.1 Permit No Defense [IC 13]

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a FESOP under 326 IAC 2-8.

B.2 Definitions [326 IAC 2-8-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2, and 326 IAC 2-7) shall prevail.

B.3 Permit Term [326 IAC 2-8-4(2)]

This permit is issued for a fixed term of five (5) years from the original date, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date.

B.4 Enforceability [326 IAC 2-8-6]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Termination of Right to Operate [326 IAC 2-8-9] [326 IAC 2-8-3(h)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-9.

B.6 Severability [326 IAC 2-8-4(4)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.7 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]

This permit does not convey any property rights of any sort, or any exclusive privilege.

B.8 Duty to Supplement and Provide Information [326 IAC 2-8-3(f)] [326 IAC 2-8-4(5)(E)] [326 IAC 2-8-5(a)(4)]

(a) The Permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

The submittal by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ, may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit.

The submittal by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1). Upon request, the Permittee shall also furnish to IDEM, OAQ, copies of records required to be kept by this permit or, for information claimed to be confidential, the Permittee may furnish such records directly to the U. S. EPA along with a claim of confidentiality.[326 IAC 2-8-4(5)(E)]

- (c) The Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.9 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.10 Certification [326 IAC 2-8-3(d)] [326 IAC 2-8-4(3)(C)(i)] [326 IAC 2-8-5(1)]

- (a) Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by a authorized individual of truth, accuracy, and completeness. This certification, shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification.
- (c) An authorized individual is defined at 326 IAC 2-1.1-1(1).

B.11 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The initial certification covered the time period from the date of the first original final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted in letter form no later than July 1 of each year to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;

- (3) Whether compliance was continuous or intermittent;
- (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-8-4(3); and
- (5) Such other facts as specified in Sections D of this permit, IDEM, OAQ, may require to determine the compliance status of the source.

The notification which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

B.12 Preventive Maintenance Plan [326 IAC 1-6-3] [326 IAC 2-8-4(9)] [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall implement the PMPs as necessary to ensure that failure to implement a PMP does not cause or contribute to a violation of any limitation on emissions or potential to emit.
- (b) A copy of the PMPs shall be submitted to IDEM, OAQ, upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ, may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or contributes to any violation. The PMP does not require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (c) Records of preventive maintenance shall be retained for a period of at least five (5) years. These records shall be kept at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

B.13 Emergency Provisions [326 IAC 2-8-12]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation, except as provided in 326 IAC 2-8-12.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describes the following:
 - (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
 - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone No.: 1-800-451-6027 (ask for Office of Air Quality, Compliance Section)

or,
Telephone No.: 317-233-0178 (ask for Compliance Section)
Facsimile No.: 317-233-6865

Failure to notify IDEM, OAQ by telephone or facsimile within four (4) daytime business hours after the beginning of the emergency, or after the emergency is discovered or reasonably should have been discovered, shall constitute a violation of 326 IAC 2-8 and any other applicable rules. [326 IAC 2-8-12(f)]

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by the authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
 - (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
 - (e) IDEM, OAQ, may require that the Preventive Maintenance Plans required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
 - (f) Failure to notify IDEM, OAQ, by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
 - (g) Operations may continue during an emergency only if the following conditions are met:
 - (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.

- (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
- (A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
 - (B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial economic value.

Any operations shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.

B.14 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]

- (a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provision), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

using the attached Quarterly Deviation and Compliance Monitoring Report, or its equivalent. Deviations that are required to be reported by an applicable requirement shall be reported according to the schedule stated in the applicable requirement and do not need to be included in this report.

The notification by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit or a rule. It does not include:
- (1) An excursion from compliance monitoring parameters as identified in Section D of this permit unless tied to an applicable rule or limit; or
 - (2) Failure to implement elements of the Preventive Maintenance Plan unless such failure has caused or contributed to a deviation.

A Permittee's failure to take the appropriate response step when an excursion of a compliance monitoring parameter has occurred is a deviation.

- (c) Emergencies shall be included in the Quarterly Deviation and Compliance Monitoring Report.

B.15 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)] [326 IAC 2-8-7(a)] [326 IAC 2-8-8]

- (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a FESOP modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:
 - (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]
- (c) Proceedings by IDEM, OAQ, to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-8-8(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ, at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ, may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

B.16 Permit Renewal [326 IAC 2-8-3(h)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue, P.O. Box 6015
Indianapolis, IN 46206-6015

- (b) Timely Submittal of Permit Renewal [326 IAC 2-8-3]
 - (1) A timely renewal application is one that is:
 - (A) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (B) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
 - (2) If IDEM, OAQ upon receiving a timely and complete permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect until the renewal permit has been issued or denied.

- (c) Right to Operate After Application for Renewal [326 IAC 2-8-9]
If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ, takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ, any additional information identified as needed to process the application.

B.17 Permit Amendment or Revision [326 IAC 2-8-10] [326 IAC 2-8-11.1]

- (a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-8-10 or 326 IAC 2-8-11.1 whenever the Permittee seeks to amend or modify this permit.

- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

Any such application shall be certified by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement the administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.18 Operational Flexibility [326 IAC 2-8-15]

- (a) The Permittee may make any change or changes at this source that are described in 326 IAC 2-8-15(b) through (d), without prior permit revision, if each of the following conditions is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any approval required by 326 IAC 2-8-11.1 has been obtained;
- (3) The changes do not result in emissions which exceed the emissions allowable under this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of

the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site which document, on a rolling five (5) year basis, all such changes and emissions trading that are subject to 326 IAC 2-8-15(b) through (d) and makes such records available, upon reasonable request, to public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ, in the notices specified in 326 IAC 2-8-15(b), (c)(1), and (d).

- (b) The Permittee may make Section 502(b)(10) of the Clean Air Act changes (this term is defined at 326 IAC 2-7-1(36)) without a permit revision, subject to the constraint of 326 IAC 2-8-15(a) and the following additional conditions:

- (1) A brief description of the change within the source;
- (2) The date on which the change will occur;
- (3) Any change in emissions; and
- (4) Any permit term or condition that is no longer applicable as a result of the change.

The notification which shall be submitted is not considered an application form, report or compliance certification. Therefore, the notification by the Permittee does not require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) Emission Trades [326 IAC 2-8-15(c)]
The Permittee may trade increases and decreases in emissions in the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(c).
- (d) Alternative Operating Scenarios [326 IAC 2-8-15(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ or U.S. EPA is required.

B.19 Permit Revision Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed 326 IAC 2 and 326 IAC 2-8-11.1.

B.20 Inspection and Entry [326 IAC 2-8-5(a)(2)] [IC 13-14-2-2]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a FESOP source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) Inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution

control equipment), practices, or operations regulated or required under this permit;

- (d) Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) Utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.21 Transfer of Ownership or Operational Control [326 IAC 2-8-10]

- (a) The Permittee must comply with the requirements of 326 IAC 2-8-10 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

The application which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-11(b)(3)]

B.22 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16]

- (a) The Permittee shall pay annual fees to IDEM, OAQ, within thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action, or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing and Training Section), to determine the appropriate permit fee.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emissions Limitations and Standards [326 IAC 2-8-4(1)]

C.1 Overall Source Limit [326 IAC 2-8]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

- (a) Pursuant to 326 IAC 2-8:
 - (1) The potential to emit any regulated pollutant, except particulate matter (PM), from the entire source shall be limited to less than one-hundred (100) tons per twelve (12) consecutive month period.
 - (2) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
 - (3) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.
- (b) Pursuant to 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)), emissions of particulate matter (PM) from the entire source shall be limited to less than two hundred fifty (250) tons per twelve (12) consecutive month period.
- (c) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided that the source's potential to emit does not exceed the above specified limits.
- (d) Section D of this permit contains independently enforceable provisions to satisfy this requirement.

C.2 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.3 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1. 326 IAC 4-1-

3(a)(2)(A) and (B) are not federally enforceable.

C.4 Incineration [326 IAC 4-2] [326 IAC 9-1-2(3)]

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as provided in 326 IAC 4-2 and in 326 IAC 9-1-2. 326 IAC 9-1-2 is not federally enforceable.

C.5 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions). 326 IAC 6-4-2(4) is not federally enforceable.

C.6 Operation of Equipment [326 IAC 2-8-5(a)(4)]

Except as otherwise provided by statute, rule or in this permit, all air pollution control equipment listed in this permit and used to comply with an applicable requirement shall be operated at all times that the emission units vented to the control equipment are in operation.

C.7 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
- (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Asbestos Section, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

The notifications do not require a certification by the "authorized individual" as defined by 326

IAC 2-1.1-1(1).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-4 emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Indiana Accredited Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Accredited Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos. The requirement that the inspector be accredited, pursuant to the provisions of 40 CFR 61, Subpart M, is federally enforceable.

Testing Requirements [326 IAC 2-8-4(3)]

C.8 Performance Testing [326 IAC 3-6]

- (a) All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ, not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ, if the source submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.9 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

C.10 Compliance Monitoring [326 IAC 2-8-4(3)] [326 IAC 2-8-5(a)(1)]

Unless otherwise specified in this permit, all monitoring and record keeping requirements not already legally required shall be implemented upon permit issuance. If required by Section D, the Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment.

Unless otherwise specified in the approval for the new emissions unit, compliance monitoring for new emission units or emission units added through a permit revision shall be implemented when operation begins.

C.11 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

Any monitoring or testing performed required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60 Appendix B, 40 CFR 63 or other approved methods as specified in this permit.

Corrective Actions and Response Steps [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

C.12 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68.215]

If a regulated substance, subject to 40 CFR 68, is present at a source in more than a threshold quantity, 40 CFR 68 is an applicable requirement and the Permittee shall submit:

- (a) A compliance schedule for meeting the requirements of 40 CFR 68; or
- (b) As a part of the annual compliance certification submitted under 326 IAC 2-7-6(5), a certification statement that the source is in compliance with all the requirements of 40 CFR 68, including the registration and submission of a Risk Management Plan (RMP); and

All documents submitted pursuant to this condition shall include the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

C.13 Compliance Monitoring Plan - Failure to Take Response Steps [326 IAC 2-8-4] [326 IAC 2-8-5]

(a) The Permittee is required to implement a compliance monitoring plan to ensure that reasonable information is available to evaluate its continuous compliance with applicable requirements. The compliance monitoring plan can be either an entirely new document, consist in whole of information contained in other documents, or consist of a combination of new information and information contained in other documents. If the compliance monitoring plan incorporates by reference information contained in other documents, the Permittee shall identify as part of the compliance monitoring plan the documents in which the information is found. The elements of the compliance monitoring plan are:

- (1) This condition;
- (2) The Compliance Determination Requirements in Section D of this permit;
- (3) The Compliance Monitoring Requirements in Section D of this permit;
- (4) The Record Keeping and Reporting Requirements in Section C (General Record Keeping Requirements, and General Reporting Requirements) and in Section D of this permit; and
- (5) A Compliance Response Plan (CRP) for each compliance monitoring condition of this permit. CRP's shall be submitted to IDEM, OAQ, upon request and shall be subject to review and approval by IDEM, OAQ. The CRP shall be prepared within

ninety (90) days after issuance of this permit by the Permittee and maintained on site, and is comprised of:

- (A) Reasonable response steps that may be implemented in the event that compliance related information indicates that a response step is needed pursuant to the requirements of Section D of this permit; and
 - (B) A time schedule for taking reasonable response steps including a schedule for devising additional response steps for situations that may not have been predicted.
- (b) For each compliance monitoring condition of this permit, reasonable response steps shall be taken when indicated by the provisions of that compliance monitoring condition. Failure to take reasonable response steps may constitute a violation of the permit.
- (c) Upon investigation of a compliance monitoring excursion, the Permittee is excused from taking further response steps for any of the following reasons:
- (1) A false reading occurs due to the malfunction of the monitoring equipment. This shall be an excuse from taking further response steps providing that prompt action was taken to correct the monitoring equipment.
 - (2) The Permittee has determined that the compliance monitoring parameters established in the permit conditions are technically inappropriate, has previously submitted a request for an administrative amendment to the permit, and such request has not been denied.
 - (3) An automatic measurement was taken when the process was not operating.
 - (4) The process has already returned or is returning to operating within "normal" parameters and no response steps are required.
- (d) Records shall be kept of all instances in which the compliance related information was not met and of all response steps taken. In the event of an emergency, the provisions of 326 IAC 2-7-16 (Emergency Provisions) requiring prompt corrective action to mitigate emissions shall prevail.
- (e) All monitoring required in Section D shall be performed at all times the equipment is operating. If monitoring is required by Section D and the equipment is not operating, then the Permittee may record the fact that the equipment is not operating or perform the required monitoring.
- (f) At its discretion, IDEM may excuse the Permittee's failure to perform the monitoring and record keeping as required by Section D, if the Permittee provides adequate justification and documents that such failures do not exceed five percent (5%) of the operating time in any quarter. Temporary, unscheduled unavailability of qualified staff shall be considered a valid reason for failure to perform the monitoring or record keeping requirements in Section D.

C.14 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4] [326 IAC 2-8-5]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The

Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.

- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one-hundred and twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The documents submitted pursuant to this condition do not require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

C.15 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

- (a) Records of all required data, reports and support information shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be kept at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

C.16 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

- (a) The source shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported. This report shall be submitted within thirty (30) days of the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204
- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (d) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) The first report covered the time period commencing on the date of issuance of original FESOP and ending on the last day of the reporting period. All subsequent reporting periods shall be based on calendar years.

Stratospheric Ozone Protection

C.17 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

- (a) Persons opening appliances for maintenance, service, repair or disposal must comply with the required practices pursuant to 40 CFR 82.156
- (b) Equipment used during the maintenance, service, repair or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- (c) Persons performing maintenance, service, repair or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

SECTION D.1

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]: Surface Coating

- (a) One (1) spray booth, identified as P-1, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-1, capacity: 40 metal combustion unit parts per hour.
- (b) One (1) spray booth, identified as P-2, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-2, capacity: 60 metal combustion unit parts per hour.
- (c) One (1) dip painting area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.
- (d) One (1) rust proof dipping area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.1.1 Hazardous Air Pollutants (HAPs) Limitations [326 IAC 2-8-4]

- (a) The worst case single HAP delivered to the coating applicators in the two (2) spray booths, identified as P-1 and P-2, the dip painting area and the rust proof dipping area including cleanup solvents shall be limited to less than ten (10) tons per twelve (12) consecutive month period, with compliance determined at the end of each month. Therefore, the requirements of 326 IAC 2-7 are not applicable.
- (b) The combination of HAPs delivered to the coating applicators in the two (2) spray booths, identified as P-1 and P-2, the dip painting area and the rust proof dipping area shall be limited to a total of less than twenty-four and nine tenths (24.9) tons per twelve (12) consecutive month period, with compliance determined at the end of each month. Therefore, the requirements of 326 IAC 2-7 do not apply.

D.1.2 Volatile Organic Compound (VOC) Limitations [326 IAC 8-2-9]

Pursuant to 326 IAC 8-2-9 (Miscellaneous Metal Coating Operations), the volatile organic compounds (VOC) content of coatings delivered to the applicators in the two (2) spray booths, identified as P-1 and P-2, metal coating operations shall be limited to 3.5 pounds of VOC per gallon of coating less water, for extreme performance coatings computed on a daily volume weighted basis.

D.1.3 Volatile Organic Compound (VOC) Limitations, Clean-up Requirements [326 IAC 8-2-9]

Pursuant to 326 IAC 8-2-9(f), all solvents sprayed from the application equipment of two (2) spray booths, identified as P-1 and P-2, during cleanup or color changes shall be directed into containers. Said containers shall be closed as soon as the solvent spraying is complete. In addition, all waste solvent shall be disposed of in such a manner that minimizes evaporation.

Compliance Determination Requirements

D.1.4 Volatile Organic Compounds

In order to ensure compliance with the requirements of 326 IAC 8-2-9, volume weighted averaging of

all coatings used per day will be required. The daily volume weighted average of VOC content from P-1 and P-2 shall be calculated only on days when one (1) or more of the coating materials exceed a VOC content of 3.5 pounds of VOC per gallon of coating less water using the following formula, where n is the number of coatings (c):

$$\frac{\sum_{c=1}^n \text{coating } c \text{ (gal)} \times \text{H VOC content of } c \text{ (lbs/gal, less water)}}{\sum_{c=1}^n \text{coating } c \text{ (gal)}} = \text{c} = 1$$

D.1.5 Hazardous Air Pollutants (HAPs)

Compliance with the HAPs usage limitations contained in Condition D.1.1 shall be determined pursuant to 326 IAC 8-1-4(a)(3) and 326 IAC 8-1-2(a) by preparing or obtaining from the manufacturer the copies of the "as supplied" and "as applied" VOC data sheets. IDEM, OAQ, reserves the authority to determine compliance using Method 24 in conjunction with the analytical procedures specified in 326 IAC 8-1-4.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.1.6 Record Keeping Requirements

- (a) To document compliance with Condition D.1.1, the Permittee shall maintain records in accordance with (1) through (4) below. Records maintained for (1) through (4) shall be taken monthly and shall be complete and sufficient to establish compliance with the HAPs usage limits established in Condition D.1.1.
- (1) The amount and HAP content of each coating material and solvent used. Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used. Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvents;
 - (2) A log of the dates of use; and
 - (3) The weight of HAPs emitted for each compliance period.
- (b) To document compliance with Condition D.1.2, the Permittee shall maintain records in accordance with (1) through (4) below. Records maintained for (1) through (4) shall be taken as stated below and shall be complete and sufficient to establish compliance with the VOC usage limit established in Condition D.1.2.
- (1) The amount of coating material and solvent used on daily basis.
 - (A) Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used.
 - (B) Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvent.
 - (2) The volume weighted average VOC content of the coatings used for each day;
 - (3) The daily cleanup solvent usage; and

- (4) The total VOC usage for each day.
- (c) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

D.1.7 Reporting Requirements

A quarterly summary of the information to document compliance with Condition D.1.1 shall be submitted to the address listed in Section C - General Reporting Requirements, of this permit, using the reporting forms located at the end of this permit, or their equivalent, within thirty (30) days after the end of the quarter being reported. The report submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

SECTION D.2

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]: Fuel-Oil Combustion

- (d) One (1) #2 oil-fired OVENPAK burner test furnace, known as T-1, installed prior to January 1980, exhausting through Stack T-1, rated at 5.0 million British thermal units per hour.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.2.1 Hazardous Air Pollutants (HAPs)

Since there are negligible HAPs emissions from the one (1) #2 oil-fired OVENPAK burner test furnace, known as T-1, no record keeping or reporting is required.

D.2.2 Volatile Organic Compounds (VOCs)

Since there are negligible VOC emissions from the one (1) #2 oil-fired OVENPAK burner test furnace, known as T-1, no record keeping or reporting is required.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

D.2.3 Visible Emissions Notations

- (a) Visible emission notations of the oil-fired OVENPAK burner test furnace, known as T-1, shall be performed once per shift during normal daylight operations when exhausting to the atmosphere either at the Stack T-1 exhaust or from inside the building at the test furnace. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when an abnormal emission is observed. Failure to take response steps in accordance with Section C - Compliance Monitoring Plan - Failure to Take Response Steps, shall be considered a violation of this permit.

Record Keeping and Reporting Requirement [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.2.4 Record Keeping Requirements

To document compliance with Condition D.2.3, the Permittee shall maintain records of visible emission notations of the OVENPAK test furnace stack exhaust or shall maintain records of visible emission notations of the OVENPAK test furnace from inside the building at the test furnace.

SECTION D.3

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]: Insignificant Activities

- (a) The following equipment related to manufacturing activities not resulting in the emission of HAPs: brazing equipment, cutting torches soldering equipment, welding equipment. (326 IAC 6-3-2):

Using 80 tons or less of welding consumables. (326 IAC 6-3-2)
- (b) Grinding and machining operations controller with fabric filters, scrubbers, mist collectors, wet collectors and electrostatic precipitators with a design grain loading of less than or equal to 0.03 grains per actual cubic foot and a gas flow rate less than or equal to 4,000 actual cubic feet per minute, including the following: deburring; buffing; polishing; abrasive blasting; pneumatic conveying; and woodworking operations. (326 IAC 6-3-2)
- (c) Trash incinerator emitting less than 25 pounds per day of particulate matter. (326 IAC 6-3-2)
- (d) One (1) multi-fuel fired R & D burner test facility (non-production) as defined in 326 IAC 2-7-1(21)(E).

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.3.1 Particulate Matter (PM) [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2 (Process Operations), the allowable PM emission rate from the brazing equipment, cutting torches soldering equipment, welding equipment, grinding and machining operation as well as the trash incinerator shall not exceed allowable PM emission rate based on the following equation:

Interpolation of the data for the process weight rate up to 60,000 pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

D.3.2 R & D Burner Test Facility [326 IAC 2-8-4]

The R & D burner test facility shall not exceed 45.0 million cubic feet of natural gas, equivalent to five hundred (500) hours of operation at a total of 90.0 million British thermal units per hour of natural gas, equivalent to 0.042 tons of total HAPs per year. For purposes of determining compliance based on total HAPs emissions each kilogallon of fuel oil is equivalent to 0.075 million cubic feet of natural gas. Compliance with this limit shall make the requirements of 326 IAC 2-7 not applicable.

Record Keeping and Reporting Requirement [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.3.3 Record Keeping Requirements

To document compliance with Condition D.3.2, the Permittee shall maintain records of the amount of natural gas and fuel oil used in the operation of the R & D burner test facility.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
CERTIFICATION**

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify) _____
- Report (specify) _____
- Notification (specify) _____
- Affidavit (specify) _____
- Other (specify) _____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Phone:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH
100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Phone: 317-233-0178
Fax: 317-233-6865**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
EMERGENCY OCCURRENCE REPORT**

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051

This form consists of 2 pages

Page 1 of 2

9 This is an emergency as defined in 326 IAC 2-7-1(12)
☐ The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and
☐ The Permittee must submit notice in writing or by facsimile within two (2) days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

A certification is not required for this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH**

FESOP Quarterly Report

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051
Facilities: Spray booths, P-1 and P-2, dip painting area and rust dipping area
Parameter: Worst case single HAP
Limit: Less than ten (10) tons per twelve (12) consecutive month period, total, with compliance determined at the end of each month.

YEAR: _____

Month	Single HAP (tons)	Single HAP (tons)	Single HAP (tons)
	This Month	Previous 11 Months	12 Month Total

- 9 No deviation occurred in this quarter.
- 9 Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH**

FESOP Quarterly Report

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051
Facilities: Spray booths, P-1 and P-2, dip painting area and rust dipping area
Parameter: Combination of all HAPs
Limit: Less than twenty-four and nine tenths (24.9) tons per twelve (12) consecutive month period, total, with compliance determined at the end of each month.

YEAR: _____

Month	Combination of HAPs (tons)	Combination of HAPs (tons)	Combination of HAPs (tons)
	This Month	Previous 11 Months	12 Month Total

- 9 No deviation occurred in this quarter.
- 9 Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051

Months: _____ to _____ Year: _____

Page 1 of 2

This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".

NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.

THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD

Permit Requirement (specify permit condition #)

Date of Deviation:

Duration of Deviation:

Number of Deviations:

Probable Cause of Deviation:

Response Steps Taken:

Permit Requirement (specify permit condition #)

Date of Deviation:

Duration of Deviation:

Number of Deviations:

Probable Cause of Deviation:

Response Steps Taken:

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

A certification is not required for this report.

Indiana Department of Environmental Management Office of Air Quality

Technical Support Document (TSD) for a Minor Permit Revision to a Federally Enforceable State Operating Permit

Source Background and Description

Source Name:	Maxon Corporation
Source Location:	201 East 18th Street, Muncie, Indiana 47302
County:	Delaware
SIC Code:	3585
Operation Permit No.:	F 035-13978-00051
Operation Permit Issuance Date:	July 27, 2001
Minor Permit Revision No.:	MPR 035-24012-00051
Permit Reviewer:	Michael A. Morrone

The Office of Air Quality (OAQ) has reviewed a Minor Permit Revision application from Maxon Corporation relating to the construction and operation of the following emission units and pollution control devices:

- (a) One (1) spray booth, identified as P-1, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-1, capacity: 40 metal combustion unit parts per hour.
- (b) One (1) spray booth, identified as P-2, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-2, capacity: 60 metal combustion unit parts per hour.

History

On November 30, 2006, Maxon Corporation submitted an application to the OAQ requesting to add additional surface coating lines to their existing plant. Maxon Corporation was issued a Federally Enforceable State Operating Permit (FESOP) on July 27, 2001. The two (2) spray booths, identified as P-1 and P-2, are complete replacements of the two (2) old spray booths, also identified as P-1 and P-2. The capacities of each of the booths remain unchanged. This modification is being processed as a Minor Permit Revision to a FESOP because the potential to emit VOC is greater than ten (10.0) tons per year and less than twenty-five (25.0) tons per year.

Enforcement Issue

- (a) IDEM is aware that equipment has been constructed prior to receipt of the proper permit.
- (b) IDEM is reviewing this matter and will take appropriate action. This proposed approval is intended to satisfy the requirements of the construction permit rules.

Stack Summary

Stack ID	Operation	Height (feet)	Diameter (feet)	Flow Rate (acfm)	Temperature (EF)
P-1	Spray Booth P-1	31.0	2.8	18,000	68
P-2	Spray Booth P-2	18.0	2.3	7,500	68

Recommendation

The staff recommends to the Commissioner that the FESOP Significant Permit Revision be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

An application for the purposes of this review was received on November 30, 2006. Additional information was received on January 10 and 26, 2007 and February 7, 2007.

Emission Calculations

See pages 1 through 3 of Appendix A of this document for detailed emissions calculations.

Potential To Emit of Revision

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as "the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U.S. EPA.

This table reflects the PTE before controls for this revision. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Pollutant	Potential To Emit (tons/year)
PM	3.21
PM ₁₀	3.21
SO ₂	0.00
VOC	10.5
CO	0.00
NO _x	0.00

HAPs	Potential To Emit (tons/year)
Xylene	6.11
Ethyl Benzene	0.359
Toluene	0.082
Triethylamine	0.003
TOTAL	6.55

Justification for Revision

The FESOP is being revised through a FESOP Minor Permit Revision. This revision is being performed pursuant to 326 IAC 2-8-11.1(d)(4)(D) since the potential to emit VOC from this revision is greater than ten (10.0) tons per year and less than twenty five (25) tons per year.

County Attainment Status

The source is located in Delaware County.

Pollutant	Status
PM _{2.5}	attainment
PM ₁₀	attainment
SO ₂	attainment
NO _x	attainment
8-Hour Ozone	attainment
CO	attainment
Lead	attainment

- (a) Volatile organic compounds (VOC) and nitrogen oxides (NO_x) are nonattainment under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NO_x emissions are considered when evaluating the rule applicability relating to ozone. Delaware County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NO_x emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2. See the State Rule Applicability - Entire Source section of this document.
- (b) Delaware County has been classified as unclassifiable or attainment for PM_{2.5}. U.S. EPA has not yet established the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2 for PM_{2.5} emissions. Therefore, until the U.S. EPA adopts specific provisions for PSD review for PM_{2.5} emissions, it has directed states to regulate PM₁₀ emissions as a surrogate for PM_{2.5} emissions. See the State Rule Applicability for the source section.
- (c) Delaware County has been classified as attainment or unclassifiable in Indiana for all remaining criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2. See the State Rule Applicability - Entire Source section of this document.
- (d) On October 25, 2006, the Indiana Air Pollution Control Board finalized a rule revision to 326 IAC 1-4-1 redesignating Delaware, Greene, Jackson, Vanderburgh, Vigo and Warrick Counties to attainment for the eight-hour ozone standard, redesignating Lake County to attainment for the sulfur dioxide standard, and revoking the one-hour ozone standard in Indiana.
- (e) Fugitive Emissions
Since this type of operation is not one of the twenty-eight (28) listed source categories under 326 IAC 2-2 or 2-3 and since there are no applicable New Source Performance Standards that were in effect on August 7, 1980, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are not counted toward determination of PSD and Emission Offset applicability.

Source Status

Existing Source PSD or Emission Offset Definition (emissions after controls, based upon 8,760 hours of operation per year at rated capacity and/or as otherwise limited):

Pollutant	Emissions (tons/year)
PM	19.6
PM ₁₀	19.6
SO ₂	22.9
VOC	91.2
CO	2.67
NO _x	11.4

- (a) This existing source is not a major stationary source because no attainment regulated pollutant is emitted at a rate of two-hundred fifty (250) tons per year or more, and it is not one of the twenty-eight (28) listed source categories.
- (b) These emissions are based upon the Technical Support Document (TSD) of F 035-13978-00051.

Potential to Emit of Revision After Issuance

The table below summarizes the potential to emit, reflecting all limits, of the significant emission units after controls. The control equipment is considered federally enforceable only after issuance of this FESOP revision.

Process/facility	Potential to Emit (tons/year)						
	PM	PM ₁₀	SO ₂	VOC	CO	NO _x	HAPs
One (1) Paint Booth, identified as P-1	0.006	0.006	0.00	4.21	0.00	0.00	2.44 single; 2.62 total
One (1) Paint Booth, identified as P-2	0.010	0.010	0.00	6.31	0.00	0.00	3.66 single; 3.93 total
Total from Revision	0.016	0.016	0.00	10.5	0.00	0.00	6.11 single; 6.55 total
PSD Threshold Level	250	250	250	250	250	250	-

- (a) This revision to an existing minor stationary source is not major because the emission increase is less than the PSD threshold levels. Therefore, pursuant to 326 IAC 2-2, the PSD requirements do not apply.
- (b) This revision to the existing FESOP will not change the status of the stationary source because the emissions from the entire source will still be limited to less than the Part 70 major source thresholds.

Federal Rule Applicability

- (a) This source does not coat metal furniture. Therefore, the requirements of the New Source Performance Standard, 40 CFR 60, Subpart EE, Standards of Performance for Surface Coating of Metal Furniture, are not included in the permit.
- (b) This source does not coat automobiles or light duty trucks. Therefore, the requirements of the New Source Performance Standard, 40 CFR 60, Subpart MM, Standards of Performance for Automobile and Light Duty Truck Surface Coating Operations, are not included in the permit.
- (c) There are no other New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the permit for this proposed modification.
- (d) This source does not coat automobiles or light duty trucks and is an area source for HAPs. Therefore, the requirements of the National Emission Standard for Hazardous Air Pollutants, 40 CFR 63, Subpart IIII, National Emission Standards for Hazardous Air Pollutants: Surface Coating of Automobiles and Light-Duty Trucks, are not included in the permit.
- (e) This source is an area source of HAPs. Therefore, the requirements of the National Emission Standard for Hazardous Air Pollutants, 40 CFR 63, Subpart MMMM, National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products, are not included in the permit.
- (f) This source does not coat metal furniture and is an area source of HAPs. Therefore, the requirements of the National Emission Standard for Hazardous Air Pollutants, 40 CFR 63, Subpart RRRR, National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Furniture, are not included in the permit.
- (g) There are no other National Emission Standards for Hazardous Air Pollutants included in the permit for this source.

State Rule Applicability - Individual Facilities

326 IAC 2-2 (Prevention of Significant Deterioration (PSD))

The unrestricted potential to emit all criteria pollutants from the two (2) spray booths, identified as P-1 and P-2, is less than two-hundred fifty (250) tons per year. Therefore, the requirements of 326 IAC 2-2, PSD, do not apply.

326 IAC 2-4.1-1 (New source toxics control)

The operation of the two (2) spray booths, identified as P-1 and P-2, will emit less than ten (10) tons per year of a single HAP or twenty-five (25) tons per year of a combination of HAPs. Therefore, 326 IAC 2-4.1 does not apply.

326 IAC 2-8-4 (FESOP)

Pursuant to Condition D.1.1 from F 035-13978-00051, issued on July 27, 2001, the two (2) spray booths, identified as P-1 and P-2, are limited to less than ten (10.0) tons per year for a single HAP and less than twenty-four and nine-tenths (24.9) tons per year for a combination of all HAPs.

326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes)

The particulate emissions from the two (2) spray booths, identified as P-1 and P-2, are less than

0.551 pounds per hour, each. Therefore, pursuant to 326 IAC 6-3-1(b)(14), the requirements of 326 IAC 6-3-2 are not applicable.

326 IAC 8-1-6 (New facilities; general reduction requirements)

The two (2) spray booths, identified as P-1 and P-2, have VOC emissions of less than twenty-five (25.0) tons per year, each. Therefore, the requirements of 326 IAC 8-1-6 are not applicable.

326 IAC 8-2-9 (Miscellaneous Metal Coating)

The two (2) spray booths, identified as P-1 and P-2, have actual VOC emissions of greater than fifteen (15.0) pounds per day and were constructed after July 1, 1990. Therefore, pursuant to 326 IAC 8-2-1(a)(4), the requirements of 326 IAC 8-2-9, Miscellaneous Metal Coating, are applicable.

Pursuant to 326 IAC 8-2-9 (Miscellaneous Metal Coating Operations), the volatile organic compound (VOC) content of the coating delivered to the applicators at the two (2) spray booths, identified as P-1 and P-2, shall be limited to 3.5 pounds of VOC per gallon of coating less water, for extreme performance coatings.

In order to ensure compliance with the requirements of 326 IAC 8-2-9, volume weighted averaging of all coatings used per day will be required. The daily volume weighted average of VOC content from P-1 and P-2 shall be calculated only on days when one (1) or more of the coating materials exceed a VOC content of 3.5 pounds of VOC per gallon of coating less water using the following formula, where n is the number of coatings (c):

$$\frac{\begin{array}{l} c = n \\ 3 \text{ coating } c \text{ (gal) } \times \text{ VOC content of } c \text{ (lbs/gal, less water)} \\ c = 1 \end{array}}{\begin{array}{l} c = n \\ 3 \text{ coating } c \text{ (gal)} \\ c = 1 \end{array}}$$

Solvent sprayed from application equipment during cleanup or color changes shall be directed into containers. Such containers shall be closed as soon as such solvent spraying is complete, and the waste solvent shall be disposed of in such a manner that evaporation is minimized.

Compliance Requirements

Permits issued under 326 IAC 2-8 are required to ensure that sources can demonstrate compliance with applicable state and federal rules on a more or less continuous basis. All state and federal rules contain compliance provisions, however, these provisions do not always fulfill the requirement for a more or less continuous demonstration. When this occurs IDEM, OAQ, in conjunction with the source, must develop specific conditions to satisfy 326 IAC 2-8-4. As a result, compliance requirements are divided into two sections: Compliance Determination Requirements and Compliance Monitoring Requirements.

Compliance Determination Requirements in Section D of the permit are those conditions that are found more or less directly within state and federal rules and the violation of which serves as grounds for enforcement action. If these conditions are not sufficient to demonstrate continuous compliance, they will be supplemented with Compliance Monitoring Requirements, also in Section D of the permit.

Unlike Compliance Determination Requirements, failure to meet Compliance Monitoring conditions would serve as a trigger for corrective actions and not grounds for enforcement action. However, a violation in relation to a compliance monitoring condition will arise through a source's failure to take the appropriate corrective actions within a specific time period.

The Compliance Determination Requirements applicable to this source are as follows:

The two (2) spray booths, identified as P-1 and P-2, have the following Compliance Determination Requirements:

- (a) In order to ensure compliance with the requirements of 326 IAC 8-2-9, volume weighted averaging of all coatings used per day will be required. The daily volume weighted average of VOC content from P-1 and P-2 shall be calculated only on days when one (1) or more of the coating materials exceed a VOC content of 3.5 pounds of VOC per gallon of coating less water using the following formula, where n is the number of coatings (c):

$$\frac{c = n}{3 \text{ coating c (gal) H VOC content of c (lbs/gal, less water)}} \\ c = 1 \\ \frac{c = n}{3 \text{ coating c (gal)}} \\ c = 1$$

- (b) Compliance with the HAPs usage limitations shall be determined pursuant to 326 IAC 8-1-4(a)(3) and 326 IAC 8-1-2(a) by preparing or obtaining from the manufacturer the copies of the "as supplied" and "as applied" VOC data sheets. IDEM, OAQ, reserves the authority to determine compliance using Method 24 in conjunction with the analytical procedures specified in 326 IAC 8-1-4.

The Compliance Monitoring Requirements applicable to this source are as follows:

There are no Compliance Monitoring Requirements applicable to this source.

Testing Requirements

No testing is required for this source. All VOC and HAPs emissions calculations are based on Material Safety Data Sheets (MSDSs).

Proposed Changes

The permit language is changed to read as follows (deleted language appears as ~~strikeouts~~, new language appears in bold):

Change 1:

Section A.2 (a) and Section D.1(a) are being separated into an (a) and a (b) to reflect the installation of two (2) new spray booths, identified as P-1 and P-2. The remainder of the equipment list has been relettered as well as follows:

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) ~~Two (2) spray paint booths, known as P-1 and P-2, equipped with air atomization spray applicators, equipped with dry filters for overspray control, exhausted through Stacks P-1 and P-2, installed prior to January 1980, capacity: 40 and 60 combustion unit parts per hour, respectively.~~
- (a) **One (1) spray booth, identified as P-1, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to**

Stack P-1, capacity: 40 metal combustion unit parts per hour.

- (b) One (1) spray booth, identified as P-2, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-2, capacity: 60 metal combustion unit parts per hour.**
- ~~(b)~~**(c)** One (1) dip painting area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.
- ~~(c)~~**(d)** One (1) rust proof dipping area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.
- ~~(d)~~**(e)** One (1) #2 oil-fired OVENPAK burner test furnace, known as T-1, installed prior to January 1980, exhausting through Stack T-1, rated at 5.0 million British thermal units per hour.

SECTION D.1

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]: Surface Coating

- ~~(a)~~ Two (2) spray paint booths, known as P-1 and P-2, equipped with air atomization spray applicators, equipped with dry filters for overspray control, exhausted through Stacks P-1 and P-2, installed prior to January 1980, capacity: 40 and 60 combustion unit parts per hour, respectively.
- (a) One (1) spray booth, identified as P-1, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-1, capacity: 40 metal combustion unit parts per hour.**
- (b) One (1) spray booth, identified as P-2, constructed in 2007, equipped with air atomization spray applicators and dry filters for particulate control, exhausting to Stack P-2, capacity: 60 metal combustion unit parts per hour.**
- ~~(b)~~**(c)** One (1) dip painting area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.
- ~~(c)~~**(d)** One (1) rust proof dipping area, installed prior to January 1980, capacity: 100 combustion unit parts per hour.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Change 2:

Condition D.1.1 has been revised to reflect the current method of writing HAP limits as follows:

D.1.1 Hazardous Air Pollutants (HAPs) Limitations [326 IAC 2-8-4]

- (a) The worst case single HAP delivered to the coating applicators in the two (2) spray booths, known identified as P-1 and P-2, the dip painting area and the rust proof dipping area including cleanup solvents shall not exceed a total of shall be limited to less than ten (10) tons per twelve (12) consecutive month period, with compliance determined at the end of each month. Therefore, the requirements of 326 IAC 2-7 do not apply are not applicable.**

- (b) The combination of HAPs delivered to the coating applicators in the two (2) spray booths, ~~known~~ **identified** as P-1 and P-2, the dip painting area and the rust proof dipping area ~~shall not exceed a~~ **shall be limited to a total of less than** twenty-four and nine tenths (24.9) tons per twelve (12) consecutive month period, **with compliance determined at the end of each month.** Therefore, the requirements of 326 IAC 2-7 do not apply.

Change 3:

Condition D.1.2 has been replaced with two (2) new conditions that specifically address the requirements of 326 IAC 8-2-9 for the two (2) spray booths, identified as P-1 and P-2. They had previously been exempt from this rule because the old booths were constructed before the January 1, 1980 applicability date. Condition D.1.3 has been deleted because the two (2) spray booths, identified as P-1 and P-2, would be subject to the new version of 326 IAC 6-3-2. However, pursuant to 326 IAC 6-3-1(b)(14), since the two (2) spray booths, identified as P-1 and P-2, have particulate emissions of less than 0.551 pounds per hour, each, the requirements of 326 IAC 6-3-2 are not applicable. Additionally, since the requirements of 326 IAC 6-3-2 are not applicable, there are no Compliance Monitoring requirements in the permit for the two (2) spray booths, and thus a Preventive Maintenance Plan is not required. The Table of Contents has been updated and the remainder of the conditions in the section will be renumbered. The changes are as follows:

~~D.1.2 Volatile Organic Compounds (VOC) [326 IAC 2-8-4]~~

~~Any change or modification which may increase potential to emit VOC from the entire source to one hundred (100) tons per year or more shall require approval from IDEM, OAQ prior to making the change.~~

D.1.2 Volatile Organic Compound (VOC) Limitations [326 IAC 8-2-9]

Pursuant to 326 IAC 8-2-9 (Miscellaneous Metal Coating Operations), the volatile organic compounds (VOC) content of coatings delivered to the applicators in P-1 and P-2 metal coating operations shall be limited to 3.5 pounds of VOC per gallon of coating less water, for extreme performance coatings computed on a daily volume weighted basis.

~~D.1.3 Particulate Matter (PM) [326 IAC 6-3-2]~~

~~Pursuant to 326 IAC 6-3-2, the PM from the two (2) spray booths, known as P-1 and P-2 shall not exceed the pound per hour emission rate established as E in the following formula:~~

~~Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:~~

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

D.1.3 Volatile Organic Compound (VOC) Limitations, Clean-up Requirements [326 IAC 8-2-9]

Pursuant to 326 IAC 8-2-9(f), all solvents sprayed from the application equipment of two (2) spray booths, identified as P-1 and P-2, during cleanup or color changes shall be directed into containers. Said containers shall be closed as soon as the solvent spraying is complete. In addition, all waste solvent shall be disposed of in such a manner that minimizes evaporation.

~~D.1.4 Preventive Maintenance Plan [326 IAC 2-8-4(9)]~~

~~A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for two (2) spray booths, known as P-1 and P-2, the dip painting area and the rust proof dipping area and any control devices.~~

Change 4:

In the Compliance Determination Section of Section D.1., Condition D.1.4 has been added as a result of the requirements of Condition D.1.2 and Condition 1.5. has been reworded to reflect current model language as follows:

D.1.4 Volatile Organic Compounds

In order to ensure compliance with the requirements of 326 IAC 8-2-9, volume weighted averaging of all coatings used per day will be required. The daily volume weighted average of VOC content from P-1 and P-2 shall be calculated only on days when one (1) or more of the coating materials exceed a VOC content of 3.5 pounds of VOC per gallon of coating less water using the following formula, where n is the number of coatings (c):

$$\frac{\sum_{c=1}^n \text{coating } c \text{ (gal)} \times \text{H VOC content of } c \text{ (lbs/gal, less water)}}{\sum_{c=1}^n \text{coating } c \text{ (gal)}} = \text{c}$$

D.1.5 Hazardous Air Pollutants (HAPs)

Compliance with the HAPs usage limitations contained in Condition D.1.1 shall be determined pursuant to 326 IAC 8-1-4(a)(3) and 326 IAC 8-1-2(a) using formulation data supplied by the coating manufacturer. **by preparing or obtaining from the manufacturer the copies of the “as supplied” and “as applied” VOC data sheets. IDEM, OAQ, reserves the authority to determine compliance using Method 24 in conjunction with the analytical procedures specified in 326 IAC 8-1-4.**

Change 5:

Condition D.1.6 has been deleted because the Compliance Determination Requirement for Condition D.1.1 is covered by Condition D.1.5.

~~D.1.6 Hazardous Air Pollutants (HAPs) Emissions~~

~~Compliance with Condition D.1.1 shall be demonstrated within 30 days of the end of each month based on the total single and combination of HAPs usage for the month.~~

Change 6:

Conditions D.1.7 and D.1.8 have been deleted because the two (2) spray booths, identified as P-1 and P-2, are exempt from 326 IAC 6-3-2 and thus do not need Compliance Determination Requirements for Particulate Matter or Compliance Monitoring Requirements for their dry particulate filters.

~~D.1.7 Particulate Matter (PM)~~

~~In order to comply with Condition D.1.3, the dry filters for PM control shall be in operation at all times when the two (2) spray booths, known as P-1 and P-2, are in operation.~~

~~Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]~~

~~D.1.8 Monitoring~~

~~(a) Daily inspections shall be performed to verify the placement, integrity and particle loading of the filters. To monitor the performance of the dry filters, weekly observations shall be made of the overspray from the surface coating booth Stacks P-1 and P-2 while one or more of the~~

~~booths are in operation. The Compliance Response Plan shall be followed whenever a condition exists which should result in a response step. Failure to take response steps in accordance with Section C – Compliance Monitoring Plan – Failure to Take Response Steps, shall be considered a violation of this permit.~~

- ~~(b) Monthly inspections shall be performed of the coating emissions from the stack and the presence of overspray on the rooftops and the nearby ground. The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when a noticeable change in overspray emission, or evidence of overspray emission is observed. The Compliance Response Plan shall be followed whenever a condition exists which should result in a response step. Failure to take response steps in accordance with Section C – Compliance Monitoring Plan – Failure to Take Response Steps, shall be considered a violation of this permit.~~
- ~~(c) Additional inspections and preventive measures shall be performed as prescribed in the Preventive Maintenance Plan.~~

Change 7:

Conditions D.1.9 and D.1.10 have been renumbered to Conditions D.1.6 and D.1.7 in the Table of Contents and in the permit. In addition, Condition D.1.9(b) has been eliminated because Condition D.1.8 is no longer necessary and Condition D.1.9(c) has been relettered as follows:

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.1.69 Record Keeping Requirements

- (a) To document compliance with Condition D.1.1, the Permittee shall maintain records in accordance with (1) through (4) below. Records maintained for (1) through (4) shall be taken monthly and shall be complete and sufficient to establish compliance with the HAPs usage limits established in Condition D.1.1.
- (1) The amount and HAP content of each coating material and solvent used. Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used. Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvents;
 - (2) A log of the dates of use; and
 - (3) The weight of HAPs emitted for each compliance period.
- ~~(b) To document compliance with Condition D.1.8, the Permittee shall maintain a log of weekly overspray observations, daily and monthly inspections, and those additional inspections prescribed by the Preventive Maintenance Plan.~~
- (b) To document compliance with Condition D.1.2, the Permittee shall maintain records in accordance with (1) through (4) below. Records maintained for (1) through (4) shall be taken as stated below and shall be complete and sufficient to establish compliance with the VOC usage limit established in Condition D.1.2.**
- (1) The amount of coating material and solvent used on daily basis.**
 - (A) Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used.**

- (B) Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvent.**
 - (2) The volume weighted average VOC content of the coatings used for each day;**
 - (3) The daily cleanup solvent usage; and**
 - (4) The total VOC usage for each day.**
- ~~(c)~~ **(c)** All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

D.1.740 Reporting Requirements

A quarterly summary of the information to document compliance with Condition D.1.1 shall be submitted to the address listed in Section C - General Reporting Requirements, of this permit, using the reporting forms located at the end of this permit, or their equivalent, within thirty (30) days after the end of the quarter being reported. The report submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Change 8:

The two quarterly report forms for the two (2) spray booths, identified as P-1 and P-2, the dip painting area, and the rust proofing area, have been revised as follows:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY
 COMPLIANCE BRANCH**

FESOP Quarterly Report

Source Name: Maxon Corporation
 Source Address: 201 East 18th Street, Muncie, Indiana 47302
 Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
 FESOP No.: F 035-13978-00051
 Facilities: Spray booths, P-1 and P-2, dip painting area and rust dipping area
 Parameter: Worst case single HAP
 Limit: Less than ten (10) tons per twelve (12) consecutive month period, total, **with compliance determined as the end of each month.**

YEAR: _____

Month	Single HAP (tons)	Single HAP (tons)	Single HAP (tons)
	This Month	Previous 11 Months	12 Month Total

- 9 No deviation occurred in this quarter.
- 9 Deviation/s occurred in this quarter.
 Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH**

FESOP Quarterly Report

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051
Facilities: Spray booths, P-1 and P-2, dip painting area and rust dipping area
Parameter: Combination of **all** HAPs
Limit: Less than twenty-four and nine tenths (24.9) tons per twelve (12) consecutive month period, total, **with compliance determined at the end of each month.**

YEAR: _____

Month	Combination of HAPs (tons)	Combination of HAPs (tons)	Combination of HAPs (tons)
	This Month	Previous 11 Months	12 Month Total

- 9 No deviation occurred in this quarter.
- 9 Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

Change 9:

The Quarterly Deviation and Compliance Monitoring Report Form has been revised to the current model version as follows:

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT

Source Name: _____ Maxon Corporation
Source Address: _____ 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: _____ 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: _____ F 035-13978-00054

Months: _____ to _____ Year: _____

Page 1 of 2

<p>This report is an affirmation that the source has met all the requirements stated in this permit. This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. Deviations that are required to be reported by an applicable requirement shall be reported according to the schedule stated in the applicable requirement and do not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p>	
<p><input checked="" type="radio"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.</p>	
<p><input checked="" type="radio"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD</p>	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Page 2 of 2

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

No deviation occurred in this quarter.

Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Form Completed By: _____

Title/Position: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Maxon Corporation
Source Address: 201 East 18th Street, Muncie, Indiana 47302
Mailing Address: 201 East 18th Street, Muncie, Indiana 47302
FESOP No.: F 035-13978-00051

Months: _____ **to** _____ **Year:** _____

Page 1 of 2

<p>This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p>	
<input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

A certification is not required for this report.

Change 10:

Reference to the authorized individual in Section A.1 of the permit has been removed as follows:

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary combustion unit manufacturing source.

Authorized Individual:	Charles N. Hetrick
Source Address:	201 East 18th Street, Muncie, Indiana 47302-4124
Mailing Address:	201 East 18th Street, Muncie, Indiana 47302-4124
General Source Phone Number:	765 - 284-3304
SIC Codes:	3433 and 3491
Source Location Status:	Delaware County
County Status:	Nonattainment for ozone under the 8-hour standard Attainment for all criteria pollutants
Source Status:	Federally Enforceable State Operating Permit (FESOP) Minor Source, under PSD Rules; and Nonattainment NSR Minor Source, Section 112 of the Clean Air Act

Change 11:

The P.O. Box in the address of the OAQ has been deleted throughout the permit and the ZIP code has been revised as follows:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue, ~~P.O. Box 6015~~
Indianapolis, Indiana 46204-~~2251 6-6015~~

Change 12:

The phone number in Condition B.13 and on the Emergency/Deviation Occurrence Report form have been changed from 317-233-5674 to 317-233-0178 and the fax number has been changed from 317-233-5967 to 317-233-6865.

Conclusion

The construction and operation of this proposed revision shall be subject to the conditions of the attached proposed FESOP Minor Permit Revision No. 035-24012-00051.

**Appendix A: Emissions Calculations
VOC and Particulate
From Surface Coating Operations**

Company Name: Maxon Corporation
Address City IN Zip: 201 East 18th Street, Muncie, IN 47302
FESOP MPR: 035-24012-00051
Plt ID: 035-00051
Reviewer: Michael A. Morrone
Application Date: November 30, 2006

Material	Density (Lb/Gal)	Weight % Volatile (H2O & Organics)	Weight % Water	Weight % Organics	Volume % Water	Volume % Non-Volatiles (solids)	Gal of Mat. (gal/unit)	Maximum (unit/hour)	Pounds VOC per gallon of coating less water	Pounds VOC per gallon of coating	Potential VOC pounds per hour	Potential VOC pounds per day	Potential VOC tons per year	Particulate Potential (ton/yr)	lb VOC/gal solids	Transfer Efficiency
One (1) Paint Booth, identified as P-1																
Duralux Fast Dry Maxon Yellow Enamel SP-8380	8.78	33.2%	0.00%	33.2%	0.00%	0.00%	0.001	40.0	2.91	2.91	0.12	2.80	0.510	0.514	n/a	50%
Green Fast Dry Enamel SP-8004	8.42	59.6%	0.00%	59.6%	0.00%	0.00%	0.0002	40.0	5.02	5.02	0.04	0.963	0.176	0.060	n/a	50%
Fast Dry Enamel - Gray Seal SP-7950	8.17	61.5%	0.00%	61.5%	0.00%	0.00%	0.002	40.0	5.03	5.03	0.402	9.65	1.76	0.551	n/a	50%
Red Epoxy Ester Air Dry Enamel SP-8182	8.17	59.0%	0.00%	59.0%	0.00%	0.00%	0.0002	40.0	4.82	4.82	0.04	0.92	0.169	0.059	n/a	50%
Sheffield Red Hot Aluminum	7.45	71.9%	0.00%	71.9%	0.00%	0.00%	0.0002	40.0	5.36	5.36	0.04	1.03	0.188	0.037	n/a	50%
PPG Satin Black	8.26	57.00%	0.00%	57.00%	0.00%	0.00%	0.0002	40.0	4.71	4.71	0.04	0.90	0.165	0.062	n/a	50%
Solvent Blend S-0070 Lacquer Thinner	7.07	100%	0.00%	100%	0.00%	0.00%	0.001	40.0	7.07	7.07	0.28	6.79	1.24	0.000	n/a	50%
										Subtotal	0.96	23.05	4.21	1.28		
One (1) Paint Booth, identified as P-2																
Duralux Fast Dry Maxon Yellow Enamel SP-8380	8.78	33.2%	0.00%	33.2%	0.00%	0.00%	0.001	60.0	2.91	2.91	0.17	4.20	0.77	0.77	n/a	50%
Green Fast Dry Enamel SP-8004	8.42	59.6%	0.00%	59.6%	0.00%	0.00%	0.0002	60.0	5.02	5.02	0.06	1.44	0.26	0.09	n/a	50%
Fast Dry Enamel - Gray Seal SP-7950	8.17	61.5%	0.00%	61.5%	0.00%	0.00%	0.002	60.0	5.03	5.03	0.603	14.48	2.64	0.83	n/a	50%
Red Epoxy Ester Air Dry Enamel SP-8182	8.17	59.0%	0.00%	59.0%	0.00%	0.00%	0.0002	60.0	4.82	4.82	0.06	1.39	0.253	0.088	n/a	50%
Sheffield Red Hot Aluminum	7.45	71.9%	0.00%	71.9%	0.00%	0.00%	0.0002	60.0	5.36	5.36	0.06	1.54	0.282	0.055	n/a	50%
PPG Satin Black	8.26	57.00%	0.00%	57.00%	0.00%	0.00%	0.0002	60.0	4.71	4.71	0.06	1.36	0.247	0.093	n/a	50%
Solvent Blend S-0070 Lacquer Thinner	7.07	100%	0.00%	100.0%	0.00%	0.00%	0.001	60.0	7.07	7.07	0.42	10.18	1.86	0.000	n/a	50%

	Subtotal	1.44	34.6	6.31	1.92
PM Control Efficiency:	99.50%				
	Uncontrolled	2.40	57.6	10.5	3.21
	Controlled	2.40	57.6	10.5	0.016

Add worst case coating to all solvents

METHODOLOGY

- Pounds of VOC per Gallon Coating less Water = (Density (lb/gal) * Weight % Organics) / (1-Volume % water)
- Pounds of VOC per Gallon Coating = (Density (lb/gal) * Weight % Organics)
- Potential VOC Pounds per Hour = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr)
- Potential VOC Pounds per Day = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr) * (24 hr/day)
- Potential VOC Tons per Year = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr) * (8760 hr/yr) * (1 ton/2000 lbs)
- Particulate Potential Tons per Year = (units/hour) * (gal/unit) * (lbs/gal) * (1- Weight % Volatiles) * (1-Transfer efficiency) *(8760 hrs/yr) *(1 ton/2000 lbs)
- Pounds VOC per Gallon of Solids = (Density (lbs/gal) * Weight % organics) / (Volume % solids)
- Total = Worst Coating + Sum of all solvents used

**Appendix A: Emission Calculations
HAP Emission Calculations**

**Company Name: Maxon Corporation
Address City IN Zip: 201 East 18th Street, Muncie, IN 47302
FESOP MPR: 035-24012-00051
Plt ID: 035-00051
Permit Reviewer: Michael A. Morrone
Application Date: November 30, 2006**

Material	Density (Lb/Gal)	Gallons of Material (gal/unit)	Maximum (unit/hour)	Weight % Ethyl Benzene	Weight % Triethylamine	Weight % Toluene	Weight % Xylene	Ethyl Benzene Emissions (ton/yr)	Trimethylamine Emissions (ton/yr)	Toluene Emissions (ton/yr)	Xylene Emissions (ton/yr)	Total Emissions (ton/yr)
One (1) Paint Booth, identified as P-1												
Duralux Fast Dry Maxon Yellow Enamel SP-8380	8.78	0.001	40.0	0.00%	0.09%	0.00%	29.0%	0.00	0.001	0.00	0.446	0.447
Green Fast Dry Enamel SP-8004	8.42	0.0002	40.0	0.00%	0.00%	0.00%	40.0%	0.00	0.00	0.00	0.118	0.118
Fast Dry Enamel - Gray Seal SP-7950	8.17	0.002	40.0	3.92%	0.00%	0.00%	57.0%	0.112	0.00	0.00	1.63	1.74
Red Epoxy Ester Air Dry Enamel SP-8182	8.17	0.0002	40.0	3.87%	0.00%	0.00%	54.0%	0.011	0.00	0.00	0.155	0.166
Sheffield Red Hot Aluminum	7.45	0.0002	40.0	0.00%	0.00%	12.60%	0.00%	0.00	0.00	0.033	0.00	0.03
PPG Satin Black	8.26	0.0002	40.0	6.96%	0.00%	0.00%	32.0%	0.020	0.00	0.00	0.093	0.113
Solvent Blend S-0070 Lacquer Thinner	7.07	0.001	40.0	0.00%	0.00%	0.00%	0.00%	0.00	0.00	0.00	0.00	0.00
One (1) Paint Booth, identified as P-2												
Duralux Fast Dry Maxon Yellow Enamel SP-8380	8.78	0.00100	60.0	0.00%	0.090%	0.00%	29.00%	0.00	0.002	0.00	0.669	0.67
Green Fast Dry Enamel SP-8004	8.42	0.00020	60.0	0.00%	0.00%	0.00%	40.00%	0.00	0.00	0.00	0.177	0.18
Fast Dry Enamel - Gray Seal SP-7950	8.17	0.002	60.0	3.92%	0.00%	0.00%	57.00%	0.168	0.00	0.00	2.45	2.62
Red Epoxy Ester Air Dry Enamel SP-8182	8.17	0.0002	60.0	3.87%	0.00%	0.00%	54.00%	0.017	0.00	0.00	0.232	0.249
Sheffield Red Hot Aluminum	7.45	0.0002	60.0	0.00%	0.00%	12.60%	0.00%	0.00	0.00	0.05	0.00	0.049
PPG Satin Black	8.26	0.00020	60.0	6.96%	0.00%	0.00%	32.00%	0.030	0.00	0.00	0.139	0.169
Solvent Blend S-0070 Lacquer Thinner	7.07	0.001	60.0	0.00%	0.00%	0.00%	0.00%	0.00	0.00	0.00	0.00	0.00
Subtotal								0.215	0.002	0.049	3.66	3.93
Totals								0.359	0.003	0.082	6.11	6.55

METHODOLOGY

HAPS emission rate (tons/yr) = Density (lb/gal) * Gal of Material (gal/unit) * Maximum (unit/hr) * Weight % HAP * 8760 hrs/yr * 1 ton/2000 lbs

**Appendix A: Emissions Calculations
Summary**

Company Name: Maxon Corporation
Address City IN Zip: 201 East 18th Street, Muncie, IN 47302
FESOP MPR: 035-24012-00051
Plt ID: 035-00051
Reviewer: Michael A. Morrone
Application Date: November 30, 2006

Summary of Emissions

Uncontrolled Potential Emissions

Significant Emission Units	PM	PM-10	SO2	NOx	VOC	CO	Ethyl Benzene	Triethylamine	Toluene	Xylene	Total HAPs
	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)
One (1) paint booth, identified as P-1	1.28	1.28	0.00	0.00	4.21	0.00	0.143	0.001	0.033	2.44	2.62
One (1) paint booth, identified as P-2	1.92	1.92	0.00	0.00	6.31	0.00	0.215	0.002	0.049	3.66	3.93
Total	3.21	3.21	0.00	0.00	10.5	0.00	0.359	0.003	0.082	6.11	6.55

Controlled Potential Emissions

Significant Emission Units	PM	PM-10	SO2	NOx	VOC	CO	Ethyl Benzene	Triethylamine	Toluene	Xylene	Total HAPs
	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)
One (1) paint booth, identified as P-1	0.006	0.006	0.00	0.00	4.21	0.00	0.143	0.001	0.033	2.44	2.62
One (1) paint booth, identified as P-2	0.010	0.010	0.00	0.00	6.31	0.00	0.215	0.002	0.049	3.66	3.93

Total	0.016	0.016	0.00	0.00	10.5	0.00	0.359	0.003	0.082	6.11	6.55
-------	-------	-------	------	------	------	------	-------	-------	-------	------	------