



*Mitchell E. Daniels, Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
(800) 451-6027  
www.IN.gov/idem

TO: Interested Parties / Applicant  
DATE: July 19, 2007  
RE: SABIC US Innovative / 005-24985-00049  
FROM: Nisha Sizemore  
Chief, Permits Branch  
Office of Air Quality

### Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FNPER-AM.dot 03/23/06



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We make Indiana a cleaner, healthier place to live.*

*Mitchell E. Daniels, Jr*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251  
(317) 232-8603  
(800) 451-6027  
[www.IN.gov/idem](http://www.IN.gov/idem)

Mr. William Daniels  
SABIC US Innovative Plastics, LLC  
945 South Marr Road  
Columbus, Indiana 47201

July 19, 2007

Re: Registration Notice-Only Change  
No. R005-24985-00049

Dear Mr. Daniels:

General Electric Company dba LNP Engineering Plastics was issued a Registration Revision No. 005-23292-00049 on December 4, 2006, for a stationary custom plastic manufacturing plant located at 945 South Marr Road, Columbus, Indiana 47201. On July 2, 2007, the Office of Air Quality (OAQ) received a letter from the source requesting that the registration be updated to indicate a transfer of ownership and a company name change to SABIC US Innovative Plastics, LLC. In addition, IDEM has begun implementing a new procedure and will no longer list the name or title of the Authorized Individual (AI) in permits. These changes are considered notice-only changes pursuant to 326 IAC 2-5.5-6. Pursuant to 326 IAC 2-5.5-6, the registration is hereby revised.

No new state or federal rules are applicable to this source. The source shall continue to operate according to 326 IAC 2-5.5. Please find enclosed the revised registration.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Pam K. Way, at (800) 451-6027, press 0 and ask for extension 4-5373, or dial (317) 234-5373.

Sincerely,

Original Signed by:  
Nisha Sizemore, Chief  
Permits Branch  
Office of Air Quality

NS/pkw

Attachment: Revised Registration

cc: File - Bartholomew County  
Bartholomew County Health Department  
Air Compliance Section – Vaughn Ison  
Contract Management  
Compliance Data Section  
Permits Administration and Development  
Billing, Licensing and Training Section – Dan Stamatkin  
Permit Review Section 5 – Pam K. Way



Mitchell E. Daniels, Jr.  
Governor

Thomas W. Easterly  
Commissioner

100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251  
(317) 232-8603  
(800) 451-6027  
www.IN.gov/idem

Mr. William Daniels  
SABIC US Innovative Plastics, LLC  
945 South Marr Road  
Columbus, Indiana 47201

July 19, 2007

Re: Notice-Only Change No. R005-24985-00049  
Registered Construction and Operation Status

Dear Mr. Daniels:

General Electric Company dba LNP Engineering Plastics was issued a Registration Revision No. R005-23292-00049 on December 4, 2006, for a stationary custom plastic manufacturing plant, located at 945 South Marr Road, Columbus, Indiana 47201. On July 2, 2007, the Office of Air Quality (OAQ) received a letter from the source requesting that the registration be updated to indicate a transfer of ownership and a company name change to SABIC US Innovative Plastics, LLC. Based on the data submitted and the provisions in 326 IAC 2-5.5, it has been determined that the following stationary source, located at 945 South Marr Road, Columbus, Indiana, 47201, is classified as registered:

- (a) Four (4) long fiber filled extruded thermoplastic manufacturing lines, including:
  - (1) Line 71, constructed in 1994 and modified in 2006, having a maximum production rate of 1,000 pounds of product per hour, with emissions of particulate matter controlled using a dust collector.
  - (2) Line 72, constructed in 1995, having a maximum production rate of 1,000 pounds of product per hour, with emissions of particulate matter controlled using a dust collector.
  - (3) Line 73, constructed in 1998, having a maximum production rate of 2,000 pounds of product per hour, with emissions of particulate matter controlled using a dust collector.
  - (4) Line 74, constructed in 2000, having a maximum throughput of 1,700 pounds of product per hour, with emissions of particulate matter controlled using a dust collector.
- (b) Six (6) short fiber filled extruded thermoplastic manufacturing lines, including:
  - (1) Line 81, constructed in 1989, having a maximum production rate of 2,000 pounds of product per hour, with emissions of particulate matter controlled using a dust collector.
  - (2) Line 82, constructed in 1989, having a maximum production rate of 2,000 pounds of product per hour, with emissions of particulate matter controlled using a dust collector.
  - (3) Line 84, constructed in 2002, having a maximum production rate of 200 pounds per hour, with emissions of particulate matter controlled using a dust collector.
  - (4) Line 90, constructed in January 2003, having a maximum production rate of 1,800 pounds per hour, with emissions of particulate matter controlled by a dust collector.

- (5) Line 91, constructed in 1994, having a maximum production rate of 2,000 pounds per hour, with emissions of particulate matter controlled by a dust collector.
- (6) Line 92, constructed in 1999, having a maximum production rate of 3,000 pounds of product per hour, with emissions of particulate matter controlled by a dust collector.
- (c) Pneumatic conveyance systems used to transfer raw material, intermediates, and finished products between silos, storage bins and hoppers. Each system uses a series of cyclones, filters and dust collectors, which collect the transferred material and in some cases, prevent dust from entering the vacuum pumps.
- (d) One (1) color pigment blending room, constructed in 2002, having a maximum production rate of 237 pounds per hour. Emissions of particulate matter are controlled using a dust collector.
- (e) One (1) molding room, constructed in 1994, consisting of two (2) molding units, identified as QC1 and QC2. Each molding unit has a maximum throughput of 1.5 pounds of product per hour.
- (f) One (1) research and development line, constructed in 1998, consisting of a feeder, hopper, extruder, die block, cooling bath, pelletizer, and molder, with a maximum production capacity of 300 pounds of product per hour. Emissions from these units are exhausted at stacks RD1 and RD2.
- (g) One (1) natural gas fired makeup air unit with a maximum heat input capacity of 1.458 MMBtu per hour for the long-fiber product research and development lab constructed in January 2003.
- (h) Two (2) natural gas-fired pyrolysis cleaning ovens, identified as Units G1, and F, having a maximum heat input capacity of 0.37 and 1.5 MMBtu per hour, respectively. These ovens were constructed in 1994 and 1997, respectively.
- (i) Natural gas-fired heaters having a combined heat input capacity of 28.08 MMBtu per hour.
- (j) A cold cleaner used to perform non-halogenated organic solvent degreasing (mineral spirits) of parts in the maintenance shop that does not exceed 145 gallons per 12 months and that is not subject to 326 IAC 20-6. The cold cleaner is an offline system, batch type, which uses a cold spray, and is equipped with drain and remote reservoir with insignificant exposure to outside air.
- (k) One (1) R&D coextrusion line (identified as RD3), constructed in 2004, with a maximum production rate of 300 pounds of product per hour.
- (l) One (1) natural gas-fired rooftop unit, constructed in 2004, with a maximum heat input capacity of 0.80 MMBtu per hour, for the Gate 1 Office Area.
- (m) One (1) central vacuum system, constructed in 2004, consisting of two units (identified as CV1 and CV2). CV1 consists of a turbine providing vacuum suction through a vessel containing cartridge filters. CV2 consists of a turbine providing vacuum suction through an initial hopper for removal of pellets and a second hopper containing a bag filter.
- (n) One (1) natural gas-fired pyrolysis cleaning oven (identified as Unit G3), constructed in 2004, having a maximum heat input capacity of 0.55 MMBtu per hour. Emissions from this oven are exhausted to the atmosphere through stack G3.

The following conditions shall be applicable:

- (a) Pursuant to 326 IAC 5-1-2 (Opacity Limitations) except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following:
  - (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
  - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of 15 minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (b) Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), the particulate emissions from the short fiber filled extruded thermoplastic manufacturing line shall not exceed 5.38 pounds per hour.

The particulate emission limitations were calculated as follows:

Interpolation of the data for the process weight rate up to 60,000 pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

- (c) Each of the pyrolysis cleaning ovens (identified as units G1, G3, and F) has a maximum solid waste capacity of less than 100 pounds per hour. Pursuant to 326 IAC 4-2 (Incinerators), each of these three incinerator units shall:
  - (1) Consist of primary and secondary chambers or the equivalent;
  - (2) Be equipped with a primary burner unless burning wood products;
  - (3) Comply with 326 IAC 5-1 and 326 IAC 2;
  - (4) Be maintained, operated, and burn waste in accordance with the manufacturer's specifications or an operation and maintenance plan as specified in 326 IAC 4-2-2(c); and
  - (5) Not emit particulate matter in excess of five-tenths (0.5) pounds of particulate matter per one thousand (1,000) pounds of dry exhaust gas under standard conditions corrected to fifty percent (50%) excess air.
  - (6) If any of the requirements of (d)(1) through (d)(5) above are not met, the Permittee shall stop charging the incinerator until adjustments are made that address the underlying cause of the deviation.

The Permittee operating the incinerator must make the manufacturer's specifications or the operation and maintenance plan available to the department upon request.

- (d) Pursuant to 326 IAC 9-1-2 (Carbon Monoxide Emission Limits), the Permittee shall not operate the pyrolysis cleaning ovens (identified as units G1, G3, and F) unless the waste gas stream is burned in one of the following:
  - (1) Direct-flame afterburner; or
  - (2) Secondary chamber.

- (e) Pursuant to 326 IAC 8-3-1 (Organic Solvent Degreasing Operations), the cold cleaning degreaser is subject to the requirements of 326 IAC 8-3-2 (Cold Cleaner Operations), because it was constructed in 1998, after the applicability date of January 1, 1980. Pursuant to this rule, the Permittee shall:
- (1) Equip the cleaner with a cover;
  - (2) Equip the cleaner with a facility for draining cleaned parts;
  - (3) Close the degreaser cover whenever parts are not being handled in the cleaner;
  - (4) Drain cleaned parts for at least fifteen (15) seconds or until dripping ceases;
  - (5) Provide a permanent, conspicuous label summarizing the operation requirements;
  - (6) Store waste solvent only in covered containers and not dispose of waste solvent or transfer it to another party, in such a manner that greater than twenty percent (20%) of the waste solvent (by weight) can evaporate into the atmosphere.

This source remains a registered source.. The source may operate according to 326 IAC 2-5.5.

An authorized individual shall provide an annual notice to the Office of Air Quality that the source is in operation and in compliance with this registration pursuant to 326 IAC 2-5.5-4(a)(3). The annual notice shall be submitted to:

**Compliance Data Section  
Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251**

no later than March 1 of each year, with the annual notice being submitted in the form attached.

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

Sincerely,

Original Signed By:  
Nisha Sizemore, Chief  
Permits Branch  
Office of Air Quality

NS/pkw

cc: File – Bartholomew County  
Bartholomew County Health Department  
Air Compliance – Vaughn Ison  
Contract Management Section  
Compliance Data Section  
Permits Administration and Development  
Billing, Licensing, and Training Section – Dan Stamatkin  
Permit Review Section 5 – Pam K. Way

**Registration  
Annual Notification**

This form should be used to comply with the notification requirements under 326 IAC 2-5.5-4(a)(3).

<b>Company Name:</b>	<b>SABIC US Innovative Plastics, LLC</b>
<b>Address:</b>	<b>945 South Marr Road</b>
<b>City:</b>	<b>Columbus, Indiana 47201</b>
<b>Phone #:</b>	<b>(812) 372-9197</b>
<b>Registration #:</b>	<b>R005-24985-00049</b>

**Certification by the Authorized Individual**

I hereby certify that SABIC US Innovative Plastics, LLC is still in operation and is in compliance with the requirements of Registration No. R005-24985-00049.

**Name (typed):**

**Title:**

**Signature:**

**Phone Number:**

**Date:**