



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
MC 61-53 IGCN 1003
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

TO: Interested Parties / Applicant
DATE: November 13, 2007
RE: Polygon Company / 141-25107-00062
FROM: Nisha Sizemore
Chief, Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Room 1049, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot 03/23/06



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

Mr. Gerry McCoige
Polygon Company
103 Industrial Park Drive
Walkerton, Indiana 46574-0176

November 13, 2007

Re: 141-25107-00062
Administrative Amendment to
FESOP Permit No. 141-17842-00062

Dear Mr. McCoige:

Polygon Company was issued a FESOP No. 141-17842-00062 on November 5, 2003 for a stationary source manufacturing fiberglass reinforced plastic tubing. The permit has been administratively amended twice since that time. The first amendment was No. 141-19570-00062 and the second was No. 141-23480-00062, issued September 27, 2004 and October 5, 2006, respectively. An application requesting changes in the permit was received on August 6, 2007. The requested changes consist of:

1. additional floor space in a building at 646 Stephens Street,
2. movement of exempt equipment to 646 Stephens Street,
3. addition of one (1) new six (6) spindle winding line and two (2) stationary air compressors to 646 Stephens Street, and
4. removal of one (1) natural gas fired boiler with a heat input capacity of 0.85 MMBtu per hour from the Industrial Park Dr. building.

The addition of 646 Stephens Street will be the third facility at this collocated source. Equipment will be moved from their Industrial Park Drive or Tennessee Street facilities to the Stephens Street site. The equipment being moved is identified as: two (2) grinders, one (1) filter press, three (3) chop saws, and two (2) fiberglass winding lines. The 646 Stephens Street location has HVAC and building hot water which are exempt pursuant to 326 IAC 2-1.1-3(e). Stephens Street will have two (2) new stationary air compressors which are exempt pursuant 326 IAC 2-1.1-3(e)(45)(G). The addition of one (1) new six (6) spindle fiberglass winding line will bring the total number of winding lines in the Stephens St. facility to three (3). The addition of the third winding line is pursuant 326 IAC 2-8-10(14). The fiberglass winding lines at the Stephens Street facility do not emit HAPs and have negligible VOC emissions. One additional change is the removal of a natural gas fired boiler from the Industrial Park Dr. facility.

The entire collocated source will continue to limit emissions per twelve (12) consecutive month period to less than one hundred (100) tons for all criteria pollutants, less than ten (10) tons for any single HAP and less than twenty-five (25) tons for all combined HAPs. These limits are less than the Part 70 major source thresholds per twelve (12) consecutive month period, rendering the requirements of 326 IAC 2-7 not applicable. The changes in this amendment will not cause the source's potential to emit to be greater than the threshold levels specified in 326 IAC 2-2 or 326 IAC 2-3.

Pursuant to the provisions of 326 IAC 2-8-10, the permit is hereby revised as follows, with deleted language as ~~strikeouts~~ and new language **bolded**:

(a)
A.2 Source Definition [326 IAC 2-8-1] [326 IAC 2-7-1(22)]

This fiberglass reinforced plastic tubing manufacturing company consists of ~~two (2)~~ **three (3)** plants:

- (a) Plant 1 is located at 103 Industrial Park Drive, Walkerton, Indiana 46574;

(b) Plant 2 is located on Tennessee Street, Walkerton, Indiana 46574, and

(c) Plant 3 is located at 646 Stephens Street, Walkerton, Indiana 46574.

Because the ~~two (2)~~ **three (3)** plants are owned by one (1) company, are adjacent (~~0.25 miles apart~~), **(within one mile)**, have the same SIC codes, and because ~~all~~ **most** products manufactured at ~~Plant 2~~ **Plants 2 and 3** are transferred to Plant 1 for final fabrication, they will be considered one (1) source.

...

A.4 Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities, as defined in 326 IAC 2-7-1(21):

(a) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British Thermal Units per hour

(1) One (1) natural gas-fired boiler with heat input of ~~0.85~~ **0.04** MMBtu per hour boiler.

(2) Ten (10) natural gas fired curing ovens.

(3) Four (4) radiant heaters, fifteen (15) space heaters, and three (3) air make-up units.

(4) One (1) natural gas-fired direct process heaters (make-up air) with heat input of 1.00 MMBtu per hour.

(5) Two (2) natural gas-fired indirect process heaters with heat input of 0.01 and 0.03 MMBtu per hour.

...

(k) One (1) 6-spindle winder and two (2) fiberglass winding lines with trimmers and grinders where aqueous cutting coolant continuously floods the machining interface, identified as the Stephens Filament Winding Area, F3, with a maximum capacity of 3,500 pounds per hour, exhausting to stacks SEF1 through SEF4, each with a five (5) inch diameter vertical exhaust at a height of twenty-eight (28) feet above grade, with a 0.75 horsepower, 25,000 acfm blower attached. Area F3 does not produce fugitive emissions and has negligible VOC and HAP emissions.

(l) Two (2) stationary air compressors, identified as AC1 and AC2, with a horse power rating of 100 and 50, respectively.

...

SECTION D.2 FACILITY OPERATION CONDITIONS

...

(a) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British Thermal Units per hour

(1) One (1) natural gas-fired boiler with heat input of ~~0.85~~ **0.04** MMBtu per hour boiler.

(2) Ten (10) natural gas fired curing ovens.

(3) Four (4) radiant heaters, fifteen (15) space heaters, and three (3) air make-up units.

(4) One (1) natural gas-fired direct process heaters (make-up air) with heat input of 1.00 MMBtu per hour.

(5) Two (2) natural gas-fired indirect process heaters with heat input of 0.01 and 0.03 MMBtu per hour.

...

(k) One (1) 6-spindle winder and two (2) fiberglass winding lines with trimmers and

grinders where aqueous cutting coolant continuously floods the machining interface, identified as the Stephens Filament Winding Area, F3, with a maximum capacity of 3,500 pounds per hour, exhausting to stacks SEF1 through SEF4, each with a five (5) inch diameter vertical exhaust at a height of twenty-eight (28) feet above grade, with a 0.75 horsepower, 25,000 acfm blower attached. Area F3 does not produce fugitive emissions and has negligible VOC and HAP emissions.

- (I) Two (2) stationary air compressors, identified as AC1 and AC2, with a horse power rating of 100 and 50, respectively.**

D.2.1 Particulate Matter [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4 (Particulate Emission Limitations for Sources of Indirect Heating) the PM emissions from the ~~0.85~~ **0.04** million Btu per hour heat input boiler shall be limited to 0.60 pounds per MMBtu heat input.

D.2.2 Particulate Matter [326 IAC 6-3-2]

...

- (c) The particulate matter (PM) emissions from the Stephens Filament Winding Area, known as the F3, will be limited to 5.97 pounds per hour when operating at a process weight rate of 3,500 pounds per hour.**

The pound per hour limitation was calculated from the following equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour, and} \\ P = \text{process weight rate in tons per hour.}$$

$$E = 4.10 (1.75)^{0.67} \text{ tons per hour} = 5.97 \text{ pounds per hour.}$$

...

- (b) In order to correct a typographical error, Condition C.15(b) is revised from the terminology "one-hundred and twenty" to "one hundred twenty" as follows:

...

C.15 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4] [326 IAC 2-8-5]

- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred and twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.

...

- (c) IDEM has begun implementing a new procedure and will no longer list the name or title of the Authorized Individual in the permit document. Section A.1 is updated as follows:

Authorized Individual: _____ **Safety Director**

- (d) All occurrences of IDEM's mailing addresses have been updated in the permit. Any occurrences of the zip code "46204" have been revised to **46204-2251**, and all addresses have been revised to include a mail code (MC) as follows:

Asbestos Section:	MC 61-52 IGCN 1003
Compliance Branch:	MC 61-53 IGCN 1003
Permits Branch:	MC 61-53 IGCN 1003
Technical Support and Modeling Section:	MC 61-50 IGCN 1003

All other conditions of the permit shall remain unchanged and in effect. Please find the enclosed copy of the entire revised permit for a stationary source manufacturing fiberglass reinforced plastic tubing. This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5.

If you have any questions on this matter, please contact Sandra Carr, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at (317) 234-53777, or call (800) 451-6027, extension 4-5377.

Sincerely,

Original signed by Iryn Calilung for
Nisha Sizemore, Chief
Permits Branch
Office of Air Quality

Attachment: Updated Permit

NS/sec

cc: File – St. Joseph County
St. Joseph County Health Department
Air Compliance Section – Rick Reynolds
IDEM Northern Regional Office
U.S. EPA, Region V
Compliance Data Section
Permits Administration and Development
Technical Support and Modeling



Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

**FEDERALLY ENFORCEABLE STATE
OPERATING PERMIT (FESOP)**

OFFICE OF AIR QUALITY

**Polygon Company
103 Industrial Park Drive
Walkerton, Indiana 46574**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provision of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; and denial of a permit renewal application. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a FESOP under 326 IAC 2-8.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: F141-17842-00062	
Original issued by Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: November 5, 2003 Expiration Date: November 5, 2008

First Administrative Amendment 141-19570-00062, issued September 27, 2004
Second Administrative Amendment: 141-23480-00062, issued on October 5, 2006

Third Administrative Amendment: 141-25107-00062	Pages Affected: Entire Permit
Issued by: <i>Original signed by Iryn Calilung for</i> Nisha Sizemore, Chief Permits Branch Office of Air Quality	Issuance Date: November 13, 2007 Expiration Date: November 5, 2008

TABLE OF CONTENTS

SECTION A SOURCE SUMMARY

- A.1 General Information [326 IAC 2-8-3(b)]
- A.2 Source Definition [326 IAC 2-8-1] [326 IAC 2-7-1(22)]
- A.3 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]
- A.4 Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-8-3(c)(3)(I)]
- A.5 FESOP Applicability [326 IAC 2-8-2]

SECTION B GENERAL CONDITIONS

- B.1 Definitions [326 IAC 2-8-1]
- B.2 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5]
- B.3 Term of Conditions [326 IAC 2-1.1-9.5]
- B.4 Enforceability [326 IAC 2-8-6]
- B.5 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]
- B.6 Severability [326 IAC 2-8-4(4)]
- B.7 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]
- B.8 Duty to Provide Information[326 IAC 2-8-4(5)(E)]
- B.9 Compliance Order Issuance [326 IAC 2-8-5(b)]
- B.10 Compliance with Permit Conditions [326 IAC 2-8-4(5)(A)] [326 IAC 2-8-4(5)(B)]
- B.11 Certification [326 IAC 2-8-3(d)] [326 IAC 2-8-4(3)(C)(i)] [326 IAC 2-8-5(1)]
- B.12 Prior Permits Superseded [326 IAC 2-1.1-9.5]
- B.13 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]
- B.14 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)][326 IAC 2-8-5(a)(1)]
- B.15 Emergency Provisions [326 IAC 2-8-12]
- B.16 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]
- B.17 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]
- B.18 Permit Renewal [326 IAC 2-8-3(h)]
- B.19 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]
- B.20 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]
- B.21 Permit Revision Requirement [326 IAC 2-8-11.1]
- B.22 Inspection and Entry [326 IAC 2-8-5(a)(2)] [IC13-14-2-2][IC13-30-3-1]
- B.23 Transfer of Ownership or Operational Control [326 IAC 2-8-10]
- B.24 Annual Fee Payment [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]

SECTION C SOURCE OPERATION CONDITIONS

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) pounds per hour [326 IAC 6-3-2]
- C.2 Overall Source Limit [326 IAC 2-8]
- C.3 Opacity [326 IAC 5-1]
- C.4 Open Burning [326 IAC 4-1][IC 13-17-9]
- C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2(3)]
- C.6 Fugitive Dust Emissions [326 IAC 6-4]
- C.7 Operation of Equipment [326 IAC 2-8-5(a)(4)]
- C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61 Subpart M]

Testing Requirements [326 IAC 2-8-4(3)]

- C.9 Performance Testing [326 IAC 3-6]

Compliance Requirements [326 IAC 2-1.1-11]

- C.10 Compliance Requirements [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

- C.11 Compliance Monitoring [326 IAC 2-8-4(3)] [326 IAC 2-8-5(a)(1)]

C.12 Monitoring Methods [326 IAC 3][40 CFR 60][40 CFR 63]

Corrective Actions and Response Steps [326 IAC 2-8-4] [326 IAC 2-8-5]

- C.13 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]
- C.14 Compliance Response Plan -Preparation, Implementation, Records, and Reports [326 IAC 2-8-4][326 IAC 2-8-5]
- C.15 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4] [326 IAC 2-8-5]

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

- C.16 General Record Keeping Requirements [326 IAC 2-8-4(3)][326 IAC 2-8-5]
- C.17 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

Stratospheric Ozone Protection

- C.18 Compliance with 40 CFR 82 and 326 IAC 22-1

SECTION D.1 FACILITY OPERATION CONDITIONS – Fiberglass Reinforced Plastics Operations

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.1.1 Volatile Organic Compounds (VOC) [326 IAC 8-1-6] Pultrusion Lines
- D.1.2 Volatile Organic Compounds (VOC) [326 IAC 8-1-6] Resin Dip Tanks
- D.1.3 Volatile Organic Compounds (VOC) [326 IAC 8-1-6]
- D.1.4 Particulate Matter (PM) [326 IAC 6-3-2 and 40 CFR 52 Subpart P]
- D.1.5 Particulate Matter (PM) [326 IAC 6-3-2(d)]
- D.1.6 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

Compliance Determination Requirements

- D.1.7 Volatile Organic Compounds (VOC) [326 IAC 8-1-2][326 IAC 8-1-4]
- D.1.8 Volatile Organic Compounds (VOC) [326 IAC 8-1-2][326 IAC 8-1-4]

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

- D.1.9 Monitoring

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.1.10 Record Keeping Requirements
- D.1.11 Reporting Requirements

SECTION D.2 FACILITY OPERATION CONDITIONS – Insignificant Activities

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.2.1 Particulate Matter [326 IAC 6-2-3]
- D.2.2 Particulate Matter [326 IAC 6-3-2]
- D.2.3 Volatile Organic Compounds (VOC) [326 IAC 8-3-5]

Compliance Determination Requirements

- D.2.4 Particulate Matter [326 IAC 6-3-2]

SECTION D.3 FACILITY OPERATION CONDITIONS

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.3.1 FESOP [326 IAC 2-8] and New Source Toxics Control [326 IAC 2-4.1-1]

Compliance Determination Requirements

- D.3.2 Hazardous Air Pollutants (HAP)[326 IAC 8-1-2][326 IAC 8-1-4]

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.3.3 Record Keeping Requirements

D.3.4 Reporting Requirements

Certification Form

Emergency/Deviation Occurrence Form

Quarterly Report Forms

Quarterly Deviation and Compliance Monitoring Report Form

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in A.1, A.3, and A.4 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary source manufacturing fiberglass reinforced plastic tubing.

Source Address:	103 Industrial Park Drive, Walkerton, Indiana 46574
Mailing Address:	P. O. Box 176, Walkerton, Indiana 46574
General Source Phone:	574-586-3145
SIC Code:	3089
Source Location Status:	St. Joseph Attainment for all criteria pollutants
Source Status:	Federally Enforceable State Operating Permit (FESOP) Minor Source, under PSD or Emission Offset Rules; Minor Source, Section 112 of the Clean Air Act

A.2 Source Definition [326 IAC 2-8-1] [326 IAC 2-7-1(22)]

This fiberglass reinforced plastic tubing manufacturing company consists of three (3) plants:

- (a) Plant 1 is located at 103 Industrial Park Drive, Walkerton, Indiana 46574; and
- (b) Plant 2 is located on Tennessee Street, Walkerton, Indiana 46574.
- (c) Plant 3 is located at 646 Stephens Street, Walkerton, Indiana 46574.

Because the three (3) plants are owned by one (1) company, are adjacent (one mile apart), have the same SIC codes, and because most products manufactured at Plants 2 and 3 are transferred to Plant 1 for final fabrication, they will be considered one (1) source.

A.3 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) Seven (7) pultrusion lines, identified as PL1 through PL7, with a maximum capacity of eighty-three and eight-tenths (83.8) pounds per hour, exhausting to stacks V2 and V3.
- (b) One (1) spray booth, identified as B1, for the surface coating of fiberglass reinforced plastic tubing, with a maximum capacity to coat fifty (50) tubes per hour, equipped with dry filters for air pollution control, and exhausting to stacks V4 and V5.
- (c) One (1) gel coat spray booth, identified as B2, for the surface coating of fiberglass reinforced plastic tubing, with a maximum capacity of fifty-three and five-tenths (53.5) pounds per hour, equipped with dry filters for air pollution control, and exhausting to stacks V7 and V8.
- (d) One (1) filament winding area, identified as F2, with a maximum capacity of forty-seven (47.0) pounds per hour, exhausting to stack V9 with an eight (8) inch diameter vertical exhaust at a height of twenty-eight (28) feet above grade, with a 1.5 horsepower, 3600 acfm blower attached and stack V10 with a twenty-six (26) by twenty (20) inch vertical exhaust at fourteen (14) feet above grade, with two fans rated at 7.5 horsepower, 5800

acfm and 10 horsepower, 9200 acfm.

A.4 Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities, as defined in 326 IAC 2-7-1(21):

- (a) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British Thermal Units per hour
 - (1) One (1) natural gas-fired boiler with heat input of 0.04 MMBtu per hour boiler.
 - (2) Ten (10) natural gas fired curing ovens.
 - (3) Four (4) radiant heaters, fifteen (15) space heaters, and three (3) air make-up units.
 - (4) One (1) natural gas-fired direct process heaters (make-up air) with heat input of 1.00 MMBtu per hour.
 - (5) Two (2) natural gas-fired indirect process heaters with heat input of 0.01 and 0.03 MMBtu per hour.
- (b) Various machining operations where aqueous cutting coolant continuously floods the machining interface; seventeen (17) grinders, one (1) filter press, five (5) auto saws, nine (9) chop saws, eight (8) small grinding machines, seven (7) lathes, three (3) bandsaws, eleven (11) dielectric testers, twelve (12) drill presses, five (5) computerized mills, one (1) air rotation unit, two (2) fiberglass winding lines, two (2) wet cutting/grinding lines and one (1) auto deburr.
- (c) Degreasing operations that do not exceed one hundred forty-five (145) gallons per twelve (12) months, except if subject to 326 IAC 20-6.
- (d) Paved and unpaved roads and parking lots with public access.
- (e) Three (3) spindle winder attachment and one (1) 6-spindle winder, one (1) fiberglass trimming and grinding area known as the Large Filament Wind Grinding Area, that does not produce fugitive emissions, with PM emissions less than five (5) pounds per hour or twenty-five (25) pounds per day, and equipped with a Torit Donaldson dust collector.
- (f) One (1) fiberglass trimming and grinding area, known as the US6, that does not produce fugitive emissions, with PM emissions less than five (5) pounds per hour or twenty-five (25) pounds per day, and equipped with a Torit Donaldson dust collector.
- (g) Six (6) electric ovens for fiberglass curing and drying, emitting less than twelve and five-tenths (12.5) pounds per day of any combination of HAPs.
- (h) Particulate emissions from the pultrusion area of less than five (5) pounds per hour or twenty-five (25) pounds per day, controlled by a baghouse dust collector.
- (i) Research and Development operations – which will produce parts for new product testing and marketing research samples for a potential new product designated as continuous fiber thermoplastic (CFT).
- (j) Eight (8) rubber encapsulated fiberglass strand manufacturing lines, with emissions below exemption levels as defined in 326 IAC 2-1.103.
- (k) One (1) 6-spindle winder and two (2) fiberglass winding lines with trimmers and grinders where aqueous cutting coolant continuously floods the machining interface, identified as

the Stephens Filament Winding Area, F3, with a maximum capacity of 3,500 pounds per hour, exhausting to stacks SEF1 through SEF4, each with a five (5) inch diameter vertical exhaust at a height of twenty-eight (28) feet above grade, with a 0.75 horsepower, 25,000 acfm blower attached. Area F3 does not produce fugitive emissions and has negligible VOC and HAP emissions.

- (I) Two (2) stationary air compressors, identified as AC1 and AC2, with a horse power rating of 100 and 50, respectively.

A.5 FESOP Applicability [326 IAC 2-8-2]

This stationary source, otherwise required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Federally Enforceable State Operating Permit (FESOP).

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-8-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2, and 326 IAC 2-7) shall prevail.

B.2 Permit Term [326 IAC 2-8-4(2)] [326 IAC 2-1.1-9.5] [IC 13-15-3-6(a)]

-
- (a) This permit, 141-17842-00062, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, until the renewal permit has been issued or denied.

B.3 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.4 Enforceability [326 IAC 2-8-6]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Termination of Right to Operate [326 IAC 2-8-9] [326 IAC 2-8-3(h)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-9.

B.6 Severability [326 IAC 2-8-4(4)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.7 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]

This permit does not convey any property rights of any sort, or any exclusive privilege.

B.8 Duty to Provide Information [326 IAC 2-8-4(5)(E)]

-
- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ, may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The submittal by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1). Upon request, the Permittee shall also furnish to IDEM, OAQ, copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1 When furnishing copies of

requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.9 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.10 Compliance with Permit Conditions [326 IAC 2-8-4(5)(A)] [326 IAC 2-8-4(5)(B)]

- (a) The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for:
- (1) Enforcement action;
 - (2) Permit termination, revocation and reissuance, or modification; and
 - (3) Denial of a permit renewal application.
- (b) It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
- (c) An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

B.11 Certification [326 IAC 2-8-3(d)] [326 IAC 2-8-4(3)(C)(i)] [326 IAC 2-8-5(1)]

- (a) Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by an authorized individual of truth, accuracy, and completeness. This certification, shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification.
- (c) An authorized individual is defined at 326 IAC 2-1.1-1(1).

B.12 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to F 141-17842-00062 and issued pursuant to permitting programs approved into the state implementation plan have been either
- (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this permit.

B.13 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit,

including emission limitations, standards, or work practices. The initial certification shall cover the time period from the date of final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than April 15 of each year to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-8-4(3); and
 - (5) Such other facts as specified in Sections D of this permit, IDEM, OAQ, may require to determine the compliance status of the source.

The notification which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

B.14 Preventive Maintenance Plan [326 IAC 1-6-3] [326 IAC 2-8-4(9)] [326 IAC 2-8-5(a)(1)]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after issuance of this permit, including the following information on each facility:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require the certification by the “authorized individual” as defined by 326 IAC 2-1.1-1(1).

- (b) The Permittee shall implement the PMPs, including any required record keeping, as necessary to ensure that failure to implement a PMP does not cause or contribute to an exceedance of any limitation on emissions or potential to emit.
- (c) A copy of the PMPs shall be submitted to IDEM, OAQ, upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ, may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or potential to emit. The PMP does not require the certification by the “authorized individual” as defined by 326 IAC 2-1.1-1(1).
- (d) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation, Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.15 Emergency Provisions [326 IAC 2-8-12]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation, except as provided in 326 IAC 2-8-12.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describes the following:
 - (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
 - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone No.: 1-800-451-6027 (ask for Office of Air Quality, Compliance Section) or,
Telephone No.: 317-233-0178 (ask for Compliance Section)
Facsimile No.: 317-233-6865 or
Telephone No.: 219-245-4879 (Northern Regional Office)
Facsimile No.: 219-245-4877

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
- (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
- (e) IDEM, OAQ, may require that the Preventive Maintenance Plans required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ, by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
- (g) Operations may continue during an emergency only if the following conditions are met:
- (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
 - (A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
 - (B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial

economic value.

Any operations shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.

- (h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report.

B.16 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]

- (a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provision), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

using the attached Quarterly Deviation and Compliance Monitoring Report, or its equivalent. A deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does need to be included in this report.

The Quarterly Deviation and Compliance Monitoring Report does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.

B.17 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)] [326 IAC 2-8-7(a)] [326 IAC 2-8-8]

- (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a FESOP modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:
 - (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]
- (c) Proceedings by IDEM, OAQ, to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-8-8(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ, at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ,

may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

B.18 Permit Renewal [326 IAC 2-8-3(h)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, IN 46204-2251

- (b) A timely renewal application is one that is:
- (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ, any additional information identified as needed to process the application.

B.19 Permit Amendment or Revision [326 IAC 2-8-10] [326 IAC 2-8-11.1]

- (a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-8-10 or 326 IAC 2-8-11.1 whenever the Permittee seeks to amend or modify this permit.

- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application shall be certified by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement the administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.20 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]

- (a) The Permittee may make any change or changes at this source that are described in 326 IAC 2-8-15(b) through (d), without prior permit revision, if each of the following conditions

is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any approval required by 326 IAC 2-8-11.1 has been obtained;
- (3) The changes do not result in emissions which exceed the emissions allowable under this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site which document, on a rolling five (5) year basis, all such changes and emissions trading that are subject to 326 IAC 2-8-15(b) through (d) and makes such records available, upon reasonable request, to public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ, in the notices specified in 326 IAC 2-8-15(b)(2), (c)(1), and (d).

- (b) **Emission Trades** [326 IAC 2-8-15(c)]
The Permittee may trade increases and decreases in emissions in the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(c).
- (c) **Alternative Operating Scenarios** [326 IAC 2-8-15(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ or U.S. EPA is required.

B.21 Permit Revision Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2 and 326 IAC 2-8-11.1.

B.22 Inspection and Entry [326 IAC 2-8-5(a)(2)] [IC 13-14-2-2][IC13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform

the following:

- (a) Enter upon the Permittee's premises where a FESOP source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.23 Transfer of Ownership or Operational Control [326 IAC 2-8-10]

- (a) The Permittee must comply with the requirements of 326 IAC 2-8-10 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The application which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.24 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ, within thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action, or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4320 (ask for OAQ, Billing, Licensing and Training Section), to determine the appropriate permit fee.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emissions Limitations and Standards [326 IAC 2-8-4(1)]

C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) pounds per hour [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.

C.2 Overall Source Limit [326 IAC 2-8]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

(a) Pursuant to 326 IAC 2-8:

- (1) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
- (2) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.

(b) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided that the source's potential to emit does not exceed the above specified limits.

(c) Section D of this permit contains independently enforceable provisions to satisfy this requirement.

C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor in a six (6) hour period.

C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2(3)]

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as

provided in 326 IAC 4-2 and in 326 IAC 9-1-2.

C.6 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.7 Operation of Equipment [326 IAC 2-8-5(a)(4)]

Except as otherwise provided by statute, rule or in this permit, all air pollution control equipment listed in this permit and used to comply with an applicable requirement shall be operated at all times that the emission units vented to the control equipment are in operation.

C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
 - (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Asbestos Section, Office of Air Quality
100 North Senate Avenue
MC 61-52 IGCN 1003
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1 emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Demolition and renovation**
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Accredited Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Accredited Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos.

Testing Requirements [326 IAC 2-8-4(3)]

C.9 Performance Testing [326 IAC 3-6]

- (a) All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ. A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ, if the source submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.10 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

C.11 Compliance Monitoring [326 IAC 2-8-4(3)] [326 IAC 2-8-5(a)(1)]

Unless otherwise specified in this permit, all monitoring and record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance. If required by Section D, the Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. If due to circumstances beyond its control, that equipment cannot be installed and operated within ninety (90) days, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule with full justification of the reasons for inability to meet this date.

The notification which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Unless otherwise specified in the approval for the new emissions unit, compliance monitoring for new emission units or emission units added through a permit revision shall be implemented when operation begins.

C.12 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

Any monitoring or testing performed required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60 Appendix B, 40 CFR 63 or other approved methods as specified in this permit.

Corrective Actions and Response Steps [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

C.13 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]

If a regulated substance as defined in is present at a source in more than a threshold quantity, the source must comply with the applicable requirements of 40 CFR 68.

C.14 Compliance Response Plan - Preparation, Implementation, Records, and Reports [326 IAC 2-8-4] [326 IAC 2-8-5]

(a) The Permittee is required to prepare a Compliance Response Plan (CRP) for each compliance monitoring condition of this permit. A CRP shall be submitted to IDEM, OAQ upon request. The CRP shall be prepared within ninety (90) days after issuance of this permit by the Permittee, supplemented from time to time by the Permittee, maintained on site, and is comprised of:

- (1) Reasonable response steps that may be implemented in the event that a response step is needed pursuant to the requirements of Section D of this permit; and an expected time frame for taking reasonable response steps.
- (2) If, at any time, the Permittee takes reasonable response steps that are not set forth in the Permittee's current Compliance Response Plan and the Permittee documents such response in accordance with subsection (e) below, the Permittee shall amend its Compliance Response Plan to include such response steps taken.

- (b) For each compliance monitoring condition of this permit, reasonable response steps shall be taken when indicated by the provisions of that compliance monitoring condition as follows:
- (1) Reasonable response steps shall be taken as set forth in the Permittee's current Compliance Response Plan; or
 - (2) If none of the reasonable response steps listed in the Compliance Response Plan is applicable or responsive to the excursion, the Permittee shall devise and implement additional response steps as expeditiously as practical. Taking such additional response steps shall not be considered a deviation from this permit so long as the Permittee documents such response steps in accordance with this condition.
 - (3) If the Permittee determines that additional response steps would necessitate that the emissions unit or control device be shut down, the IDEM, OAQ shall be promptly notified of the expected date of the shut down, the status of the applicable compliance monitoring parameter with respect to normal, and the results of the actions taken up to the time of notification.
 - (4) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (c) The Permittee is not required to take any further response steps for any of the following reasons:
- (1) A false reading occurs due to the malfunction of the monitoring equipment and prompt action was taken to correct the monitoring equipment.
 - (2) The Permittee has determined that the compliance monitoring parameters established in the permit conditions are technically inappropriate, has previously submitted a request for an administrative amendment to the permit, and such request has not been denied.
 - (3) An automatic measurement was taken when the process was not operating.
 - (4) The process has already returned or is returning to operating within "normal" parameters and no response steps are required.
- (d) When implementing reasonable steps in response to a compliance monitoring condition, if the Permittee determines that an exceedance of an emission limitation has occurred, the Permittee shall report such deviations pursuant to Section B-Deviations from Permit Requirements and Conditions.
- (e) The Permittee shall record all instances when response steps are taken. In the event of an emergency, the provisions of 326 IAC 2-8-12 (Emergency Provisions) requiring prompt corrective action to mitigate emissions shall prevail.
- (f) Except as otherwise provided by a rule or provided specifically in Section D, all monitoring as required in Section D shall be performed when the emission unit is operating, except for time necessary to perform quality assurance and maintenance activities.

C.15 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4][326 IAC 2-8-5]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.
- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

C.16 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

C.17 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

- (a) The source shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported. This report shall be submitted within thirty (30) days of the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

- (d) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by the “authorized individual” as defined by 326 IAC 2-1.1-1(1).
- (e) Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit “calendar year” means the twelve (12) month period from January 1 to December 31 inclusive.

Stratospheric Ozone Protection

C.18 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

- (a) Persons opening appliances for maintenance, service, repair or disposal must comply with the required practices pursuant to 40 CFR 82.156
- (b) Equipment used during the maintenance, service, repair or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- (c) Persons performing maintenance, service, repair or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

SECTION D.1 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]: Processes

Industrial Park Drive Plant

- (a) Seven (7) pultrusion lines, identified as PL1 through PL7, with a maximum capacity of 83.8 pounds per hour, exhausting to stacks V2 and V3.
- (b) One (1) spray booth, identified as B1, for the surface coating of fiberglass reinforced plastic tubing, with a maximum capacity to coat 50 tubes per hour, equipped with dry filters for air pollution control, and exhausting to stacks V4 and V5.
- (c) One (1) gel coat spray booth, identified as B2, for the surface coating of fiberglass reinforced plastic tubing, with a maximum capacity of 53.5 pounds per hour, equipped with dry filters for air pollution control, and exhausting to stacks V7 and V8.
- (d) One (1) filament winding area, identified as F2, with a maximum capacity of 47.0 pounds per hour, exhausting to stack V9 with an eight (8) inch diameter vertical exhaust at a height of twenty-eight (28) feet above grade, with a 1.5 horsepower, 3600 acfm blower attached and stack V10 with a twenty-six (26) by twenty (20) inch vertical exhaust at fourteen (14) feet above grade, with two fans rated at 7.5 horsepower, 5800 acfm and 10 horsepower, 9200 acfm.

Tennessee Street Plant

- (e) Nine (9) resin dip tanks, identified as RD1 through RD9, with a maximum capacity of 95.0 pounds per hour, exhausting to stack V6.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.1.1 Volatile Organic Compounds (VOC) [326 IAC 8-1-6] Pultrusion Lines

Use of resins and solvents for each pultrusion line shall be limited such that the potential to emit (PTE) of Volatile Organic Compounds (VOC) shall be less than 25 tons per consecutive 12 month period, with compliance determined at the end of each month. Therefore, the best available control technology (BACT) requirement in 326 IAC 8-1-6, (New Facilities: General Reduction Requirements), does not apply. Compliance with this limit shall be determined based upon the following criteria:

- (a) Monthly usage by weight, percentage of volatile organic compounds, and method of application shall be recorded for each resin and solvent. Volatile organic compound emissions shall be calculated by multiplying the usage of each resin and solvent by the emission factor that is appropriate for the percentage of volatile organic compounds or styrene monomer content, and the method of application, and summing the emissions for all resins and solvents. Emission factors shall be obtained from a reference approved by IDEM, OAQ.
- (b) The emission factors approved for use by IDEM, OAQ for polyester and vinyl resin shall be taken from the following reference: "Unified Emission Factors for Open Molding of Composites," Composites Fabricators Association, July 23, 2001, for open molding and filament winding, with the exception of the emission factors for controlled spray application. This reference is included with this permit. The emission factors for all other VOC emitting compounds shall be 100% of the input volatile organic compounds.

D.1.2 Volatile Organic Compounds (VOC) [326 IAC 8-1-6] Resin Dip Tanks

The input volatile organic compound (VOC) usage in the nine (9) resin dip tanks, identified as RD1 through RD9, shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period, with compliance determined at the end of each month. Therefore, the best available control technology (BACT) requirement in 326 IAC 8-1-6 (New Facilities: General Reduction Requirements) does not apply.

D.1.3 Volatile Organic Compounds (VOC) [326 IAC 8-1-6]

- (a) Any change or modification to the Pultrusion Line Surface Coating Operation (B1) which may increase the potential to emit of VOC to 25 tons per year, shall cause 326 IAC 8-1-6 (New Facilities: General Reduction Requirements) to be applicable, and shall require approval from IDEM, OAQ prior to making the change.
- (b) Any change or modification to the Gel Coating Operation (B2) which may increase the potential to emit of VOC to 25 tons per year, shall cause 326 IAC 8-1-6 (New Facilities: General Reduction Requirements) to be applicable, and shall require approval from IDEM, OAQ prior to making the change.
- (c) Any change or modification to the Filament Winding Operation (F2) which may increase the potential to emit of VOC to twenty-five (25) tons per year, shall cause 326 IAC 8-1-6 (New Facilities: General Reduction Requirements) to be applicable, and shall require approval from IDEM, OAQ prior to making the change.

D.1.4 Particulate Matter (PM) [326 IAC 6-3-2 (Process Operations) and 40 CFR 52 Subpart P]

Pursuant to 326 IAC 6-3-2 (Process Operations):

- (a) The PM from the spray booth, known as B1, shall not exceed the pound per hour emission rate established as E in the following formula:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

The surface coating operation at the paint booth (B1) shall be controlled by the dry particulate filters, and operated according to manufacturer's specifications, at all times that the paint booth B1 is in operation.

D.1.5 Particulate Matter [326 IAC 6-3-2(d)]

Pursuant to Part 70 No.: 141-10871-00062 and 326 IAC 6-3-2(d), particulate from the spray booth, known as B1, shall be controlled by the dry filters at all times that the spray booth B1 is in operation, and the Permittee shall operate the control device in accordance with manufacturer's specifications.

D.1.6 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for this facility and any control devices.

Compliance Determination Requirements

D.1.7 Volatile Organic Compounds (VOC)[326 IAC 8-1-2][326 IAC 8-1-4]

Compliance with the VOC content and usage limitations contained in Conditions D.1.1 and D.1.2 shall be determined pursuant to 326 IAC 8-1-4(a)(3) and 326 IAC 8-1-2(a) by preparing or obtaining from the manufacturer the copies of the "as supplied" and "as applied" VOC data

sheets. IDEM, OAQ, reserves the authority to determine compliance using Method 24 in conjunction with the analytical procedures specified in 326 IAC 8-1-4.

D.1.8 Volatile Organic Compounds (VOC)[326 IAC 8-1-2][326 IAC 8-1-4]

Compliance with Conditions D.1.1 and D.1.2 shall be demonstrated within 30 days of the end of each month based on the total volatile organic compound usage for the twelve (12) consecutive month period.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

D.1.9 Monitoring

- (a) Daily inspections shall be performed to verify the placement, integrity and particle loading of the filters. To monitor the performance of the dry filters, weekly observations shall be made of the overspray from the surface coating booth stacks V4 and V5 while the booth is in operation. The Compliance Response Plan shall be followed whenever a condition exists which should result in a response step. Failure to take response steps in accordance with Section C - Compliance Response Plan -Preparation, Implementation, Records, and Reports, shall be considered a violation of this permit.
- (b) Monthly inspections shall be performed of the coating emissions from the stack and the presence of overspray on the rooftops and the nearby ground. The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when a noticeable change in overspray emission, or evidence of overspray emission is observed. The Compliance Response Plan shall be followed whenever a condition exists which should result in a response step. Failure to take response steps in accordance with Section C - Compliance Response Plan -Preparation, Implementation, Records, and Reports, shall be considered a violation of this permit.
- (c) Additional inspections and preventive measures shall be performed as prescribed in the Preventive Maintenance Plan.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.1.10 Record Keeping Requirements

- (a) To document compliance with Conditions D.1.1, D.1.2 and D.1.3, the Permittee shall maintain records in accordance with (1) through (4) below. Records maintained for (1) through (4) shall be taken monthly and shall be complete and sufficient to establish compliance with the VOC usage limits and/or VOC emission limits.
 - (1) The amount and VOC content of each resin, gelcoat, paint and solvent used. Records should include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used. Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvents;
 - (2) The cleanup solvent usage for each month;
 - (3) The total VOC usage for each month;
 - (4) The weight of VOCs emitted for each month.
- (b) To document compliance with Condition D.1.9, the Permittee shall maintain a log of weekly overspray observations, daily and monthly inspections, and those additional inspections prescribed by the Preventive Maintenance Plan.

- (c) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

D.1.11 Reporting Requirements

A quarterly summary of the information to document compliance with Conditions D.1.1 and D.1.2 shall be submitted to the address listed in Section C - General Reporting Requirements, of this permit, using the reporting forms located at the end of this permit, or their equivalent, within thirty (30) days after the end of the quarter being reported. The report submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

SECTION D.2 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]: Insignificant Activities

- (a) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British Thermal Units per hour
 - (1) One (1) natural gas-fired boiler with heat input of 0.04 MMBtu per hour boiler.
 - (2) Ten (10) natural gas fired curing ovens.
 - (3) Four (4) radiant heaters, fifteen (15) space heaters, and three (3) air make-up units.
 - (4) One (1) natural gas-fired direct process heaters (make-up air) with heat input of 1.00 MMBtu per hour.
 - (5) Two (2) natural gas-fired indirect process heaters with heat input of 0.01 and 0.03 MMBtu per hour.
- (b) Various machining operations where aqueous cutting coolant continuously floods the machining interface; seventeen (17) grinders, one (1) filter press, five (5) auto saws, nine (9) chop saws, eight (8) small grinding machines, seven (7) lathes, three (3) bandsaws, eleven (11) dielectric testers, twelve (12) drill presses, five (5) computerized mills, one (1) air rotation unit, two (2) fiberglass winding lines, two (2) wet cutting/grinding lines and one (1) auto deburr.
- (c) Degreasing operations that do not exceed one hundred forty-five (145) gallons per twelve (12) months, except if subject to 326 IAC 20-6.
- (d) Paved and unpaved roads and parking lots with public access.
- (e) Three (3) spindle winder attachment and one (1) 6-spindle winder, one (1) fiberglass trimming and grinding area known as the Large Filament Wind Grinding Area, that does not produce fugitive emissions, with PM emissions less than five (5) pounds per hour or twenty-five (25) pounds per day, and equipped with a Torit Donaldson dust collector.
- (f) One (1) fiberglass trimming and grinding area, known as the US6, that does not produce fugitive emissions, with PM emissions less than five (5) pounds per hour or twenty-five (25) pounds per day, and equipped with a Torit Donaldson dust collector.
- (g) Six (6) electric ovens for fiberglass curing and drying, emitting less than 12.5 pounds per day of any combination of HAPs.
- (h) Particulate emissions from the pultrusion area of less than five (5) pounds per hour or twenty-five (25) pounds per day controlled by a baghouse dust collector.
- (i) Research and Development operations – which will produce parts for new product testing and marketing research samples for a potential new product designated as continuous fiber thermoplastic (CFT).
- (j) Eight (8) rubber encapsulated fiberglass strand manufacturing lines, with emissions below exemption levels as defined in 326 IAC 2-1.1-3.
- (k) One (1) 6-spindle winder and two (2) fiberglass winding lines with trimmers and grinders where aqueous cutting coolant continuously floods the machining interface, identified as the Stephens Filament Winding Area, F3, with a maximum capacity of 3,500 pounds per hour, exhausting to stacks SEF1 through SEF4, each with a five (5)

inch diameter vertical exhaust at a height of twenty-eight (28) feet above grade, with a 0.75 horsepower, 25,000 acfm blower attached. Area F3 does not produce fugitive emissions and has negligible VOC and HAP emissions.

- (l) Two (2) stationary air compressors, identified as AC1 and AC2, with a horse power rating of 100 and 50, respectively.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.2.1 Particulate Matter [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4 (Particulate Emission Limitations for Sources of Indirect Heating) the PM emissions from the 0.04 million Btu per hour heat input boiler shall be limited to 0.60 pounds per MMBtu heat input.

D.2.2 Particulate Matter [326 IAC 6-3-2]

- (a) The particulate matter (PM) emissions from fiberglass trimming and grinding area known as the US6 will be limited to 1.029 pounds per hour when operating at a process weight rate of 254 pounds per hour.

The pound per hour limitation was calculated from the following equation.

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour, and} \\ P = \text{process weight rate in tons per hour.}$$

$$E = 4.10 (0.127)^{0.67} \text{ tons per hour} = 1.029 \text{ pounds per hour.}$$

- (b) The Large Filament Wind Grinding Area has a process weight rate of seventeen (17) pounds per hour. Pursuant to 326 IAC 6-3-2(c), the allowable particulate matter emissions rate from any process which has a maximum process weight rate less than one hundred (100) pounds per hour shall not exceed 0.551 pounds per hour.
- (c) The particulate matter (PM) emissions from the Stephens Filament Winding Area, known as the F3, will be limited to 5.97 pounds per hour when operating at a process weight rate of 3,500 pounds per hour.

The pound per hour limitation was calculated from the following equation.

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour, and} \\ P = \text{process weight rate in tons per hour.}$$

$$E = 4.10 (1.75)^{0.67} \text{ tons per hour} = 5.97 \text{ pounds per hour.}$$

D.2.3 Volatile Organic Compounds (VOC) [326 IAC 8-3-5]

- (a) Pursuant to 326 IAC 8-3-5(a) (Cold Cleaner Degreaser Operation and Control), the owner or operator of a cold cleaner degreaser facility, construction of which commenced after July 1, 1990, shall ensure that the following control equipment requirements are met:

- (1) Equip the degreaser with a cover. The cover must be designed so that it can be easily operated with one (1) hand if:

- (A) The solvent volatility is greater than two (2) kiloPascals (fifteen (15) millimeters of mercury or three-tenths (0.3) pounds per square inch)

measured at thirty-eight degrees Celsius (38^oC) (one hundred degrees Fahrenheit (100^oF));

(B) The solvent is agitated; or

(C) The solvent is heated.

- (2) Equip the degreaser with a facility for draining cleaned articles. If the solvent volatility is greater than four and three-tenths (4.3) kiloPascals (thirty-two (32) millimeters of mercury) or six-tenths (0.6) pounds per square inch) measured at thirty-eight degrees Celsius (38^oC) (one hundred degrees Fahrenheit (100^oF)), then the drainage facility must be internal such that articles are enclosed under the cover while draining.

The drainage facility may be external for applications where an internal type cannot fit into the cleaning system.

- (3) Provide a permanent, conspicuous label which lists the operating requirements outlined in subsection (b).
- (4) The solvent spray, if used, must be a solid, fluid stream and shall be applied at a pressure which does not cause excessive splashing.
- (5) Equip the degreaser with one (1) of the following control devices if the solvent volatility is greater than four and three-tenths (4.3) kiloPascals (thirty-two (32) millimeters of mercury) or six-tenths (0.6) pounds per square inch) measured at thirty-eight degrees Celsius (38^oC) (one hundred degrees Fahrenheit (100^oF)), or if the solvent is heated to a temperature greater than forty-eight and nine-tenths degrees Celsius (48.9^oC) (one hundred twenty degrees Fahrenheit (120^oF)):
- (A) A freeboard that attains a freeboard ratio of seventy-five hundredths (0.75) or greater.
- (B) A water cover when solvent is used is insoluble in, and heavier than, water.
- (C) Other systems of demonstrated equivalent control such as a refrigerated chiller or carbon adsorption. Such systems shall be submitted to the U.S. EPA as a SIP revision.
- (b) Pursuant to 326 IAC 8-3-5(b), the owner or operator of a cold cleaning facility shall ensure that the following operating requirements are met:

- (1) Close the cover whenever articles are not being handled in the degreaser.
- (2) Drain cleaned articles for at least fifteen (15) seconds or until dripping ceases.
- (3) Store waste solvent only in covered containers and prohibit the disposal or transfer of waste solvent in any manner in which greater than twenty percent (20%) of the waste solvent by weight could evaporate.

Compliance Determination Requirements

D.2.4 Particulate Matter (PM)

In order to comply with Conditions C.1 and D.2.1, the Torit Donaldson dust collectors for PM control shall be in operation at all times when the Large Filament Wind Grinding Area and the fiberglass trimming area known as US6 are in operation.

SECTION D.3 FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]:

Industrial Park Drive Plant

- (a) Seven (7) pultrusion lines, identified as PL1 through PL7, with a maximum capacity of 83.8 pounds per hour, exhausting to stacks V2 and V3.
- (b) One (1) spray booth, identified as B1, for the surface coating of fiberglass reinforced plastic tubing, with a maximum capacity to coat 50 tubes per hour, equipped with dry filters for air pollution control, and exhausting to stacks V4 and V5.
- (d) One (1) gel coat spray booth, identified as B2, for the surface coating of fiberglass reinforced plastic tubing, with a maximum capacity of 53.5 pounds per hour, equipped with dry filters for air pollution control, and exhausting to stacks V7 and V8.

Insignificant Activities

- (e) Degreasing operations that do not exceed 145 gallons per 12 months, except if subject to 326 IAC 20-6 [326 IAC 8-3-5].
- (f) Research and Development operations – which will produce parts for new product testing and marketing research samples for a potential new product designed as continuous fiber thermoplastic (CFT).
- (g) Eight (8) rubber encapsulated fiberglass strand manufacturing lines, with emissions below exemption levels as defined in 326 IAC 2-1.1-3.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

D.3.1 FESOP [326 IAC 2-8] and New Source Toxics Control [326 IAC 2-4.1-1]

The use of resins, gelcoats and solvents at this source shall be limited such that the potential to emit (PTE) of a single Hazardous Air Pollutant (HAP) shall be less than ten (10) tons per twelve (12) consecutive month period, and that of any combination of HAPs shall be less than twenty-five (25) tons per twelve (12) consecutive month period, with compliance determined at the end of each month. Compliance with these limits shall ensure non-applicability of 326 IAC 2-7 and 326 IAC 2-4.1-1.

Compliance with the HAP emissions limits shall be determined based upon the following criteria:

- (a) Monthly usage by weight, percentage of HAPs, and method of application shall be recorded for each resin, gelcoat and solvent. Volatile organic compound emissions shall be calculated by multiplying the usage of each resin and solvent by the emission factor that is appropriate for the percentage of volatile organic compounds or styrene monomer content, and the method of application, and summing the emissions for all resins and solvents. Emission factors shall be obtained from a reference approved by IDEM, OAQ.
- (b) The emission factors approved for use by IDEM, OAQ for polyester and vinyl resin shall be taken from the following reference: "Unified Emission Factors for Open Molding of Composites," Composites Fabricators Association, July 23, 2001, for open molding and filament winding, with the exception of the emission factors for controlled spray application. This reference is included with this permit. The emission factors for all other HAP emitting compounds shall be 100% of the input HAP.

Compliance Determination Requirements

D.3.2 Hazardous Air Pollutants (HAP)[326 IAC 8-1-2][326 IAC 8-1-4]

Compliance with the Hazardous Air Pollutants (HAP) emissions limitations contained in Conditions D.3.1 shall be demonstrated within 30 days of the end of each month based on the total HAP emissions for the twelve (12) consecutive month period.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.3.3 Record Keeping Requirements

To document compliance with Condition D.3.1 the Permittee shall maintain records in accordance with (1) through (3) below. Records maintained for (1) through (3) shall be taken monthly and shall be complete and sufficient to establish compliance with the HAP emissions limits established in Conditions D.3.1.

- (1) The amount and HAP content of each resin, gelcoat, paint and solvent used. Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used. Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvents;
- (2) The cleanup solvent usage for each month;
- (3) The total HAP usage for each month and the weight of HAPs emitted for each compliance period.

D.3.4 Reporting Requirements

A quarterly summary of the information to document compliance with Condition D.3.1 shall be submitted to the address listed in Section C - General Reporting Requirements, of this permit, using the reporting forms located at the end of this permit, or their equivalent, within thirty (30) days after the end of the quarter being reported. The report submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP) CERTIFICATION

Source Name: Polygon Company
Source Address: Tennessee Street, Walkerton, Indiana 46574
Mailing Address: P. O. Box 176, Walkerton, Indiana 46574
FESOP No.: F141-17842-00062

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify)
- Report (specify)
- Notification (specify)
- Affidavit (specify)
- Other (specify)

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

This page intentionally left blank.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
Phone: 317-233-0178
Fax: 317-233-6865**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
EMERGENCY OCCURRENCE REPORT**

Source Name: Polygon Company
Source Address: Tennessee Street, Walkerton, Indiana 46574
Mailing Address: P. O. Box 176, Walkerton, Indiana 46574
FESOP No.: F141-17842-00062

This form consists of 2 pages

Page 1 of 2

This is an emergency as defined in 326 IAC 2-7-1(12)
The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and
The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

A certification is not required for this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY
 COMPLIANCE DATA SECTION**

FESOP Quarterly Report

Source Name: Polygon Company
 Source Address: Tennessee Street, Walkerton, Indiana 46574
 Mailing Address: P. O. Box 176, Walkerton, Indiana 46574
 FESOP No.: F141-17842-00062
 Facility: Pultrusion Line, identified as PL1 through PL7
 Parameter: Volatile Organic Compounds (VOC)
 Use of resins and gelcoat for each pultrusion line shall be limited such that the potential to emit (PTE) of VOC shall be less than twenty-five (25) tons per twelve (12) consecutive month period with compliance determined at the end of each month

Monthly usage by weight, percentage of volatile organic compounds, and method of application shall be recorded for each resin and solvent. Volatile organic compound emissions shall be calculated by multiplying the usage of each resin and solvent by the emission factor that is appropriate for the percentage of volatile organic compounds or styrene monomer content, and the method of application, and summing the emissions for all resins and solvents. Emission factors shall be obtained from a reference approved by IDEM, OAQ.

The emission factors approved for use by IDEM, OAQ for polyester and vinyl resin shall be taken from the following reference: "Unified Emission Factors for Open Molding of Composites," Composites Fabricators Association, July 23, 2001, for open molding and filament winding, with the exception of the emission factors for controlled spray application. This reference is included with this permit. The emission factors for all other VOC emitting compounds shall be 100% of the input volatile organic compounds.

YEAR: _____ Pultrusion Line I. D. _____

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1			
Month 2			
Month 3			

No deviation occurred in this quarter.

Deviation occurred in this quarter.

Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION**

FESOP Quarterly Report

Source Name: Polygon Company
Source Address: Tennessee Street, Walkerton, Indiana 46574
Mailing Address: P. O. Box 176, Walkerton, Indiana 46574
FESOP No.: F141-17842-00062
Facility: Resin Dip Tanks, identified as RD1 through RD9
Parameter: Volatile Organic Compounds (VOC)
Limit: Less than twenty-five (25) tons VOC usage per twelve (12) consecutive month period with compliance determined at the end of each month

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1			
Month 2			
Month 3			

No deviation occurred in this quarter.

Deviation occurred in this quarter.

Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY
 COMPLIANCE DATA SECTION**

FESOP Quarterly Report

Source Name: Polygon Company
 Source Address: Tennessee Street, Walkerton, Indiana 46574
 Mailing Address: P. O. Box 176, Walkerton, Indiana 46574
 FESOP No.: F141-17842-00062
 Facility: Emission Units in Section D.3
 Parameter: Hazardous Air Pollutants (HAP)
 Limit: The use of resins, gelcoats and solvents at this source shall be limited such that the potential to emit (PTE) of a single Hazardous Air Pollutant (HAP) shall be less than ten (10) tons per twelve (12) consecutive month period, and that of any combination of HAPs shall be less than twenty-five (25) tons per twelve (12) consecutive month period, with compliance determined at the end of each month

Monthly usage by weight, percentage of HAPs, and method of application shall be recorded for each resin, gelcoat and solvent. Volatile organic compound emissions shall be calculated by multiplying the usage of each resin and solvent by the emission factor that is appropriate for the percentage of volatile organic compounds or styrene monomer content, and the method of application, and summing the emissions for all resins and solvents. Emission factors shall be obtained from a reference approved by IDEM, OAQ.

The emission factors approved for use by IDEM, OAQ for polyester and vinyl resin shall be taken from the following reference: "Unified Emission Factors for Open Molding of Composites," Composites Fabricators Association, July 23, 2001, for open molding and filament winding, with the exception of the emission factors for controlled spray application. This reference is included with this permit. The emission factors for all other HAP emitting compounds shall be 100% of the input HAP.

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1			
Month 2			
Month 3			

No deviation occurred in this quarter.

Deviation occurred in this quarter.

Deviation has been reported on: _____

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

This page intentionally left blank.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Polygon Company
Source Address: Tennessee Street, Walkerton, Indiana 46574
Mailing Address: P. O. Box 176, Walkerton, Indiana 46574
FESOP No.: F141-17842-00062

Months: _____ to _____ Year: _____

Page 1 of 2

This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. Deviations that are required to be reported by an applicable requirement shall be reported according to the schedule stated in the applicable requirement and do not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".	
<input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Page 2 of 2

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Submitted by: _____

Title / Position: _____

Signature: _____

Date: _____

Attach a signed certification to complete this report.