INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: September 15, 2009

RE: International Bakers Services, Inc. / 141-27684-00204

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

(1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
(2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
(3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

(1) the name and address of the person making the request;
(2) the interest of the person making the request;
(3) identification of any persons represented by the person making the request;
(4) the reasons, with particularity, for the request;
(5) the issues, with particularity, proposed for considerations at any hearing; and
(6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

New Source Construction and Minor Source Operating Permit OFFICE OF AIR QUALITY

International Bakers Services, Inc.
1902 N Sheridan St
South Bend, Indiana 46628

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued to the above mentioned company under the provisions of 326 IAC 2-1.1, 326 IAC 2-5.1, 326 IAC 2-6.1 and 40 CFR 52.780, with conditions listed on the attached pages.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a MSOP under 326 IAC 2-6.1.

Operation Permit No.: M141-27684-00204	
Issued by: Alfred C. Dumaual Alfred C. Dumaual, Ph. D., Section Chief Permits Branch Office of Air Quality	Issuance Date: September 15,2009 Expiration Date: September 15, 2014

TABLE OF CONTENTS

A. SOURCE SUMMARY 4
A.1 General Information [326 IAC 2-5.1-3(c)][326 IAC 2-6.1-4(a)]
A.2 Emission Units and Pollution Control Equipment Summary

B. GENERAL CONDITIONS 6
B.1 Definitions [326 IAC 2-1.1-1]
B.2 Revocation of Permits [326 IAC 2-1.1-9(5)]
B.3 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4]
B.4 Permit Term [326 IAC 2-6.1-7(a)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]
B.5 Term of Conditions [326 IAC 2-1.1-9.5]
B.6 Enforceability
B.7 Severability
B.8 Property Rights or Exclusive Privilege
B.9 Duty to Provide Information
B.10 Certification
B.11 Annual Notification [326 IAC 2-6.1-5(a)(5)]
B.12 Preventive Maintenance Plan [326 IAC 1-6-3]
B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5]
B.14 Termination of Right to Operate [326 IAC 2-6.1-7(a)]
B.15 Permit Renewal [326 IAC 2-6.1-7]
B.16 Permit Amendment or Revision [326 IAC 2-5.1-3(e)(3)][326 IAC 2-6.1-6]
B.17 Source Modification Requirement
B.18 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)][326 IAC 2-6.1-5(a)(4)][IC 13-14-2-2] [IC 13-17-3-2][IC 13-30-3-1]
B.19 Transfer of Ownership or Operational Control [326 IAC 2-6.1-6]
B.20 Annual Fee Payment [326 IAC 2-1.1-7]
B.21 Credible Evidence [326 IAC 1-1-6]

C. SOURCE OPERATION CONDITIONS 12

Emission Limitations and Standards [326 IAC 2-6.1-5(a)(1)]
C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]
C.2 Permit Revocation [326 IAC 2-1.1-9]
C.3 Opacity [326 IAC 5-1]
C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]
C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]
C.6 Fugitive Dust Emissions [326 IAC 6-4]
C.7 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

Testing Requirements [326 IAC 2-6.1-5(a)(2)]
C.8 Performance Testing [326 IAC 3-6]

Compliance Requirements [326 IAC 2-1.1-11]
C.9 Compliance Requirements [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-6.1-5(a)(2)]
C.10 Compliance Monitoring [326 IAC 2-1.1-11]
C.11 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]
C.12 Instrument Specifications [326 IAC 2-1.1-11]

Corrective Actions and Response Steps
C.13 Response to Excursions or Exceedances
C.14 Actions Related to Noncompliance Demonstrated by a Stack Test

Record Keeping and Reporting Requirements [326 IAC 2-6.1-5(a)(2)]
C.15 Malfunctions Report [326 IAC 1-6-2]
C.16 General Record Keeping Requirements [326 IAC 2-6.1-5]
C.17 General Reporting Requirements [326 IAC 2-1.1-11] [326 IAC 2-6.1-2] [IC 13-14-1-13]

D.1. EMISSIONS UNIT OPERATION CONDITIONS 18

Emission Limitations and Standards [326 IAC 2-6.1-5(a)(1)]
D.1.1 Particulate Emission Limitations for Manufacturing Processes [326 IAC 6-3-2]
D.1.2 Preventive Maintenance Plan [326 IAC 1-6-3]

Certification 20
Annual Notification 21
Malfunction Report 22
Affidavit of Construction 24

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-5.1-3(c)][326 IAC 2-6.1-4(a)]

The Permittee owns and operates a stationary liquid and dry flavoring manufacturing company.

Source Address:	1902 N Sheridan St, South Bend, Indiana 46628-1592
Mailing Address:	1902 N Sheridan St, South Bend, IN 46628-1592
General Source Phone Number:	574-287-7111
SIC Code:	2087
County Location:	St. Joseph
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Minor Source Operating Permit Program Minor Source, under PSD and Emission Offset Rules Minor Source, Section 112 of the Clean Air Act Not 1 of 28 Source Categories

A.2 Emission Units and Pollution Control Equipment Summary

This stationary source consists of the following emission units and pollution control devices:

Process # 1 – Liquid Flavor Manufacturing (corn oil, propylene glycol, ethyl alcohol)

(a) One (1) bulk corn oil tank, identified as Unit 6, constructed in 1999, with a storage capacity of 3,000 gallons, and a maximum throughput of 200 tons per year.

(b) One (1) bulk propylene glycol tank, identified as Unit 7, constructed in 1999, with a storage capacity of 6,500 gallons, and a maximum throughput of 400 tons per year.

(c) One (1) blending tank, identified as Unit 5, constructed prior to 1993, with a storage capacity of 600 gallons, and a maximum throughput of 1600 pounds per hour.

(d) One (1) blending tank, identified as Unit 2, constructed in 2003, with a storage capacity of 310 gallons, and a maximum throughput of 2400 pounds per hour.

(e) One (1) blending tank, identified as Unit 3, constructed in 2003, with a storage capacity of 85 gallons, and a maximum throughput of 850 pounds per hour.

(f) One (1) blending lab tank, identified as Unit 4, constructed prior to 1993, with a storage capacity of 50 gallons, and a maximum throughput of 800 pounds per hour.

Process # 2 – Dry Flavor Manufacturing (dextrose, corn starch)

(g) One (1) dust collector with bags, identified as Unit 1, constructed in 1986, using continuous jet pulse cleaning method, with a maximum throughput of 125 pounds per week, controlling particulate from:

(1) One (1) Forberg Mixer, identified as Unit 8, constructed in 1993, with a maximum throughput of 2000 pounds per hour.

(2) One (1) Littleford Mixer, identified as Unit 9, constructed in 1977, with a maximum throughput of 2000 pounds per hour.

(3) One (1) Day Mixer Model D, identified as Unit 10, constructed in 1967, with a maximum throughput of 1000 pounds per hour.

(4) One (1) Day Mixer Model C, identified as Unit 11, constructed in 1967, with a maximum throughput of 600 pounds per hour.

(h) One (1) dextrose silo, identified as Unit 12, constructed in 1986, with a maximum throughput of 2000 tons per year and controlled by a continuous jet pulse baghouse, identified as Unit 14.

(i) One (1) corn starch silo, identified as Unit 13, constructed in 1986, with a maximum throughput of 600 tons per year, and controlled by a continuous jet pulse baghouse, identified as Unit 15.

Process # 3 - Bottling of Liquid Flavorings

(j) One (1) bottling process for liquid flavorings, identified as Bottling Machine, with a maximum throughput of 3,831,681 pounds per year.

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-1.1-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

B.2 Revocation of Permits [326 IAC 2-1.1-9(5)]

Pursuant to 326 IAC 2-1.1-9(5)(Revocation of Permits), the Commissioner may revoke this permit if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

B.3 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4]

This document shall also become the approval to operate pursuant to 326 IAC 2-5.1-4 when prior to the start of operation, the following requirements are met:

(a) The attached Affidavit of Construction shall be submitted to the Office of Air Quality (OAQ), verifying that the emission units were constructed as proposed in the application or the permit. The emission units covered in this permit may begin operating on the date the Affidavit of Construction is postmarked or hand delivered to IDEM if constructed as proposed.

(b) If actual construction of the emission units differs from the construction proposed in the application, the source may not begin operation until the permit has been revised pursuant to 326 IAC 2 and an Operation Permit Validation Letter is issued.

(c) The Permittee shall attach the Operation Permit Validation Letter received from the Office of Air Quality (OAQ) to this permit.

B.4 Permit Term [326 IAC 2-6.1-7(a)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]

(a) This permit, M141-27684-00204, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.

(b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, until the renewal permit has been issued or denied.

B.5 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

(a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or

(b) the emission unit to which the condition pertains permanently ceases operation.

B.6 Enforceability

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.7 Severability

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.8 Property Rights or Exclusive Privilege

This permit does not convey any property rights of any sort or any exclusive privilege.

B.9 Duty to Provide Information

(a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The submittal by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.

(b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.10 Certification

(a) Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by an "authorized individual" of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

(b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.

(c) An "authorized individual" is defined at 326 IAC 2-1.1-1(1).

B.11 Annual Notification [326 IAC 2-6.1-5(a)(5)]

(a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this permit.

(b) The annual notice shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, IN 46204-2251

(c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.12 Preventive Maintenance Plan [326 IAC 1-6-3]

(a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after

issuance of this permit or ninety (90) days after initial start-up, whichever is later, including the following information on each facility:

(1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;

(2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and

(3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or potential to emit. The PMPs do not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(c) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5]

(a) All terms and conditions of permits established prior to M141-27684-00204 and issued pursuant to permitting programs approved into the state implementation plan have been either:

(1) incorporated as originally stated,

(2) revised, or

(3) deleted.

(b) All previous registrations and permits are superseded by this permit.

B.14 Termination of Right to Operate [326 IAC 2-6.1-7(a)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least one hundred twenty (120) days prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-6.1-7.

B.15 Permit Renewal [326 IAC 2-6.1-7]

(a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-6.1-7. Such information shall be included in the application for each emission unit at this source. The renewal application does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

(b) A timely renewal application is one that is:

(1) Submitted at least one hundred twenty (120) days prior to the date of the expiration of this permit; and

(2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

(c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-6.1 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ any additional information identified as being needed to process the application.

B.16 Permit Amendment or Revision [326 IAC 2-5.1-3(e)(3)][326 IAC 2-6.1-6]

(a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-6.1-6 whenever the Permittee seeks to amend or modify this permit.

(b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application shall be certified by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(c) The Permittee shall notify the OAQ within thirty (30) calendar days of implementing a notice-only change. [326 IAC 2-6.1-6(d)]

B.17 Source Modification Requirement

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2.

B.18 Inspection and Entry
[326 IAC 2-5.1-3(e)(4)(B)][326 IAC 2-6.1-5(a)(4)][IC 13-14-2-2][IC 13-17-3-2][IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

(a) Enter upon the Permittee's premises where a permitted source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;

(b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;

(c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;

(d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and

(e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.19 Transfer of Ownership or Operational Control [326 IAC 2-6.1-6]

(a) The Permittee must comply with the requirements of 326 IAC 2-6.1-6 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.

(b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The application which shall be submitted by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(c) The Permittee may implement notice-only changes addressed in the request for a notice-only change immediately upon submittal of the request. [326 IAC 2-6.1-6(d)(3)]

B.20 Annual Fee Payment [326 IAC 2-1.1-7]

(a) The Permittee shall pay annual fees due within thirty (30) calendar days of receipt of a bill from IDEM, OAQ.

(b) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.21 Credible Evidence [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-6.1-5(a)(1)]

C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.

C.2 Permit Revocation [326 IAC 2-1.1-9]

Pursuant to 326 IAC 2-1.1-9 (Revocation of Permits), this permit to construct and operate may be revoked for any of the following causes:

(a) Violation of any conditions of this permit.

(b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this permit.

(c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this permit shall not require revocation of this permit.

(d) Noncompliance with orders issued pursuant to 326 IAC 1-5 (Episode Alert Levels) to reduce emissions during an air pollution episode.

(e) For any cause which establishes in the judgment of IDEM, the fact that continuance of this permit is not consistent with purposes of this article.

C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

(a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

(b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as provided in 326 IAC 4-2 and 326 IAC 9-1-2.

C.6 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.7 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

(a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.

(b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:

(1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or

(2) If there is a change in the following:

(A) Asbestos removal or demolition start date;

(B) Removal or demolition contractor; or

(C) Waste disposal site.

(c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).

(d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(e) Procedures for Asbestos Emission Control
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.

(f) Demolition and Renovation
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).

(g) Indiana Licensed Asbestos Inspector
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Licensed Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos. The requirement to use an Indiana Licensed Asbestos inspector is not federally enforceable.

Testing Requirements [326 IAC 2-6.1-5(a)(2)]

C.8 Performance Testing [326 IAC 3-6]

(a) Compliance testing on new emissions units shall be conducted within 60 days after achieving maximum production rate, but no later than 180 days after initial start-up, if specified in Section D of this approval. All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.9 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-6.1-5(a)(2)]

C.10 Compliance Monitoring [326 IAC 2-1.1-11]

Compliance with applicable requirements shall be documented as required by this permit. The Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. All monitoring and record keeping requirements not already legally required shall be implemented when operation begins.

C.11 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60, Appendix B, 40 CFR 63, or other approved methods as specified in this permit.

C.12 Instrument Specifications [326 IAC 2-1.1-11]

(a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale.

(b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

Corrective Actions and Response Steps

C.13 Response to Excursions or Exceedances

(a) Upon detecting an excursion or exceedance, the Permittee shall restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions.

(b) The response shall include minimizing the period of any startup, shutdown or malfunction and taking any necessary corrective actions to restore normal operation and prevent the likely recurrence of the cause of an excursion or exceedance (other than those caused by excused startup or shutdown conditions). Corrective actions may include, but are not limited to, the following:

(1) initial inspection and evaluation;

(2) recording that operations returned to normal without operator action (such as through response by a computerized distribution control system); or

(3) any necessary follow-up actions to return operation to within the indicator range, designated condition, or below the applicable emission limitation or standard, as applicable.

(c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:

(1) monitoring results;

(2) review of operation and maintenance procedures and records; and/or

(3) inspection of the control device, associated capture system, and the process.

(d) Failure to take reasonable response steps shall be considered a deviation from the permit.

(e) The Permittee shall maintain the following records:

(1) monitoring data;

(2) monitor performance data, if applicable; and

(3) corrective actions taken.

C.14 Actions Related to Noncompliance Demonstrated by a Stack Test

(a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.

(b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.

(c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Record Keeping and Reporting Requirements [326 IAC 2-6.1-5(a)(2)]

C.15 Malfunctions Report [326 IAC 1-6-2]

Pursuant to 326 IAC 1-6-2 (Records; Notice of Malfunction):

(a) A record of all malfunctions, including startups or shutdowns of any facility or emission control equipment, which result in violations of applicable air pollution control regulations or applicable emission limitations shall be kept and retained for a period of three (3) years and shall be made available to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) or appointed representative upon request.

(b) When a malfunction of any facility or emission control equipment occurs which lasts more than one (1) hour, said condition shall be reported to OAQ, using the Malfunction Report Forms (2 pages). Notification shall be made by telephone or facsimile, as soon as practicable, but in no event later than four (4) daytime business hours after the beginning of said occurrence.

(c) Failure to report a malfunction of any emission control equipment shall constitute a violation of 326 IAC 1-6, and any other applicable rules. Information of the scope and expected duration of the malfunction shall be provided, including the items specified in 326 IAC 1-6-2(a)(1) through (6).

(d) Malfunction is defined as any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner. [326 IAC 1-2-39]

C.16 General Record Keeping Requirements [326 IAC 2-6.1-5]

(a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

(b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance or ninety (90) days of initial start-up, whichever is later.

C.17 General Reporting Requirements [326 IAC 2-1.1-11] [326 IAC 2-6.1-2] [IC 13-14-1-13]

(a) Reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

(b) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

(c) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(d) The first report shall cover the period commencing on the date of issuance of this permit or the date of initial start-up, whichever is later, and ending on the last day of the reporting period. Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit, “calendar year” means the twelve (12) month period from January 1 to December 31 inclusive.

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Emissions Unit Description:

Process # 2 – Dry Flavor Manufacturing (dextrose, corn starch)

(g) One (1) dust collector with bags, identified as Unit 1, constructed in 1986, using continuous jet pulse cleaning method, with a maximum throughput of 125 pounds per week, controlling particulate from:

(1) One (1) Forberg Mixer, identified as Unit 8, constructed in 1993, with a maximum throughput of 2000 pounds per hour.

(2) One (1) Littleford Mixer, identified as Unit 9, constructed in 1977, with a maximum throughput of 2000 pounds per hour.

(3) One (1) Day Mixer Model D, identified as Unit 10, constructed in 1967, with a maximum throughput of 1000 pounds per hour.

(4) One (1) Day Mixer Model C, identified as Unit 11, constructed in 1967, with a maximum throughput of 600 pounds per hour.

(h) One (1) dextrose silo, identified as Unit 12, constructed in 1986, with a maximum throughput of 2000 tons per year and controlled by a continuous jet pulse baghouse, identified as Unit 14.

(i) One (1) corn starch silo, identified as Unit 13, constructed in 1986, with a maximum throughput of 600 tons per year, and controlled by a continuous jet pulse baghouse, identified as Unit 15.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-6.1-5(a)(1)]

D.1.1 Particulate Emission Limitations for Manufacturing Processes [326 IAC 6-3]
Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), the allowable particulate emission rate from the dry flavor manufacturing process shall not exceed the limits in the following table:

Emission Unit ID	Process Weight (tons/hr)	326 IAC 6-3-2 Allowable Particulate Emission Rate (lb/hr)
Dextrose Silo - Unit 12, Controlled by Baghouse - Unit 14	0.23	1.52
Corn Starch Silo - Unit 13, Controlled by Baghouse - Unit 15	0.068	0.68
Forberg Mixer - Unit 8, Controlled by Dust Collector - Unit 1	1.00	4.10
Littleford Mixer - Unit 9, Controlled by Dust Collector - Unit 1	1.00	4.10
Day Mixer Model D - Unit 10, Controlled by Dust Collector - Unit 1	0.50	2.58
Day Mixer Model C - Unit 11, Controlled by Dust Collector - Unit 1	0.30	1.83

The pounds per hour limitations were calculated with the following equation:

Interpolation of the data for the process weight rate up to 60,000 pounds per hour shall be accomplished by use of the equation:

$E = 4.10\ P^{0.67}$ where E = rate of emission in pounds per hour and
P = process weight rate in tons per hour.

D.1.2 Preventive Maintenance Plan [326 IAC 1-6-3]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan of this permit is required for these facilities (Units 8, 9, 10, 11, 12, 13) and their control devices (Units 1, 14, 15).

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

MINOR SOURCE OPERATING PERMIT (MSOP)
CERTIFICATION

Source Name: International Bakers Services, Inc.
Source Address: 1902 N Sheridan St, South Bend, Indiana 46628-1592
Mailing Address: 1902 N Sheridan St, South Bend, IN 46628-1592
MSOP No.: M141-27684-00204

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

☐ Annual Compliance Certification Letter

☐ Test Result (specify)_____

☐ Report (specify)_____

☐ Notification (specify)_____

☐ Affidavit (specify)_____

☐ Other (specify)_____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete. Signature:
Printed Name:
Title/Position:
Date:

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH

MINOR SOURCE OPERATING PERMIT
ANNUAL NOTIFICATION

This form should be used to comply with the notification requirements under 326 IAC 2-6.1-5(a)(5).

Company Name:	International Bakers Services, Inc.
Address:	1902 N Sheridan St
City:	South Bend, Indiana 46628-1592
Phone #:	574-287-7111
MSOP #:	M141-27684-00204

I hereby certify that International Bakers Services, Inc. is : ☐ still in operation.
☐ no longer in operation.

I hereby certify that International Bakers Services, Inc. is : ☐ in compliance with the requirements of MSOP M141-27684-00204.
☐ not in compliance with the requirements of MSOP M141-27684-00204.

Authorized Individual (typed):
Title:
Signature:
Date:

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

Noncompliance:

MALFUNCTION REPORT

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
FAX NUMBER: (317) 233-6865

This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

THIS FACILITY MEETS THE APPLICABILITY REQUIREMENTS BECAUSE IT HAS POTENTIAL TO EMIT 25 TONS/YEAR PARTICULATE MATTER ?_____, 25 TONS/YEAR SULFUR DIOXIDE ?_____, 25 TONS/YEAR NITROGEN OXIDES?_____, 25 TONS/YEAR VOC ?_____, 25 TONS/YEAR HYDROGEN SULFIDE ?_____, 25 TONS/YEAR TOTAL REDUCED SULFUR ?_____, 25 TONS/YEAR REDUCED SULFUR COMPOUNDS ?_____, 25 TONS/YEAR FLUORIDES ?_____, 100 TONS/YEAR CARBON MONOXIDE ?_____, 10 TONS/YEAR ANY SINGLE HAZARDOUS AIR POLLUTANT ?_____, 25 TONS/YEAR ANY COMBINATION HAZARDOUS AIR POLLUTANT ?_____, 1 TON/YEAR LEAD OR LEAD COMPOUNDS MEASURED AS ELEMENTAL LEAD ?_____, OR IS A SOURCE LISTED UNDER 326 IAC 2-5.1-3(2) ?_____. EMISSIONS FROM MALFUNCTIONING CONTROL EQUIPMENT OR PROCESS EQUIPMENT CAUSED EMISSIONS IN EXCESS OF APPLICABLE LIMITATION _____.

THIS MALFUNCTION RESULTED IN A VIOLATION OF: 326 IAC _____ OR, PERMIT CONDITION # _____ AND/OR PERMIT LIMIT OF _____

THIS INCIDENT MEETS THE DEFINITION OF "MALFUNCTION" AS LISTED ON REVERSE SIDE ? Y N

THIS MALFUNCTION IS OR WILL BE LONGER THAN THE ONE (1) HOUR REPORTING REQUIREMENT ? Y N

COMPANY:_____PHONE NO. ( )_____
LOCATION: (CITY AND COUNTY)_____
PERMIT NO. _____ AFS PLANT ID: _____ AFS POINT ID: _____ INSP:_____
CONTROL/PROCESS DEVICE WHICH MALFUNCTIONED AND REASON:_____
_____

DATE/TIME MALFUNCTION STARTED: _____/_____/ 20____ _____ AM / PM

ESTIMATED HOURS OF OPERATION WITH MALFUNCTION CONDITION: _____

DATE/TIME CONTROL EQUIPMENT BACK-IN SERVICE_____/_____/ 20____ _____ AM/PM

TYPE OF POLLUTANTS EMITTED: TSP, PM-10, SO2, VOC, OTHER:_____

ESTIMATED AMOUNT OF POLLUTANT EMITTED DURING MALFUNCTION: _____
_____

MEASURES TAKEN TO MINIMIZE EMISSIONS:_____
_____

REASONS WHY FACILITY CANNOT BE SHUTDOWN DURING REPAIRS:

CONTINUED OPERATION REQUIRED TO PROVIDE ESSENTIAL* SERVICES:_____
CONTINUED OPERATION NECESSARY TO PREVENT INJURY TO PERSONS:_____
CONTINUED OPERATION NECESSARY TO PREVENT SEVERE DAMAGE TO EQUIPMENT:_____
INTERIM CONTROL MEASURES: (IF APPLICABLE)_____
_____
_____

MALFUNCTION REPORTED BY:_____TITLE:_____
(SIGNATURE IF FAXED)

MALFUNCTION RECORDED BY:_____DATE:_____TIME:_____
*SEE PAGE 2

Please note - This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

326 IAC 1-6-1 Applicability of rule

Sec. 1. This rule applies to the owner or operator of any facility required to obtain a permit under 326 IAC 2-5.1 or 326 IAC 2-6.1.

326 IAC 1-2-39 "Malfunction" definition

Sec. 39. Any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner.

***Essential services** are interpreted to mean those operations, such as, the providing of electricity by power plants. Continued operation solely for the economic benefit of the owner or operator shall not be sufficient reason why a facility cannot be shutdown during a control equipment shutdown.

If this item is checked on the front, please explain rationale:

_____

_____

Mail to: Permit Administration & Support Section
Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

International Bakers Services, Inc.
1902 N Sheridan St
South Bend, Indiana 46628-1592

Affidavit of Construction

I, _____, being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in _____ County, Indiana and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.

2. I hold the position of _____ for _____.
(Title) (Company Name)

3. By virtue of my position with _____, I have personal
(Company Name)
knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of _____.
(Company Name)

4. I hereby certify that International Bakers Services, Inc. 1902 N Sheridan St, South Bend, Indiana 46628-1592, completed construction of the liquid and dry flavoring manufacturing company on _____in conformity with the requirements and intent of the construction permit application received by the Office of Air Quality on March 27, 2009, and as permitted pursuant to New Source Construction Permit and Minor Source Operating Permit No. M141-27684-00204, Plant ID No. 141-00204 issued on _____.

Further Affiant said not.

I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature_____
Date_____

STATE OF INDIANA)
)SS

COUNTY OF _____)

Subscribed and sworn to me, a notary public in and for _____ County and State of Indiana

on this _____ day of _____, 20 _____. My Commission expires: _____.

Signature_____
Name_____ (typed or printed)

Indiana Department of Environmental Management
Office of Air Quality

Technical Support Document (TSD) for a New Source Construction and Minor Source Operating Permit (MSOP)

Source Description and Location

Source Name:	**International Bakers Services, Inc.**
Source Location:	**1902 N Sheridan St, South Bend, IN 46628-1592**
County:	**St. Joseph**
SIC Code:	**2087**
Operation Permit No.:	**M141-27684-00204**
Permit Reviewer:	**Christine L. Filutze**

On March 27, 2009, the Office of Air Quality (OAQ) received an application from International Bakers Services, Inc. related to the operation of an unpermitted liquid and dry flavoring manufacturing company.

Existing Approvals

There have been no previous approvals issued to this source.

County Attainment Status

The source is located in St. Joseph County.

Pollutant	Designation
SO_2	Better than national standards.
CO	Unclassifiable or attainment effective November 15, 1990.
O_3	Attainment effective July 19, 2007, for the 8-hour ozone standard.[1]
PM_{10}	Unclassifiable effective November 15, 1990.
NO_2	Cannot be classified or better than national standards.
Pb	Not designated.

[1]Attainment effective October 18, 2000, for the 1-hour ozone standard for the South Bend-Elkhart area, including St. Joseph County, and is a maintenance area for the 1-hour ozone National Ambient Air Quality Standards (NAAQS) for purposes of 40 CFR 51, Subpart X*. The 1-hour standard was revoked effective June 15, 2005.
Unclassifiable or attainment effective April 5, 2005, for PM2.5.

(a) Ozone Standards
Volatile organic compounds (VOC) and Nitrogen Oxides (NOx) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NOx emissions are considered when evaluating the rule applicability relating to ozone. St. Joseph County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

(b) PM2.5
St. Joseph County has been classified as attainment for PM2.5. On May 8, 2008 U.S. EPA promulgated the requirements for Prevention of Significant Deterioration (PSD) for PM2.5 emissions, and the effective date of these rules was July 15, 2008. Indiana has three years from the publication of these rules to revise its PSD rules, 326 IAC 2-2, to include those requirements. The May 8, 2008 rule revisions require IDEM to regulate PM10 emissions as a surrogate for

PM2.5 emissions until 326 IAC 2-2 is revised.

(c) Other Criteria Pollutants
St. Joseph County has been classified as attainment or unclassifiable in Indiana for all other criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

Fugitive Emissions

(a) The fugitive emissions of criteria pollutants and hazardous air pollutants are counted toward the determination of 326 IAC 2-6.1 (Minor Source Operating Permits) applicability.

(b) Since this type of operation is not one of the twenty-eight (28) listed source categories under 326 IAC 2-2, 326 IAC 2-3, or 326 IAC 2-7, and there is no applicable New Source Performance Standard that was in effect on August 7, 1980, fugitive emissions are not counted toward the determination of PSD, Emission Offset, and Part 70 Permit applicability.

Unpermitted Emission Units and Pollution Control Equipment

The source consists of the following unpermitted emission units:

Process # 1 – Liquid Flavor Manufacturing (corn oil, propylene glycol, ethyl alcohol)

(a) One (1) bulk corn oil tank, identified as Unit 6, constructed in 1999, with a storage capacity of 3,000 gallons, and a maximum throughput of 200 tons per year.

(b) One (1) bulk propylene glycol tank, identified as Unit 7, constructed in 1999, with a storage capacity of 6,500 gallons, and a maximum throughput of 400 tons per year.

(c) One (1) blending tank, identified as Unit 5, constructed prior to 1993, with a storage capacity of 600 gallons, and a maximum throughput of 1600 pounds per hour.

(d) One (1) blending tank, identified as Unit 2, constructed in 2003, with a storage capacity of 310 gallons, and a maximum throughput of 2400 pounds per hour.

(e) One (1) blending tank, identified as Unit 3, constructed in 2003, with a storage capacity of 85 gallons, and a maximum throughput of 850 pounds per hour.

(f) One (1) blending lab tank, identified as Unit 4, constructed prior to 1993, with a storage capacity of 50 gallons, and a maximum throughput of 800 pounds per hour.

Process # 2 – Dry Flavor Manufacturing (dextrose, corn starch)

(g) One (1) dust collector with bags, identified as Unit 1, constructed in 1986, using continuous jet pulse cleaning method, with a maximum throughput of 125 pounds per week, controlling particulate from:

(1) One (1) Forberg Mixer, identified as Unit 8, constructed in 1993, with a maximum throughput of 2000 pounds per hour.

(2) One (1) Littleford Mixer, identified as Unit 9, constructed in 1977, with a maximum throughput of 2000 pounds per hour.

(3) One (1) Day Mixer Model D, identified as Unit 10, constructed in 1967, with a maximum throughput of 1000 pounds per hour.

(4) One (1) Day Mixer Model C, identified as Unit 11, constructed in 1967, with a maximum throughput of 600 pounds per hour.

(h) One (1) dextrose silo, identified as Unit 12, constructed in 1986, with a maximum throughput of 2000 tons per year and controlled by a continuous jet pulse baghouse, identified as Unit 14.

(i) One (1) corn starch silo, identified as Unit 13, constructed in 1986, with a maximum throughput of 600 tons per year, and controlled by a continuous jet pulse baghouse, identified as Unit 15.

Process # 3 - Bottling of Liquid Flavorings

(j) One (1) bottling process for liquid flavorings, identified as Bottling Machine, with a maximum throughput of 3,831,681 pounds per year.

"Integral Part of the Process" Determination

The source has submitted the following information to justify why the dust collector, identified as Unit 1, and the baghouses, identified as Units 14 and 15, should be considered an integral part of the dry flavor manufacturing process:

(a) The primary purpose of the dust collector (Unit 1) is to control the amount of dust in the manufacturing areas. There are vents located at the filling stations for the ribbon blenders (Units 8, 9, 10, 11) to control the dust during discharging of the finished flavors. The dust collector is integral to the safety of the employees.

(b) The primary purpose of the baghouses (Units 14 and 15) is to control the dust when pressure is released from the dextrose and corn starch silos. The baghouses prevent loss of ingredients during pressure relief and also keep the ingredients from being released into the outside air.

(c) The dust collector (Unit 1) does not recover product. The baghouses (Units 14 and 15) do eliminate product loss and there are significant cost savings.

(1) The initial cost of each baghouse unit in 1986 was approximately $15,000.00. The anticipated life is 30 years.

(2) The annual operating costs are estimated at $1,000.00 per unit.

(3) The cost per weight of the material is $0.30 / lb. for dextrose and $0.21 / lb. for corn starch.

(d) The annualized equipment cost (annualized capital + annualized operating) is approximately $1,500.00. While the cost of the recovered product is several hundred thousand dollars.

IDEM, OAQ has evaluated the information submitted and has determined that the dust collector, identified as Unit 1, and the baghouses, identified as Units 14 and 15, will not be considered as integral to the process for the dry flavor manufacturing operation. IDEM, OAQ has determined that the primary purpose of dust collector, Unit 1, is to control the amount of dust in the manufacturing areas. IDEM, OAQ has determined that baghouses, Units 14 and 15, are used to control the dust when pressure is released from the dextrose and corn starch silos, to prevent the loss of ingredients during relief, and to keep the ingredients from release to the outdoor air. However, the process could continue to be operated without the baghouses in place. In addition, the captured material from Units 1, 14, and 15, does not provide an overwhelming positive net economic benefit compared to the overall costs of the operation. To determine the economic benefit, IDEM, OAQ looked at the information provided from the source. The cost of

installing and operating the dry manufacturing dust collection system and the benefit from reuse of the collected dry dextrose and corn starch dust are as follows:

(a) assuming a life span of 30 years, the annualized initial capital costs (equipment and installation) of the dry manufacturing dust collection system is $15,000/30years = $500 per year.

(b) the dry manufacturing dust collection system has an annual operating cost of $1000 per year, consisting only of the electrical cost to operate the collection system.

(c) the collected dry dextrose and corn starch dust is reused, saving approximately $520 per year ($43 per month) in revenue. This was calculated using the actual average yearly throughputs, which were then multiplied by AP-42 emission factors, and then multiplied by the cost of the material (see TSD Appendix A, p. 5 for actual average yearly emission calculations).

Based on the costs and benefits analysis, the overall net annualized cost benefit of the dry manufacturing dust collection system is -$980 per year ($520 - $500 - $1000). Therefore, the permitting level will be determined using the potential to emit before control by the dust collector and baghouses.

Enforcement Issues

IDEM is aware that equipment has been constructed and operated prior to receipt of the proper permit. IDEM is reviewing this matter and will take the appropriate action. This proposed approval is intended to satisfy the requirements of the construction permit rules.

Emission Calculations

See Appendix A of this TSD for detailed emission calculations.

Permit Level Determination – MSOP

The following table reflects the unlimited potential to emit (PTE) of the entire source before controls. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Pollutant	Potential To Emit (tons/year)
PM	42.59
PM10(1)	14.92
PM2.5	14.92
SO_2	0.00
NO_x	0.00
VOC	0.57
CO	0.00
HAPs	0.00

(1) Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".

(a) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1(16)) of PM is less than one hundred (100) tons per year, but greater than or equal to twenty-five (25) tons per year. The PTE of all other regulated criteria pollutants are less than twenty-five (25) tons per year. Therefore, the source is subject to the provisions of 326 IAC 2-6.1. A Minor Source Operating Permit (MSOP) will be issued.

(b) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1(16)) of any single HAP is less than ten (10) tons per year and the PTE of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-7.

Federal Rule Applicability Determination

New Source Performance Standards (NSPS)

(a) The requirements of 40 CFR 60, Subpart Kb (60.110b through 60.117b), New Source Performance Standards (NSPS) for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984 (326 IAC 12), are not included in the permit because each volatile organic liquid storage vessels, identified as Unit # 2 through Unit # 7, has a capacity less than seventy-five (75) cubic meters (m3) (19,813 gallons).

(b) There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the permit.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

(c) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included in the permit.

Compliance Assurance Monitoring (CAM)

(d) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the unlimited potential to emit of the source is less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

State Rule Applicability Determination

The following state rules are applicable to the source:

(a) 326 IAC 2-6.1 (Minor Source Operating Permits (MSOP))
MSOP applicability is discussed under the Permit Level Determination – MSOP section above.

(b) 326 IAC 2-2 (Prevention of Significant Deterioration(PSD))
This source is not a major stationary source, under PSD (326 IAC 2-2), because the potential to emit of all attainment regulated pollutants are less than 250 tons per year, and this source is not one of the twenty-eight (28) listed source categories, as specified in 326 IAC 2-2-1(gg)(1). Therefore, pursuant to 326 IAC 2-2, the PSD requirements do not apply.

(c) 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))
The potential to emit of any single HAP is less than ten (10) tons per year and the potential to emit of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-4.1.

(d) 326 IAC 2-6 (Emission Reporting)
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake, Porter, or LaPorte

County, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.

(e) 326 IAC 5-1 (Opacity Limitations)
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

(1) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

(2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

(f) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.

Dry Flavoring Manufacturing

(g) 326 IAC 6-3 (Particulate Emission Limitations for Manufacturing Processes)
Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), the allowable particulate emission rate from the dry flavor manufacturing process shall not exceed the limits in the following table:

Emission Unit ID	Process Weight (tons/hr)	326 IAC 6-3-2 Allowable Particulate Emission Rate (lb/hr)
Dextrose Silo - Unit 12, Controlled by Baghouse - Unit 14	0.23	1.52
Corn Starch Silo - Unit 13, Controlled by Baghouse - Unit 15	0.068	0.68
Forberg Mixer - Unit 8, Controlled by Dust Collector - Unit 1	1.00	4.10
Littleford Mixer - Unit 9, Controlled by Dust Collector - Unit 1	1.00	4.10
Day Mixer Model D - Unit 10, Controlled by Dust Collector - Unit 1	0.50	2.58
Day Mixer Model C - Unit 11, Controlled by Dust Collector - Unit 1	0.30	1.83

The pounds per hour limitations were calculated with the following equation:

Interpolation of the data for the process weight rate up to 60,000 pounds per hour shall be accomplished by use of the equation:

$E = 4.10\ P^{0.67}$ where E = rate of emission in pounds per hour and
P = process weight rate in tons per hour.

Based on the potential to emit particulate before controls, the dry manufacturing processes emission units are able to comply with the allowable particulate emission rates without the use of controls (see TSD Appendix A, p. 3).

(h) 326 IAC 8-1-6 (New Facilities; General Reduction Requirements)
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because the source does not have potential emissions of twenty-five (25) tons or more per year of volatile organic compounds.

Compliance Determination, Monitoring and Testing Requirements

There are no compliance, monitoring, or testing requirements.

Conclusion and Recommendation

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on March 27, 2009.

The construction and operation of this source shall be subject to the conditions of the attached proposed New Source Construction and MSOP No. M141-27684-00204. The staff recommends to the Commissioner that this New Source Construction and MSOP be approved.

IDEM Contact

(a) Questions regarding this proposed permit can be directed to Christine L. Filutze at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 233-8397 or toll free at 1-800-451-6027 extension 38397.

(b) A copy of the findings is available on the Internet at: http://www.in.gov/ai/appfiles/idem-caats/

(c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

Appendix A: Emission Calculations
Summary Emissions

Company Name: International Bakers Services, Inc.
Address City IN Zip: 1902 N Sheridan St, South Bend, IN 46628
Permit No.: 141-27684-00204
Reviewer: Christine L. Filutze
Date: July 20, 2009

Potential To Emit Before Controls

Emission Units	PM	PM10	PM2.5	SO2	NOx	VOC	CO	HAPs	Single Highest HAP
Liquid Flavor Manufacturing	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00
Dry Flavor Manufacturing	42.59	14.92	14.92	0.00	0.00	0.00	0.00	0.00	0.00
Bottling Machine	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.00	0.00
Totals	**42.59**	**14.92**	**14.92**	**0.00**	**0.00**	**0.57**	**0.00**	**0.00**	

Potential To Emit After Controls

Emission Units	PM	PM10	PM2.5	SO2	NOx	VOC	CO	HAPs	Single Highest HAP
Liquid Flavor Manufacturing	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00
Dry Flavor Manufacturing	0.12	0.07	0.07	0.00	0.00	0.00	0.00	0.00	0.00
Bottling Machine	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.00	0.00
Totals	**0.12**	**0.07**	**0.07**	**0.00**	**0.00**	**0.57**	**0.00**	**0.00**	

Appendix A: Emission Calculations
Liquid Flavor Manufacturing Emissions
Storage Tank Losses
Volatile Organic Compound (VOC)

Company Name: **International Bakers Services, Inc.**
Address City IN Zip: **1902 N Sheridan St, South Bend, IN 46628**
Permit No.: **40014.00**
Reviewer: **Christine L. Filutze**
Date: **July 20, 2009**

Storage Tank ID	Product Stored	Roof Type	Tank Dimensions	Maximum and (Average) Liquid Height (ft)	Maximum Liquid Volume (gallons)	Turnovers per year	Product Throughput (gallons/yr)	VOC Total Emissions (lbs/yr)	VOC Total Emissions (tons/yr)
Unit 2	Ethyl Alcohol	Vertical Fixed	2.75 ft dia 7.0 ft ht	7.0 ft (3.5 ft)	311.02	4380.00	1,362,262	126.54	0.06
Unit 3	Ethyl Alcohol	Vertical Fixed	1.7 ft dia 5.0 ft ht	5.0 ft (2.5 ft)	84.90	5840.00	495,797	45.52	0.02
Unit 4	Ethyl Alcohol	Vertical Fixed	1.3 ft dia 5.0 ft ht	5.0 ft (2.5 ft)	49.65	8760.00	434,894	39.42	0.02
Unit 5	Ethyl Alcohol	Vertical Fixed	4.5 ft dia 10.0 ft ht	5.0 ft (2.5 ft)	594.86	1460.00	868,502	92.94	0.05
Unit 6	Corn Oil (Residual Oil No. 6)	Vertical Fixed	7.5 ft dia 10.17 ft ht	7.0 ft (3.5 ft)	2,313.86	10.00	23,134	0.01	5.00E-06
Unit 7	Propylene Glycol	Vertical Fixed	8.75 ft dia 16.0 ft ht	13.0 ft (6.5 ft)	5,847.67	8.75	51,167	0.11	5.50E-05
								Total Potential to Emit VOC (tons/yr) =	**0.15**
								Total Potential to Emit VOC (lbs/day) =	0.83

ACRONYMS
VOC = Volatile Organic Compound
Volatile Organic Compound (VOC) emissions from withdrawl and standing losses using US EPA TANKS Version 4.09 program

Appendix A: Emission Calculations
Dry Flavor Manufacturing Emissions
Silos and Mixers

Company Name: International Bakers Services, Inc.
Address City IN Zip: 1902 N Sheridan St, South Bend, IN 46628
Permit No.: 141-27684-00204
Reviewer: Christine L. Filutze
Date: July 20, 2009

				Potential to Emit Before Controls				Potential to Emit After Controls	
Unit	Throughput (tons/yr)	Uncontrolled Emission Factors* (lbs/ton) PM	PM10/PM2.5	**Emissions PM (tons/yr)**	**Emissions PM10/PM2.5 (tons/yr)**	Controlled Emission Factors* (lbs/ton) PM	PM10/PM2.5	**Emissions PM (tons/yr)**	**Emissions PM10/PM2.5 (tons/yr)**
Dextrose Silo - Unit 12, Controlled by Baghouse - Unit 14	2,000	3.14	1.1	3.14	1.10	0.0089	0.0049	0.009	0.005
Corn Starch Silo - Unit 13, Controlled by Baghouse - Unit 15	600	3.14	1.1	0.94	0.33	0.0089	0.0049	0.003	0.001
Forberg Mixer - Unit 8, Controlled by Dust Collector - Unit 1	8760	3.14	1.1	13.75	4.82	0.0089	0.0049	0.039	0.021
Littleford Mixer - Unit 9, Controlled by Dust Collector - Unit 1	8760	3.14	1.1	13.75	4.82	0.0089	0.0049	0.039	0.021
Day Mixer Model D - Unit 10, Controlled by Dust Collector - Unit 1	4380	3.14	1.1	6.88	2.41	0.0089	0.0049	0.019	0.011
Day Mixer Model C - Unit 11, Controlled by Dust Collector - Unit 1	2628	3.14	1.1	4.13	1.45	0.0089	0.0049	0.012	0.006
			Totals	**42.59**	**14.92**			**0.121**	**0.066**

Methodology
*Emission Factors are from AP-42, Tables 11.12-2, SCC # 3-05-011-17 (Cement supplement unloading to elevated storage silo (pneumatic), AP-42, 06/06).
There are no emission factors for dextrose or corn starch loading in AP-42.
Emissions (tons/yr) = Throughput (tons/yr) * Emission Factor (lbs/ton) / 2000 (lbs/ton)

Appendix A: Emissions Calculations
Bottling Machine
Volatile Organic Compounds

Company Name: **International Bakers Services, Inc.**
Source Address: **1902 N Sheridan St, South Bend, IN 46628**
Permit Number: **141-27684-00204**
Reviewer: **Christine L. Filutze**
Date: **July 20, 2009**

The following calculations determine the unlimited/uncontrolled emissions from filling bottles with liquid flavor in the bottling machine

Actual Annual Hours of Operation	2000	hours/year
Potential Hours of Operation	8760	hours/year

Material	Actual Annual Usage (lbs/year)*	Potential Usage (lbs/year)**
Propylene Glycol Containing Liquid Flavor	626,994.5	2,746,236.1
Ethyl Alcohol Containing Liquid Flavor	50,861.5	222,773.2
Corn Oil Containing Liquid Flavor	196,957.0	862,671.7
Totals	**874,813.0**	**3,831,680.9**

*The worst case actual annual production was determined by either projecting actual 2008 production data or using the worst case production from 2003 to 2007.
**Potential Usage (lbs/year) = [Worst Case Actual Annual Usage (lbs/year)] * [Potential Hours of Operation (hours/year)] / [Actual Hours of Operation (hours/year)]

Type of Carrier Liquid	Vapor Pressure of Carrier Liquid at 70oF (psia)	
Propylene Glycol (Carrier)	0.0016	
Ethyl Alcohol (Carrier)	**0.9203**	**(worst case)**
Corn Oil (Carrier)	less than 0.02	

Since ethyl alcohol has the highest vapor pressure, the potential to emit VOC was determined assuming that the total liquid flavors produced consisted of 100% ethyl alcohol.

Total Potential Usage of Liquid Flavor	3,831,680.9	lbs/year
Density of Ethyl Alcohol	6.58	lbs/gallon
Total Potential Usage of Liquid Flavor	582,299.3	gallons/year (assuming ethyl alcohol)

The potential to emit VOC during the filling of bottles with liquid flavor was determined using AP-42 Chapter 5.2 Equation 1, for VOC loss during loading of a vessel, assuming splash loading.

VOC Emissions from Loading of a Vessel (AP-42 Section 5.2, Equation 1)

Equation 1: Loading Losses (lbs VOC/1000 gallons), L = 12.46*S*P*M/T

Saturation Factor, S =	1.45	(splash loading)
Ethyl Alcohol Vapor Pressure, P =	0.9203	psia (at 70°F)
Average Vapor Molecular Weight, M =	46.07	lb/lbmol
Temperature, T =	530.0	R
Loading Losses, L =	1.4453	lbs VOC/1000 gallons of ethyl alcohol
Total Potential Usage of Liquid Flavor =	582,299.3	gallons of ethyl alcohol/year
Loading Losses, L =	841.6	lbs/year VOC
Loading Losses, L =	0.42	tons/year VOC
Potential to Emit VOC	**0.42**	**tons/year**

Appendix A: Emission Calculations
Calculations for the Integral Determination Request
Dry Flavor Manufacturing Emissions
Silos and Mixers

Company Name: International Bakers Services, Inc.
Address City IN Zip: 1902 N Sheridan St, South Bend, IN 46628
Permit No.: 141-27684-00204
Reviewer: Christine L. Filutze
Date: July 20, 2009

				Actual Emissions Before Controls					Actual Emissions After Controls	
Unit	Actual Average Throughput	Uncontrolled Emission Factors* (lbs/ton)		Emissions	Emissions	Emissions	Controlled Emission Factors* (lbs/ton)		Emissions	Emissions
	(tons/yr)	PM	PM10/PM2.5	PM (tons/yr)	PM10/PM2.5 (tons/yr)	PM (lbs/yr)	PM	PM10/PM2.5	PM (tons/yr)	PM10/PM2.5 (tons/yr)
Dextrose Silo - Unit 12, Controlled by Baghouse - Unit 14	457	3.14	1.1	0.72	0.25	1433.79	0.0089	0.0049	0.002	0.001
Corn Starch Silo - Unit 13, Controlled by Baghouse - Unit 15	137	3.14	1.1	0.22	0.08	430.14	0.0089	0.0049	0.001	0.000
			Totals	**0.93**	**0.33**				**0.003**	**0.001**

Methodology
*Emission Factors are from AP-42, Tables 11.12-2, SCC # 3-05-011-17 (Cement supplement unloading to elevated storage silo (pneumatic), AP-42, 06/06)
There are no emission factors for dextrose or corn starch loading in AP-42
Throughput based on actual average hours of operation, which is 2000 hours per year for Unit 12 and 600 hours per year for Unit 13
Emissions (tons/yr) = Throughput (tons/yr) * Emission Factor (lbs/ton) / 2000 (lbs/ton)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Christopher B Lee
International Bakers Services, Inc.
1902 N Sheridan Street
South Bend, Indiana 46628

DATE: September 15, 2009

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
MSOP
141-27684-00204

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

September 15, 2009

TO: St. Joseph Public Library

From: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Subject: **Important Information for Display Regarding a Final Determination**

Applicant Name: International Bakers Services, Inc.
Permit Number: 141-27684-00204

You previously received information to make available to the public during the public comment period of a draft permit. Enclosed is a copy of the final decision and supporting materials for the same project. Please place the enclosed information along with the information you previously received. To ensure that your patrons have ample opportunity to review the enclosed permit, **we ask that you retain this document for at least 60 days.**

The applicant is responsible for placing a copy of the application in your library. If the permit application is not on file, or if you have any questions concerning this public review process, please contact Joanne Smiddie-Brush, OAQ Permits Administration Section at 1-800-451-6027, extension 3-0185.

Enclosures
Final Library.dot 11/30/07

Mail Code 61-53

IDEM Staff	CDENNY 9/15/2009 International Bakers Services, Inc. 141-27684-00204 (final)			AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	▶	Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: **CERTIFICATE OF MAILING ONLY**	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee Remarks
1		Christopher B. Lee International Bakers Services, Inc. 1902 N Sheridan St South Bend IN 46628-1592 (Source CAATS) **VIA CONFIRMED DELIVERY**									
2		Mr. Charles L. Berger Attorney Berger & Berger, Attorneys at Law 313 Main Street Evansville IN 47700 *(Affected Party)*									
3		Laurence A. McHugh Barnes & Thornburg 100 North Michigan South Bend IN 46601-1632 *(Affected Party)*									
4		St Joseph Co Public Library 611 Lombardy Drive South Bend IN 46619 *(Library)*									
5		Mr. Wayne Falda South Bend Tribune 255 W Colfax Ave South Bend IN 46626 *(Affected Party)*									
6		South Bend City Council / Mayors Office 227 W. Jefferson Blvd. South Bend IN 46601 *(Local Official)*									
7		St. Joseph County Board of Commissioners 227 West Jefferson Blvd, South Bend IN 46601 *(Local Official)*									
8		St. Joseph County Health Department 227 W Jefferson Blvd, Room 825 South Bend IN 46601-1870 *(Health Department)*									
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is $50,000 per piece subject to a limit of $50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is $500. The maximum indemnity payable is $25,000 for registered mail, sent with optional postal insurance. See ***Domestic Mail Manual*** **R900, S913**, and **S921** for limitations of coverage on inured and COD mail. See ***International Mail Manual*** for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
7			

FACSIMILIE OF PS Form 3877