



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

TO: Interested Parties / Applicant

DATE: April 13, 2009

RE: Aisin Brake and Chassis, Inc. / 167-27732-00131

FROM: Matthew Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

## Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FNPER-AM.dot12/3/07



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

Mr. Ryoichi Koizumi  
Aisin Brake and Chassis, Inc.  
10550 James Adams Street  
Terre Haute, IN 47802

April 13, 2009

Re: F167-27732-00131  
First Administrative Amendment to  
F167-26654-00131

Dear Mr. Koizumi:

Aisin Brake and Chassis, Inc. was issued a Federally Enforceable State Operating Permit (FESOP) No. F167-26654-00131 on September 26, 2008 for a stationary automotive brake and brake component plant located at 10550 James Adams Street, Terre Haute, IN 47802. On April 8, 2009, the Office of Air Quality (OAQ) received an application from the source requesting that the permit be revised to remove all requirements related to local air pollution control agencies. Local agencies no longer have effective authority to implement state and federal requirements for IDEM. Therefore, IDEM has removed all references to local agencies from the permit. IDEM has determined that this change to the permit will be processed as an administrative amendment pursuant to 326 IAC 2-8-10.

The revised permit specifies that all reports, notices, applications, and any other required submittals shall be submitted to IDEM. The Permittee should note that the local agency could have its own requirements beyond the state and federal requirements contained in the permit. Please contact the local agency for further information.

Pursuant to the provisions of 326 IAC 2-8-10, the permit is hereby administratively amended as follows with the deleted language as ~~strikeouts~~ and new language **bolded**.

1. All references to local agencies have been removed from the permit.
2. The following conditions have been revised to clarify the requirements of the permit.

**B.6 Enforceability [326 IAC 2-8-6] [IC 13-17-12]**

- (a) Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM and VCAPC, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.
- (b) ~~Unless otherwise stated, all terms and conditions in this permit that are local requirements, including any provisions designed to limit the source's potential to emit, are enforceable by VCACP.~~
3. Several of IDEM's branches and sections have been renamed. Therefore, IDEM has updated the addresses listed in the permit. References to "Permit Administration and Development Section" and the "Permits Branch" have been changed to "Permit Administration and Support Section". References to "Asbestos Section", "Compliance Data Section", "Air Compliance Section", and "Compliance Branch" have been changed to "Compliance and Enforcement Branch". The permit has been revised as follows:


Indiana Department of Environmental Management  
**Permit Administration and Support Section**, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

Indiana Department of Environmental Management  
**Compliance and Enforcement Branch**, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

All other conditions of the permit shall remain unchanged and in effect. Attached please find the entire revised permit. A copy of the permit is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.idem.in.gov](http://www.idem.in.gov)

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Jason R. Krawczyk, of my staff, at 317-232-8427 or 1-800-451-6027, and ask for extension 2-8427.

Sincerely,



Iryn Callung, Section Chief  
Permits Branch  
Office of Air Quality

Attachments: Updated Permit

IC/JRK

cc: File - Vigo County  
Vigo County Health Department  
U.S. EPA, Region V  
Compliance and Enforcement Branch  
Billing, Licensing and Training Section



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

## New Source Construction and Federally Enforceable State Operating Permit OFFICE OF AIR QUALITY

**Aisin Brake & Chassis, Inc.**  
**10550 James Adam Street**  
**Terre Haute, Indiana 47802**

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

**The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.**

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a FESOP under 326 IAC 2-8.

|  |  |
|--|--|
| Operation Permit No.: F167-26654-00131   |  |
| Issued by: <i>Original Signed by:</i><br>Iryn Calilung, Section Chief<br>Permits Branch<br>Office of Air Quality | Issuance Date: September 26, 2008<br><br>Expiration Date: September 26, 2013 |

|  |  |
|--|--|
| First Administrative Amendment No.: F167-27732-00131   |  |
| Issued by:<br><br>Iryn Calilung, Section Chief<br>Permits Branch<br>Office of Air Quality | Issuance Date: April 13, 2009<br><br>Expiration Date: September 26, 2013 |

## TABLE OF CONTENTS

|   |           |
|---|-----------|
| <b>A. SOURCE SUMMARY.....</b>   | <b>5</b>  |
| A.1 General Information [326 IAC 2-8-3(b)]  |           |
| A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]  |           |
| A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]  |           |
| A.4 FESOP Applicability [326 IAC 2-8-2]   |           |
| <b>B. GENERAL CONDITIONS .....</b>  | <b>9</b>  |
| B.1 Definitions [326 IAC 2-8-1]   |           |
| B.2 Revocation of Permits [326 IAC 2-1.1-9(5)]  |           |
| B.3 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4][326 IAC 2-8]   |           |
| B.4 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]  |           |
| B.5 Term of Conditions [326 IAC 2-1.1-9.5]  |           |
| B.6 Enforceability [326 IAC 2-8-6]  |           |
| B.7 Severability [326 IAC 2-8-4(4)]   |           |
| B.8 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]  |           |
| B.9 Duty to Provide Information [326 IAC 2-8-4(5)(E)]   |           |
| B.10 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]   |           |
| B.11 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]  |           |
| B.12 Compliance Order Issuance [326 IAC 2-8-5(b)]   |           |
| B.13 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)]<br>[326 IAC 2-8-5(a)(1)]   |           |
| B.14 Emergency Provisions [326 IAC 2-8-12]  |           |
| B.15 Prior Permits Superseded [326 IAC 2-1.1-9.5]   |           |
| B.16 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]  |           |
| B.17 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]   |           |
| B.18 Permit Modification, Reopening, Revocation and Reissuance, or Termination<br>[326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]    |           |
| B.19 Permit Renewal [326 IAC 2-8-3(h)]  |           |
| B.20 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]  |           |
| B.21 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]   |           |
| B.22 Source Modification Requirement [326 IAC 2-8-11.1]   |           |
| B.23 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2]<br>[IC 13-30-3-1]   |           |
| B.24 Transfer of Ownership or Operational Control [326 IAC 2-8-10]  |           |
| B.25 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16]<br>[326 IAC 2-1.1-7]   |           |
| B.26 Advanced Source Modification Approval [326 IAC 2-8-4(11)] [326 IAC 2-1.1-9]  |           |
| B.27 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]  |           |
| <b>C. SOURCE OPERATION CONDITIONS .....</b>   | <b>19</b> |
| <b>Emission Limitations and Standards [326 IAC 2-8-4(1)]</b>  |           |
| C.1 Particulate Emission Limitations For Processes with Process Weight Rates<br>Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2] |           |
| C.2 Overall Source Limit [326 IAC 2-8]  |           |
| C.3 Opacity [326 IAC 5-1]   |           |
| C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]   |           |
| C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]  |           |
| C.6 Fugitive Dust Emissions [326 IAC 6-4]   |           |
| C.7 Stack Height [326 IAC 1-7]  |           |
| C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]   |           |

**Testing Requirements [326 IAC 2-8-4(3)]**

C.9 Performance Testing [326 IAC 3-6]

**Compliance Requirements [326 IAC 2-1.1-11]**

C.10 Compliance Requirements [326 IAC 2-1.1-11]

**Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]**

C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

C.12 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

C.13 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)]  
[326 IAC 2-8-5(1)]

**Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]**

C.14 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]

C.15 Response to Excursions or Exceedances [326 IAC 2-8-4] [326 IAC 2-8-5]

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4]  
[326 IAC 2-8-5]

**Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]**

C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

**Stratospheric Ozone Protection**

C.19 Compliance with 40 CFR 82 and 326 IAC 22-1

**D.1. EMISSIONS UNIT OPERATION CONDITIONS..... 26**

**Emission Limitations and Standards [326 IAC 2-8-4(1)]**

D.1.1 Volatile Organic Compounds (VOC) and Hazardous Air Pollutants (HAPs)[326 IAC 2-8-4(1)]

D.1.2 Volatile Organic Compounds (VOC) Limitations [326 IAC 8-2-9] [326 IAC 8-1-2]

**Compliance Determination Requirements**

D.1.3 Volatile Organic Compounds (VOCs) [326 IAC 8-1-2]

**Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]**

D.1.4 Record Keeping Requirements

D.1.5 Reporting Requirements

**D.2. EMISSIONS UNIT OPERATION CONDITIONS..... 30**

**Emission Limitations and Standards [326 IAC 2-8-4(1)]**

D.2.1 Particulate [326 IAC 6.5-1-2]

D.2.2 Preventative Maintenance Plan [326 IAC 1-6-3]

**Compliance Determination Requirements**

D.2.3 Particulate Matter (PM)

**Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]**

D.2.4 Cyclone Failure Detection

D.2.5 Visible Emissions Notations

**Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]**

D.2.6 Record Keeping Requirements

**D.3. EMISSIONS UNIT OPERATION CONDITIONS ..... 33**

**Emission Limitations and Standards [326 IAC 2-8-4(1)]**

D.3.1 Particulate [326 IAC 6.5-1-2]

D.3.2 Volatile Organic Compounds (VOC) [326 IAC 8-3-2][326 IAC 8-3-5]

Certification Form ..... 36  
Emergency Occurrence Form ..... 37  
Natural Gas Fired Boiler Certification ..... 39  
Quarterly Report Forms ..... 40 & 41  
Quarterly Deviation and Compliance Monitoring Report Form ..... 42  
Affidavit of Construction ..... 44

## SECTION A

## SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

### A.1 General Information [326 IAC 2-8-3(b)]

---

The Permittee owns and operates a stationary automotive brake and brake component plant.

|                              |  |
|------------------------------|--|
| Source Address:              | 10550 James Adams Street, Terre Haute, IN 47802  |
| Mailing Address:             | 10550 James Adams Street, Terre Haute, IN 47802  |
| General Source Phone Number: | (812) 298-1617   |
| SIC Code:                    | 3714   |
| County Location:             | Vigo   |
| Source Location Status:      | Attainment for all criteria pollutants   |
| Source Status:               | Federally Enforceable State Operating Permit Program<br>Minor Source, under PSD and Emission Offset Rules<br>Minor Source, Section 112 of the Clean Air Act<br>Not 1 of 28 Source Categories |

### A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

---

This stationary source consists of the following emission units and pollution control devices:

- (a) One (1) surface coating line with a maximum capacity of 4,100 parts per hour including:
  - (1) One (1) dip surface coating operation, identified as EFS, constructed in March 2004, utilizing no control devices, exhausting to stack EFS.
- (b) One (1) brake shoe primer line with a maximum capacity of 2,500 units per hour including:
  - (1) One (1) brake shoe dip primer coating operation, identified as SS2-2, constructed in March 2006, utilizing no control devices, exhausting to stack SS2-2.
  - (2) One (1) brake shoe dip primer coating operation, identified as SS2-3, approved for construction in 2008, utilizing no control devices, exhausting to stack SS2-3.
- (c) One (1) brake shoe adhesive application line with a maximum capacity of 2,500 units per hour including:
  - (1) Two (2) brake shoe adhesive application operations, identified as SS3-1 and SS3-2 constructed in March 2006, utilizing no control devices, exhausting to stacks SS3-1 and SS3-2.
  - (2) Two (2) brake shoe adhesive electric cure ovens, identified as SS3-3 and SS 3-4, constructed in March 2006, exhausting to stacks SS3-3 and SS3-4.
- (d) One (1) brake shoe grinding operation final cure electric oven, identified as SS4-3, constructed in March 2006, with a maximum capacity of 2,500 units per hour, exhausting to stack SS4-3.
- (e) One Brake shoe grinding operation with a combined maximum capacity of 2500 units per hour, consisting of the following emission units:

- (1) Two (2) brake shoe grinding stations, identified as SS4-1a and SS4-1b, constructed in March 2006, each utilizing a separate cyclone for particulate control; collectively exhausting through stack SS4-1-1.
- (2) Two (2) brake shoe grinding stations, identified as SS4-1c through SS4-1d, approved for construction in 2008, utilizing one (1) cyclone for particulate control; collectively exhausting within the building.
- (3) Two (2) brake shoe grinding stations, identified as SS4-1e through SS4-1f, approved for construction in 2008, utilizing one (1) cyclone for particulate control; collectively exhausting within the building.

A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities:

- (a) Welding and cutting operations, constructed in March 2006, consisting of the following:
  - (1) One (1) brake shoe resistance welding station, identified as SS1-1, with a maximum capacity of 2,500 units per hour and an electrode consumption rate of 0.05 pounds per hour, utilizing a fabric filter as particulate control, exhausting within the building.
  - (2) One (1) resistance welding station with a maximum electrode consumption rate of 0.2 pounds per hour, utilizing no control devices.
  - (3) Four (4) metal inert gas (MIG) welding stations, each with a maximum electrode consumption rate of 2.0 pounds per hour, utilizing no control devices.
  - (4) One (1) stick welding station with a maximum electrode consumption rate of 0.1 pounds per hour, utilizing no control devices.
  - (5) One (1) tungsten inert gas (TIG) welding station with a maximum electrode consumption rate of 0.1 pounds per hour, utilizing no control devices.
  - (6) One (1) oxyacetylene welding station with a maximum electrode consumption rate of 0.1 pounds per hour, utilizing no control devices.
  - (7) One (1) plasma cutting station with a maximum cutting rate of 12 inches per minute at a material thickness of 0.5 inches, utilizing no control devices.
- (b) Machining where an aqueous cutting coolant continuously floods the machining interface including:

Three (3) wet machining operations, constructed in March 2004, utilizing mist eliminators for particulate control; exhausting within the building, consisting of the following:

  - (1) One (1) wet machining unit, identified as 311 Plunger, with a maximum capacity of 134 pieces per hour.
  - (2) One (1) wet machining unit, identified as 321 Cover, with a maximum capacity of 131 pieces per hour.
  - (3) One (1) wet machining unit, identified as 331 Fusion, with a maximum capacity of 57 pieces per hour.

- (c) One (1) electric induction heat treat hardening oven, identified as SS1-2, approved for construction in 2008, with a maximum capacity of 2,500 units per hour, utilizing a mist eliminator for particulate control, and exhausting within the facility.
- (d) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British thermal units per hour, including:
  - (1) Eight (8) natural gas units, identified as RTF-1 through RTF-8, constructed in February 2002, with each rated for a maximum capacity of 0.54 MMBtu/hr.
  - (2) Thirteen (13) natural gas units, identified as RTF-12 through RTF-24, constructed in June 2006, with each rated for a maximum capacity of 0.54 MMBtu/hr.
  - (3) One (1) natural gas fired hot water boiler, identified as BS1, constructed in September 2003, rated at a maximum capacity of 5.0 MMBtu/hr, utilizing no control devices, and exhausting to stack BS1.
  - (4) One (1) natural gas fired paint dry/bake oven, identified as BS2, constructed in September 2003, rated at a maximum capacity of 3.5 MMBtu/hr, utilizing no control devices, and exhausting to stack BS2.
  - (5) One (1) natural gas fired curing oven, identified as SS4-2, approved for construction in 2008, rated at a maximum capacity of 4.6 MMBtu/hr, utilizing no control devices, and exhausting to stack SS4-2.
- (e) Emergency generator:
  - (1) One (1) natural gas fired back up generator, identified as Back-up Generator 1, constructed in March 2006, rated at a maximum capacity of 0.59 MMBtu/hr, utilizing no control devices, and exhausting to stack Back-up Generator.
- (f) Degreasing operations that do not exceed one hundred forty-five (145) gallons per twelve (12) months, except if subject to 326 IAC 20-6; including the following:
  - (1) One (1) degreasing operation identified as MC, constructed in March 2006, exhausting to stack MC.
  - (2) Maintenance cold cleaners.
- (g) Vessels storing lubricating oils, hydraulic oils, machining oils, and machining fluids.
- (h) Cleaners and solvents characterized as follows:
  - (1) Having a vapor pressure equal to or less than 0.7 kPAI 5mm Hg; or 0.1 psi measured at 20° C (68° F); the use of which for all cleaners and solvents combined does not exceed 145 gallons per 12 months.
- (i) Closed loop heating and cooling systems.
- (j) Activities associated with the treatment of wastewater streams with an oil and grease content less than or equal to 1% by volume.
- (k) Any operation using aqueous solutions containing less than 1% VOC by weight of VOCs excluding HAPs including the following:
  - (1) One (1) aqueous pre-treatment cleaning operation, identified as PT, constructed in

March 2006, utilizing no control devices, exhausting to stack PT.

- (2) One (1) aqueous brake shoe washing operation, identified as SS2-1, constructed in March 2006, utilizing no control devices, exhausting to stack SS2-1.
- (3) One (1) aqueous degreasing operation, identified as DSU, constructed in June 2006, exhausting to stack DSU.
- (l) Quenching operations used with heat treating processes.
- (m) Replacement or repair of electrostatic precipitators, bags in baghouses and filters in other air filtration equipment.
- (n) Heat exchanger cleaning and repair.
- (o) Paved and unpaved roadways and parking lots with public access.
- (p) Blowdown for any of the following: sight glass; boiler; compressors; pumps; and cooling tower.
- (q) On-site fire and emergency response training approved by the department.
- (r) Filter or coalescer media changeout
- (s) A laboratory as defined in 326 IAC 2-7-1(20)(C).

A.4 FESOP Applicability [326 IAC 2-8-2]

---

This stationary source, otherwise required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Federally Enforceable State Operating Permit (FESOP).

## **SECTION B GENERAL CONDITIONS**

### **B.1 Definitions [326 IAC 2-8-1]**

---

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

### **B.2 Revocation of Permits [326 IAC 2-1.1-9(5)]**

---

Pursuant to 326 IAC 2-1.1-9(5)(Revocation of Permits), the Commissioner may revoke this permit if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

### **B.3 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4][326 IAC 2-8]**

---

This document shall also become the approval to operate pursuant to 326 IAC 2-5.1-4 and [326 IAC 2-8] when prior to the start of operation, the following requirements are met:

- (a) The attached Affidavit of Construction shall be submitted to the Office of Air Quality (OAQ), verifying that the emission units were constructed as proposed in the application or the permit. The emission units covered in this permit may begin operating on the date the Affidavit of Construction is postmarked or hand delivered to IDEM if constructed as proposed.
- (b) If actual construction of the emission units differs from the construction proposed in the application, the source may not begin operation until the permit has been revised pursuant to 326 IAC 2 and an Operation Permit Validation Letter is issued.
- (c) The Permittee shall attach the Operation Permit Validation Letter received from the Office of Air Quality (OAQ) to this permit.

### **B.4 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]**

---

- (a) This permit, F167-26654-00131, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, until the renewal permit has been issued or denied.

### **B.5 Term of Conditions [326 IAC 2-1.1-9.5]**

---

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

### **B.6 Enforceability [326 IAC 2-8-6]**

---

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

**B.7 Severability [326 IAC 2-8-4(4)]**

---

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

**B.8 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]**

---

This permit does not convey any property rights of any sort or any exclusive privilege.

**B.9 Duty to Provide Information [326 IAC 2-8-4(5)(E)]**

---

(a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The submittal by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.

(b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

**B.10 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]**

---

(a) Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by an "authorized individual" of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

(b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.

(c) An "authorized individual" is defined at 326 IAC 2-1.1-1(1).

**B.11 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]**

---

(a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The initial certification shall cover the time period from the date of final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than July 1 of each year to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

(b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.

- (c) The annual compliance certification report shall include the following:
- (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
  - (2) The compliance status;
  - (3) Whether compliance was continuous or intermittent;
  - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-8-4(3); and
  - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ may require to determine the compliance status of the source.

The submittal by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

B.12 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.13 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)][326 IAC 2-8-5(a)(1)]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after issuance of this permit, including the following information on each facility:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
  - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
  - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or

potential to emit. The PMPs do not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.14 Emergency Provisions [326 IAC 2-8-12]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation except as provided in 326 IAC 2-8-12.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:
  - (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
  - (2) The permitted facility was at the time being properly operated;
  - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
  - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality,  
Compliance Section), or  
Telephone Number: 317-233-0178 (ask for Compliance Section)  
Facsimile Number: 317-233-6865

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;

- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
  - (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
  - (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
  - (e) The Permittee seeking to establish the occurrence of an emergency shall make records available upon request to ensure that failure to implement a PMP did not cause or contribute to an exceedance of any limitations on emissions. However, IDEM, OAQ may require that the Preventive Maintenance Plans required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
  - (f) Failure to notify IDEM, OAQ by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
  - (g) Operations may continue during an emergency only if the following conditions are met:
    - (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
    - (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
      - (A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
      - (B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial economic value.
- Any operations shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.
- (h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report.

**B.15 Prior Permits Superseded [326 IAC 2-1.1-9.5]**

---

- (a) All terms and conditions of permits established prior to F167-26654-00131 and issued pursuant to permitting programs approved into the state implementation plan have been either:

- (1) incorporated as originally stated,
- (2) revised, or
- (3) deleted.

(b) All previous registrations and permits are superseded by this permit.

B.16 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-9.

B.17 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]

(a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provisions), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

using the attached Quarterly Deviation and Compliance Monitoring Report, or its equivalent. A deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report.

The Quarterly Deviation and Compliance Monitoring Report does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.

B.18 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]

(a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Federally Enforceable State Operating Permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:

- (1) That this permit contains a material mistake.
- (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
- (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]

- (c) Proceedings by IDEM, OAQ to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-8-8(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

**B.19 Permit Renewal [326 IAC 2-8-3(h)]**

---

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management  
Permit Administration and Support Section, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

- (b) A timely renewal application is one that is:
  - (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
  - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ any additional information identified as being needed to process the application.

**B.20 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]**

---

- (a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-8-10 or 326 IAC 2-8-11.1 whenever the Permittee seeks to amend or modify this permit.
- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management  
Permit Administration and Support Section, Office of Air Quality  
100 North Senate Avenue

MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251  
and

Any such application shall be certified by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.21 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-8-15(b) through (d) without a prior permit revision, if each of the following conditions is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any approval required by 326 IAC 2-8-11.1 has been obtained;
- (3) The changes do not result in emissions which exceed the limitations provided in this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management  
Permit Administration and Support Section, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V  
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)  
77 West Jackson Boulevard  
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-8-15(b) through (d). The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ in the notices specified in 326 IAC 2-8-15(b)(2), (c)(1), and (d).

- (b) Emission Trades [326 IAC 2-8-15(c)]  
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(c).
- (c) Alternative Operating Scenarios [326 IAC 2-8-15(d)]  
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (d) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

**B.22 Source Modification Requirement [326 IAC 2-8-11.1]**

---

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2 and 326 IAC 2-8-11.1.

**B.23 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2][IC 13-30-3-1]**

---

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a FESOP source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

**B.24 Transfer of Ownership or Operational Control [326 IAC 2-8-10]**

---

- (a) The Permittee must comply with the requirements of 326 IAC 2-8-10 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management  
Permit Administration and Support Section, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

The application which shall be submitted by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.25 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ within thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.26 Advanced Source Modification Approval [326 IAC 2-8-4(11)] [326 IAC 2-1.1-9]

- (a) The requirements to obtain a permit modification under 326 IAC 2-8-11.1 are satisfied by this permit for the proposed emission units, control equipment or insignificant activities in Sections A.2 and A.3.
- (b) Pursuant to 326 IAC 2-1.1-9 any permit authorizing construction may be revoked if construction of the emission unit has not commenced within eighteen (18) months from the date of issuance of the permit, or if during the construction, work is suspended for a continuous period of one (1) year or more.

B.27 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

## SECTION C

## SOURCE OPERATION CONDITIONS

Entire Source

### Emission Limitations and Standards [326 IAC 2-8-4(1)]

#### C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.

#### C.2 Overall Source Limit [326 IAC 2-8]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

(a) Pursuant to 326 IAC 2-8:

- (1) The potential to emit any regulated pollutant, except particulate matter (PM), from the entire source shall be limited to less than one hundred (100) tons per twelve (12) consecutive month period.
- (2) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
- (3) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.

(b) The potential to emit particulate matter (PM) from the entire source shall be limited to less than two hundred fifty (250) tons per twelve (12) consecutive month period. This limitation shall make the requirements of 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)) not applicable.

(c) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided that the source's potential to emit does not exceed the above specified limits.

(d) Section D of this permit contains independently enforceable provisions to satisfy this requirement.

#### C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

(a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

(b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A,

Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]

---

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

---

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as provided in 326 IAC 4-2 and 326 IAC 9-1-2.

C.6 Fugitive Dust Emissions [326 IAC 6-4]

---

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.7 Stack Height [326 IAC 1-7]

---

The Permittee shall comply with the applicable provisions of 326 IAC 1-7 (Stack Height Provisions), for all exhaust stacks through which a potential (before controls) of twenty-five (25) tons per year or more of particulate matter or sulfur dioxide is emitted.

C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

---

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
  - (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
  - (2) If there is a change in the following:
    - (A) Asbestos removal or demolition start date;
    - (B) Removal or demolition contractor; or
    - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) **Procedures for Asbestos Emission Control**  
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Demolition and Renovation**  
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Licensed Asbestos Inspector**  
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Licensed Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos.

### **Testing Requirements [326 IAC 2-8-4(3)]**

#### **C.9 Performance Testing [326 IAC 3-6]**

---

- (a) Compliance testing on new emissions units shall be conducted within 60 days after achieving maximum production rate, but no later than 180 days after initial start-up, if specified in Section D of this approval. All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

**Compliance Requirements [326 IAC 2-1.1-11]**

**C.10 Compliance Requirements [326 IAC 2-1.1-11]**

---

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

**Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]**

**C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]**

---

Unless otherwise specified in this permit, all monitoring and record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance. If required by Section D, the Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. If due to circumstances beyond its control, that equipment cannot be installed and operated within ninety (90) days, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units or emission units added through a permit revision shall be implemented when operation begins.

**C.12 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]**

---

Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60, Appendix B, 40 CFR 63, or other approved methods as specified in this permit.

**C.13 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)][326 IAC 2-8-5(1)]**

---

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale.
- (b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

**Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]**

**C.14 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]**

---

If a regulated substance, as defined in 40 CFR 68, is present at a source in more than a threshold quantity, the Permittee must comply with the applicable requirements of 40 CFR 68.

**C.15 Response to Excursions or Exceedances [326 IAC 2-8-4] [326 IAC 2-8-5]**

---

- (a) Upon detecting an excursion or exceedance, the Permittee shall restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions.
- (b) The response shall include minimizing the period of any startup, shutdown or malfunction and taking any necessary corrective actions to restore normal operation and prevent the likely recurrence of the cause of an excursion or exceedance (other than those caused by excused startup or shutdown conditions). Corrective actions may include, but are not limited to, the following:
  - (1) initial inspection and evaluation;
  - (2) recording that operations returned to normal without operator action (such as through response by a computerized distribution control system); or
  - (3) any necessary follow-up actions to return operation to within the indicator range, designated condition, or below the applicable emission limitation or standard, as applicable.
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:
  - (1) monitoring results;
  - (2) review of operation and maintenance procedures and records; and/or
  - (3) inspection of the control device, associated capture system, and the process.

- (d) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (e) The Permittee shall maintain the following records:
  - (1) monitoring data;
  - (2) monitor performance data, if applicable; and
  - (3) corrective actions taken.

**C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4][326 IAC 2-8-5]**

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.
- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

**Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]**

**C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]**

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

**C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]**

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported. This report shall be submitted within thirty (30) days of the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (d) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (e) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period. Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit "calendar year" means the twelve (12) month period from January 1 to December 31 inclusive.

### **Stratospheric Ozone Protection**

#### **C.19 Compliance with 40 CFR 82 and 326 IAC 22-1**

---

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

- (a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- (b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- (c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

## SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

### Emissions Unit Description:

- (a) One (1) surface coating line with a maximum capacity of 4,100 parts per hour including:
  - (1) One (1) dip surface coating operation, identified as EFS, constructed in March 2004, utilizing no control devices, exhausting to stack EFS.
- (b) One (1) brake shoe primer line with a maximum capacity of 2,500 units per hour including:
  - (1) One (1) brake shoe washing operation, identified as SS2-1, constructed in March 2006, utilizing no control devices, exhausting to stack SS2-1.
  - (2) One (1) brake shoe dip primer coating operation, identified as SS2-2, constructed in March 2006, utilizing no control devices, exhausting to stack SS2-2.
  - (3) One (1) brake shoe dip primer coating operation, identified as SS2-3, approved for construction in 2008, utilizing no control devices, exhausting to stack SS2-3.
- (c) One (1) brake shoe adhesive application line with a maximum capacity of 2,500 units per hour including:
  - (1) Two (2) brake shoe adhesive application operations, identified as SS3-1 and SS3-2 constructed in March 2006, utilizing no control devices, exhausting to stacks SS3-1 and SS3-2.
  - (2) Two (2) brake shoe adhesive electric cure ovens, identified as SS3-3 and SS 3-4, constructed in March 2006, exhausting to stacks SS3-3 and SS3-4.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

### Emission Limitations and Standards [326 IAC 2-8-4(1)]

#### D.1.1 Volatile Organic Compounds (VOC) and Hazardous Air Pollutants (HAPs) [326 IAC 2-8-4(1)]

- (a) The combined total input volatile organic compounds (VOC) including solvents, coatings, and adhesives delivered to emission units EFS, SS2-2, SS2-3, SS3-1, and SS3-2 shall be limited to less than or equal to 97.32 tons per twelve (12) consecutive month period with compliance determined at the end of each month.
- (b) The combined total input hazardous air pollutants (HAP) delivered to emission units EFS, SS2-2, SS2-3, SS3-1, and SS3-2 shall be limited such that input of any single HAP shall not exceed 9.90 tons per twelve (12) consecutive month period with compliance determined at the end of each month. The input of total HAPs shall not exceed 23.48 tons per twelve (12) consecutive month period with compliance determined at the end of each month, respectively.

Compliance with these limitations in conjunction with the PTE of the other emission units limits the VOC of the entire source to less than 100 tons per year, Single HAP emissions of the entire source to 10 tons per year, and Combined HAP emissions of the entire source to 25 tons per year, and shall make the requirements of 326 IAC 2-2 (PSD) and 326 IAC 2-7 (Part 70) not applicable to the source.

**D.1.2 Volatile Organic Compound (VOC) Limitations [326 IAC 8-2-9] [326 IAC 8-1-2]**

---

- (a) Pursuant to 326 IAC 8-2-9, the Permittee shall not allow the discharge into the atmosphere of VOC in excess of three (3.5) pounds of VOC per gallon of coating, excluding water, as delivered to the applicator of emission units EFS, SS2-2, and SS2-3.
- (b) Pursuant to 326 IAC 8-1-2, EFS, SS2-2, and SS2-3 VOC emissions shall be limited to no greater than the equivalent emissions of six and seven-tenths (6.7) pounds of VOC per gallon of coating solids for air dried or forced warm air dried coatings, as allowed at 326 IAC 8-1-2 (a)(9)(A).

**Compliance Determination Requirements**

**D.1.3 Volatile Organic Compounds (VOCs) [326 IAC 8-1-2]**

---

- (a) Compliance with the VOC content and usage limitations contained in Conditions D.1.1 shall be determined pursuant to 326 IAC 8-1-4(a)(3) and 326 IAC 8-1-2(a) by preparing or obtaining from the manufacturer the copies of the “as supplied” and “as applied” VOC data sheets. IDEM, OAQ, reserves the authority to determine compliance using Method 24 in conjunction with the analytical procedures specified in 326 IAC 8-1-4.
- (b) Compliance with the equivalent VOC content limitation contained in D.1.2 shall be determined pursuant to 326 IAC 8-1-2(a)(9)(B) as follows:
  - (1) Calculate the VOC content of a dip coating, expressed in units of weight of VOC per volume of coating solids, on a thirty (30) day rolling average basis using the following equation:

$$VOC_A = (3 (W_{oi} \times D_{ci} \times Q_i) + 3 (W_{oJ} \times D_{dJ} \times Q_J)) / (3 (V_{ni} \times Q_i))$$

Where:

$VOC_A$  = The as-applied, VOC content in pound VOC per gallon (lb VOC/gal) of coating solids for a dip coating, calculated on a thirty (30) day rolling average basis.

$W_{oi}$  = Percent VOC by weight of each as supplied coating (i) added to the dip coating process, expressed as a decimal fraction (that is 55% = 0.55).

$D_{ci}$  = Density of each as supplied coating (i) added to the dip coating process, in pounds per gallon.

$Q_i$  = Quantity of each as supplied coating (i) added to the dip coating process, in gallons.

$V_{ni}$  = Percent solids by volume of each as supplied coating (i) added to the dip coating process, expressed as a decimal fraction.

$W_{oJ}$  = Percent VOC by weight of each thinner (J) added to the dip coating process, expressed as a decimal fraction.

$D_{dJ}$  = Density of each thinner (J) added to the dip coating process, in pounds per gallon.

$Q_J$  = Quantity of each thinner (J) added to the dip coating process, in gallons.

- (b) Compliance with Condition D.1.1 shall be demonstrated within 30 days of the end of each month based on the VOC usage for the most recent twelve (12) consecutive month period.
- (c) Compliance with Conditions D.1.2 shall be demonstrated within 30 days of the end of each compliance period based on the VOC usage for the most recent thirty (30) day consecutive period.

### **Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]**

#### **D.1.4 Record Keeping Requirements**

---

- (a) To document compliance with Condition D.1.1, the Permittee shall maintain records in accordance with (1) through (5) below. Records maintained for (1) through (5) shall be taken monthly and shall be complete and sufficient to establish compliance with the VOC and HAP usage limits and/or the VOC and HAP emission limits established in Condition D.1.1.
  - (1) The VOC and HAP content of the material and solvent used for each month;
  - (2) The amount of coating material and solvent less water used on monthly basis.
    - (A) Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used.
    - (B) Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvents.
  - (3) The cleanup solvent usage for each month;
  - (4) The total VOC and HAPs usage for each month;
  - (5) The weight of VOCs and HAPs emitted for each compliance period.
- (b) To document compliance with Condition D.1.2, the Permittee shall maintain the following records on a daily basis for each VOC-containing coating, solvent, or other material added to the tank:
  - (1) The following parameters for each coating, thinner, or other material as supplied:
    - (aa) The coating, thinner, or other material identification number.
    - (bb) The volume used.
    - (cc) The mix ratio.
    - (dd) The density or specific gravity.
    - (ee) The weight percent of total volatiles, water, solids, and exempt solvents.
    - (ff) The volume percent of solids.
  - (2) The VOC content of each coating and thinner as supplied.
  - (3) The VOC content of each as-applied coating.

- (c) Maintain all records necessary to confirm compliance with Condition D.1.2:
  - (1) On-site for the most recent three (3) year period.
  - (2) Make reasonably accessible for an additional two (2) years.
- (d) Records maintained for (b)(1) through (b)(3) shall be taken daily and shall be complete and sufficient to establish compliance with the VOC usage limits and/or the VOC emission limits established in Condition D.1.2. Records necessary to demonstrate compliance shall be available within 30 days of the end of each compliance period.
- (e) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

---

#### D.1.5 Reporting Requirements

---

A quarterly summary of the information to document compliance with Condition D.1.1 shall be submitted to the address listed in Section C - General Reporting Requirements, of this permit, using the reporting forms located at the end of this permit, or their equivalent, within thirty (30) days after the end of the quarter being reported. The report submitted by the Permittee does require the certification by the authorized individual as defined by 326 IAC 2-1.1-1(1).

## SECTION D.2 EMISSIONS UNIT OPERATION CONDITIONS

### Emissions Unit Description:

- (d) One (1) brake shoe grinding operation final cure electric oven, identified as SS4-3, constructed in March 2006, with a maximum capacity of 2,500 units per hour, exhausting to stack SS4-3.
- (e) One Brake shoe grinding operation with a combined maximum capacity of 2500 units per hour, consisting of the following emission units:
  - (1) Two (2) brake shoe grinding stations, identified as SS4-1a and SS4-1b, constructed in March 2006, each utilizing a separate cyclone for particulate control; collectively exhausting through stack SS4-1-1.
  - (2) Two (2) brake shoe grinding stations, identified as SS4-1c through SS4-1d, approved for construction in 2008, utilizing one (1) cyclone for particulate control; collectively exhausting within the building.
  - (3) Two (2) brake shoe grinding stations, identified as SS4-1e through SS4-1f, approved for construction in 2008, utilizing one (1) cyclone for particulate control; collectively exhausting within the building.

### Insignificant Activities:

- (a) Welding and cutting operations, constructed in March 2006, consisting of the following:
  - (1) One (1) brake shoe resistance welding station, identified as SS1-1, with a maximum capacity of 2,500 units per hour and an electrode consumption rate of 0.05 pounds per hour, utilizing a fabric filter as particulate control, exhausting within the building.
  - (2) One (1) resistance welding station with a maximum electrode consumption rate of 0.2 pounds per hour, utilizing no control devices.
  - (3) Four (4) metal inert gas (MIG) welding stations, each with a maximum electrode consumption rate of 2.0 pounds per hour, utilizing no control devices.
  - (4) One (1) stick welding station with a maximum electrode consumption rate of 0.1 pounds per hour, utilizing no control devices.
  - (5) One (1) tungsten inert gas (TIG) welding station with a maximum electrode consumption rate of 0.1 pounds per hour, utilizing no control devices.
  - (6) One (1) oxyacetylene welding station with a maximum electrode consumption rate of 0.1 pounds per hour, utilizing no control devices.
  - (7) One (1) plasma cutting station with a maximum cutting rate of 12 inches per minute at a material thickness of 0.5 inches, utilizing no control devices.
- (b) Machining where an aqueous cutting coolant continuously floods the machining interface including:

Three (3) wet machining operations, constructed in March 2004, utilizing mist eliminators for particulate control; exhausting within the building, consisting of the following:

- (1) One (1) wet machining unit, identified as 311 Plunger, with a maximum capacity of 134 pieces per hour.
- (2) One (1) wet machining unit, identified as 321 Cover, with a maximum capacity of 131 pieces per hour.
- (3) One (1) wet machining unit, identified as 331 Fusion, with a maximum capacity of 57 pieces per hour.
- (c) One (1) electric induction heat treat hardening oven, identified as SS1-2, approved for construction in 2008, with a maximum capacity of 2,500 units per hour, utilizing a mist eliminator for particulate control, and exhausting within the facility.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

### **Emission Limitations and Standards [326 IAC 2-8-4(1)]**

#### **D.2.1 Particulate [326 IAC 6.5-1-2]**

- (a) Pursuant to 326 IAC 6.5-1-2(a), the brake shoe grinding operations, identified as SS4-1a and SS4-1b, shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).
- (b) Pursuant to 326 IAC 6.5-1-2(a), the brake shoe grinding operations, identified as SS4-1c and SS4-1d, shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).
- (c) Pursuant to 326 IAC 6.5-1-2(a), the brake shoe grinding operations, identified as SS4-1e and SS4-1f, shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).
- (c) Pursuant to 326 IAC 6.5-1-2(a), brake shoe welding operations including the resistance welding booth SS1-1 shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).
- (d) Pursuant to 326 IAC 6.5-1-2(a), the wet machining operations, identified as 311 Plunger, 321 Cover, and 331 Fusion, shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).
- (e) Pursuant to 326 IAC 6.5-1-2(a), the electric induction hardening heat treat oven, identified as SS1-2, shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).

#### **D.2.2 Preventive Maintenance Plan [326 IAC 1-6-3]**

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for grinding stations SS4-1a through SS4-1f, the welding operations including welding station SS1-1, the wet machining operations identified as 311 Plunger, 321 Cover, and 331 Fusion, and the induction heat treat hardening oven SS1-2.

## Compliance Determination Requirements

### D.2.3 Particulate Matter (PM)

---

The cyclone dust collection system, consisting of four (4) cyclone separators shall be in operation and control emissions from the grinding stations identified as SS4-1a through SS4-1f at all times the emission units are in operation.

## Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

### D.2.4 Cyclone Failure Detection

---

In the event that cyclone failure has been observed:

Failed units and the associated process will be shut down immediately until the failed units have been repaired or replaced. Operations may continue only if the event qualifies as an emergency.

### D.2.5 Visible Emissions Notations

---

- (a) Visible emission notations of the SS4-1-1 stack exhaust shall be performed once per day during normal daylight operations when exhausting to the atmosphere. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) If abnormal emissions are observed, the Permittee shall take reasonable response steps in accordance with Section C – Response to Excursions or Exceedances. Failure to take response steps in accordance with Section C - Response to Excursions or Exceedances shall be considered a deviation from this permit.

## Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

### D.2.6 Record Keeping Requirement

---

- (a) To document compliance with Condition D.2., the Permittee shall maintain records of visible emission notations of the SS4-1-1 stack exhaust once per day. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g. the process did not operate that day).
- (b) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

### SECTION D.3 EMISSIONS UNIT OPERATION CONDITIONS

#### Insignificant Activities:

- (d) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) British thermal units per hour, including:
  - (1) Eight (8) natural gas units, identified as RTF-1 through RTF-8, constructed in February 2002, with each rated for a maximum capacity of 0.54 MMBtu/hr.
  - (2) Thirteen (13) natural gas units, identified as RTF-12 through RTF-24, constructed in June 2006, with each rated for a maximum capacity of 0.54 MMBtu/hr.
  - (3) One (1) natural gas fired hot water boiler, identified as BS1, constructed in September 2003, rated at a maximum capacity of 5.0 MMBtu/hr, utilizing no control devices, and exhausting to stack BS1.
  - (4) One (1) natural gas fired paint dry/bake oven, identified as BS2, constructed in September 2003, rated at a maximum capacity of 3.5 MMBtu/hr, utilizing no control devices, and exhausting to stack BS2.
  - (5) One (1) natural gas fired curing oven, identified as SS4-2, approved for construction in 2008, rated at a maximum capacity of 4.6 MMBtu/hr, utilizing no control devices, and exhausting to stack SS4-2.
- (e) Emergency generator:
  - (1) One (1) natural gas fired back up generator, identified as Back-up Generator 1, constructed in March 2006, rated at a maximum capacity of 0.59 MMBtu/hr, utilizing no control devices, and exhausting to stack Back-up Generator.
- (f) Degreasing operations that do not exceed one hundred forty-five (145) gallons per twelve (12) months, except if subject to 326 IAC 20-6; including the following:
  - (1) One (1) degreasing operation identified as MC, constructed in March 2006, exhausting to stack MC.
  - (2) Maintenance cold cleaners.
- (g) Vessels storing lubricating oils, hydraulic oils, machining oils, and machining fluids.
- (h) Cleaners and solvents characterized as follows:
  - (1) Having a vapor pressure equal to or less than 0.7 kPAI 5mm Hg; or 0.1 psi measured at 20° C (68° F); the use of which for all cleaners and solvents combined does not exceed 145 gallons per 12 months.
- (i) Closed loop heating and cooling systems.
- (j) Activities associated with the treatment of wastewater streams with an oil and grease content less than or equal to 1% by volume.
- (k) Any operation using aqueous solutions containing less than 1% VOC by weight of VOCs excluding HAPs including the following:

- (1) One (1) aqueous pre-treatment cleaning operation, identified as PT, constructed in March 2006, utilizing no control devices, exhausting to stack PT.
- (2) One (1) aqueous brake shoe washing operation, identified as SS2-1, constructed in March 2006, utilizing no control devices, exhausting to stack SS2-1.
- (3) One (1) aqueous degreasing operation, identified as DSU, constructed in June 2006, exhausting to stack DSU.
- (l) Quenching operations used with heat treating processes.
- (m) Replacement or repair of electrostatic precipitators, bags in baghouses and filters in other air filtration equipment.
- (n) Heat exchanger cleaning and repair.
- (o) Paved and unpaved roadways and parking lots with public access.
- (p) Blowdown for any of the following: sight glass; boiler; compressors; pumps; and cooling tower.
- (q) On-site fire and emergency response training approved by the department.
- (r) Filter or coalescer media changeout
- (s) A laboratory as defined in 326 IAC 2-7-1(20)(C).

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

### **Emission Limitations and Standards [326 IAC 2-8-4(1)]**

#### **D.3.1 Particulate [326 IAC 6.5-1-2]**

- (a) Pursuant to 326 IAC 6.5-1-2(a), the natural gas-fired combustion sources RTF-1 through RTF-8, RTF-12 through RTF-24, BS2, and SS4-2 shall not allow or permit discharge to the atmosphere of any gases which contain particulate matter in excess of 0.03 grain per dry standard cubic foot (dscf).
- (b) Pursuant to 326 IAC 6.5-1-2(b)(3), the natural gas BS1, shall not allow or permit discharge to the atmosphere of any gasses which contain particulate matter in excess of 0.01 grain per dry standard cubic foot (dscf).

#### **D.3.2 Volatile Organic Compounds (VOC) [326 IAC 8-3-2][326 IAC 8-3-5]**

Pursuant to 326 IAC 8-3-2, for cold cleaning operations constructed after January 1, 1980, the Permittee shall:

- (a) Equip the cleaner with a cover;
- (b) Equip the cleaner with a facility for draining cleaned parts;
- (c) Close the degreaser cover whenever parts are not being handled in the cleaner;
- (d) Drain cleaned parts for at least fifteen (15) seconds or until dripping ceases;
- (e) Provide a permanent, conspicuous label summarizing the operation requirements;

- (f) Store waste solvent only in covered containers and not dispose of waste solvent or transfer it to another party, in such a manner that greater than twenty percent (20%) of the waste solvent (by weight) can evaporate into the atmosphere.

Pursuant to 326 IAC 8-3-5(a), the owner or operator of a cold cleaner degreaser facility shall ensure that the following control equipment requirements are met:

- (1) Equip the degreaser with a cover. The cover must be designed so that it can be easily operated with one (1) hand if:
  - (A) The solvent volatility is greater than two (2) kiloPascals (fifteen (15) millimeters of mercury or three-tenths (0.3) pounds per square inch) measured at thirty-eight degrees Celsius (38°C) (one hundred degrees Fahrenheit (100°F));
  - (B) The solvent is agitated; or
  - (C) The solvent is heated.
- (2) Equip the degreaser with a facility for draining cleaned articles. If the solvent volatility is greater than four and three-tenths (4.3) kiloPascals (thirty-two (32) millimeters of mercury) or six-tenths (0.6) pounds per square inch) measured at thirty-eight degrees Celsius (38°C) (one hundred degrees Fahrenheit (100°F)), then the drainage facility must be internal such that articles are enclosed under the cover while draining. The drainage facility may be external for applications where an internal type cannot fit into the cleaning system.
- (3) Provide a permanent, conspicuous label which lists the operating requirements outlined in subsection (b).
- (4) The solvent spray, if used, must be a solid, fluid stream and shall be applied at a pressure which does not cause excessive splashing.
- (5) Equip the degreaser with one (1) of the following control devices if the solvent volatility is greater than four and three-tenths (4.3) kiloPascals (thirty-two (32) millimeters of mercury) or six-tenths (0.6) pounds per square inch) measured at thirty-eight degrees Celsius (38°C) (one hundred degrees Fahrenheit (100°F)), or if the solvent is heated to a temperature greater than forty-eight and nine-tenths degrees Celsius (48.9°C) (one hundred twenty degrees Fahrenheit (120°F)):
  - (A) A freeboard that attains a freeboard ratio of seventy-five hundredths (0.75) or greater.
  - (B) A water cover when solvent is used is insoluble in, and heavier than, water.
  - (C) Other systems of demonstrated equivalent control such as a refrigerated chiller of carbon adsorption. Such systems shall be submitted to the U.S. EPA as a SIP revision.

Pursuant to 326 IAC 8-3-5(b), the owner or operator of a cold cleaning facility shall ensure that the following operating requirements are met:

- (1) Close the cover whenever articles are not being handled in the degreaser.
- (2) Drain cleaned articles for at least fifteen (15) seconds or until dripping ceases.
- (3) Store waste solvent only in covered containers and prohibit the disposal or transfer of waste solvent in any manner in which greater than twenty percent (20%) of the waste solvent by weight could evaporate.

## INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

### FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP) CERTIFICATION

Source Name: Aisin Brake & Chassis, Inc.  
Source Address: 10550 James Adam Street, Terre Haute, Indiana 47802  
Mailing Address: 10550 James Adams Street, Terre Haute, IN 47802  
FESOP Permit No.: F167-26654-00131

**This certification shall be included when submitting monitoring, testing reports/results  
or other documents as required by this permit.**

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify) \_\_\_\_\_
- Report (specify) \_\_\_\_\_
- Notification (specify) \_\_\_\_\_
- Affidavit (specify) \_\_\_\_\_
- Other (specify) \_\_\_\_\_

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251  
Phone: 317-233-0178  
Fax: 317-233-6865**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)  
EMERGENCY OCCURRENCE REPORT**

Source Name: Aisin Brake & Chassis, Inc.  
Source Address: 10550 James Adam Street, Terre Haute, Indiana 47802  
Mailing Address: 10550 James Adams Street, Terre Haute, IN 47802  
FESOP Permit No.: F167-26654-00131

**This form consists of 2 pages**

**Page 1 of 2**

- |  |
|--|
| <p><input type="checkbox"/> This is an emergency as defined in 326 IAC 2-7-1(12)</p> <ul style="list-style-type: none"><li>• The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and</li><li>• The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16</li></ul> |
|--|

If any of the following are not applicable, mark N/A

|   |
|---|
| Facility/Equipment/Operation:                       |
| Control Equipment:                                  |
| Permit Condition or Operation Limitation in Permit: |
| Description of the Emergency:                       |
| Describe the cause of the Emergency:                |

If any of the following are not applicable, mark N/A

Page 2 of 2

|   |
|---|
| Date/Time Emergency started:  |
| Date/Time Emergency was corrected:  |
| Was the facility being properly operated at the time of the emergency?    Y    N<br>Describe:   |
| Type of Pollutants Emitted: TSP, PM-10, SO <sub>2</sub> , VOC, NO <sub>x</sub> , CO, Pb, other:   |
| Estimated amount of pollutant(s) emitted during emergency:  |
| Describe the steps taken to mitigate the problem:   |
| Describe the corrective actions/response steps taken:   |
| Describe the measures taken to minimize emissions:  |
| If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value: |

Form Completed by: \_\_\_\_\_

Title / Position: \_\_\_\_\_

Date: \_\_\_\_\_

Phone: \_\_\_\_\_

A certification is not required for this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)  
SEMI- ANNUAL NATURAL GAS FIRED BOILER CERTIFICATION**

Source Name: Aisin Brake & Chassis, Inc.  
Source Address: 10550 James Adam Street, Terre Haute, Indiana 47802  
Mailing Address: 10550 James Adams Street, Terre Haute, IN 47802  
FESOP Permit No.: F167-26654-00131

|  |
|--|
| <input type="checkbox"/> Natural Gas Only<br><input type="checkbox"/> Alternate Fuel burned<br>From: _____ To: _____ |
|--|

|   |
|---|
| I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete. |
| Signature: _____  |
| Printed Name: _____   |
| Title/Position: _____   |
| Date: _____   |

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**FESOP Quarterly Report**

Source Name: Aisin Brake & Chassis, Inc.  
Source Address: 10550 James Adam Street, Terre Haute, Indiana 47802  
Mailing Address: 10550 James Adams Street, Terre Haute, IN 47802  
FESOP Permit No.: F167-26654-00131  
Facility: Emission Units EFS, SS2-2, SS2-3, SS3-1, and SS3-2  
Parameter: VOC  
Limit: The combined total input volatile organic compounds (VOC) including solvents, coatings, and adhesives delivered shall be limited to less than or equal to 97.32 tons per twelve (12) consecutive month period with compliance determined at the end of each month.

YEAR: \_\_\_\_\_

| Month   | Column 1   | Column 2           | Column 1 + Column 2 |
|---------|------------|--------------------|---------------------|
|         | This Month | Previous 11 Months | 12 Month Total      |
| Month 1 |            |                    |                     |
| Month 2 |            |                    |                     |
| Month 3 |            |                    |                     |

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.  
Deviation has been reported on: \_\_\_\_\_

Submitted by: \_\_\_\_\_  
Title / Position: \_\_\_\_\_  
Signature: \_\_\_\_\_  
Date: \_\_\_\_\_  
Phone: \_\_\_\_\_

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**FESOP Quarterly Report**

Source Name: Aisin Brake & Chassis, Inc.  
Source Address: 10550 James Adam Street, Terre Haute, Indiana 47802  
Mailing Address: 10550 James Adams Street, Terre Haute, IN 47802  
FESOP Permit No.: F167-26654-00131  
Facility: Emission Units EFS, SS2-2, SS2-3, SS3-1, and SS3-2  
Parameter: HAPs  
Limit: The total input hazardous air pollutants (HAP) including solvents, coatings, and adhesives delivered shall be limited such that the input of single HAP and total input HAPs shall not exceed 9.90 and 23.48 tons per twelve (12) consecutive month period with compliance determined at the end of each month, respectively.

YEAR: \_\_\_\_\_

| Month   | Column 1   | Column 2           | Column 1 + Column 2 |
|---------|------------|--------------------|---------------------|
|         | This Month | Previous 11 Months | 12 Month Total      |
| Month 1 |            |                    |                     |
| Month 2 |            |                    |                     |
| Month 3 |            |                    |                     |

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.  
Deviation has been reported on: \_\_\_\_\_

Submitted by: \_\_\_\_\_  
Title / Position: \_\_\_\_\_  
Signature: \_\_\_\_\_  
Date: \_\_\_\_\_  
Phone: \_\_\_\_\_

Attach a signed certification to complete this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)  
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Aisin Brake & Chassis, Inc.  
Source Address: 10550 James Adam Street, Terre Haute, Indiana 47802  
Mailing Address: 10550 James Adams Street, Terre Haute, IN 47802  
FESOP Permit No.: F167-26654-00131

Months: \_\_\_\_\_ to \_\_\_\_\_ Year: \_\_\_\_\_

Page 1 of 2

|   |                               |
|---|-------------------------------|
| <p>This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p> |                               |
| <input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.  |                               |
| <input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD  |                               |
| <b>Permit Requirement</b> (specify permit condition #)  |                               |
| <b>Date of Deviation:</b>   | <b>Duration of Deviation:</b> |
| <b>Number of Deviations:</b>  |                               |
| <b>Probable Cause of Deviation:</b>   |                               |
| <b>Response Steps Taken:</b>  |                               |
| <b>Permit Requirement</b> (specify permit condition #)  |                               |
| <b>Date of Deviation:</b>   | <b>Duration of Deviation:</b> |
| <b>Number of Deviations:</b>  |                               |
| <b>Probable Cause of Deviation:</b>   |                               |
| <b>Response Steps Taken:</b>  |                               |

|  |                               |
|--|-------------------------------|
| <b>Permit Requirement</b> (specify permit condition #) |                               |
| <b>Date of Deviation:</b>                              | <b>Duration of Deviation:</b> |
| <b>Number of Deviations:</b>                           |                               |
| <b>Probable Cause of Deviation:</b>                    |                               |
| <b>Response Steps Taken:</b>                           |                               |
| <b>Permit Requirement</b> (specify permit condition #) |                               |
| <b>Date of Deviation:</b>                              | <b>Duration of Deviation:</b> |
| <b>Number of Deviations:</b>                           |                               |
| <b>Probable Cause of Deviation:</b>                    |                               |
| <b>Response Steps Taken:</b>                           |                               |
| <b>Permit Requirement</b> (specify permit condition #) |                               |
| <b>Date of Deviation:</b>                              | <b>Duration of Deviation:</b> |
| <b>Number of Deviations:</b>                           |                               |
| <b>Probable Cause of Deviation:</b>                    |                               |
| <b>Response Steps Taken:</b>                           |                               |

Form Completed by: \_\_\_\_\_

Title / Position: \_\_\_\_\_

Date: \_\_\_\_\_

Phone: \_\_\_\_\_

Attach a signed certification to complete this report.

Mail to: Permit Administration & Support Section  
Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

Aisin Brake & Chassis, Inc.  
10550 James Adam Street  
Terre Haute, Indiana 47802

Affidavit of Construction

I, \_\_\_\_\_, being duly sworn upon my oath, depose and say:  
(Name of the Authorized Representative)

1. I live in \_\_\_\_\_ County, Indiana and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.
2. I hold the position of \_\_\_\_\_ for \_\_\_\_\_.  
(Title) (Company Name)
3. By virtue of my position with \_\_\_\_\_, I have personal  
(Company Name)  
knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of \_\_\_\_\_.  
(Company Name)
4. I hereby certify that Aisin Brake & Chassis, Inc. 10550 James Adam Street, Terre Haute, Indiana 47802, completed construction of the automotive brake and brake component plant on \_\_\_\_\_ in conformity with the requirements and intent of the construction permit application received by the Office of Air Quality on June 12, 2008 and as permitted pursuant to New Source Construction Permit and Federally Enforceable State Operating Permit No. F167-26654-00131, Plant ID No. 167-00131 issued on \_\_\_\_\_.

Further Affiant said not.

I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature \_\_\_\_\_

Date \_\_\_\_\_

STATE OF INDIANA)  
)SS

COUNTY OF \_\_\_\_\_ )

Subscribed and sworn to me, a notary public in and for \_\_\_\_\_ County and State of Indiana  
on this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_. My Commission expires: \_\_\_\_\_.

Signature \_\_\_\_\_

Name \_\_\_\_\_ (typed or printed)