



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

TO: Interested Parties / Applicant

DATE: September 9, 2009

RE: Tanco Clark Maritime, LLC / 019-28395-00104

FROM: Matthew Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

## Notice of Decision: Approval - Registration

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 4-21.5-3-4(d) this order is effective when it is served. When served by U.S. mail, the order is effective three (3) calendar days from the mailing of this notice pursuant to IC 4-21.5-3-2(e).

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FN-REGIS.dot 1/2/08



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

Kim Moran  
Tanco Clark Maritime, LLC  
5144 Utica Pike  
Jeffersonville, IN 47130

September 9, 2009

Re: 019-28395-00104  
Registration Notice-Only Change to:  
No. R019-12590-00104

Dear Ms. Moran:

Tanco Clark Maritime, LLC was issued Registration No. R019-12590-00104 on September 19, 2000 for a stationary asphalt and fertilizer warehousing and storage facility, located at 5144 Utica Pike, Jeffersonville, Indiana. On August 28, 2009, the Office of Air Quality (OAQ) received an application from the Registrant relating to the construction and operation of one (1) new natural gas-fired boiler. The new boiler has a maximum capacity of 8.5 MMBtu/hr and is identified as B-2. Calculations indicating the potential to emit of the new boiler, as well as the updated source-wide potential to emit, are attached as Attachment A. The addition of this unit to the Registration is considered a notice-only change since the potential emissions of regulated criteria pollutants and hazardous air pollutants are less than the ranges specified in 326 IAC 2-5.5-6(d)(10) and 326 IAC 2-5.5-6(d)(12), respectively. The uncontrolled/unlimited potential to emit of the entire source will continue to be within the threshold levels specified in 326 IAC 2-5.5-1(b)(1). No new state rules are applicable to this source. There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) or National Emission standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 20 and 40 CFR Part 61, 63) included in this notice-only change.

Pursuant to 326 IAC 2-5.5-6, the Registration is hereby revised as follows, with deleted language as ~~strikeouts~~ and new language **bolded**:

1. Clark County has been designated basic nonattainment for PM<sub>2.5</sub>, effective federally April 5, 2005.

#### A.1 General Information

The Registrant owns and operates a stationary asphalt and fertilizer warehousing and storage facility.

Source Address:	5144 Utica Pike, Jeffersonville, IN 47130
Mailing Address:	5144 Utica Pike, Jeffersonville, IN 47130
General Source Phone Number:	812-280-7300
SIC Code:	4226
County Location:	Clark
Source Location Status:	<del>Attainment for all criteria pollutants</del> <b>Nonattainment for PM<sub>2.5</sub> standard</b>
Source Status:	Registration

2. The new boiler has been added as follows:

A.2 Emission Units and Pollution Control Equipment Summary

This stationary source consists of the following emission units and pollution control devices:

- (e) **One (1) natural gas-fired boiler, identified as B-2, with a maximum capacity of 8.5 million BTU per hour, approved for construction in 2009, and exhausting to stack #4.**
- (e f) Two (2) thermal fluid heaters, identified as #1 and #2, with maximum capacity of 8 and 14 million BTU per hour, and exhausting to stacks #1 and #2 respectively.
- (f g) One (1) fertilizer storage tank identified as Tank #105, with a maximum storage capacity of 1,013,496 gallons and a maximum throughput of 4,053,984 gallons per year, and exhausting to the atmosphere.
- (g h) One (1) fertilizer storage tank identified as Tank #106, with a maximum storage capacity of 1,009,339 gallons and a maximum throughput of 4,037,356 gallons per year, and exhausting to the atmosphere.

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]: Emissions Unit Description:

- (a d) One (1) boiler, identified as Boiler, with a maximum capacity of 8.5 million BTU per hour, and exhausting to stack #3.
- (e) **One (1) natural gas-fired boiler, identified as B-2, with a maximum capacity of 8.5 million BTU per hour, approved for construction in 2009, and exhausting to stack #4.**
- (b f) Two (2) thermal fluid heaters, identified as #1 and #2, with maximum capacity of 8 and 14 million BTU per hour, and exhausting to stacks #1 and #2 respectively.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)][326 IAC 2-5.5-4(a)(1)]

D.1.1 Particulate Emissions Limitations [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4 (Particulate emission limitations for sources of indirect heating), the particulate emissions from indirect heating facilities shall be limited to ~~0.45~~ **0.42** pounds of particulate matter per million BTU heat input as determined by the following equation:

$$Pt = \frac{1.09}{Q^{0.26}}$$

Where: Pt = Pounds of particulate matter emitted per million Btu (lb/mmBtu) input.

Q = Total source maximum operating capacity rating in million Btu per hour (mmBtu/hr) heat input. The maximum operating capacity rating is defined as the maximum capacity at which the facility is operated or the nameplate capacity, whichever is specified in the facility's permit application, except when some lower capacity is contained in the facility's operation permit; in which case, the capacity specified in the operation permit shall be used.


3. Several of IDEM's branches and sections have been renamed. Therefore, IDEM has updated the addresses listed in the permit. References to the Compliance Data Section have been changed to Compliance and Enforcement Branch.

**Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251**

The source shall continue to operate according to 326 IAC 2-5.5. Please find enclosed the revised registration. A copy of the registration is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.idem.in.gov](http://www.idem.in.gov).

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Meredith Jones, OAQ, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at 317-234-5176 or at 1-800-451-6027 (ext 4-5176).

Sincerely,



Alfred C. Dumauval, Ph. D., Section Chief  
Permits Branch  
Office of Air Quality

ACD/MWJ

Attachment: Revised Calculations  
Revised Registration

cc: File - Clark County  
Clark County Health Department  
Compliance and Enforcement Branch  
Permits Administrative and Development  
Billing, Licensing and Training Section



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

## REGISTRATION OFFICE OF AIR QUALITY

**Tanco Clark Maritime, LLC**  
**5144 Utica Pike**  
**Jeffersonville, IN 47130**

Pursuant to 326 IAC 2-5.1 (Construction of New Sources: Registrations) and 326 IAC 2-5.5 (Registrations), (herein known as the Registrant) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this registration.

Registration No. R019-12590-00104	
Original signed by:  Paul Dubenetsky, Chief Permits Branch Office of Air Quality	Issuance Date: September 19, 2000

Notice-Only Change No. 019-26213-00104, issued on March 20, 2008.

Notice-Only Change No. 019-28395-00104	
Issued by:  Alfred C. Dumauval, Ph. D., Section Chief Permits Branch Office of Air Quality	Issuance Date:  September 9, 2009

## SECTION A

## SOURCE SUMMARY

This registration is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Registrant should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Registrant to obtain additional permits pursuant to 326 IAC 2.

### A.1 General Information

---

The Registrant owns and operates a stationary asphalt and fertilizer warehousing and storage facility.

Source Address:	5144 Utica Pike, Jeffersonville, IN 47130
Mailing Address:	5144 Utica Pike, Jeffersonville, IN 47130
General Source Phone Number:	812-280-7300
SIC Code:	4226
County Location:	Clark
Source Location Status:	Nonattainment for PM <sub>2.5</sub> standard
Source Status:	Registration

### A.2 Emission Units and Pollution Control Equipment Summary

---

This stationary source consists of the following emission units and pollution control devices:

- (a) One (1) asphalt storage tank, identified as TANK #101, with a maximum storage of 420,000 gallons and maximum throughput of 1,263,368 gallons per year, and exhausting to atmosphere.
- (b) One (1) asphalt storage tank, identified as TANK #102, with a maximum storage of 1,260,000 gallons and maximum throughput of 3,790,107 gallons per year, and exhausting to atmosphere.
- (c) Two (2) asphalt storage tanks, identified as TANK #103 and TANK #104, each with a maximum storage of 4,620,000 gallons and maximum throughput of 13,897,059.8 gallons per year, and exhausting to atmosphere.
- (d) One (1) boiler, identified as Boiler, with a maximum capacity of 8.5 million BTU per hour, and exhausting to stack #3.
- (e) One (1) natural gas-fired boiler, identified as B-2, with a maximum capacity of 8.5 million BTU per hour, approved for construction in 2009, and exhausting to stack #4.
- (f) Two (2) thermal fluid heaters, identified as #1 and #2, with maximum capacity of 8 and 14 million BTU per hour, and exhausting to stacks #1 and #2 respectively.
- (g) One (1) fertilizer storage tank identified as Tank #105, with a maximum storage capacity of 1,013,496 gallons and a maximum throughput of 4,053,984 gallons per year, and exhausting to the atmosphere.
- (h) One (1) fertilizer storage tank identified as Tank #106, with a maximum storage capacity of 1,009,339 gallons and a maximum throughput of 4,037,356 gallons per year, and exhausting to the atmosphere.

## SECTION B

## GENERAL CONDITIONS

### B.1 Definitions [326 IAC 2-1.1-1]

---

Terms in this registration shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

### B.2 Effective Date of Registration [IC 13-15-5-3]

---

Pursuant to IC 13-15-5-3, this registration is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

### B.3 Registration Revocation [326 IAC 2-1.1-9]

---

Pursuant to 326 IAC 2-1.1-9 (Revocation), this registration to operate may be revoked for any of the following causes:

- (a) Violation of any conditions of this registration.
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this registration.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this registration shall not require revocation of this registration.
- (d) For any cause which establishes in the judgment of IDEM, the fact that continuance of this registration is not consistent with purposes of this article.

### B.4 Prior Permits Superseded [326 IAC 2-1.1-9.5]

---

- (a) All terms and conditions of permits established prior to Registration No. R019-12590-00104 and issued pursuant to permitting programs approved into the state implementation plan have been either:
  - (1) incorporated as originally stated,
  - (2) revised, or
  - (3) deleted.
- (b) All previous registrations and permits are superseded by this registration.

### B.5 Annual Notification [326 IAC 2-5.1-2(f)(3)][326 IAC 2-5.5-4(a)(3)]

---

Pursuant to 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this registration.
- (b) The annual notice shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

- (c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

**B.6 Source Modification Requirement [326 IAC 2-5.5-6(a)]**

---

Pursuant to 326 IAC 2-5.5-6(a), an application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

**B.7 Registrations [326 IAC 2-5.1-2(i)]**

---

Pursuant to 326 IAC 2-5.1-2(i), this Registration does not limit the source's potential to emit.

**SECTION C**

**SOURCE OPERATION CONDITIONS**

Entire Source

**Emission Limitations and Standards [326 IAC 2-5.1-2(g)][326 IAC 2-5.5-4(b)]**

**C.1 Opacity [326 IAC 5-1]**

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this registration:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

**C.2 Fugitive Dust Emissions [326 IAC 6-4]**

The Registrant shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

## SECTION D.1

## EMISSIONS UNIT OPERATION CONDITIONS

### Emissions Unit Description:

- (d) One (1) boiler, identified as Boiler, with a maximum capacity of 8.5 million BTU per hour, and exhausting to stack #3.
- (e) One (1) natural gas-fired boiler, identified as B-2, with a maximum capacity of 8.5 million BTU per hour, approved for construction in 2009, and exhausting to stack #4.
- (f) Two (2) thermal fluid heaters, identified as #1 and #2, with maximum capacity of 8 and 14 million BTU per hour, and exhausting to stacks #1 and #2 respectively.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

### Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

#### D.1.1 Particulate Emissions Limitations [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4 (Particulate emission limitations for sources of indirect heating), the particulate emissions from indirect heating facilities shall be limited to 0.42 pounds of particulate matter per million BTU heat input as determined by the following equation:

$$Pt = \frac{1.09}{Q^{0.26}}$$

Where: Pt = Pounds of particulate matter emitted per million Btu (lb/mmBtu) input.

Q = Total source maximum operating capacity rating in million Btu per hour (mmBtu/hr) heat input. The maximum operating capacity rating is defined as the maximum capacity at which the facility is operated or the nameplate capacity, whichever is specified in the facility's permit application, except when some lower capacity is contained in the facility's operation permit; in which case, the capacity specified in the operation permit shall be used.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**REGISTRATION  
ANNUAL NOTIFICATION**

This form should be used to comply with the notification requirements under 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3).

<b>Company Name:</b>	Tanco Clark Maritime, LLC
<b>Address:</b>	5144 Utica Pike
<b>City:</b>	Jeffersonville, IN 47130
<b>Phone Number:</b>	812-280-7300
<b>Registration No.:</b>	R019-12590-00104

I hereby certify that Tanco Clark Maritime, LLC is :

still in operation.

I hereby certify that Tanco Clark Maritime, LLC is :

no longer in operation.

in compliance with the requirements of Registration No. R019-12590-00104.

not in compliance with the requirements of Registration No. R019-12590-00104.

<b>Authorized Individual (typed):</b>
<b>Title:</b>
<b>Signature:</b>
<b>Phone Number:</b>
<b>Date:</b>

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

<b>Noncompliance:</b>

**Company Name: Tanco Clark Maritime, LLC**  
**Address: 5144 Utica Pike, Jeffersonville, IN 47130**  
**Notice-Only Change No.: 019-28395-00104**  
**Reviewer: Meredith W. Jones**  
**Date: 9/1/09**

**\*\*Potential to Emit Summary\*\***

**Criteria Pollutants: Uncontrolled (tons/yr)**

<i>Emission Unit</i>	<i>PM</i>	<i>PM<sub>10</sub></i>	<i>PM<sub>2.5</sub></i>	<i>SOx</i>	<i>NOx</i>	<i>VOC</i>	<i>CO</i>
Boilers (Boiler & B-2)	0.14	0.57	0.57	0.04	7.45	11.00	3.13
Thermal Fluid Heaters (#1 & #2)	0.20	0.70	0.70	0.10	9.60	0.50	8.10
Storage Tanks (TANK #101 through Tank #106)	negl.	negl.	negl.	negl.	negl.	negl.	negl.
<b>Total</b>	<b>0.34</b>	<b>1.27</b>	<b>1.27</b>	<b>0.14</b>	<b>17.05</b>	<b>11.50</b>	<b>11.23</b>

**HAPs**

The potential to emit (PTE) of any single HAP is less than ten (10) tons per year and the PTE of a combination of HAPs is less than twenty-five (25) tons per year.

**Company Name: Tanco Clark Maritime, LLC**  
**Address: 5144 Utica Pike, Jeffersonville, IN 47130**  
**Notice-Only Change No.: 019-28395-00104**  
**Reviewer: Meredith W. Jones**  
**Date: 9/1/09**

**\*\*Boiler B-2: Natural Gas Combustion (MMBtu/Hr <100)\*\***

Heat Input Capacity (MMBtu/hr) =

Potential Throughput (MMCF/yr) =

	Pollutant					
	PM*	PM <sub>10</sub> *	SO <sub>2</sub>	NO <sub>x</sub> **	VOC	CO
<i>Emission Factor (lbs/10<sup>6</sup> scf)</i>	1.9	7.6	0.6	100.0	5.5	84.0
<b>Potential Emissions (tons/yr)</b>	<b>0.07</b>	<b>0.28</b>	<b>0.02</b>	<b>3.72</b>	<b>0.20</b>	<b>3.13</b>

\*PM emission factor is filterable PM only. PM<sub>10</sub> emission factor is filterable and condensable PM combined.

\*\*Emission Factors for NO<sub>x</sub>: Uncontrolled = 100; Low NO<sub>x</sub> Burner = 50; Low NO<sub>x</sub> Burners/Flue gas recirculation = 32

	HAPs: Organics				
	Benzene	Dichlorobenzene	Formaldehyde	Hexane	Toluene
<i>Emission Factor (lbs/10<sup>6</sup> scf)</i>	2.1E-03	1.2E-03	7.5E-02	1.8E+00	3.4E-03
<b>Potential Emissions (tons/yr)</b>	<b>7.82E-05</b>	<b>4.47E-05</b>	<b>2.79E-03</b>	<b>6.70E-02</b>	<b>1.27E-04</b>

	HAPs: Metals				
	Lead	Cadmium	Chromium	Manganese	Nickel
<i>Emission Factor (lbs/10<sup>6</sup> scf)</i>	5.0E-04	1.1E-03	1.4E-03	3.8E-04	2.1E-03
<b>Potential Emissions (tons/yr)</b>	<b>1.86E-05</b>	<b>4.10E-05</b>	<b>5.21E-05</b>	<b>1.41E-05</b>	<b>7.82E-05</b>

**Total HAPs (tons/yr) = 0.07**

**Methodology**

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

10<sup>6</sup> scf = MMCF

Heating Value = 1000 MMBtu/10<sup>6</sup> scf

Potential Throughput (MMCF/yr) = Heat Input Capacity (MMBtu/hr) \* (8760 hrs/yr) \* (1 MMCF/1000 MMBtu)

Potential Emissions (tons/yr) = Potential Throughput (MMCF/yr) \* Emission Factor (lbs/10<sup>6</sup> scf) \* (1 ton/2000 lbs)

Emission Factors are from US EPA's AP 42, Chapter 1.4, Tables 1.4-1 and 1.4-2.

The five highest of both organic and metal HAPs emission factors (from US EPA's AP 42, Chapter 1.4, Tables 1.4-2, 1.4-3, and 1.4-4) are provided; additional HAPs emission factors are available in AP 42, Chapter 1.4.



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
**Governor**

*Thomas W. Easterly*  
**Commissioner**

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

## SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

**TO:** Kim Moran  
Tanco Clark Maritime, LLC  
5144 Utica Pike  
Jeffersonville, IN 47130

**DATE:** September 9, 2009

**FROM:** Matt Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

**SUBJECT:** Final Decision  
Registration Notice-Only Change  
019-28395-00104

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:  
Gary Brum - HSSE  
Ms. Elizabeth Hill - Bruce Carter Associates  
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at [jbrush@idem.IN.gov](mailto:jbrush@idem.IN.gov).

Final Applicant Cover letter.dot 11/30/07

# Mail Code 61-53

IDEM Staff	GHOTOPP 9/9/2009 Tanco Clark Maritime LLC 019-28395-00104 Final		Type of Mail:  <b>CERTIFICATE OF MAILING ONLY</b>	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Kim Moran Tanco Clark Maritime LLC 5144 Utica Pike Jeffersonville IN 47130 (Source CAATS) via confirmed delivery										
2		Gary Brum HSSE Tanco Clark Maritime LLC 3200 Sheffield Ave Hammond IN 46327 (RO CAATS)										
3		Ms. Rhonda England 17213 Persimmon Run Rd Borden IN 47106-8604 (Affected Party)										
4		Ms. Betty Hislip Silver Lakes Trailer Pk 13131 Sunnybrook Dr Memphis IN 47143-9672 (Affected Party)										
5		Mrs. Sandy Banet 514 Haddox Rd Henryville IN 47126 (Affected Party)										
6		Jeffersonville City Council and Mayors Office 500 Quarter Master Jeffersonville IN 47130 (Local Official)										
7		Building Commissioner 501 East Court Avenue Jeffersonville IN 47130 (Affected Party)										
8		Mr. Dave Kiper U.S. Coast Guard 600 Martin Luther King Place Louisville KY 40202 (Affected Party)										
9		Mr. Robert Bottom Paddlewheel Alliance P.O. Box 35531 Louisville KY 40232-5531 (Affected Party)										
10		Ms. Elizabeth Hill Bruce Carter Associates 616 S 4th Street Elkhart IN 46516 (Consultant)										
11		Clark County Board of Commissioners 501 E. Court Avenue Jeffersonville IN 47130 (Local Official)										
12		Clark County Health Department 1320 Duncan Avenue Jeffersonville IN 47130-3723 (Health Department)										
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See <b>Domestic Mail Manual R900, S913, and S921</b> for limitations of coverage on inured and COD mail. See <b>International Mail Manual</b> for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
11			