



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: December 14, 2009

RE: Krunchers!, Inc / 019-28614-00132

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Ray Walker
Krunchers!, Inc.
125 Peacely Street
Jeffersonville, IN 47130

December 14, 2009

Re: 019-28614-00132
First Administrative Amendment to
F019-26296-00132

Dear Mr. Walker:

Krunchers!, Inc. was issued a Federally Enforceable State Operating Permit (FESOP) No. F019-26296-00132 on September 16, 2008 for a stationary fried potato chip and baked and fried corn chip manufacturing plant located at 125 Peacely Street, Jeffersonville, Indiana 47130. On October 27, 2009, the Office of Air Quality (OAQ) received an application from the source relating to the construction and operation of potato and corn chip manufacturing lines and seasoners of the same type and will comply with the same applicable requirements and permit terms and conditions as the existing potato and corn chip manufacturing lines and seasoners. The addition of these units to the permit is considered an administrative amendment pursuant to 326 IAC 2-8-10(a)(14). In addition, Line 1 is being replaced by similar units. All emission units associated with Line 2 and the centrifuge associated with Line 4 are being removed from the permit. The entire source will continue to limit PM10 and PM2.5 emissions to less than 100 tons per twelve (12) consecutive month period, rendering the requirements of 326 IAC 2-7 not applicable. The addition of these units will not cause the source's potential to emit to be greater than the threshold levels specified in 326 IAC 2-2 or 326 IAC 2-3.

Pursuant to the provisions of 326 IAC 2-8-10, the permit is hereby administratively amended as follows with the deleted language as ~~strikeouts~~ and new language **bolded**.

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

~~(a) Line 1, constructed in 1999, consisting of:~~

- ~~(1) Two (1) natural gas-fired toast ovens, identified as 1013-043 and 1014-043, each with a maximum heat capacity of 6.50 MMBtu/hr, both venting to stacks 1013-043A and 1013-043B;~~
- ~~(2) One (1) natural gas-fired heat exchanger, identified as 1026-029, with a maximum heat capacity of 4.50 MMBtu/hr, venting to stack 1026-029; and~~
- ~~(3) One (1) continuous deep fat fryer, identified as 1030-026, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator, identified as 5055-051, for PM/PM10 control, venting to stack 1030-026.~~

(a) Line 1, approved for construction in 2009, consisting of:

- (1) One (1) natural gas-fired toast oven, identified as 043-005, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-005.

- (2) **One (1) natural gas-fired heat exchanger, identified as 029-004, with a maximum heat input capacity of 3.587 MMBtu/hr, venting to stack 029-004.**
- (3) **One (1) continuous deep fat fryer, identified as 026-007, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-007.**

~~(b)~~ Line 2, constructed in 1999, consisting of:

- ~~(1)~~ One (1) natural gas-fired toast oven, identified as 3013-043, with a maximum heat capacity of 3.20 MMBtu/hr, venting to stacks 3013-043A and 3013-043B; and
- ~~(2)~~ One (1) natural gas-fired bake oven, identified as 2012-043, with a maximum heat capacity of 4.50 MMBtu/hr, venting to stacks 2012-043A and 2012-043B.

~~(b)~~ (e) Line 4, consisting of:

- (1) Four (4) natural gas-fired heating units, identified as heating units no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum heat capacity of 3.4 MMBtu/hr, constructed in 2006, venting to stacks 4012-026C, 4014-026-C, 4025-026-C, and 4027-026, respectively;
- (2) Four (4) batch fryers, identified as batch fryers no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum capacity of 1,848 tons/yr, constructed in 2006, with grease extractor hoods for PM/PM10 control, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;
- ~~(3)~~ One (1) natural gas-fired centrifuge, identified as 4033-121, with a maximum heat capacity of 0.40 MMBtu/hr, constructed in 2006, venting to stack 4033-121;
- (3) **Two (2) batch fryers, identified as batch fryers no. 026-008 and 026-009, each with a maximum capacity of 1,848 tons/year, approved for construction in 2009, with grease extractor hoods for PM/PM10 control, venting to stacks 026-008 and 026-009, respectively;**
- (4) **Two (2) natural gas-fired kettle heating units, identified as heating units no. 026-008 and 026-009, each with a maximum heat input capacity of 3.3 MMBtu/hr, approved for construction in 2009, venting to stacks 026-008 and 026-009, respectively.**

~~(c)~~ (d) Line 5, consisting of:

- (1) One (1) natural gas-fired heat exchanger, identified as 5071-029, with a maximum heat capacity of 25.0 MMBtu/hr, constructed in 2000, venting to stack 5071-029; and
- (2) One (1) continuous fryer, identified as 5056-026, with a maximum capacity of 19,408 tons/yr, constructed in 2000, with a mist eliminator for PM/PM10 control, venting to stack 5056-026.

(d) Line 6, approved for construction in 2009, consisting of:

- (1) **One (1) natural gas-fired toast oven, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-006.**
- (2) **One (1) natural gas-fired heat exchanger, with a maximum heat input capacity of 3.58 MMBtu/hr, venting to stack 029-005.**

- (3) **One (1) continuous deep fat fryer, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-010.**
- (e) Seventeen (17) seasoners, identified as Seasoners #7 through #15, #50 through #56, and #57, each with a maximum seasoning capacity of 115.9 tons/yr, constructed in 1999. A dust collector controls PM/PM10 emissions from Seasoners #50 through #56, exhausting indoors. **A second dust collector, approved for construction in 2009, controls the particulate emissions for Seasoners #57 and #21-26.**
- (f) **Six (6) seasoners, identified as Seasoners #21 through #26, approved for construction in 2009, each with a maximum seasoning capacity of 115.9 tons/yr, with particulate emissions controlled by a MAC dust collector, exhausting indoors.**

A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities:

- (e) **Two (2) natural gas-fired air handlers to heat make-up air for processing, identified as 003-025 and 003-026, each with a maximum heat input capacity of 3.7 MMBtu/hr, approved for construction in 2009, venting indoors.**
- (f) **One (1) natural gas-fired heating unit for comfort heat in Warehouse (WH) No. 2, approved for construction in 2009, with a maximum heat input capacity of 0.722 MMBtu/hr, venting indoors.**

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Emissions Unit Description:

- (a) ~~Line 1, constructed in 1999, consisting of:~~
 - (1) ~~Two (1) natural gas-fired toast ovens, identified as 1013-043 and 1014-043, each with a maximum heat capacity of 6.50 MMBtu/hr, both venting to stacks 1013-043A and 1013-043B;~~
 - (2) ~~One (1) natural gas-fired heat exchanger, identified as 1026-029, with a maximum heat capacity of 4.50 MMBtu/hr, venting to stack 1026-029; and~~
 - (3) ~~One (1) continuous deep fat fryer, identified as 1030-026, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator, identified as 5055-051, for PM/PM10 control, venting to stack 1030-026.~~
- (a) **Line 1, approved for construction in 2009, consisting of:**
 - (1) **One (1) natural gas-fired toast oven, identified as 043-005, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-005.**
 - (2) **One (1) natural gas-fired heat exchanger, identified as 029-004, with a maximum heat input capacity of 3.587 MMBtu/hr, venting to stack 029-004.**

- (3) **One (1) continuous deep fat fryer, identified as 026-007, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-007.**

~~(b)~~ Line 2, constructed in 1999, consisting of:

- ~~(1)~~ One (1) natural gas-fired toast oven, identified as 3013-043, with a maximum heat capacity of 3.20 MMBtu/hr, venting to stacks 3013-043A and 3013-043B; and
- ~~(2)~~ One (1) natural gas-fired bake oven, identified as 2012-043, with a maximum heat capacity of 4.50 MMBtu/hr, venting to stacks 2012-043A and 2012-043B.

(b) (e) Line 4, consisting of:

- (1) Four (4) natural gas-fired heating units, identified as heating units no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum heat capacity of 3.4 MMBtu/hr, constructed in 2006, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;
- (2) Four (4) batch fryers, identified as batch fryers no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum capacity of 1,848 tons/yr, constructed in 2006, with grease extractor hoods for PM/PM10 control, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;
- ~~(3)~~ One (1) natural gas-fired centrifuge, identified as 4033-121, with a maximum heat capacity of 0.40 MMBtu/hr, constructed in 2006, venting to stack 4033-121;
- (3) **Two (2) batch fryers, identified as batch fryers no. 026-008 and 026-009, each with a maximum capacity of 1,848 tons/year, approved for construction in 2009, with grease extractor hoods for PM/PM10 control, venting to stacks 026-008 and 026-009, respectively;**
- (4) **Two (2) natural gas-fired kettle heating units, identified as heating units no. 026-008 and 026-009, each with a maximum heat input capacity of 3.3 MMBtu/hr, approved for construction in 2009, venting to stacks 026-008 and 026-009, respectively.**

(c) (d) Line 5, consisting of:

- (1) One (1) natural gas-fired heat exchanger, identified as 5071-029, with a maximum heat capacity of 25.0 MMBtu/hr, constructed in 2000, venting to stack 5071-029; and
- (2) One (1) continuous fryer, identified as 5056-026, with a maximum capacity of 19,408 tons/yr, constructed in 2000, with a mist eliminator for PM/PM10 control, venting to stack 5056-026.

(d) Line 6, approved for construction in 2009, consisting of:

- (1) **One (1) natural gas-fired toast oven, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-006.**
- (2) **One (1) natural gas-fired heat exchanger, with a maximum heat input capacity of 3.58 MMBtu/hr, venting to stack 029-005.**

- (3) One (1) continuous deep fat fryer, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-010.**

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

D.1.2 Particulate Matter (PM) [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2, the particulate matter (PM) emissions from Line 1 shall be limited to ~~4.9~~ **4.94** pounds per hour, based on a process weight of 1.32 tons per hour. The particulate matter (PM) emissions from Line 4 shall be limited 4.8 pounds per hour based on a process weight of 0.84 tons per hour. The particulate matter (PM) emissions from Line 5 shall be limited to 7.0 pounds per hour, based on a process weight of 2.22 tons per hour. **The particulate matter (PM) emissions from Line 6 shall be limited to 4.94 pounds per hour, based on a process weight of 1.32 tons per hour.** The pound per hour limitation was calculated using the following equation:

D.1.3 Preventative Maintenance Plan [326 IAC 1-6-3]

A Preventative Maintenance Plan, in accordance with Section C - Preventative Maintenance Plan, of this permit, is required for equipment associated with the ~~four-(4)~~ **six (6)** batch fryers and the grease extractor hoods on Line 4.

D.1.5 Visible Emissions Notations

- (1) Visible emission notations of Stacks No. 4012-026, 4014-026, 4025-026, and ~~4027-026,~~ **026-008, and 026-009** shall be performed once per day during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.

D.1.6 Record Keeping Requirement

- (a) To document compliance with Condition D.1.5, the Permittee shall maintain a daily record of visible emission notations of the process stack exhausts, identified as Stacks No. 4012-026, 4014-026, 4025-026, and 4027-026, **026-008, and 026-009**. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the wood waste boiler did not operate that day).

IDEM, OAQ has decided to make additional revisions to the permit as described below. The permit has been revised as follows with deleted language as ~~strikeouts~~ and new language **bolded**:

- Several of IDEM's branches and sections have been renamed. Therefore, IDEM has updated the addresses listed in the permit. References to "Permit Administration and Development Section" and the "Permits Branch" have been changed to "Permit Administration and Support Section". References to "Asbestos Section", "Compliance Data Section", "Air Compliance Section", and "Compliance Branch" have been changed to "Compliance and Enforcement Branch". The permit has been revised as follows:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

2. IDEM, OAQ is revising Section B - Emergency Provisions to allow the Permittee to reference a previously reported emergency under paragraph (b)(5) in the Quarterly Deviation and Compliance Monitoring Report.

B.14 Emergency Provisions [326 IAC 2-8-12]

-
- (h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report. **Any emergencies that have been previously reported pursuant to paragraph (b)(5) of this condition and certified by an "authorized individual" need only referenced by the date of the original report.**
3. IDEM has decided to reference 326 IAC 2 in Section B-Source Modification Requirements, rather than specific construction rule.

B.22 Source Modification Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2-~~and~~ 326 IAC 2-8-11.1.

All other conditions of the permit shall remain unchanged and in effect. Attached please find the entire revised permit.

A copy of the permit is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Summer Keown, of my staff, at 317-234-5175 or 1-800-451-6027, and ask for extension 4-5175.

Sincerely,



Alfred C. Dumauval, Ph. D., Section Chief
Permits Branch
Office of Air Quality

Attachments: Updated Permit and calculations

ACD/SJK

cc: File - Clark County
Clark County Health Department
U.S. EPA, Region V
Compliance and Enforcement Branch
Billing, Licensing and Training Section



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

New Source Construction and Federally Enforceable State Operating Permit OFFICE OF AIR QUALITY

Krunchers!, Inc.
125 Peacely Street
Jeffersonville, Indiana 47130

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a FESOP under 326 IAC 2-8.

Operation Permit No.: F019-26296-00132	
Original Signed by: Alfred C. Dumauual, Ph. D., Section Chief Permits Branch Office of Air Quality	Issuance Date: September 16, 2008 Expiration Date: September 16, 2013
First Administrative Amendment No.: F019-28614-00132	
Issued by:  Alfred C. Dumauual, Ph. D., Section Chief Permits Branch Office of Air Quality	Issuance Date: December 14, 2009 Expiration Date: September 16, 2013

TABLE OF CONTENTS

A. SOURCE SUMMARY.....	4
A.1 General Information [326 IAC 2-8-3(b)]	
A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]	
A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]	
A.4 FESOP Applicability [326 IAC 2-8-2]	
B. GENERAL CONDITIONS	7
B.1 Definitions [326 IAC 2-8-1]	
B.2 Revocation of Permits [326 IAC 2-1.1-9(5)]	
B.3 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4][326 IAC 2-8]	
B.4 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]	
B.5 Term of Conditions [326 IAC 2-1.1-9.5]	
B.6 Enforceability [326 IAC 2-8-6]	
B.7 Severability [326 IAC 2-8-4(4)]	
B.8 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]	
B.9 Duty to Provide Information [326 IAC 2-8-4(5)(E)]	
B.10 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]	
B.11 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]	
B.12 Compliance Order Issuance [326 IAC 2-8-5(b)]	
B.13 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)] [326 IAC 2-8-5(a)(1)]	
B.14 Emergency Provisions [326 IAC 2-8-12]	
B.15 Prior Permits Superseded [326 IAC 2-1.1-9.5]	
B.16 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]	
B.17 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]	
B.18 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]	
B.19 Permit Renewal [326 IAC 2-8-3(h)]	
B.20 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]	
B.21 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]	
B.22 Source Modification Requirement [326 IAC 2-8-11.1]	
B.23 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2] [IC 13-30-3-1]	
B.24 Transfer of Ownership or Operational Control [326 IAC 2-8-10]	
B.25 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16] [326 IAC 2-1.1-7]	
B.26 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]	
C. SOURCE OPERATION CONDITIONS	17
Emission Limitations and Standards [326 IAC 2-8-4(1)]	
C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]	
C.2 Overall Source Limit [326 IAC 2-8]	
C.3 Opacity [326 IAC 5-1]	
C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]	
C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]	
C.6 Fugitive Dust Emissions [326 IAC 6-4]	
C.7 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]	
Testing Requirements [326 IAC 2-8-4(3)]	
C.8 Performance Testing [326 IAC 3-6]	

Compliance Requirements [326 IAC 2-1.1-11]

C.9 Compliance Requirements [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.10 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

C.11 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

C.12 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)]
[326 IAC 2-8-5(1)]

Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.13 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]

C.14 Response to Excursions or Exceedances [326 IAC 2-8-4] [326 IAC 2-8-5]

C.15 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4]
[326 IAC 2-8-5]

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

C.16 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

C.17 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

Stratospheric Ozone Protection

C.18 Compliance with 40 CFR 82 and 326 IAC 22-1

D.1. EMISSIONS UNIT OPERATION CONDITIONS - Snack Chip Manufacturing Lines..... 24

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.1.1 PM10 and PM2.5 Emission Limitations [326 IAC 2-8-4][326 IAC 2-1.1-5]

D.1.2 Particulate Matter (PM) [326 IAC 6-3-2]

D.1.3 Preventative Maintenance Plan (PMP) [326 IAC 1-6-3]

Compliance Determination Requirements

D.1.4 Particulate Control

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

D.1.5 Visible Emissions Notations

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

D.1.6 Record Keeping Requirements

D.2. EMISSIONS UNIT OPERATION CONDITIONS - Insignificant Activities 27

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.2.1 Particulate Matter (PM) [326 IAC 6-2-3]

D.2.2 Particulate Matter (PM) [326 IAC 6-2-4]

Certification Form..... 28

Emergency Occurrence Form..... 29

Quarterly Deviation and Compliance Monitoring Report Form..... 31

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary fried potato chip and baked and fried corn chip manufacturing plant.

Source Address:	125 Peacely Street, Jeffersonville, Indiana 47130
Mailing Address:	125 Peacely Street, Jeffersonville, IN 47130
General Source Phone Number:	812-283-3528
SIC Code:	2096
County Location:	Clark
Source Location Status:	Nonattainment for PM2.5 standard Attainment for all other criteria pollutants
Source Status:	Federally Enforceable State Operating Permit Program Minor Source, under PSD and Emission Offset Rules Minor Source, Section 112 of the Clean Air Act Not 1 of 28 Source Categories

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) Line 1, approved for construction in 2009, consisting of:
- (1) One (1) natural gas-fired toast oven, identified as 043-005, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-005.
 - (2) One (1) natural gas-fired heat exchanger, identified as 029-004, with a maximum heat input capacity of 3.587 MMBtu/hr, venting to stack 029-004.
 - (3) One (1) continuous deep fat fryer, identified as 026-007, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-007.
- (b) Line 4, consisting of:
- (1) Four (4) natural gas-fired heating units, identified as heating units no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum heat capacity of 3.4 MMBtu/hr, constructed in 2006, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;
 - (2) Four (4) batch fryers, identified as batch fryers no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum capacity of 1,848 tons/yr, constructed in 2006, with grease extractor hoods for PM/PM10 control, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;

- (3) Two (2) batch fryers, identified as batch fryers no. 026-008 and 026-009, each with a maximum capacity of 1,848 tons/year, approved for construction in 2009, with grease extractor hoods for PM/PM10 control, venting to stacks 026-008 and 026-009, respectively;
 - (4) Two (2) natural gas-fired kettle heating units, identified as heating units no. 026-008 and 026-009, each with a maximum heat input capacity of 3.3 MMBtu/hr, approved for construction in 2009, venting to stacks 026-008 and 026-009, respectively.
- (c) Line 5, consisting of:
- (1) One (1) natural gas-fired heat exchanger, identified as 5071-029, with a maximum heat capacity of 25.0 MMBtu/hr, constructed in 2000, venting to stack 5071-029; and
 - (2) One (1) continuous fryer, identified as 5056-026, with a maximum capacity of 19,408 tons/yr, constructed in 2000, with a mist eliminator for PM/PM10 control, venting to stack 5056-026.
- (d) Line 6, approved for construction in 2009, consisting of:
- (1) One (1) natural gas-fired toast oven, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-006.
 - (2) One (1) natural gas-fired heat exchanger, with a maximum heat input capacity of 3.58 MMBtu/hr, venting to stack 029-005.
 - (3) One (1) continuous deep fat fryer, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-010.
- (e) Seventeen (17) seasoners, identified as Seasoners #7 through #15, #50 through #56, and #57, each with a maximum seasoning capacity of 115.9 tons/yr, constructed in 1999. A dust collector controls PM/PM10 emissions from Seasoners #50 through #56, exhausting indoors. A second dust collector, approved for construction in 2009, controls the particulate emissions for Seasoners #57 and #21-26.
- (f) Six (6) seasoners, identified as Seasoners #21 through #26, approved for construction in 2009, each with a maximum seasoning capacity of 115.9 tons/yr, with particulate emissions controlled by a MAC dust collector, exhausting indoors.

A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities:

- (a) One (1) natural gas-fired Cleaver Brooks Boiler, constructed in 1969, with a maximum capacity of 6.275 MMBtu/hr, venting to stack 8050-009.
- (b) One (1) natural gas-fired Superior Boiler, constructed in 1991, with a maximum capacity of 6.277 MMBtu/hr, venting to stack 8051-009.
- (c) Seven (7) corn silos, identified as: 9012-054, with a maximum storage capacity of 17.55 tons; 9013-054, with a maximum storage capacity of 21.51 tons; 9014-054, 9015-054, and 9016-054, with a maximum storage capacity of 36.79 each; 9017-054, with a maximum storage capacity of 47.92; and 9018-054, with maximum storage capacity of 35.55 tons. All corn silos were constructed in 1996.

- (d) Vegetable oil storage tanks, consisting of the following:
- (1) Four (4) vegetable oil storage tanks, identified as 8302-068, 8303-068, 8304-068, 8305-068, constructed in 1988, each with a storage capacity of 3,700 gallons, located in the basement.
 - (2) Two (2) vegetable oil storage tanks, identified as 8306-068 and 8603-068, constructed in 1988, each with a storage capacity of 4,600 gallons, located in the basement.
 - (3) One (1) vegetable oil storage tank, identified as 5074-068, constructed in 1993, with a storage capacity of 7,000 gallons, located in the Line 5 Heat Exchanger Room.
 - (4) One (1) vegetable oil storage tank, identified as 5075-068, constructed in 1993, with a storage capacity of 6,000 gallons, located in the Line 5 Heat Exchanger Room.
 - (5) Two (2) vegetable oil storage tanks, identified as 5076-068 and 5077-068, constructed in 1993, each with a storage capacity of 8,000 gallons, located in the Line 5 Heat Exchanger Room.
- (e) Two (2) natural gas-fired air handlers to heat make-up air for processing, identified as 003-025 and 003-026, each with a maximum heat input capacity of 3.7 MMBtu/hr, approved for construction in 2009, venting indoors.
- (f) One (1) natural gas-fired heating unit for comfort heat in Warehouse (WH) No. 2, approved for construction in 2009, with a maximum heat input capacity of 0.722 MMBtu/hr, venting indoors.

A.4 FESOP Applicability [326 IAC 2-8-2]

This stationary source, otherwise required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Federally Enforceable State Operating Permit (FESOP).

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-8-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

B.2 Revocation of Permits [326 IAC 2-1.1-9(5)]

Pursuant to 326 IAC 2-1.1-9(5)(Revocation of Permits), the Commissioner may revoke this permit if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

B.3 Affidavit of Construction [326 IAC 2-5.1-3(h)] [326 IAC 2-5.1-4][326 IAC 2-8]

This document shall also become the approval to operate pursuant to 326 IAC 2-5.1-4 and [326 IAC 2-8] when prior to the start of operation, the following requirements are met:

- (a) The attached Affidavit of Construction shall be submitted to the Office of Air Quality (OAQ), verifying that the emission units were constructed as proposed in the application or the permit. The emission units covered in this permit may begin operating on the date the Affidavit of Construction is postmarked or hand delivered to IDEM if constructed as proposed.
- (b) If actual construction of the emission units differs from the construction proposed in the application, the source may not begin operation until the permit has been revised pursuant to 326 IAC 2 and an Operation Permit Validation Letter is issued.
- (c) The Permittee shall attach the Operation Permit Validation Letter received from the Office of Air Quality (OAQ) to this permit.

B.4 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]

- (a) This permit, F019-26296-00132, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, until the renewal permit has been issued or denied.

B.5 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.6 Enforceability [326 IAC 2-8-6]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.7 Severability [326 IAC 2-8-4(4)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.8 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]

This permit does not convey any property rights of any sort or any exclusive privilege.

B.9 Duty to Provide Information [326 IAC 2-8-4(5)(E)]

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The submittal by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.10 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]

- (a) Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by an "authorized individual" of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) One (1) certification shall be included, using the attached Certification Form, with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.
- (c) An "authorized individual" is defined at 326 IAC 2-1.1-1(1).

B.11 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The initial certification shall cover the time period from the date of final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than April 15 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.

- (c) The annual compliance certification report shall include the following:
- (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-8-4(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ may require to determine the compliance status of the source.

The submittal by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

B.12 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.13 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)][326 IAC 2-8-5(a)(1)]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after issuance of this permit, including the following information on each facility:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or potential to emit. The PMPs do not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.14 Emergency Provisions [326 IAC 2-8-12]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation except as provided in 326 IAC 2-8-12.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:
- (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
 - (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality,
Compliance Section), or
Telephone Number: 317-233-0178 (ask for Compliance Section)
Facsimile Number: 317-233-6865

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
- (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
- (e) The Permittee seeking to establish the occurrence of an emergency shall make records available upon request to ensure that failure to implement a PMP did not cause or contribute to an exceedance of any limitations on emissions. However, IDEM, OAQ may require that the Preventive Maintenance Plans required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
- (g) Operations may continue during an emergency only if the following conditions are met:
 - (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
 - (A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
 - (B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial economic value.
- (h) Any operations shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.
- (h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report. Any emergencies that have been previously reported pursuant to paragraph (b)(5) of this condition and certified by an "authorized individual" need only referenced by the date of the original report.

B.15 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to F019-26296-00132 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,

(2) revised, or

(3) deleted.

(b) All previous registrations and permits are superseded by this permit.

B.16 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-9.

B.17 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]

(a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provisions), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

using the attached Quarterly Deviation and Compliance Monitoring Report, or its equivalent. A deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report.

The Quarterly Deviation and Compliance Monitoring Report does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.

B.18 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]

(a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Federally Enforceable State Operating Permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:

(1) That this permit contains a material mistake.

(2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.

(3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]

- (c) Proceedings by IDEM, OAQ to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-8-8(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

B.19 Permit Renewal [326 IAC 2-8-3(h)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) A timely renewal application is one that is:
 - (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ any additional information identified as being needed to process the application.

B.20 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]

- (a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-8-10 or 326 IAC 2-8-11.1 whenever the Permittee seeks to amend or modify this permit.
- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application shall be certified by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.21 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-8-15(b) through (d) without a prior permit revision, if each of the following conditions is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any approval required by 326 IAC 2-8-11.1 has been obtained;
- (3) The changes do not result in emissions which exceed the limitations provided in this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-8-15(b) through (d). The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ in the notices specified in 326 IAC 2-8-15(b)(2), (c)(1), and (d).

- (b) Emission Trades [326 IAC 2-8-15(c)]
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(c).

- (c) Alternative Operating Scenarios [326 IAC 2-8-15(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (d) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

B.22 Source Modification Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2.

B.23 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2][IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a FESOP source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.24 Transfer of Ownership or Operational Control [326 IAC 2-8-10]

- (a) The Permittee must comply with the requirements of 326 IAC 2-8-10 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The application which shall be submitted by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.25 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ within thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.26 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-8-4(1)]

C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.

C.2 Overall Source Limit [326 IAC 2-8]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

(a) Pursuant to 326 IAC 2-8:

- (1) The potential to emit any regulated pollutant, except particulate matter (PM), from the entire source shall be limited to less than one hundred (100) tons per twelve (12) consecutive month period.
- (2) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
- (3) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.

(b) The potential to emit particulate matter (PM) from the entire source shall be limited to less than two hundred fifty (250) tons per twelve (12) consecutive month period. This limitation shall make the requirements of 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)) not applicable.

(c) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided that the source's potential to emit does not exceed the above specified limits.

(d) Section D of this permit contains independently enforceable provisions to satisfy this requirement.

C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as provided in 326 IAC 4-2 and 326 IAC 9-1-2.

C.6 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.7 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
 - (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Demolition and Renovation**
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Licensed Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Licensed Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos.

Testing Requirements [326 IAC 2-8-4(3)]

C.8 Performance Testing [326 IAC 3-6]

- (a) Compliance testing on new emissions units shall be conducted within 60 days after achieving maximum production rate, but no later than 180 days after initial start-up, if specified in Section D of this approval. All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.9 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.10 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

Unless otherwise specified in this permit, all monitoring and record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance. If required by Section D, the Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. If due to circumstances beyond its control, that equipment cannot be installed and operated within ninety (90) days, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units or emission units added through a permit revision shall be implemented when operation begins.

C.11 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]

Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60, Appendix B, 40 CFR 63, or other approved methods as specified in this permit.

C.12 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)][326 IAC 2-8-5(1)]

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale.
- (b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.13 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]

If a regulated substance, as defined in 40 CFR 68, is present at a source in more than a threshold quantity, the Permittee must comply with the applicable requirements of 40 CFR 68.

C.14 Response to Excursions or Exceedances [326 IAC 2-8-4] [326 IAC 2-8-5]

- (a) Upon detecting an excursion or exceedance, the Permittee shall restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions.
- (b) The response shall include minimizing the period of any startup, shutdown or malfunction and taking any necessary corrective actions to restore normal operation and prevent the likely recurrence of the cause of an excursion or exceedance (other than those caused by excused startup or shutdown conditions). Corrective actions may include, but are not limited to, the following:
 - (1) initial inspection and evaluation;
 - (2) recording that operations returned to normal without operator action (such as through response by a computerized distribution control system); or
 - (3) any necessary follow-up actions to return operation to within the indicator range, designated condition, or below the applicable emission limitation or standard, as applicable.
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:
 - (1) monitoring results;
 - (2) review of operation and maintenance procedures and records; and/or
 - (3) inspection of the control device, associated capture system, and the process.
- (d) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (e) The Permittee shall maintain the following records:
 - (1) monitoring data;
 - (2) monitor performance data, if applicable; and
 - (3) corrective actions taken.

C.15 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4][326 IAC 2-8-5]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate response actions. The Permittee shall submit a description of these response actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.

- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

C.16 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

C.17 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported. This report shall be submitted within thirty (30) days of the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (d) Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period. Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit “calendar year” means the twelve (12) month period from January 1 to December 31 inclusive.

Stratospheric Ozone Protection

C.18 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

- (a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- (b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- (c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Emissions Unit Description:

- (a) Line 1, approved for construction in 2009, consisting of:
 - (1) One (1) natural gas-fired toast oven, identified as 043-005, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-005.
 - (2) One (1) natural gas-fired heat exchanger, identified as 029-004, with a maximum heat input capacity of 3.587 MMBtu/hr, venting to stack 029-004.
 - (3) One (1) continuous deep fat fryer, identified as 026-007, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-007.
- (b) Line 4, consisting of:
 - (1) Four (4) natural gas-fired heating units, identified as heating units no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum heat capacity of 3.4 MMBtu/hr, constructed in 2006, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;
 - (2) Four (4) batch fryers, identified as batch fryers no. 4012-026, 4014-026, 4025-026, and 4027-026, each with a maximum capacity of 1,848 tons/yr, constructed in 2006, with grease extractor hoods for PM/PM10 control, venting to stacks 4012-026, 4014-026, 4025-026, and 4027-026, respectively;
 - (3) Two (2) batch fryers, identified as batch fryers no. 026-008 and 026-009, each with a maximum capacity of 1,848 tons/year, approved for construction in 2009, with grease extractor hoods for PM/PM10 control, venting to stacks 026-008 and 026-009, respectively;
 - (4) Two (2) natural gas-fired kettle heating units, identified as heating units no. 026-008 and 026-009, each with a maximum heat input capacity of 3.3 MMBtu/hr, approved for construction in 2009, venting to stacks 026-008 and 026-009, respectively.
- (c) Line 5, consisting of:
 - (1) One (1) natural gas-fired heat exchanger, identified as 5071-029, with a maximum heat capacity of 25.0 MMBtu/hr, constructed in 2000, venting to stack 5071-029; and
 - (2) One (1) continuous fryer, identified as 5056-026, with a maximum capacity of 19,408 tons/yr, constructed in 2000, with a mist eliminator for PM/PM10 control, venting to stack 5056-026.
- (d) Line 6, approved for construction in 2009, consisting of:
 - (1) One (1) natural gas-fired toast oven, with a maximum heat input capacity of 6.75 MMBtu/hr, venting to stack 043-006.
 - (2) One (1) natural gas-fired heat exchanger, with a maximum heat input capacity of 3.58 MMBtu/hr, venting to stack 029-005.
 - (3) One (1) continuous deep fat fryer, with a maximum capacity of 11,552 tons per year, with a mesh pad mist eliminator for particulate control, venting to stack 026-010.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.1.1 PM10 and PM2.5 Emission Limitations [326 IAC 2-8-4] [326 IAC 2-4.1-5]

- (a) In order to comply with the requirements of 326 IAC 2-8-4 (FESOP), particulate matter less than ten (10) microns in diameter (PM10) from the Line 4 batch fryers shall not exceed 4.9 pounds of PM10 per hour.
- (b) In order to render 326 IAC 2-1.1-5 (Nonattainment New Source Review) not applicable, particulate matter less than 2.5 microns in diameter (PM2.5) from the Line 4 batch fryers shall not exceed 4.9 pounds of PM2.5 per hour.

Compliance with this limit, combined with the potential to emit PM10 and PM2.5 from all other emission units at this source, shall limit the source-wide total potential to emit of PM10 and PM2.5 to less than 100 tons per 12 consecutive month period, each, and shall render 326 IAC 2-7 (Part 70 Permits) and 326 IAC 2-1.1-5 (Nonattainment New Source Review) not applicable.

D.1.2 Particulate Matter (PM) [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2, the particulate matter (PM) emissions from Line 1 shall be limited to 4.94 pounds per hour, based on a process weight of 1.32 tons per hour. The particulate matter (PM) emissions from Line 4 shall be limited 4.8 pounds per hour based on a process weight of 0.84 tons per hour. The particulate matter (PM) emissions from Line 5 shall be limited to 7.0 pounds per hour, based on a process weight of 2.22 tons per hour. The particulate matter (PM) emissions from Line 6 shall be limited to 4.94 pounds per hour, based on a process weight of 1.32 tons per hour. The pound per hour limitation was calculated using the following equation:

Interpolation and extrapolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of allowable emissions in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

D.1.3 Preventative Maintenance Plan [326 IAC 1-6-3]

A Preventative Maintenance Plan, in accordance with Section C - Preventative Maintenance Plan, of this permit, is required for equipment associated with the six (6) batch fryers and the grease extractor hoods on Line 4.

Compliance Determination Requirements

D.1.4 Particulate Control

In order to comply with Conditions D.1.1 and D.1.2, the grease extractor hoods associated with Line 4 shall be operated at all times that the Line 4 batch fryers are in operation.

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

D.1.5 Visible Emissions Notations

- (1) Visible emission notations of Stacks No. 4012-026, 4014-026, 4025-026, 4027-026, 026-008, and 026-009 shall be performed once per day during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.

- (2) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (3) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (4) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (5) If abnormal emissions are observed, the Permittee shall take reasonable response steps in accordance with Section C - Response to Excursions or Exceedances. Failure to take response steps in accordance with Section C - Response to Excursions or Exceedances shall be considered a deviation from this permit.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

D.1.6 Record Keeping Requirement

- (a) To document compliance with Condition D.1.5, the Permittee shall maintain a daily record of visible emission notations of the process stack exhausts, identified as Stacks No. 4012-026, 4014-026, 4025-026, 4027-026, 026-008, and 026-009. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the wood waste boiler did not operate that day).
- (b) All records shall be maintained in accordance with Section C - General Record Keeping Requirements, of this permit.

SECTION D.2 EMISSIONS UNIT OPERATION CONDITIONS

Emissions Unit Description: Insignificant Activities

- (a) One (1) natural gas-fired Cleaver Brooks Boiler, constructed in 1969, with a maximum capacity of 6.275 MMBtu/hr, venting to stack 8050-009.
- (b) One (1) natural gas-fired Superior Boiler, constructed in 1991, with a maximum capacity of 6.277 MMBtu/hr, venting to stack 8051-009.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

D.2.1 Particulate Matter (PM) [326 IAC 6-2-3]

Pursuant to 326 IAC 6-2-3(d), particulate emissions from the one (1) natural gas-fired Cleaver Brooks Boiler, constructed in 1969, with a maximum capacity of 6.275 MMBtu/hr, shall not exceed 0.8 lb/MMBtu heat input.

D.2.2 Particulate Matter (PM) [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4(a), particulate emissions from the one (1) natural gas-fired Superior Boiler, constructed in 1991, with a maximum capacity of 6.277 MMBtu/hr, shall not exceed 0.6 lb/MMBtu heat input.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP) CERTIFICATION

Source Name: Krunchers, Inc.
Source Address: 125 Peacely Street, Jeffersonville, Indiana 47130
Mailing Address: 125 Peacely Street, Jeffersonville, IN 47130
FESOP Permit No.: F019-26296-00132

**This certification shall be included when submitting monitoring, testing reports/results
or other documents as required by this permit.**

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify)_____
- Report (specify)_____
- Notification (specify)_____
- Affidavit (specify)_____
- Other (specify)_____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
Phone: 317-233-0178
Fax: 317-233-6865**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
EMERGENCY OCCURRENCE REPORT**

Source Name: Krunchers, Inc.
Source Address: 125 Peacely Street, Jeffersonville, Indiana 47130
Mailing Address: 125 Peacely Street, Jeffersonville, IN 47130
FESOP Permit No.: F019-26296-00132

This form consists of 2 pages

Page 1 of 2

- This is an emergency as defined in 326 IAC 2-7-1(12)
- The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and
 - The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

A certification is not required for this report.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH
FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Krunchers, Inc.
Source Address: 125 Peacely Street, Jeffersonville, Indiana 47130
Mailing Address: 125 Peacely Street, Jeffersonville, IN 47130
FESOP Permit No.: F019-26296-00132

Months: _____ to _____ Year: _____

Page 1 of 2

<p>This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period."</p>	
<input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

Attach a signed certification to complete this report.

Company Name: Krunchers!, Inc.
 Address City IN Zip: 125 Peacely Street, Jeffersonville, Indiana 47130
 Administrative Amendment No.: 019-28614-00132
 Reviewer: Summer Keown
 Date: November 16, 2009

Uncontrolled Potential to Emit (tons per year)

	Emissions Unit	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	Single HAP	Total HAPs
Existing Units	Line 4 Batch Fryers	66.54	125.68	125.68	0.00	0.00	0.07	0.00	0.00	0.00
	Line 5 Continuous Fryer	15.53	19.31	19.31	0.00	0.00	0.19	0.00	0.00	0.00
	Cleaver Brooks Boiler	0.05	0.21	0.21	0.02	2.75	0.15	2.31	0.05 (hexane)	0.05
	Superior Boiler	0.05	0.21	0.21	0.02	2.75	0.15	2.31	0.05 (hexane)	0.05
	Line 4: 4 heating units	0.11	0.45	0.45	0.04	5.96	0.33	5.00	0.11 (hexane)	0.11
	17 Seasoners	19.70	19.70	19.70	0.00	0.00	0.00	0.00	0.00	0.00
	Corn Handling, Receiving, and Storage	2.53	0.88	0.88	0.00	0.00	0.00	0.00	0.00	0.00
Units Removed	Line 1 (2 natural gas-fired toast ovens, one natural gas-fired heat exchanger, and one continuous deep fat fryer)	(3.37)	(5.21)	(5.21)	(0.05)	(7.67)	(0.92)	(6.44)	(0.14 (hexane))	(0.14)
	Line 2 (1 natural gas-fired toast oven and 1 natural gas-fired bake oven)	(0.07)	(0.25)	(0.25)	(0.02)	(3.37)	(0.19)	(2.84)	(0.11 (hexane))	(0.11)
	Line 4 natural gas-fired centrifuge	0.00	(0.01)	(0.01)	0.00	(0.12)	(0.01)	(0.15)	0.00	0.00
New Units	Line 1 natural gas-fired toast oven	0.06	0.22	0.22	0.02	2.96	0.16	2.48	0.05 (hexane)	0.06
	Line 1 natural gas-fired heat exchanger	0.03	0.12	0.12	0.01	1.57	0.09	1.32	0.20 (hexane)	0.03
	Line 1 continuous deep fat fryer	3.23	4.62	4.62	0.00	0.00	0.49	0.00	0.00	0.00
	Line 4 kettle heating unit No. 5	0.03	0.11	0.11	0.01	1.45	0.08	1.21	0.03 (hexane)	0.03
	Line 4 kettle heating unit No. 6	0.03	0.11	0.11	0.01	1.45	0.08	1.21	0.03 (hexane)	0.03
	Line 4 - 2 new batch fryers	33.26	62.83	62.83	0.00	0.00	0.04	0.00	0.00	0.00
	Line 6 natural gas-fired toast oven	0.06	0.22	0.22	0.02	2.96	0.16	2.48	0.05 (hexane)	0.06
	Line 6 natural gas-fired heat exchanger	0.03	0.12	0.12	0.01	1.57	0.09	1.32	0.03 (hexane)	0.03
	Line 6 continuous deep fat fryer	3.23	4.62	4.62	0.00	0.00	0.11	0.00	0.00	0.00
	Seasoners #21-#26	6.95	6.95	6.95	0.00	0.00	0.00	0.00	0.00	0.00
	Natural gas-fired air handler 003-025	0.03	0.12	0.12	0.01	1.62	0.09	1.36	0.03 (hexane)	0.03
	Natural gas-fired air handler 003-026	0.03	0.12	0.12	0.01	1.62	0.09	1.36	0.03 (hexane)	0.03
	Warehouse heating unit	0.01	0.02	0.02	0.00	0.32	0.02	0.27	0.01 (hexane)	0.01
	PTE of Permit Revision	50.42	85.67	85.67	0.16	26.66	2.61	22.45	0.00	0.54
Revised Totals	151.49	246.64	246.64	0.17	26.96	2.38	22.64	0.65 (hexane)	0.50	

Limited Potential to Emit (tons per year)

	Emissions Unit	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	Single HAP	Total HAPs
Existing Units	Line 4 Batch Fryers*	6.65	12.57	12.57	0.00	0.00	0.07	0.00	0.00	0.00
	Line 5 Continuous Fryer	15.53	19.31	0.19	0.00	0.00	0.19	0.00	0.00	0.00
	Cleaver Brooks Boiler	0.05	0.21	0.21	0.02	2.75	0.15	2.31	0.05 (hexane)	0.05
	Superior Boiler	0.05	0.21	0.21	0.02	2.75	0.15	2.31	0.05 (hexane)	0.05
	Line 4: 4 heating units	0.11	0.45	0.45	0.04	5.96	0.33	5.00	0.11 (hexane)	0.11
	17 Seasoners	19.70	19.70	19.70	0.00	0.00	0.00	0.00	0.00	0.00
	Corn Handling, Receiving, and Storage	2.53	0.88	0.88	0.00	0.00	0.00	0.00	0.00	0.00
New Units	Line 1 natural gas-fired toast oven	0.06	0.22	0.22	0.02	2.96	0.16	2.48	0.05 (hexane)	0.06
	Line 1 natural gas-fired heat exchanger	0.03	0.12	0.12	0.01	1.57	0.09	1.32	0.20 (hexane)	0.03
	Line 1 continuous deep fat fryer	3.23	4.62	4.62	0.00	0.00	0.49	0.00	0.00	0.00
	Line 4 kettle heating unit No. 5	0.03	0.11	0.11	0.01	1.45	0.08	1.21	0.03 (hexane)	0.03
	Line 4 kettle heating unit No. 6	0.03	0.11	0.11	0.01	1.45	0.08	1.21	0.03 (hexane)	0.03
	Line 4 - 2 new batch fryers*	12.97	24.50	24.50	0.00	0.00	0.04	0.00	0.00	0.00
	Line 6 natural gas-fired toast oven	0.06	0.22	0.22	0.02	2.96	0.16	2.48	0.05 (hexane)	0.06
	Line 6 natural gas-fired heat exchanger	0.03	0.12	0.12	0.01	1.57	0.09	1.32	0.03 (hexane)	0.03
	Line 6 continuous deep fat fryer	3.23	4.62	4.62	0.00	0.00	0.49	0.00	0.00	0.00
	Seasoners #21-#26	6.95	6.95	6.95	0.00	0.00	0.00	0.00	0.00	0.00
	Natural gas-fired air handler 003-025	0.03	0.12	0.12	0.01	1.62	0.09	1.36	0.03 (hexane)	0.03
	Natural gas-fired air handler 003-026	0.03	0.12	0.12	0.01	1.62	0.09	1.36	0.03 (hexane)	0.03
	Warehouse heating unit	0.01	0.02	0.02	0.00	0.32	0.02	0.27	0.01 (hexane)	0.01
	Revised Totals	71.31	95.20	76.08	0.17	26.96	2.76	22.64	0.65 (hexane)	0.50

* The control devices for the Line 4 batch fryers must be in operation at all times to comply with FESOP limits.

**Appendix A: Emissions Calculations
Batch and Continuous Fryers**

**Company Name: Krunchers, Inc.
Address City IN Zip: 125 Peacely Street, Jeffersonville, IN 47130
Administrative Amendment No.: F019-28614-00132
Reviewer: Summer Keown
Date: November 16, 2009**

Emissions Unit	Maximum Capacity (tons/year)	Pollutant	Emission Factor (lb/ton)	Potential Emissions Before Controls (tons/yr)	Potential Emissions Before Controls (lbs/hr)	Control Efficiency	Potential Emissions After Controls (tons/yr)	Potential Emissions After Controls (lbs/hr)
Line 1: Continuous Deep Fat Fryer 043-005	11,552	PM	0.56	3.23	0.74	61%	1.26	0.29
	11,552	PM10/PM2.5	0.80	4.62	1.05	61%	1.80	0.41
	11,552	VOC	0.085	0.49	0.11	NA	0.49	0.11
Line 4: 2 New Batch Fryers	3,696	PM	18.00	33.26	7.59	90%	12.97	2.96
	3,696	PM10/PM2.5	34.00	62.83	14.35	90%	24.50	5.59
	3,696	VOC	0.02	0.04	0.01	NA	0.04	0.01
Line 6: Continuous Deep Fat Fryer	11,552	PM	0.56	3.23	0.74	61%	1.26	0.29
	11,552	PM10/PM2.5	0.80	4.62	1.05	61%	1.80	0.41
	11,552	VOC	0.085	0.49	0.11	NA	0.49	0.11

Total PM =	39.73	9.07	15.50	3.54
Total PM10/PM2.5 =	72.07	2.11	28.11	6.42
Total VOC =	1.02	0.22	1.02	0.23

Methodology

Potential Emissions Before Controls = Maximum Capacity (tons/year) x Emission Factor (lb/ton) / 2000
 PM/PM10 emission factors are from AP-42 9.13.3, SCC 3-02-036-02. PM10 assumed to be filterable and condensable PM combined.
 There are no PM2.5 emission factors for fryers in AP-42. Therefore, PM2.5 is assumed to be equal to PM10.
 VOC emission factor for Line 1 Continuous Fryer is from AP-42 9.13.3, SCC 3-02-036-02

Limited Potential Emissions

Emissions Unit	Throughput (tons/hr)	Allowable particulate emissions (lbs/hour)
Line 1 Continuous Deep Fat Fryer	1.32	4.94
Line 6 Continuous Deep Fat Fryer	1.32	4.94

Appendix A: Emissions Calculations
Natural Gas Combustion Only
Natural Gas-Fired Heating Units, Heat Exchangers, and Toast Ovens
Company Name: Krunchers, Inc.
Address City IN Zip: 125 Peacely Street, Jeffersonville, IN 47130
Administrative Amendment No.: F019-28614-00132
Reviewer: Summer Keown
Date: November 16, 2009

Emission Factor in lb/MMCF	Heat Input Capacity (MMBtu/hr)	Potential Throughput (MMCF/yr)	Pollutant					
			PM*	PM10/PM2.5*	SO2	NOx	VOC	CO
			1.9	7.6	0.6	100.0	5.5	84.0
Potential Emissions in tons/yr:						**see below		
Line 1 Heat Exchanger 029-004	3.59	31.4	0.03	0.12	0.01	1.57	0.09	1.32
Toast Oven 043-005	6.75	59.1	0.06	0.22	0.02	2.96	0.16	2.48
Air Handler 003-025	3.70	32.4	0.03	0.12	0.01	1.62	0.09	1.36
Air Handler 003-026	3.70	32.4	0.03	0.12	0.01	1.62	0.09	1.36
Warehouse No. 2 Heating Unit	0.72	6.3	0.01	0.02	0.00	0.32	0.02	0.27
Line 4 Heating Unit No. 026-008	3.3	28.9	0.03	0.11	0.01	1.45	0.08	1.21
Heating Unit No. 026-009	3.3	28.9	0.03	0.11	0.01	1.45	0.08	1.21
Line 6 Toast Oven	6.75	59.1	0.06	0.22	0.02	2.96	0.16	2.48
Heat Exchanger	3.58	31.4	0.03	0.12	0.01	1.57	0.09	1.32
			0.29	1.18	0.09	15.50	0.85	13.02

*PM emission factor is filterable PM only. PM10/PM2.5 emission factor is filterable and condensable PM10 combined.

**Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Methodology

Emission factors can be found in AP-42, Chapter 1.4

There is no PM2.5 emission factor for natural gas combustion in AP-42. Therefore, PM2.5 is assumed to be equal to PM10.

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,000 MMBtu

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03

(SUPPLEMENT D 3/98)

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

See page 4 for HAPs emissions calculations.

Appendix A: Emissions Calculations
Hazardous Air Pollutants (HAPs)
Natural Gas-Fired Heating Units, Heat Exchangers, and Toast Ovens
Company Name: Krunchers, Inc.
Address City IN Zip: 125 Peacely Street, Jeffersonville, IN 47130
Administrative Amendment No.: F019-28614-00132
Reviewer: Summer Keown
Date: November 16, 2009

Emission Factor in lb/MMCF	Heat Input Capacity (MMBtu/hr)	Potential Throughput (MMCF/yr)	Pollutant											
			Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03	Total HAPs	
Potential Emissions in tons/yr:														
Line 1	Heat Exchanger 029-004	3.59	31.4	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Toast Oven 043-005	6.75	59.1	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.06
	Air Handler 003-025	3.70	32.4	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Air Handler 003-026	3.70	32.4	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Warehouse No. 2 Heating Unit	0.72	6.3	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01
Line 4	Heating Unit No. 5	3.3	28.9	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.03
	Heating Unit No. 6	3.3	28.9	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.03
Line 6	Toast Oven	6.75	59.1	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.06
	Heat Exchanger	3.58	31.4	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.03
			0.000	0.0002	0.01	0.28	0.001	0.0001	0.0002	0.000	0.0001	0.000	0.293	

Methodology is the same as page 1.

Total HAPs: 0.293

The five highest organic and metal HAPs emission factors are provided above.
 Additional HAPs emission factors are available in AP-42, Chapter 1.4.

Appendix A: Emissions Calculations

Seasoners

Company Name: Krunchers, Inc.

Address City IN Zip: 125 Peacely Street, Jeffersonville, IN 47130

Administrative Amendment No.: F019-28614-00132

Reviewer: Summer Keown

Date: November 16, 2009

	Maximum Seasoning Capacity per Seasoner (tons/yr)	Process Weight Rate (lbs/hr)	PM/PM10/PM2.5 Uncontrolled Emissions (tons/yr)*	PM/PM10/PM2.5 Uncontrolled Emissions (lb/hr)	Control Efficiency	PM/PM10/PM2.5 Controlled Emissions
One (1) Seasoner	115.9	0.01	1.16	0.26	0.00%	1.16
6 Seasoners	695.4		6.95	1.59	0.00%	6.95

PM/PM10 emissions for seasoners submitted by source.

PM2.5 is assumed to be equal to PM10.

*Assumes a 1% seasoning emission rate based on total estimated seasoning used (50% of product seasoned at 9% of total weight)



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Ray Walker
Krunchers!, Inc
125 Peacely St
Jeffersonville, IN 47130

DATE: December 14, 2009

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Administrative Amendment
019-28614-00132

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Andre Bloom (Plant Manager)
Brooke Myer (August Mack Environmental, Inc)
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	MIDENNEY 12/14/2009 Krunchers!, Inc 019-28614-00132 (final)		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Ray Walker Krunchers!, Inc 125 Peacely St Jeffersonville IN 47130 (Source CAATS) via confirmed delivery										
2		Andre Boom Plant Mgr Krunchers!, Inc 125 Peacely St Jeffersonville IN 47130 (RO CAATS)										
3		Ms. Rhonda England 17213 Persimmon Run Rd Borden IN 47106-8604 (Affected Party)										
4		Ms. Betty Hislip Silver Lakes Trailer Pk 13131 Sunnybrook Dr Memphis IN 47143-9672 (Affected Party)										
5		Mrs. Sandy Banet 514 Haddox Rd Henryville IN 47126 (Affected Party)										
6		Jeffersonville City Council and Mayors Office 500 Quarter Master Jeffersonville IN 47130 (Local Official)										
7		Mr. Robert Bottom Paddlewheel Alliance P.O. Box 35531 Louisville KY 40232-5531 (Affected Party)										
8		Clark County Board of Commissioners 501 E. Court Avenue Jeffersonville IN 47130 (Local Official)										
9		Clark County Health Department 1320 Duncan Avenue Jeffersonville IN 47130-3723 (Health Department)										
10		Brooke A. Myer August Mack Environmental, Inc. 1200 N. Meridian Street, Suite 400 Indianapolis IN 46204 (Consultant)										
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
9			