



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: February 4, 2010

RE: CTP, Division of Tube Processing Corp. / 097 - 28913 - 00593

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. Dan Seybert
CTP, Division of Tube Processing Corporation
604 East LeGrande Avenue
Indianapolis, Indiana 46203

February 4, 2010

Re: 097-28913-00593
First Notice-Only Change to
Registration No. 097-23537-00593

Dear Mr. Seybert:

CTP, Division of Tube Processing Corporation was issued a Registration No. R097-23537-00593 on July 2, 2007 for a stationary fabricated metal products operation source located at 3555 Madison Avenue, Indianapolis, Indiana 46227 for Plant 1 and 3750 South Shelby Street, Indianapolis, Indiana 46227 for Plant 2. On January 25, 2010, the Office of Air Quality (OAQ) received an application from the source requesting that the registration be revised to remove all requirements related to local air pollution control agencies. Local agencies no longer have effective authority to implement state and federal requirements for IDEM. Therefore, IDEM has removed all references to local agencies from the registration. IDEM has determined that this change to the registration will be processed as a notice-only change pursuant to 326 IAC 2-5.5-6.

The revised registration specifies that all reports, notices, applications, and any other required submittals shall be submitted to IDEM. The Permittee should note that the local agency could have its own requirements beyond the state and federal requirements contained in the registration. Please contact the local agency for further information.

The source shall continue to operate according to 326 IAC 2-5.5. Please find enclosed the revised registration. A copy of the registration is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Renee Traivaranon, at (800) 451-6027, press 0 and ask for Renee Traivaranon or extension 4-5615, or dial (317) 234-5615.

Sincerely,

Iryn Calilung, Section Chief
Permits Branch
Office of Air Quality

IC/rt

Attachment: Revised Registration
Notice of Decision

cc: File - Marion County
Marion County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

REGISTRATION OFFICE OF AIR QUALITY

CTP, Division of Tube Processing Corporation

**Plant 1, 3555 Madison Avenue
and
Plant 2, 3750 South Shelby Street
Indianapolis, Indiana 46227**

Pursuant to 326 IAC 2-5.1 (Construction of New Sources: Registrations) and 326 IAC 2-5.5 (Registrations), (herein known as the Registrant) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this registration.

| | |
|--|-----------------------------|
| Registration No. 097-23537-00593 | |
| Original Signed by: Felicia A. Robinson, Administrator Office of Environmental Services | Issuance Date: July 2, 2007 |

| | |
|--|--|
| First Notice - Only Change No. 097-28913-00593 | |
| Issued by:  Iryn Calitang, Section Chief Permits Branch Office of Air Quality | Issuance Date: February 4, 2010 |

SECTION A

SOURCE SUMMARY

This registration is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Registrant should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Registrant to obtain additional permits pursuant to 326 IAC 2.

A.1 General Information

The Registrant owns and operates a stationary fabricated metal product operation source.

| | |
|------------------------------|--|
| Source Address: | Plant 1, 3555 Madison Avenue, Indianapolis, IN 46227; and Plant 2, 3750 South Shelby Street, Indianapolis, IN 46227 |
| Mailing Address: | 604 East LeGrande Avenue, Indianapolis, Indiana 46203 |
| General Source Phone Number: | (317) 782-9628 |
| SIC Code: | 3499 |
| County Location: | Marion County |
| Source Location Status: | Nonattainment for PM 2.5 standard Attainment for all criteria pollutants |
| Source Status: | Registration |

A.2 Source Definition

This stationary fabricated metal product company consists of two (2) plants:

- (a) Plant 1, CTP Sheet metal, is located at 3555 Madison Avenue, Indianapolis, Indiana 46227; and
- (b) Plant 2, CTP, Division of Tube Processing Corporation, is located at 3750 South Shelby Street, Indianapolis, Indiana 46227

The two (2) plants have been determined in the registration No. R097-23537-00593 to be one source since they are located on adjacent properties, belong to the same industrial grouping, have the same two SIC codes, and are owned by one (1) company.

A.2 Emission Units and Pollution Control Equipment Summary

This stationary stationary fabricated metal product plants consist of the following emission units and pollution control devices:

Plant 1 – CTP Sheetmetal, 3555 Madison Avenue

- (a) Eighteen (18) welding stations, identified as Emissions Unit 01, including fifteen (15) Tungsten Inert Gas (TIG) welding stations, with a maximum electrode usage capacity of 0.59 pounds of metal per hour (lb/hr), and three (3) Metal Inert Gas (MIG) welding stations, with a maximum electrode usage capacity of 1.5 pounds of metal per hour (lb/hr).
- (b) Two (2) deburring operations, including one (1) hand held deburring with pneumatic tools, and one (1) vibratory deburring, with total maximum capacity of 2000 pounds of metal per hour (lb/hr).
- (c) Metal presses, including hydraulic presses and mechanical presses, with a total maximum capacity of 3600 pounds per hour (lb/hr).

- (d) One (1) parts washer, identified as Emissions Unit 02, using a maximum capacity of 300 gallons and a maximum cleaner usage rate of 0.025 gallons per hour.
- (e) Natural gas combustion heaters identified as Emissions Unit 03 with a maximum combined heat input capacity of 5.98 million Btu per hour (mm Btu/hr). Installed in 2002.

Plant 2 - CTP, Division of Tube Processing Corporation 3750 South Shelby Street

- (a) Two (2) acid wash lines for cleaning metal parts, identified as Emissions Unit 06. Each wash line contains two (2) acid tanks, two (2) soap tanks, and two (2) rinse tanks containing water. Some wash products contain up to five percent (5%) VOC by weight. Installed in 1976.
- (b) Two (2) abrasive blast cabinets identified as Emissions Unit 07 and Emissions Unit 08. Emissions Unit 07 is a Cyclo-Blast blast cabinet utilizing steel shot as blasting media and Emissions Unit 08 is an ICM Superhone 3600 utilizing glass shot as blasting media. Each emission unit has an integral cyclone to recirculate recovered blasting media and each emission unit is equipped with a baghouse. Installed in 1974.
- (c) One (1) coating booth for applying a heat resistant coating by brush. Maximum coating usage is 0.022 gallons per hour. Installed in 1974.
- (d) Nine (9) MIG welding stations and five (5) TIG welding stations. Maximum electrode usage estimated at 105,208 pounds per year. Installed in 1974.
- (e) One (1) thirty (30) gallon cold cleaning parts washer utilizing up to ninety (90) gallons of naphtha solvent per year. Installed in 1974.
- (f) Ten (10) natural gas fired space heaters with a combined maximum heat input of 1.35 MMBtu/hr. Installed in 1974.
- (g) Fourteen (14) non-HAP emitting brazing stations. Installed in 1974.

SECTION B

GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-1.1-1]

Terms in this registration shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

B.2 Effective Date of Registration [IC 13-15-5-3]

Pursuant to IC 13-15-5-3, this registration is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

B.3 Registration Revocation [326 IAC 2-1.1-9]

Pursuant to 326 IAC 2-1.1-9 (Revocation), this registration to operate may be revoked for any of the following causes:

- (a) Violation of any conditions of this registration.
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this registration.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this registration shall not require revocation of this registration.
- (d) For any cause which establishes in the judgment of IDEM the fact that continuance of this registration is not consistent with purposes of this article.

B.4 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to Registration No. 097-23537-00593 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this registration.

B.5 Annual Notification [326 IAC 2-5.1-2(f)(3)] [326 IAC 2-5.5-4(a)(3)]

Pursuant to 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this registration.
- (b) The annual notice shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality

100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, IN 46204-2251

- (c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.6 Source Modification Requirement [326 IAC 2-5.5-6(a)]

Pursuant to 326 IAC 2-5.5-6(a), an application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

B.7 Registrations [326 IAC 2-5.1-2(i)]

Pursuant to 326 IAC 2-5.1-2(i), this registration does not limit the source's potential to emit.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-5.1-2(g)] [326 IAC 2-5.5-4(b)]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this registration:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Fugitive Dust Emissions [326 IAC 6-4]

The Registrant shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

SECTION D.1

OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]:

Plant 1 – CTP Sheetmetal, 3555 Madison Avenue

- (a) Eighteen (18) welding stations, identified as Emissions Unit 01, including fifteen (15) Tungsten Inert Gas (TIG) welding stations, with a maximum electrode usage capacity of 0.59 pounds of metal per hour (lb/hr), and three (3) Metal Inert Gas (MIG) welding stations, with a maximum electrode usage capacity of 1.5 pounds of metal per hour (lb/hr).
- (b) Two (2) deburring operations, including one (1) hand held deburring with pneumatic tools, and one (1) vibratory deburring, with total maximum capacity of 2000 pounds of metal per hour (lb/hr).
- (c) Metal presses, including hydraulic presses and mechanical presses, with a total maximum capacity of 3600 pounds per hour (lb/hr).
- (d) One (1) parts washer, identified as Emissions Unit 02, using a maximum capacity of 300 gallons and a maximum cleaner usage rate of 0.025 gallons per hour.
- (e) Natural gas combustion heaters identified as Emissions Unit 03 with a maximum combined heat input capacity of 5.98 million Btu per hour (mm Btu/hr). Installed in 2002.

Plant 2 - CTP, Division of Tube Processing Corporation 3750 South Shelby Street

- (a) Two (2) acid wash lines for cleaning metal parts, identified as Emissions Unit 06. Each wash line contains two (2) acid tanks, two (2) soap tanks, and two (2) rinse tanks containing water. Some wash products contain up to five percent (5%) VOC by weight. Installed in 1976.
- (b) Two (2) abrasive blast cabinets identified as Emissions Unit 07 and Emissions Unit 08. Emissions Unit 07 is a Cyclo-Blast blast cabinet utilizing steel shot as blasting media and Emissions Unit 08 is an ICM Superhone 3600 utilizing glass shot as blasting media. Each emission unit has an integral cyclone to recirculate recovered blasting media and each emission unit is equipped with a baghouse. Installed in 1974.
- (c) One (1) coating booth for applying a heat resistant coating by brush. Maximum coating usage is 0.022 gallons per hour. Installed in 1974.
- (d) Nine (9) MIG welding stations and five (5) TIG welding stations. Maximum electrode usage estimated at 105,208 pounds per year. Installed in 1974.
- (e) One (1) thirty (30) gallon cold cleaning parts washer utilizing up to ninety (90) gallons of naphtha solvent per year. Installed in 1974.
- (f) Ten (10) natural gas fired space heaters with a combined maximum heat input of 1.35 MMBtu/hr. Installed in 1974.
- (g) Fourteen (14) non-HAP emitting brazing stations. Installed in 1974.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

D.1.1 Particulate Emission Limitations for Manufacturing Processes (326 IAC 6-3-2)

Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), particulate emissions from Emission Unit 07, shall be limited by the following:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

When operating at a process weight rate of 0.3 tons per hour, particulate emissions shall not exceed 1.83 pounds per hour.

D.1.2 Cold Cleaner Operation (326 IAC 8-3-2)

Pursuant to 326 IAC 8-3-2 (Cold Cleaner Operation) the owner or operator of this cold cleaning facility shall:

- (1) equip the cleaner with a cover;
- (2) equip the cleaner with a facility for draining cleaned parts;
- (3) close the degreaser cover whenever parts are not being handled in the cleaner;
- (4) drain cleaned parts for at least fifteen (15) seconds or until dripping ceases;
- (5) provide a permanent, conspicuous label summarizing the operating requirement;
- (6) store waste solvent only in covered containers and not dispose of waste solvent or transfer it to another party, in such a manner that greater than twenty percent (20%) of the waste solvent (by weight) can evaporate into the atmosphere.

D.1.3 Cold Cleaner Operation (326 IAC 8-3-5)

Pursuant to 326 IAC 8-3-5 (Cold Cleaner Degreaser Operation and Control), the owner or operator of a cold cleaner degreaser facility shall ensure that the following control equipment requirements are met:

- (1) Equip the degreaser with a cover. The cover must be designed so that it can be easily operated with one (1) hand if:
 - (A) the solvent volatility is greater than two (2) kiloPascals (fifteen (15) millimeters of mercury or three-tenths (0.3) pounds per square inch) measured at thirty-eight degrees Celsius (38°C) (one hundred degrees Fahrenheit (100°F));
 - (B) the solvent is agitated; or
 - (C) the solvent is heated.

- (2) Equip the degreaser with a facility for draining cleaned articles. If the solvent volatility is greater than four and three-tenths (4.3) kiloPascals (thirty-two (32) millimeters of mercury or six-tenths (0.6) pounds per square inch) measured at thirty-eight degrees Celsius (38°C) (one hundred degrees Fahrenheit (100°F)), then the drainage facility must be internal such that articles are enclosed under the cover while draining. The drainage facility may be external for applications where an internal type cannot fit into the cleaning system.
- (3) Provide a permanent, conspicuous label which lists the operating requirements outlined in subsection (b).
- (4) The solvent spray, if used, must be a solid, fluid stream and shall be applied at a pressure which does not cause excessive splashing.
- (5) Equip the degreaser with one (1) of the following control devices if the solvent volatility is greater than four and three-tenths (4.3) kiloPascals (thirty-two (32) millimeters of mercury or six-tenths (0.6) pounds per square inch) measured at thirty-eight degrees Celsius (38°C) (one hundred degrees Fahrenheit (100°F)), or if the solvent is heated to a temperature greater than forty-eight and nine-tenths degrees Celsius (48.9°C) (one hundred twenty degrees Fahrenheit (120°F)):
 - (A) A freeboard that attains a freeboard ratio of seventy-five hundredths (0.75) or greater.
 - (B) A water cover when solvent used is insoluble in, and heavier than water.
 - (C) Other systems of demonstrated equivalent control such as a refrigerated chiller or carbon adsorption. Such systems shall be submitted to the U.S. EPA as a SIP revision.
- (6) The owner or operator of a cold cleaning facility shall ensure that the following operating requirements are met:
 - (A) Close the cover whenever articles are not being handled in the degreaser.
 - (B) Drain cleaned articles for at least fifteen (15) seconds or until dripping ceases.
 - (C) Store waste solvent only in covered containers and prohibit the disposal or transfer of waste solvent in any manner in which greater than twenty percent (20%) of the waste solvent by weight could evaporate.

Compliance Determination Requirements [326 IAC 2-5.1-2(g)] [326 IAC 2-5.5-4(b)]

D.1.4 Particulate

The cyclones for Emission Unit 07 and Emission Unit 08 shall operate at all times the Cyclo-Blast abrasive blasting cabinet and the ICM Superhone 3000 abrasive blasting cabinet are in operation.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

**REGISTRATION
ANNUAL NOTIFICATION**

This form should be used to comply with the notification requirements under 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3).

| | |
|--------------------------|--|
| Company Name: | CTP, Division of Tube Processing Corporation |
| Address: | Plant 1: 3555 Madison Avenue; and Plant 2: 3750 South Shelby Street |
| City: | Indianapolis, Indiana 46227 |
| Phone Number: | (317) 782-9628 |
| Registration No.: | R097-23537-00593 |

| | |
|---|--|
| I hereby certify that CTP, Division of Tube Processing Corporation is : | <input type="checkbox"/> still in operation. |
| I hereby certify that CTP, Division of Tube Processing Corporation is : | <input type="checkbox"/> no longer in operation. |
| | <input type="checkbox"/> in compliance with the requirements of Registration No. R097-23537-00593. |
| | <input type="checkbox"/> not in compliance with the requirements of Registration No. R097-23537-00593. |

| |
|---------------------------------------|
| Authorized Individual (typed): |
| Title: |
| Signature: |
| Phone Number: |
| Date: |

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

| |
|-----------------------|
| Noncompliance: |
| |
| |
| |
| |



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Dan Seybert
CTP, Division of Tube Processing Corp.
604 East LeGrande Avenue
Indianapolis, IN 46203

DATE: February 4, 2010

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Registration - NOC - Local Agency Conditions
097 - 28913 - 00593

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Mr. Kyle Thomas Cornerstone Environmental, Health & Safety, Inc.
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

| | | | | |
|----------------------------|--|---|--|--|
| IDEM Staff | LPOGOST 2/4/2010 CTP, Division of Tube Processing Corporation 097 - 28913 - 00593 (final) | | AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING | |
| Name and address of Sender |  | Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204 | Type of Mail: CERTIFICATE OF MAILING ONLY | |

| Line | Article Number | Name, Address, Street and Post Office Address | Postage | Handing Charges | Act. Value (If Registered) | Insured Value | Due Send if COD | R.R. Fee | S.D. Fee | S.H. Fee | Rest. Del. Fee |
|------|----------------|---|---------|-----------------|----------------------------|---------------|-----------------|----------|----------|----------|----------------|
| | | | | | | | | | | | Remarks |
| 1 | | Dan Seybert CTP, Division of Tube Processing Corporation 604 East LeGrande Avenue Indianapolis IN 46203 (Source CAATS) Via confirmed delivery | | | | | | | | | |
| 2 | | Marion County Health Department 3838 N, Rural St Indianapolis IN 46205-2930 (Health Department) | | | | | | | | | |
| 3 | | Mrs. Sandra Lee Watson 7834 E 100 S Marion IN 46953 (Affected Party) | | | | | | | | | |
| 4 | | Indianapolis City Council and Mayors Office 200 East Washington Street, Room E Indianapolis IN 46204 (Local Official) | | | | | | | | | |
| 5 | | Marion County Commissioners 200 E. Washington St. City County Bldg., Suite 801 Indianapolis IN 46204 (Local Official) | | | | | | | | | |
| 6 | | Mr. Kyle Thomas Cornerstone Environmental, Health & Safety, Inc. 880 Lennox Court Zionsville IN 46077 (Consultant) | | | | | | | | | |
| 7 | | Ms. Janet McCabe Improving Kids Environment 3951 N Meridian Street Suite 160 Indianapolis IN 46208-4062 (Affected Party) | | | | | | | | | |
| 8 | | Matt Mosier Office of Sustainability 2700 South Belmont Ave. Administration Bldg. Indianapolis IN 46221 (Local Official) | | | | | | | | | |
| 9 | | | | | | | | | | | |
| 10 | | | | | | | | | | | |
| 11 | | | | | | | | | | | |
| 12 | | | | | | | | | | | |
| 13 | | | | | | | | | | | |
| 14 | | | | | | | | | | | |
| 15 | | | | | | | | | | | |

| | | | |
|---|--|--|--|
| Total number of pieces Listed by Sender | Total number of Pieces Received at Post Office | Postmaster, Per (Name of Receiving employee) | The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50,000 per occurrence. The maximum indemnity payable on Express mail merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on insured and COD mail. See International Mail Manual for limitations of coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels. |
|---|--|--|--|