



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: January 6, 2011

RE: Monsanto Company / 073-29894-00035

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-17-3-4 and 326 IAC 2, this approval is effective immediately, unless a petition for stay of effectiveness is filed and granted, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3-7 and IC 13-15-7-3 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-MOD.dot 12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. John Sturges
Monsanto Company
P.O. Box 35
15849 South U.S. Highway 231
Remington, IN 47977

January 6, 2011

Re: 073-29894-00035
First Minor Revision to
F073-23632-00035

Dear Mr. Sturges:

Monsanto Company was issued a Federally Enforceable State Operating Permit (FESOP) No. F073-23632-00035 on February 20, 2007 for a stationary hybrid corn processing plant located at 15849 South US Highway 231, Remington, IN 47977. On November 18, 2010, the Office of Air Quality (OAQ) received an application from the source relating to:

- (a) The addition of a refuge scale process;
- (b) The removal of several emission units;
- (c) The identification of existing operations, inadvertently not identified in previous revisions; and
- (d) The regrouping of emission units within the A.2 and D.1 Sections of the permit to group similar emission units together and improve the organization of the permit's emission unit listings.

The attached Technical Support Document (TSD) provides additional explanation of the changes to the source/permit. Pursuant to the provisions of 326 IAC 2-8-11.1, these changes to the permit are required to be reviewed in accordance with the Minor Permit Revision (MPR) procedures of 326 IAC 2-8-11.1(e). Pursuant to the provisions of 326 IAC 2-8-11.1, a minor permit revision to this permit is hereby approved as described in the attached Technical Support Document (TSD).

The following construction conditions are applicable to the proposed project:

1. General Construction Conditions
The data and information supplied with the application shall be considered part of this source modification approval. Prior to any proposed change in construction which may affect the potential to emit (PTE) of the proposed project, the change must be approved by the Office of Air Quality (OAQ).
2. This approval to construct does not relieve the permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.
3. Effective Date of the Permit
Pursuant to IC 13-15-5-3, this approval becomes effective upon its issuance.

4. Pursuant to 326 IAC 2-1.1-9 (Revocation), the Commissioner may revoke this approval if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.
5. All requirements and conditions of this construction approval shall remain in effect unless modified in a manner consistent with procedures established pursuant to 326 IAC 2.

Pursuant to 326 IAC 2-8-11.1, this permit shall be revised by incorporating the minor permit revision into the permit. All other conditions of the permit shall remain unchanged and in effect. Attached please find the entire revised permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Jason R. Krawczyk, of my staff, at 317-232-8427 or 1-800-451-6027, and ask for extension 2-8427.

Sincerely,



Alfred G. Dumauval, Ph. D., Section Chief
Permits Branch
Office of Air Quality

Attachments: Technical Support Document
Updated Calculations
Revised Permit

ACD/JRK

cc: File - Jasper County
Jasper County Health Department
U.S. EPA, Region V
Compliance and Enforcement Branch
Billing, Licensing and Training Section



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
 Indianapolis, Indiana 46204
 (317) 232-8603
 Toll Free (800) 451-6027
 www.idem.IN.gov

Federally Enforceable State Operating Permit
OFFICE OF AIR QUALITY

Monsanto Company
15849 South U.S. Highway 231
Remington, Indiana 47977

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a FESOP under 326 IAC 2-8.

Operation Permit No.: 073-23632-00035	
Original Signed By: Nisha Sizemore, Chief Permits Branch Office of Air Quality	Issuance Date: February 20, 2007 Expiration Date: February 20, 2012

- First Significant Permit Revision No.: 073-24875-00035, issued on September 11, 2007
- Second Significant Permit Revision No.: 073-25673-00035, issued on March 31, 2008
- Third Significant Permit Revision No.: 073-26568-00035, issued on August 27, 2008
- First Administrative Amendment No.: 073-26973-00035, issued September 29, 2008
- Second Administrative Amendment No.: 073-27416-00035, issued March 18, 2009


First Minor Permit Revision No.: 073-29894-00035	
Issued by:  Alfred C. Dumaul, Ph.D., Section Chief Permits Branch Office of Air Quality	Issuance Date: January 6, 2011 Expiration Date: February 20, 2012

TABLE OF CONTENTS

A. SOURCE SUMMARY	4
A.1 General Information [326 IAC 2-8-3(b)]	
A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]	
A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]	
A.4 FESOP Applicability [326 IAC 2-8-2]	
B. GENERAL CONDITIONS	8
B.1 Definitions [326 IAC 2-8-1]	
B.2 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]	
B.3 Term of Conditions [326 IAC 2-1.1-9.5]	
B.4 Enforceability [326 IAC 2-8-6]	
B.5 Severability [326 IAC 2-8-4(4)]	
B.6 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]	
B.7 Duty to Provide Information [326 IAC 2-8-4(5)(E)]	
B.8 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]	
B.9 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]	
B.10 Compliance Order Issuance [326 IAC 2-8-5(b)]	
B.11 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)] [326 IAC 2-8-5(a)(1)]	
B.12 Emergency Provisions [326 IAC 2-8-12]	
B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5]	
B.14 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]	
B.15 Reserved	
B.16 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]	
B.17 Permit Renewal [326 IAC 2-8-3(h)]	
B.18 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]	
B.19 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]	
B.20 Source Modification Requirement [326 IAC 2-8-11.1]	
B.21 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2] [IC 13-30-3-1]	
B.22 Transfer of Ownership or Operational Control [326 IAC 2-8-10]	
B.23 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16] [326 IAC 2-1.1-7]	
B.24 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]	
C. SOURCE OPERATION CONDITIONS	17
Emission Limitations and Standards [326 IAC 2-8-4(1)]	
C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]	
C.2 Overall Source Limit [326 IAC 2-8] [326 IAC 2-2]	
C.3 Opacity [326 IAC 5-1]	
C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]	
C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]	
C.6 Fugitive Dust Emissions [326 IAC 6-4]	
C.7 Stack Height [326 IAC 1-7]	
C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]	
Testing Requirements [326 IAC 2-8-4(3)]	
C.9 Performance Testing [326 IAC 3-6]	
Compliance Requirements [326 IAC 2-1.1-11]	
C.10 Compliance Requirements [326 IAC 2-1.1-11]	

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

- C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]
- C.12 Emergency Reduction Plans [326 IAC 1-5-2][326 IAC 1-5-3]
- C.13 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)] [326 IAC 2-8-5(1)]

Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

- C.14 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]
- C.15 Response to Excursions and Exceedances [326 IAC 2-8-4][326 IAC 2-8-5]
- C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4] [326 IAC 2-8-5]

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

- C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]
- C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

Stratospheric Ozone Protection

- C.19 Compliance with 40 CFR 82 and 326 IAC 22-1

D.1. EMISSIONS UNIT OPERATION CONDITIONS 24

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.1.1 Particulate Matter (PM) [326 IAC 6-3-2]
- D.1.2 Particulate Matter (PM) [326 IAC 2-2]
- D.1.3 Particulate Matter (PM10) [326 IAC 2-8-4]
- D.1.4 Fuel Usage Limitations [326 IAC 2-8-4] [326 IAC 2-2] [326 IAC 7]
- D.1.5 Volatile Organic Compounds (VOCs) [326 IAC 8-1-6]
- D.1.6 Preventive Maintenance Plan [326 IAC 1-6-3]

Compliance Determination Requirements

- D.1.7 Testing Requirements [326 IAC 2-8-5(a)(1), (4)] [326 IAC 2-1.1-11]
- D.1.8 Particulate Control

Compliance Monitoring Requirements

- D.1.9 Visible Emissions Notations
- D.1.10 Baghouse Parametric Monitoring
- D.1.11 Broken or Failed Bag Detection

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.1.12 Record Keeping Requirements
- D.1.13 Reporting Requirements

Certification Form	34
Emergency Occurrence Form	35
Quarterly Report Forms	37
Quarterly Deviation and Compliance Monitoring Report Form	51

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary hybrid corn seed processing plant.

Source Address:	15849 South US Highway 231, Remington, IN 47977
General Source Phone Number:	(219) 261-2122
SIC Code:	0723
County Location:	Jasper
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Federally Enforceable State Operating Permit Program Minor Source, under PSD and Emission Offset Rules Minor Source, Section 112 of the Clean Air Act Not 1 of 28 Source Categories

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

(a) Husking Receiving

- (1) Two (2) receiving lines, identified as Corn Receiving #1 and Corn Receiving #2, consisting of two (2) huskers, identified as Husker 1 and Husker 2, which each consist of six (6) husking beds, installed in 1976, modified in 1995 and 2007, and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.
- (2) Two (2) corn receiving lines identified as Corn Receiving #3 and Corn Receiving #4, consisting of two (2) huskers, identified as Husker 3 and Husker 4, which each consist of seven (7) husking beds, approved for construction in 2007 and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.

(b) Drying

- (1) Two (2) natural gas-fired bin dryers, identified as Dry 1 and Dry 2, exhausting to Stacks Dry 1 and Dry 2 installed in 1976, heat input capacity: sixty (60) million British thermal units per hour, each, and a dry rate of 20,238 bushels per batch (500 bushels (28,000 pounds) per hour, each).
- (2) One (1) natural gas-fired bin dryer, identified as Dry 3, approved for construction in 2007, exhausting to Stack Dry 3, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 3 Bins, used for drying with a capacity of 2,000 bushels (152,000 pounds), each.

- (3) Two (2) natural gas-fired bin dryers identified as Dry 4 and Dry 5, approved for construction in 2007, exhausting to Stack Dry 4 and Stack Dry 5, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, each equipped with eighteen (18) storage bins, identified as Dry 4 and Dry 5 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
 - (4) One (1) natural gas-fired grain dryer, identified as Dry 6, approved for construction in 2008, exhausting to Stack Dry 6, with a drying rate of 500 bushels (28,000) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 6 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
- (c) Shelling/Bulk Storage
- (1) One (1) corn sheller, identified as Sheller #1, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15a, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
 - (2) One (1) corn sheller, identified as Sheller #2, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15b, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
 - (3) Two (2) aspirators, identified as Sheller Aspirator 1 and Sheller Aspirator 2 approved for construction in 2009, exhausting to a baghouse for particulate control, identified as CE-35 (Harvest Dust System), capacity 2,500 bushels (140,000 pounds) of corn per hour, each.
 - (4) One hundred eighty (180) bulk storage bins, identified as B-1 through B-12, B-21 through B-72, B-73 through B-144, and B144 through B187:
 - (A) Sixty-four (64) bulk storage bins, identified as B-1 through B-12, B-21 through B-40, and B-41 through B-72, installed in 1999 and 2007. Storage bins B-1 through B-4 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-5 through B-8 have a capacity of 15,000 bushels (1,050,000 pounds) each; storage bins B-9 through B-12 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-13 through B-17 have a capacity of 4,600 bushels (322,000 pounds) each; storage bins B-21 through B-30 have a capacity of 5,000 bushels (350,000 pounds) each; and storage bins B-31 through B-40 have a capacity of 7,500 bushels (525,000 pounds) each; storage bins B-41 through B-56 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-57 through B-72 have a capacity of 5,000 bushels (280,000 pounds), each; throughput: 1000 bushels (56,000) pounds of shelled corn per hour:
 - (B) Forty-four (44) bulk storage bins, identified as B144 through B187, approved for construction in 2009. Storage bins B144 through B165 have a capacity of 5,000 bushels (280,000 pounds) each, and storage bins B166 through B187 have a capacity of 7,500 bushels (420,000 pounds) each.
 - (C) Seventy-two (72) bulk storage bins, identified as B-73 through B-144, approved for construction in 2007, throughput: 2,000 bushels (112,000 pounds) of shelled corn per hour. Storage bins B-73 through B-108 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-

109 through B-144 have a capacity of 5,000 bushels (280,000 pounds), each.

- (5) One (1) shelled corn loadout operation, identified as Shelled Corn Loadout, installed in 1976, with a maximum capacity of 56,000 pounds per hour of shelled corn loaded to trucks, utilizing no control devices.
- (6) Six (6) loadout bins, identified as Loadout Bins 1 through 4, and Loadout Bins 5 and 6, approved for construction in 2009, throughput: 1,000 bushels per hour. Loadout Bins 1 through 4 have a capacity of 1,000 (56,000 pounds) each, and Loadout Bins 5 and 6 have a capacity of 1,000 bushels (56,000 pounds) each.

(d) Conditioning

- (1) Two (2) cleaners, identified as Cleaner Line 1 and Cleaner Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (2) Two (2) sorters, identified as Sorter Line 1 and Sorter Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (3) Two (2) sizers, identified as Sizer Line 1 and Sizer Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (4) Sixteen (16) gravity tables, identified as Gravity Tables Line 1 and Gravity Tables Line 2, approved for construction in 2007, equipped with sixteen (16) dust collectors for particulate control, identified as Gravity Table Dust Collectors #1 through #16, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) Twenty-four (24) storage bins, identified as Storage Bins Lines 1 and Storage Bins Line 2, approved for construction in 2007, throughput capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.

(e) Treating/Packaging

- (1) Three (3) aspirators, identified as Aspirator #1 through #3, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (2) One (1) treater, identified as Treater #3, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 500 bushels (28,000 pounds) of shelled corn per hour.
- (3) Two (2) treaters, identified as Treater #1 and #2, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (4) Twelve (12) storage bins, identified as Treating and Packing Storage Bins 1 through 12, approved for construction in 2007, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.

- (5) One (1) bagging machine, identified as EU12, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 134,400 pounds of seed corn per hour.
- (6) One (1) seed pak filler, identified as Seed Pak Filler, approved for construction in 2010, with a maximum capacity of 84,000 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (7) One (1) refuge scale, identified as Refuge Scale 1, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (8) One (1) refuge scale, identified as Refuge Scale 2, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to baghouse CE14.
- (9) One (1) seed corn debagger, identified as EU34, installed in 2002, exhausting to a baghouse, identified as Red Dust Collector, maximum throughput: 1,000 bushels (56,000 pounds) of seed corn per hour.
- (10) One (1) small lot bagging operation, installed in 2005, consisting of the CBT-100 treater, identified as EU102, an aspirator, identified as EU103, and bagging unit #2, identified as EU104, exhausting to a baghouse, identified as CE14, capacity: 3,550 bushels (198,800 pounds) per hour, total.

Calculations indicate that the six (6) baghouses, identified as the Red Dust Collector, CE14, CE15a, CE15b, CE34, and CE35, do not have to be operated in order for the associated emission units to comply with 326 IAC 6-3-2.

A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities:

- (a) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) Btu per hour, with no boilers.
- (b) The following VOC and HAP storage containers:
 - (1) Storage tanks with capacity less than or equal to one thousand (1,000) and annual throughputs less than twelve thousand (12,000) gallons.
 - (2) Vessels storage the following: hydraulic oils, lubricating oils, machining oils, and machining fluids.
- (c) Paved and unpaved roads and parking lots with public access.
- (d) Bulk Seed Receiving facility.

A.4 FESOP Applicability [326 IAC 2-8-2]

This stationary source, otherwise required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Federally Enforceable State Operating Permit (FESOP).

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-8-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

B.2 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]

- (a) This permit, F073-23632-00035, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, until the renewal permit has been issued or denied.

B.3 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.4 Enforceability [326 IAC 2-8-6]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Severability [326 IAC 2-8-4(4)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.6 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]

This permit does not convey any property rights of any sort or any exclusive privilege.

B.7 Duty to Provide Information [326 IAC 2-8-4(5)(E)]

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.8 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]

- (a) A certification required by this permit meets the requirements of 326 IAC 2-8-5(a)(1) if:

- (1) it contains a certification by an "authorized individual", as defined by 326 IAC 2-1.1-1(1), and
 - (2) the certification states that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) The Permittee may use the attached Certification Form, or its equivalent with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.
 - (c) An "authorized individual" is defined at 326 IAC 2-1.1-1(1).

B.9 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The initial certification shall cover the time period from the date of final permit issuance through December 31 of the same year. All subsequent certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than July 1 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-8-4(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ may require to determine the compliance status of the source.

The submittal by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

B.10 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.11 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)][326 IAC 2-8-5(a)(1)]

(a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after issuance of this permit, including the following information on each facility:

- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
- (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
- (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require a certification that meets the requirements of 326 IAC 2-11.1-1(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

The Permittee shall implement the PMPs.

- (b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions. The PMPs and their submittal do not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (c) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.12 Emergency Provisions [326 IAC 2-8-12]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation except as provided in 326 IAC 2-8-12.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:

- (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
- (2) The permitted facility was at the time being properly operated;
- (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
- (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance and Enforcement Branch), or

Telephone Number: 317-233-0178 (ask for Office of Air Quality, Compliance and Enforcement Branch)

Facsimile Number: 317-233-6865

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
 - (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.

- (e) The Permittee seeking to establish the occurrence of an emergency shall make records available upon request to ensure that failure to implement a PMP did not cause or contribute to an exceedance of any limitations on emissions. However, IDEM, OAQ may require that the Preventive Maintenance Plans required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
- (g) Operations may continue during an emergency only if the following conditions are met:
 - (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
 - (A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
 - (B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial economic value.

Any operations shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.

B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to F073-23632-00035 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this permit.

B.14 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-9.

B.15 Reserved

B.16 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]

- (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Federally Enforceable State Operating

Permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:
 - (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]
- (c) Proceedings by IDEM, OAQ to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-8-8(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

B.17 Permit Renewal [326 IAC 2-8-3(h)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) A timely renewal application is one that is:
 - (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes

final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified, pursuant to 326 IAC 2-8-3(g), in writing by IDEM, OAQ any additional information identified as being needed to process the application.

B.18 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]

(a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-8-10 or 326 IAC 2-8-11.1 whenever the Permittee seeks to amend or modify this permit.

(b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.19 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]

(a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-8-15(b) through (d) without a prior permit revision, if each of the following conditions is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any approval required by 326 IAC 2-8-11.1 has been obtained;
- (3) The changes do not result in emissions which exceed the limitations provided in this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-8-15(b) through (d). The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ in the notices specified in 326 IAC 2-8-15(b)(2), (c)(1), and (d).

- (b) Emission Trades [326 IAC 2-8-15(c)]
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(c).
- (c) Alternative Operating Scenarios [326 IAC 2-8-15(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (d) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

B.20 Source Modification Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2.

B.21 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2][IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a FESOP source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.22 Transfer of Ownership or Operational Control [326 IAC 2-8-10]

- (a) The Permittee must comply with the requirements of 326 IAC 2-8-10 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.23 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ no later than thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.24 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-8-4(1)]

C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.

C.2 Overall Source Limit [326 IAC 2-8] [326 IAC 2-2]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

(a) Pursuant to 326 IAC 2-8:

- (1) The potential to emit any regulated pollutant, except particulate matter (PM), from the entire source shall be limited to less than one hundred (100) tons per twelve (12) consecutive month period. This limitation shall make the requirements of 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)) not applicable.
- (2) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
- (3) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.

(b) Pursuant to 326 IAC 2-2 (PSD), potential to emit particulate matter (PM) from the entire source shall be limited to less than two hundred fifty (250) tons per twelve (12) consecutive month period.

(c) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided that the source's potential to emit does not exceed the above specified limits.

(d) Section D of this permit contains independently enforceable provisions to satisfy this requirement.

C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-1 (Applicability) and 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

(a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

(b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A,

Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

The Permittee shall not operate an incinerator except as provided in 326 IAC 4-2 or in this permit. The Permittee shall not operate a refuse incinerator or refuse burning equipment except as provided in 326 IAC 9-1-2 or in this permit.

C.6 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.7 Stack Height [326 IAC 1-7]

The Permittee shall comply with the applicable provisions of 326 IAC 1-7 (Stack Height Provisions), for all exhaust stacks through which a potential (before controls) of twenty-five (25) tons per year or more of particulate matter or sulfur dioxide is emitted.

C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
- (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Demolition and Renovation**
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Licensed Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Licensed Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos.

Testing Requirements [326 IAC 2-8-4(3)]

C.9 Performance Testing [326 IAC 3-6]

- (a) For performance testing required by this permit, a test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.10 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

Unless otherwise specified in this permit, all monitoring and requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance or of initial start-up, whichever is later, to begin such monitoring. If due to circumstances beyond the Permittee's control, any monitoring equipment required by this permit cannot be installed and operated no later than ninety (90) days after permit issuance or the date of initial start-up, whichever is later, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units or emission units added through a permit revision shall be implemented when operation begins.

C.12 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

Pursuant to 326 IAC 1-5-2 (Emergency Reduction Plans; Submission):

- (a) The Permittee shall prepare written emergency reduction plans (ERPs) consistent with safe operating procedures.
- (b) These ERPs shall be submitted for approval to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than ninety (90) days after the date of issuance of this permit.

The ERP does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) If the ERP is disapproved by IDEM, OAQ, the Permittee shall have an additional thirty (30) days to resolve the differences and submit an approvable ERP.
- (d) These ERPs shall state those actions that will be taken, when each episode level is declared, to reduce or eliminate emissions of the appropriate air pollutants.
- (e) Said ERPs shall also identify the sources of air pollutants, the approximate amount of reduction of the pollutants, and a brief description of the manner in which the reduction will be achieved.
- (f) Upon direct notification by IDEM, OAQ that a specific air pollution episode level is in effect, the Permittee shall immediately put into effect the actions stipulated in the approved ERP for the appropriate episode level. [326 IAC 1-5-3]

C.13 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)][326 IAC 2-8-5(1)]

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale.
- (b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.14 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]

If a regulated substance, as defined in 40 CFR 68, is present at a source in more than a threshold quantity, the Permittee must comply with the applicable requirements of 40 CFR 68.

C.15 Response to Excursions or Exceedances [326 IAC 2-8-4] [326 IAC 2-8-5]

Upon detecting an excursion where a response step is required by the D Section or an exceedance of a limitation in this permit:

- (a) The Permittee shall take reasonable response steps to restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing excess emissions.
- (b) The response shall include minimizing the period of any startup, shutdown or malfunction. The response may include, but is not limited to, the following:
 - (1) initial inspection and evaluation;
 - (2) recording that operations returned or are returning to normal without operator action (such as through response by a computerized distribution control system); or
 - (3) any necessary follow-up actions to return operation to normal or usual manner of operation.
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:

- (1) monitoring results;
 - (2) review of operation and maintenance procedures and records; and/or
 - (3) inspection of the control device, associated capture system, and the process.
- (d) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (e) The Permittee shall record the reasonable response steps taken.

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4][326 IAC 2-8-5]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall submit a description of its response actions to IDEM, OAQ, no later than seventy-five (75) days after the date of the test.
- (b) A retest to demonstrate compliance shall be performed no later than one hundred eighty (180) days after the date of the test. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred eighty (180) days is not practicable, IDEM, OAQ may extend the retesting deadline.
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, for all record keeping requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance or the date of initial start-up, whichever is later, to begin such record keeping.

C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported except that a deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. This report shall be submitted not later than thirty (30) days after the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include a certification that

meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.

- (b) The address for report submittal is:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (d) The first report shall cover the period commencing on the date of issuance of this permit or the date of initial start-up, whichever is later, and ending on the last day of the reporting period. Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit, "calendar year" means the twelve (12) month period from January 1 to December 31 inclusive.

Stratospheric Ozone Protection

C.19 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with applicable standards for recycling and emissions reduction.

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]: Corn Processing Facilities

- (a) Husking Receiving
- (1) Two (2) receiving lines, identified as Corn Receiving #1 and Corn Receiving #2, consisting of two (2) huskers, identified as Husker 1 and Husker 2, which each consist of six (6) husking beds, installed in 1976, modified in 1995 and 2007, and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.
 - (2) Two (2) corn receiving lines identified as Corn Receiving #3 and Corn Receiving #4, consisting of two (2) huskers, identified as Husker 3 and Husker 4, which each consist of seven (7) husking beds, approved for construction in 2007 and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.
- (b) Drying
- (1) Two (2) natural gas-fired bin dryers, identified as Dry 1 and Dry 2, exhausting to Stacks Dry 1 and Dry 2 installed in 1976, heat input capacity: sixty (60) million British thermal units per hour, each, and a dry rate of 20,238 bushels per batch (500 bushels (28,000 pounds) per hour, each).
 - (2) One (1) natural gas-fired bin dryer, identified as Dry 3, approved for construction in 2007, exhausting to Stack Dry 3, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 3 Bins, used for drying with a capacity of 2,000 bushels (152,000 pounds), each.
 - (3) Two (2) natural gas-fired bin dryers identified as Dry 4 and Dry 5, approved for construction in 2007, exhausting to Stack Dry 4 and Stack Dry 5, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, each equipped with eighteen (18) storage bins, identified as Dry 4 and Dry 5 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
 - (4) One (1) natural gas-fired grain dryer, identified as Dry 6, approved for construction in 2008, exhausting to Stack Dry 6, with a drying rate of 500 bushels (28,000) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 6 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
- (c) Shelling/Bulk Storage
- (1) One (1) corn sheller, identified as Sheller #1, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15a, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
 - (2) One (1) corn sheller, identified as Sheller #2, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15b, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
 - (3) Two (2) aspirators, identified as Sheller Aspirator 1 and Sheller Aspirator 2 approved for construction in 2009, exhausting to a baghouse for particulate control, identified as

- CE-35 (Harvest Dust System), capacity 2,500 bushels (140,000 pounds) of corn per hour, each.
- (4) One hundred eighty (180) bulk storage bins, identified as B-1 through B-12, B-21 through B-72, B-73 through B-144, and B144 through B187:
- (A) Sixty-four (64) bulk storage bins, identified as B-1 through B-12, B-21 through B-40, and B-41 through B-72, installed in 1999 and 2007. Storage bins B-1 through B-4 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-5 through B-8 have a capacity of 15,000 bushels (1,050,000 pounds) each; storage bins B-9 through B-12 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-13 through B-17 have a capacity of 4,600 bushels (322,000 pounds) each; storage bins B-21 through B-30 have a capacity of 5,000 bushels (350,000 pounds) each; and storage bins B-31 through B-40 have a capacity of 7,500 bushels (525,000 pounds) each; storage bins B-41 through B-56 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-57 through B-72 have a capacity of 5,000 bushels (280,000 pounds), each; throughput: 1000 bushels (56,000) pounds of shelled corn per hour:
- (B) Forty-four (44) bulk storage bins, identified as B144 through B187, approved for construction in 2009. Storage bins B144 through B165 have a capacity of 5,000 bushels (280,000 pounds) each, and storage bins B166 through B187 have a capacity of 7,500 bushels (420,000 pounds) each.
- (C) Seventy-two (72) bulk storage bins, identified as B-73 through B-144, approved for construction in 2007, throughput: 2,000 bushels (112,000 pounds) of shelled corn per hour. Storage bins B-73 through B-108 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-109 through B-144 have a capacity of 5,000 bushels (280,000 pounds), each.
- (5) One (1) shelled corn loadout operation, identified as Shelled Corn Loadout, installed in 1976, with a maximum capacity of 56,000 pounds per hour of shelled corn loaded to trucks, utilizing no control devices.
- (6) Six (6) loadout bins, identified as Loadout Bins 1 through 4, and Loadout Bins 5 and 6, approved for construction in 2009, throughput: 1,000 bushels per hour. Loadout Bins 1 through 4 have a capacity of 1,000 (56,000 pounds) each, and Loadout Bins 5 and 6 have a capacity of 1,000 bushels (56,000 pounds) each.
- (d) Conditioning
- (1) Two (2) cleaners, identified as Cleaner Line 1 and Cleaner Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (2) Two (2) sorters, identified as Sorter Line 1 and Sorter Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (3) Two (2) sizers, identified as Sizer Line 1 and Sizer Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.

- (4) Sixteen (16) gravity tables, identified as Gravity Tables Line 1 and Gravity Tables Line 2, approved for construction in 2007, equipped with sixteen (16) dust collectors for particulate control, identified as Gravity Table Dust Collectors #1 through #16, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) Twenty-four (24) storage bins, identified as Storage Bins Lines 1 and Storage Bins Line 2, approved for construction in 2007, throughput capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.

(e) Treating/Packaging

- (1) Three (3) aspirators, identified as Aspirator #1 through #3, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (2) One (1) treater, identified as Treater #3, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 500 bushels (28,000 pounds) of shelled corn per hour.
- (3) Two (2) treaters, identified as Treater #1 and #2, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (4) Twelve (12) storage bins, identified as Treating and Packing Storage Bins 1 through 12, approved for construction in 2007, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) One (1) bagging machine, identified as EU12, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 134,400 pounds of seed corn per hour.
- (6) One (1) seed pak filler, identified as Seed Pak Filler, approved for construction in 2010, with a maximum capacity of 84,000 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (7) One (1) refuge scale, identified as Refuge Scale 1, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (8) One (1) refuge scale, identified as Refuge Scale 2, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to baghouse CE14.
- (9) One (1) seed corn debagger, identified as EU34, installed in 2002, exhausting to a baghouse, identified as Red Dust Collector, maximum throughput: 1,000 bushels (56,000 pounds) of seed corn per hour.
- (10) One (1) small lot bagging operation, installed in 2005, consisting of the CBT-100 treater, identified as EU102, an aspirator, identified as EU103, and bagging unit #2, identified as EU104, exhausting to a baghouse, identified as CE14, capacity: 3,550 bushels (198,800 pounds) per hour, total.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.1.1 Particulate Matter (PM) [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), the particulate emission rate from the following emission units and control devices shall not exceed the pounds per hour limitation when operating at the stated process weight rates calculated using the following equations:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

or

Interpolation and extrapolation of the data for the process weight rate in excess of sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 55.0 P^{0.11} - 40 \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

Emission Unit/Control	Process weight rate (tons per hour)	Allowable particulate emission rate (pounds per hour)
Corn Receiving 1, 2, 3, and 4 (none)	56.0, each	45.6, each
Huskers 1, 2, 3, and 4, part of Corn Receiving 1, 2, 3, and 4 (none)	56.0, each	45.6, each
Six (6) natural gas-fired bin dryers, identified as Dry 1 (Stack Dry 1), Dry 2 (Stack Dry 2), Dry 3 (Stack Dry 3), Dry 4 (Stack Dry 4), Dry 5 (Stack Dry 5), and Dry 6 (Stack Dry 6) (none)	14.0, each	24.0, each
One (1) debagger, identified as EU34 (Baghouse Red Dust Collector)	28.0	38.2
One (1) Corn Sheller, identified as Sheller 1 (Baghouse CE15a)	70.0	47.8
One (1) Corn Sheller, identified as Sheller 2 (Baghouse CE15b)	70.0	47.8
One small lot bagging operation, consisting of EU102 through EU104 (Baghouse CE14)	99.4	51.2
Forty-four (44) bulk storage bins, identified as B144 through B187 (none)	56.0	45.64
Sheller Aspirators 1 and 2 (CE35)	140	54.72
Six (6) loadout bins, identified as Loadout Bins 1 through 6 (none)	28.0	38.20
Refuge Scale 1 (Baghouse Red Dust Collector)	7.56	15.90
Refuge Scale 2 (CE14)	7.56	15.90
Seed Pak Filler (Baghouse Red Dust Collector)	42.0	42.97
Treating/Packing Machinery, consisting of the following emission units:		
Aspirators #1 through #3 (Baghouse Red Dust Collector)	28.0	38.2
Treaters #1 through #3 (Baghouse Red Dust Collector)	42.0	42.97
One (1) bagging machine, identified as EU12 (Baghouse Red Dust Collector)	67.2	47.4
Twelve (12) Storage Bins, identified as Treating and Packing Storage Bins 1 through 12 (Baghouse Red Dust Collector)	28.0	38.2
Two (2) Corn Handling Lines, identified as Lines 1 and 2, consisting of the following:		
Sixty-four (64) Bulk Storage Bins, identified as B-1 through B-12 and B-21 through B-72 (none)	28.0	38.2

Emission Unit/Control	Process weight rate (tons per hour)	Allowable particulate emission rate (pounds per hour)
Seventy-Two (72) Bulk Storage Bins, identified as B-73 through B-144 (none)	56.0	45.64
Cleaners, Lines 1 and 2 (White Dust Collector #1 and #2)	28.0	38.2
Eight (8) Gravity Tables, Line 1 (Gravity Table Dust Collectors #1 through #8)	1.75, each	5.97, each
Eight (8) Gravity Tables, Line 2 (Gravity Table Dust Collectors #9 through #16)	1.75, each	5.97, each
Sorters, Lines 1 and 2 (White Dust Collector #1 and #2)	28.0	38.2
Sizers, Lines 1 and 2 (White Dust Collector #1 and #2)	28.0	38.2
Shelled Corn Loadout (none)	28.0	38.2

In addition, several of the emission units exhaust through the same baghouse or stack. The allowable particulate pursuant to 326 IAC 6-3-2 has been tabulated by stack/exhaust and baghouse as follows:

Stack # or Exhaust	Emission Unit	Process Weight (tons per hour)	PM Emission Rate (pounds per hour)
Red Dust Collector	EU 34	Subtotal of 28.0	38.2
	EU12	Subtotal of 67.2	47.4
	Aspirators #1 - #3	Subtotal of 28.0	38.2
	Treaters #1- #3	Subtotal of 42.0	42.97
	Treating and Packing Storage Bins 1 through 12	Subtotal of 28.0	38.2
	Refuge Scale 1	Subtotal of 7.56	15.90
	Seed Pak Filler	Subtotal of 42.0	42.97
			Total: 263.84
Baghouse CE14	EU102 EU103 EU104	99.4	51.2
	Refuge Scale 2	7.56	15.90
			Total: 67.10
Baghouse 35	Sheller Aspirator 1 Sheller Aspirator 2	140	54.72
White Dust Collector #1	Sorter, Line 1	14.0	24.0
	Cleaner, Line 1	14.0	24.0
	Sizer, Line 1	14.0	24.0
			Total: 72.0
White Dust Collector #2	Sorter, Line 2	14.0	24.0
	Cleaner, Line 2	14.0	24.0
	Sizer, Line 2	14.0	24.0
			Total: 72.0

D.1.2 Particulate Matter (PM) [326 IAC 2-2]

The PM emissions from the four (4) corn receiving lines, identified as Corn Receiving 1, 2, 3, and 4, four (4) huskers, identified as Husker 1, 2, 3, and 4, six (6) natural gas-fired bin dryers, identified as Dry 1, 2, 3, 4, 5, and 6 (grain drying), two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, which are all part of the two (2) corn handling lines, identified as Lines 1 and 2, the one (1) bagging machine, identified as EU12, and the one (1) small lot bagging operation, consisting of EU102 through EU104, shall be limited to less than the throughput and emission limits specified in the following table:

Emission Units (Baghouse)	Limited Corn Throughput (tons/yr*)	PM Emission Limit (lbs PM/ton corn)
Corn Receiving 1, 2, 3, and 4	245,280, total	0.035
Huskers 1, 2, 3, and 4	245,280, total	0.061
Dry 1, 2, 3, 4, 5, and 6 (grain)	245,280, total	0.47
Line 1: Cleaner, Sorter, Sizer (White Dust Collector #1)	61,320, total	0.062
Line 2: Cleaner, Sorter, and Sizer (White Dust Collector #2)	61,320, total	0.062
Line 1: Eight (8) Gravity Tables (Gravity Table Dust Collectors #1 through #8)	61,320, total	0.269
Line 2: Eight (8) Gravity Tables (Gravity Table Dust Collectors #9 through #16)	61,320, total	0.269
One (1) bagging machine, identified as EU12 (Red Dust Collector)	294,336, total	0.061
One (1) small lot bagging operation, consisting of EU102 through EU104 (CE14)	744,600, total	0.061

*Note that "yr" represents twelve (12) consecutive month period, with compliance determined at the end of each month.

Compliance with these limits, combined with the potential to emit PM from all other emission units at this source, shall limit the source-wide total potential to emit of PM to less than 250 tons per 12 consecutive month period and shall render 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)) not applicable.

D.1.3 Particulate Matter (PM₁₀) [326 IAC 2-8-4]

The PM₁₀ emissions from the four (4) corn receiving lines, identified as corn receiving 1, 2, 3, and 4, four (4) huskers, identified as Husker 1, 2, 3, and 4, six (6) natural gas-fired bin dryers, identified as Dry 1, 2, 3, 4, 5, and 6 (grain drying), two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, which are all part of the two (2) corn handling lines, identified as Lines 1 and 2, the one (1) bagging machine, identified as EU12, and the one (1) small lot bagging operation, consisting of EU102 through EU104, shall be limited to less than the throughput and emission limits specified in the following table:

Emission Units (Baghouse)	Limited Corn Throughput (tons/yr*)	PM₁₀ Emission Limit (lbs PM₁₀/ton corn)
Corn Receiving 1, 2, 3, and 4	245,280, total	0.0078
Huskers 1, 2, 3, and 4	245,280, total	0.034
Dry 1, 2, 3, 4, 5, and 6 (grain)	245,280, total	0.12
Line 1: Cleaner, Sorter, Sizer (White Dust Collector #1)	61,320, total	0.062
Line 2: Cleaner, Sorter, and Sizer (White Dust Collector #2)	61,320, total	0.062
Line 1: Eight (8) Gravity Tables (Gravity Table Dust Collectors #1 through #8)	61,320, total	0.269
Line 2: Eight (8) Gravity Tables (Gravity Table Dust Collectors #9 through #16)	61,320, total	0.269
One (1) bagging machine, identified as EU12 (Red Dust Collector)	294,336, total	0.034
One (1) small lot bagging operation, consisting of EU102 through EU104 (CE14)	744,600, total	0.034

*Note that "yr" represents twelve (12) consecutive month period, with compliance determined at the end of each month.

Compliance with these limits, combined with the potential to emit PM10 from all other emission units at this source, shall limit the source-wide total potential to emit of PM10 to less than 100 tons per 12 consecutive month period, and shall render 326 IAC 2-7 (Part 70 Permits) not applicable.

D.1.4 Fuel Usage Limitations [326 IAC 2-8-4] [326 IAC 2-2]

The natural gas usage at the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 shall be less than 1,126.9 million cubic feet of gas per twelve (12) consecutive month period, total, with compliance determined at the end of each month. As a result of the natural gas limit:

- (a) NO_x from the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 shall be limited to 100 pounds of NO_x per million cubic feet of gas, total (equivalent to 5.7 pounds of NO_x per hour for Dry 1 and Dry 2, each, and 15.7 pounds of NO_x per hour for Dry 3, Dry 4, Dry 5, and Dry 6, each).
- (b) CO from the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 shall be limited to 84 pounds of CO per million cubic feet of gas, total.

Compliance with these limits, combined with the potential to emit NO_x and CO from all other emission units at this source, shall limit the source-wide total potential to emit of NO_x and CO to less than 100 tons per 12 consecutive month period, each, and shall render 326 IAC 2-7 (Part 70 Permits) and 326 IAC 2-2 (PSD) not applicable.

D.1.5 Volatile Organic Compounds (VOCs) [326 IAC 8-1-6]

- (a) The VOC usage at each of the three (3) treaters, identified as Treaters #1 through #3, shall be limited to less than twenty-five (25.0) tons per twelve (12) consecutive month period, with compliance determined at the end of each month.
- (b) The VOC emissions at the treater identified as CBT-100 shall be limited to less than fifteen (15.0) tons per twelve (12) consecutive month period, with compliance determined at the end of each month.
- (c) Compliance with these limits shall render the requirements of 326 IAC 8-1-6 not

applicable.

D.1.6 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

A Preventive Maintenance Plan is required for these facilities and their respective control devices. Section B – Preventive Maintenance Plan contains the Permittee's obligation with regard to the preventive maintenance plan required by this condition.

Compliance Determination Requirements

D.1.7 Testing Requirements [326 IAC 2-8-5(a)(1),(4)] [326 IAC 2-1.1-11]

Not later than 180 days after startup of the two (2) corn handling lines, identified as Lines 1 and 2, in order to demonstrate compliance with Condition D.1.1, D.1.2 and D.1.3, the Permittee shall perform PM and PM₁₀ testing for the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, and the two (2) sizers, identified as Sizers Lines 1 and 2, all exhausting to two (2) baghouses, identified as White Dust Collector #1 and #2; and four (4) of the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, exhausting to sixteen (16) baghouses, identified as Gravity Table Dust Collectors #1 - #8 and Gravity Table Dust Collectors #9 - #16, utilizing methods as approved by the Commissioner. This test shall be repeated at least once every five years from the date of the most recent valid compliance demonstration. PM₁₀ includes filterable and condensable PM₁₀. Testing shall be conducted in accordance with the provisions of 326 IAC 3-6 (Source Sampling Procedures). Section C- Performance Testing contains the Permittee's obligation with regard to the performance testing required by this condition.

D.1.8 Particulate Control

- (a) In order to comply with Conditions D.1.2 and D.1.3, the baghouses, identified as White Dust Collectors #1 and #2, Gravity Table Dust Collectors #1 through #16, for particulate control shall be in operation and control emissions from the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, and the two (2) sizers, identified as Sizers Lines 1 and 2, the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, and at all times that the emission units are in operation.
- (b) In the event that bag failure is observed in a multi-compartment baghouse, if operations will continue for ten (10) days or more after the failure is observed before the failed units will be repaired or replaced, the Permittee shall promptly notify the IDEM, OAQ of the expected date the failed units will be repaired or replaced. The notification shall also include the status of the applicable compliance monitoring parameters with respect to normal, and the results of any response actions taken up to the time of notification.

Compliance Monitoring Requirements

D.1.9 Visible Emissions Notations

- (a) Visible emission notations of the White Dust Collector #1 and #2 and Gravity Table Dust Collectors #1 through #16 exhausts shall be performed once per day during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month

and has been trained in the appearance and characteristics of normal visible emissions for that specific process.

- (e) If abnormal emissions are observed, the Permittee shall take reasonable response. Section C - Response to Excursions or Exceedances contains the Permittee's obligation with regard to the reasonable response steps required by this condition. Failure to take response steps shall be considered a deviation from this permit.

D.1.10 Baghouse Parametric Monitoring

- (a) The Permittee shall record the pressure drop across the baghouses, identified as White Dust Collectors #1 and #2 and Gravity Table Dust Collectors #1 through #16, used in conjunction with the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, all part of the two (2) Corn Handling Lines, identified as Lines 1 and 2, at least once per day when either of the two (2) corn handling lines is in operation. When for any one reading, the pressure drop across the baghouse is outside the normal range of 1.0 and 6.0 inches of water or a range established during the latest stack test, the Permittee shall take reasonable response steps. Section C - Response to Excursions or Exceedances contains the Permittee's obligation with regard to the reasonable response steps required by this condition. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps shall be considered a deviation from this permit.
- (b) The instrument used for determining the pressure shall comply with Section C - Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated or replaced at least once every six (6) months.

D.1.11 Broken or Failed Bag Detection

- (a) For a single compartment baghouse controlling emissions from a process operated continuously, a failed unit and the associated process shall be shut down immediately until the failed unit has been repaired or replaced. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).
- (b) For a single compartment baghouse controlling emissions from a batch process, the feed to the process shall be shut down immediately until the failed unit has been repaired or replaced. The emissions unit shall be shut down no later than the completion of the processing of the material in the line. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).

Bag failure can be indicated by a significant drop in the baghouse(s) pressure reading with abnormal visible emissions, by an opacity violation, or by other means such as gas temperature, flow rate, air infiltration, leaks, or dust traces.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.1.12 Record Keeping Requirements

- (a) To document the compliance status with Condition D.1.4, the Permittee shall maintain records of the amount of natural gas used per month at the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6.
- (b) To document the compliance status with Conditions D.1.2 and D.1.3, the Permittee shall maintain records of the monthly corn throughput at the four (4) corn receiving lines, identified as Corn Receiving 1, 2, 3, and 4, four (4) huskers, identified as Husker 1, 2, 3,

and 4, six (6) natural gas-fired bin dryers, identified as Dry 1, 2, 3, 4, 5, and 6 (grain drying), two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, all part of the two (2) Corn Handling Lines, identified as Lines 1 and 2, the one (1) bagging machine, identified as EU12, and the one (1) small lot bagging operation, consisting of EU102 through EU104.

- (c) To document the compliance status with Condition D.1.5, the Permittee shall maintain records in accordance with (1) through (5) below. Records maintained for (1) through (5) shall be taken monthly and shall be complete and sufficient to establish compliance with the VOC usage limits and/or the VOC emission limits established in Condition D.1.5. Records necessary to demonstrate compliance shall be available within thirty (30) days of the end of each compliance period.
- (1) The VOC content of each coating material and solvent used.
 - (2) The amount of coating material and solvent less water used on a monthly basis.
 - (A) Records shall include purchase orders, invoices, and material safety data sheets (MSDS) necessary to verify the type and amount used.
 - (B) Solvent usage records shall differentiate between those added to coatings and those used as cleanup solvents.
 - (3) The cleanup solvent usage for each month;
 - (4) The total VOC usage for each month; and
 - (5) The weight of VOCs emitted for each compliance period.
- (d) To document the compliance status with Condition D.1.9, the Permittee shall maintain daily records of visible emission notations of each of the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, and the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, exhausts. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the process did not operate that day).
- (e) To document the compliance status with Condition D.1.10, the Permittee shall maintain daily records of the pressure drop across the baghouses identified as White Dust Collectors #1 and #2 and Gravity Table Dust Collectors #1 through #16. The Permittee shall include in its daily record when a pressure drop reading is not taken and the reason for the lack of a pressure drop reading (e.g., the process did not operate that day).
- (f) Section C - General Record Keeping Requirements of this permit contains the Permittee's obligations with regard to the records required by this condition.

D.1.13 Reporting Requirements

A quarterly summary of the information to document the compliance status with Conditions D.1.2 through D.1.5 shall be submitted using the reporting forms located at the end of this permit, or their equivalent, no later than thirty (30) days after the end of the quarter being reported. Section C - General Reporting contains the Permittee's obligation with regard to the reporting required by this condition. The report submitted by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
CERTIFICATION**

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231 Remington, Indiana 47977
FESOP No.: F073-23632-00035

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify) _____
- Report (specify) _____
- Notification (specify) _____
- Affidavit (specify) _____
- Other (specify) _____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
Phone: 317-233-0178
Fax: 317-233-6865**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
EMERGENCY OCCURRENCE REPORT**

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035

This form consists of 2 pages

Page 1 of 2

- | |
|---|
| <input type="checkbox"/> This is an emergency as defined in 326 IAC 2-7-1(12) <ul style="list-style-type: none">• The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and• The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16 |
|---|

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facility: One (1) treater, identified as Treater #1
Parameter: VOC usage
Limit: Less than twenty-five (25.0) tons per twelve consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	VOC Usage (tons)	VOC Usage (tons)	VOC Usage (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facility: One (1) treater, identified as Treater #2
Parameter: VOC usage
Limit: Less than twenty-five (25.0) tons per twelve consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	VOC Usage (tons)	VOC Usage (tons)	VOC Usage (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facility: One (1) treater, identified as Treater #3
Parameter: VOC usage
Limit: Less than twenty-five (25.0) tons per twelve consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	VOC Usage (tons)	VOC Usage (tons)	VOC Usage (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facility: One (1) treater, identified as Treater CBT-100
Parameter: VOC usage
Limit: Less than fifteen (15.0) tons per twelve consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	VOC Usage (tons)	VOC Usage (tons)	VOC Usage (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facility: Six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6
Parameter: Natural gas usage
Limit: Less than 1,126.9 million cubic feet (mmCF) of natural gas per twelve (12) consecutive month period, total, with compliance determined at the end of each month.

YEAR: _____

Month	Natural Gas Usage (mmCF)	Natural Gas Usage (mmCF)	Natural Gas Usage (mmCF)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Cleaners, Sorters, Sizers, Line 1
Parameter: Corn Throughput
Limit: Less than 61,320 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Cleaners, Sorters, Sizers, Line 2
Parameter: Corn Throughput
Limit: Less than 61,320 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Gravity Tables, Line 1
Parameter: Corn Throughput
Limit: Less than 61,320 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Gravity Tables, Line 2
Parameter: Corn Throughput
Limit: Less than 61,320 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: One (1) bagging machine, identified as EU12
Parameter: Corn Throughput
Limit: Less than 294,336 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: One (1) small lot bagging operation, consisting of EU102 through EU104.
Parameter: Corn Throughput
Limit: Less than 744,600 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Four (4) Receiving Lines, identified as Corn Receiving #1, Corn Receiving #2, Corn Receiving #3, and Corn Receiving #4
Parameter: Corn Throughput
Limit: Less than 245,280 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Four (4) Huskers, identified as Husker 1, Husker 2, Husker 3, and Husker 4
Parameter: Corn Throughput
Limit: Less than 245,280 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
FESOP No.: F073-23632-00035
Facilities: Six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6
Parameter: Corn Throughput
Limit: Less than 245,280 tons per twelve (12) consecutive month period, with compliance determined at the end of each month.

YEAR: _____

Month	Corn Throughput (tons)	Corn Throughput (tons)	Corn Throughput (tons)
	This Month	Previous 11 Months	12 Month Total

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Monsanto Company
Mailing Address: P.O. Box 35, Remington, Indiana 47977
FESOP No.: F073-23632-00035

Months: _____ to _____ Year: _____

Page 1 of 2

<p>This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements of this permit, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p>	
<input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

Indiana Department of Environmental Management Office of Air Quality

Technical Support Document (TSD) for a Minor Permit Revision to a Federally Enforceable State Operating Permit (FESOP)

Source Description and Location

Source Name:	Monsanto Company
Source Location:	15849 South US Highway 231
County:	Jasper
SIC Code:	0723
Operation Permit No.:	F 073-23632-00035
Operation Permit Issuance Date:	February 20, 2007
Minor Permit Revision No.:	073-29894-00035
Permit Reviewer:	Jason R. Krawczyk

On November 18, 2010, the Office of Air Quality (OAQ) received an application from Monsanto Company related to a modification to an existing hybrid corn processing plant.

Existing Approvals

The source was issued FESOP No. 073-29894-00035 on February 20, 2010. The source has since received the following approvals:

- (a) First Significant Permit Revision No.: 073-24875-00035, issued on September 11, 2007;
- (b) Second Significant Permit Revision No.: 073-25673-00035, issued on March 31, 2008;
- (c) Third Significant Permit Revision No.: 073-26568-00035, issued on August 27, 2008;
- (d) First Administrative Amendment No.: 073-26973-00035, issued September 29, 2008; and
- (e) Second Administrative Amendment No.: 073-27416-00035, issued March 18, 2009.

County Attainment Status

The source is located in Jasper County.

Pollutant	Designation
SO ₂	Better than national standards.
CO	Unclassifiable or attainment effective November 15, 1990.
O ₃	Unclassifiable or attainment effective June 15, 2004, for the 8-hour ozone standard. ¹
PM ₁₀	Unclassifiable effective November 15, 1990.
NO ₂	Cannot be classified or better than national standards.
Pb	Not designated.
¹ Unclassifiable or attainment effective October 18, 2000, for the 1-hour ozone standard which was revoked effective June 15, 2005. Unclassifiable or attainment effective April 5, 2005, for PM _{2.5} .	

- (a) Ozone Standards
Volatile organic compounds (VOC) and Nitrogen Oxides (NO_x) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality

Standards (NAAQS) for ozone. Therefore, VOC and NOx emissions are considered when evaluating the rule applicability relating to ozone. Jasper County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

- (b) **PM_{2.5}**
Jasper County has been classified as attainment for PM_{2.5}. On May 8, 2008 U.S. EPA promulgated the requirements for Prevention of Significant Deterioration (PSD) for PM_{2.5} emissions. These rules became effective on July 15, 2008. Indiana has three years from the publication of these rules to revise its PSD rules, 326 IAC 2-2, to include those requirements. The May 8, 2008 rule revisions require IDEM to regulate PM10 emissions as a surrogate for PM_{2.5} emissions until 326 IAC 2-2 is revised.
- (c) **Other Criteria Pollutants**
Jasper County has been classified as attainment or unclassifiable in Indiana for all criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

Fugitive Emissions

Since this type of operation is not one of the twenty-eight (28) listed source categories under 326 IAC 2-2, 326 IAC 2-3, or 326 IAC 2-7, and there is no applicable New Source Performance Standard that was in effect on August 7, 1980, fugitive emissions are not counted toward the determination of PSD, Emission Offset, and Part 70 Permit applicability.

Status of the Existing Source

The table below summarizes the potential to emit of the entire source, prior to the proposed revision, after consideration of all enforceable limits established in the effective permits:

Process/ Emission Unit	Potential To Emit of the Entire Source Prior to Revision (tons/year)								
	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	Total HAPs	Worst Single HAP
Corn Receiving 1,2,3,4	4.29	0.96	0.16	-	-	-	-	-	-
Huskers 1,2,3,4	7.48	4.17	0.71	-	-	-	-	-	-
Dry 1 - 6 Grain Drying	57.64	14.72	2.45	-	-	-	-	-	-
Sheller 1 & 2	2.49	2.49	2.49	-	-	-	-	-	-
Dry 1 - 6 Nat. Gas	1.07	4.28	4.28	0.34	56.35	3.10	47.33	1.06	1.01 Hexane
Sheller Aspirators 1 & 2	7.48	4.17	0.71	-	-	-	-	-	-
Line 1 (Cleaner, Sorter, Sizer)	1.90	1.90	1.90	-	-	-	-	-	-
Line 2 (Cleaner, Sorter, Sizer)	1.90	1.90	1.90	-	-	-	-	-	-
Line 1 (Gravity Tables)	8.25	8.25	8.25	-	-	-	-	-	-
Line 2 (Gravity Tables)	8.25	8.25	8.25	-	-	-	-	-	-
Storage Bins	15.33	3.86	0.67	-	-	-	-	-	-
Aspirators 1 - 3	7.48	4.17	0.71	-	-	-	-	-	-
Treaters 1 -3, CBT-100	11.22	6.25	1.07	-	-	< 90	-	0.95	0.95 Ethylene Glycol
Bagging Unit EU100 Seed Pack Fill EU101 Seed Pack Unit EU105 Bagging Machine EU12	8.98	5.00	0.85	-	-	-	-	-	-
Rebagging Unit 13	15.34	8.55	1.46	-	-	-	-	-	-
Small Lot Bagging EU102 - EU104	22.71	12.66	2.16	-	-	-	-	-	-
Debagger EU34	7.48	4.17	0.71	-	-	-	-	-	-
Diesel Generators 1 - 5	1.03	0.59	0.59	5.94	35.23	1.03	8.07	0.04	negl.
Total PTE of Entire Source	190.32	96.34	39.33	6.28	91.57	< 94.13	55.40	2.05	1.01 Hexane
Title V Major Source Thresholds	NA	100	100	100	100	100	100	25	10
PSD Major Source Thresholds	250	250	250	250	250	250	250	NA	NA
negl. = negligible These emissions are based upon Administrative Amendment F073-27416-00035, issued on March 18, 2009.									

- (a) This existing source is not a major stationary source, under PSD (326 IAC 2-2), because no attainment regulated pollutant is emitted at a rate of 250 tons per year or more, and it is not one of the twenty-eight (28) listed source categories, as specified in 326 IAC 2-2-1(gg)(1).
- (b) This existing source is not a major source of HAPs, as defined in 40 CFR 63.41, because the unlimited potential to emit HAPs are less than ten (10) tons per year for any single HAP and less than twenty-five (25) tons per year of a combination of HAPs. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA).

Description of Proposed Revision

The Office of Air Quality (OAQ) has reviewed an application, submitted by Monsanto Company on November 18, 2010, relating to:

- (a) The addition of a refuge scale process;
- (b) The removal of several emission units;
- (c) The identification of existing operations, inadvertently not identified in previous revisions; and
- (d) The regrouping of emission units within the A.2 and D.1 Sections of the permit to group similar emission units together and improve the organization of the permit's emission unit listings.

The following is a list of the new emission units and pollution control devices:

- (a) One (1) refuge scale, identified as Refuge Scale 1, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (b) One (1) refuge scale, identified as Refuge Scale 2, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to baghouse CE14.
- (c) One (1) seed pak filler, identified as Seed Pak Filler, approved for construction in 2010, with a maximum capacity of 84,000 pounds per hour, with particulate emissions vented to Red Dust Collector.

The following is a list of the emission units being removed from the source:

- (a) One (1) bagging unit, identified as EU100, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector.
- (b) One (1) seed pack fill unit, identified as EU101, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector.
- (c) One (1) manual seed pack unit, identified as EU105, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector.

Note: EU100, EU101, and EU105 were used in conjunction with the one (1) bagging machine, identified as EU12. EU12 is not being removed from the source and the total capacity of 134,400 pounds of seed corn per hour is not being revised.

- (d) One (1) Rebagging Aspirator, identified as #13, installed in 1992 and modified in 2005, with a capacity of 114,800 pounds per hour, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 114,800 pounds of seed corn per hour.
- (e) One (1) diesel fired generator, identified as Generator 1, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 1.
- (f) One (1) diesel fired emergency generator, identified as Generator 2, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 2.
- (g) One (1) diesel fired generator, identified as Generator 3, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 3.
- (h) One (1) diesel fired generator, identified as Generator 4, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 4.
- (i) One (1) diesel fired emergency generator, identified as Generator 5, approved for construction in

2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 5.

The following is a list of existing operations previously not identified:

- (a) One (1) shelled corn loadout operation, identified as Shelled Corn Loadout, installed in 1976, with a maximum capacity of 56,000 tons per hour of shelled corn loaded to trucks, utilizing no control devices.

The loadout operation was identified in the New Construction MSOP application 073-11846-00035 but was inadvertently left out of the permit when it was issued May 23, 2000.

Enforcement Issues

There are no pending enforcement actions related to this revision.

Emission Calculations

See Appendix A of this TSD for detailed emission calculations.

Permit Level Determination – FESOP Revision

The following table is used to determine the appropriate permit level under 326 IAC 2-8.11.1. This table reflects the PTE before controls of the proposed revision. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Process/ Emission Unit	Potential To Emit of the Proposed Revision (tons/year)								
	PM	PM10*	PM2.5	SO ₂	NO _x	VOC	CO	Total HAPs	Worst Single HAP
Rebagging Unit 13	(15.34)	(8.55)	(1.46)	-	-	-	-	-	-
Diesel Generators 1 - 5	(1.03)	(0.59)	(0.59)	(5.94)	(35.23)	(1.03)	(8.07)	(0.04)	(negl.)
Refuge Scale #1 & #2	4.04	2.25	0.38	-	-	-	-	-	-
Seed Pak Filler	11.22	6.25	1.07	-	-	-	-	-	-
Dust Collector Loadouts**	0.75	0.25	0.04	-	-	-	-	-	-
Shelled Corn Loadout**	10.55	3.56	0.60	-	-	-	-	-	-
Total PTE of Proposed Revision	10.19	3.18	0.05	(5.94)	(35.23)	(1.03)	(8.07)	(0.04)	(negl.)

negl. = negligible

* Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".

** Dust Collector Loadouts and Shelled Corn Loadout are existing processes that were previously not identified.

EU100, EU101, and EU105 were used in conjunction with the one (1) bagging machine, identified as EU12. EU12 is not being removed from the source and the total capacity of 134,400 pounds of seed corn per hour is not being revised.

Parenthesis "()" denote a decrease in emissions. This decrease in emissions is due to the removal of the identified emission units from the source.

This FESOP is being revised through a FESOP Minor Permit revision pursuant to 326 IAC 2-8-11.1(d)(4)(A) because the revision involves the construction of emission units with the potential to emit less than twenty-five (25) tons per year and equal to or greater than five (5) tons per year of either particulate matter (PM) or particulate matter less than ten (10) microns (PM₁₀).

PTE of the Entire Source After Issuance of the FESOP Revision

The table below summarizes the potential to emit of the entire source, with updated emissions shown as **bold** values and previous emissions shown as ~~strikethrough~~ values.

Process/ Emission Unit	Potential To Emit of the Entire Source to accommodate the Proposed Revision (tons/year)								
	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	Total HAPs	Worst Single HAP
Corn Receiving 1,2,3,4	4.29	0.96	0.16	-	-	-	-	-	-
Huskers 1,2,3,4	7.48	4.17	0.71	-	-	-	-	-	-
Dry 1 - 6 Grain Drying	57.64	14.72	2.45	-	-	-	-	-	-
Sheller 1 & 2	2.49	2.49	2.49	-	-	-	-	-	-
Dry 1 - 6 Nat. Gas	1.07	4.28	4.28	0.34	56.35	3.10	47.33	1.06	1.01 Hexane
Sheller Aspirators 1 & 2	7.48	4.17	0.71	-	-	-	-	-	-
Line 1 (Cleaner, Sorter, Sizer)	1.90	1.90	1.90	-	-	-	-	-	-
Line 2 (Cleaner, Sorter, Sizer)	1.90	1.90	1.90	-	-	-	-	-	-
Line 1 (Gravity Tables)	8.25	8.25	8.25	-	-	-	-	-	-
Line 2 (Gravity Tables)	8.25	8.25	8.25	-	-	-	-	-	-
Storage Bins	15.33	3.86	0.67	-	-	-	-	-	-
Aspirators 1 - 3	7.48	4.17	0.71	-	-	-	-	-	-
Treaters 1 -3, CBT-100	11.22	6.25	1.07	-	-	< 90	-	0.95	0.95 Ethylene Glycol
Bagging Unit EU100 Seed Pack Fill EU104 Seed Pack Unit EU105 Bagging Machine EU12	8.98	5.00	0.85	-	-	-	-	-	-
Rebagging Unit 13	45.34	8.55	4.46	-	-	-	-	-	-
Small Lot Bagging EU102 - EU104	22.71	12.66	2.16	-	-	-	-	-	-
Debagger EU34	7.48	4.17	0.71	-	-	-	-	-	-
Diesel Generators 1-5	1.03	0.59	0.59	5.94	35.23	1.03	8.07	0.04	negl.
Refuge Scale #1 & #2	4.04	2.25	0.38	-	-	-	-	-	-
Seed Pak Filler	11.22	6.25	1.07	-	-	-	-	-	-
Dust Collector Loadouts**	0.75	0.25	0.04	-	-	-	-	-	-
Shelled Corn Loadout**	10.55	3.56	0.60	-	-	-	-	-	-
Total PTE of Entire Source	200.51 190.32	99.52 96.34	39.38 39.33	0.34 6.28	56.35 91.57	< 93.10 < 94.13	47.33 55.40	2.01 2.05	1.01 Hexane
Title V Major Source Thresholds	NA	100	100	100	100	100	100	25	10
PSD Major Source Thresholds	250	250	250	250	250	250	250	NA	NA

negl. = negligible
 * Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".

The table below summarizes the potential to emit of the entire source after issuance of this revision, reflecting all limits, of the emission units. Any control equipment is considered federally enforceable only after issuance of this FESOP permit revision, and only to the extent that the effect of the control

equipment is made practically enforceable in the permit. Note: The table below was generated from the above table, with bold text un-bolded and strikethrough text deleted.

Process/ Emission Unit	Potential To Emit of the Entire Source After Issuance of Revision (tons/year)								
	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	Total HAPs	Worst Single HAP
Corn Receiving 1,2,3,4	4.29	0.96	0.16	-	-	-	-	-	-
Huskers 1,2,3,4	7.48	4.17	0.71	-	-	-	-	-	-
Dry 1 - 6 Grain Drying	57.64	14.72	2.45	-	-	-	-	-	-
Sheller 1 & 2	2.49	2.49	2.49	-	-	-	-	-	-
Dry 1 - 6 Nat. Gas	1.07	4.28	4.28	0.34	56.35	3.10	47.33	1.06	1.01 Hexane
Sheller Aspirators 1 & 2	7.48	4.17	0.71	-	-	-	-	-	-
Line 1 (Cleaner, Sorter, Sizer)	1.90	1.90	1.90	-	-	-	-	-	-
Line 2 (Cleaner, Sorter, Sizer)	1.90	1.90	1.90	-	-	-	-	-	-
Line 1 (Gravity Tables)	8.25	8.25	8.25	-	-	-	-	-	-
Line 2 (Gravity Tables)	8.25	8.25	8.25	-	-	-	-	-	-
Storage Bins	15.33	3.86	0.67	-	-	-	-	-	-
Aspirators 1 - 3	7.48	4.17	0.71	-	-	-	-	-	-
Treaters 1 -3, CBT-100	11.22	6.25	1.07	-	-	< 90	-	0.95	0.95 Ethylene Glycol
Bagging Machine EU12	8.98	5.00	0.85	-	-	-	-	-	-
Small Lot Bagging EU102 - EU104	22.71	12.66	2.16	-	-	-	-	-	-
Debagger EU34	7.48	4.17	0.71	-	-	-	-	-	-
Refuge Scale #1 & #2	4.04	2.25	0.38	-	-	-	-	-	-
Seed Pak Filler	11.22	6.25	1.07	-	-	-	-	-	-
Dust Collector Loadouts**	0.75	0.25	0.04	-	-	-	-	-	-
Shelled Corn Loadout**	10.55	3.56	0.60	-	-	-	-	-	-
Total PTE of Entire Source	200.51	99.52	39.38	0.34	56.35	< 93.10	47.33	2.01	1.01 Hexane
Title V Major Source Thresholds	NA	100	100	100	100	100	100	25	10
PSD Major Source Thresholds	250	250	250	250	250	250	250	NA	NA

negl. = negligible
 * Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".

(a) FESOP Status

This revision to an existing Title V minor stationary source will not change the minor status, because the potential to emit criteria pollutants from the entire source will still be limited to less than the Title V major source threshold levels. Therefore, the source will still be subject to the provisions of 326 IAC 2-8 (FESOP).

(b) PSD Minor Source

This modification to an existing PSD minor stationary source will not change the PSD minor status, because the potential to emit of all attainment regulated pollutants from the entire source will continue to be less than the PSD major source threshold levels. Therefore, pursuant to 326 IAC 2-2, the PSD requirements do not apply.

Federal Rule Applicability Determination

New Source Performance Standards (NSPS)

- (a) The requirements of the New Source Performance Standard for Grain Elevators, 40 CFR 60, Subpart DD (326 IAC 12), are not included for this proposed revision, since the source does not meet the definitions of Grain Terminal Elevator or Grain Storage Elevator, as defined in 40 CFR 60.301(c) and 40 CFR 60.301(f), respectively.
- (b) There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included for this proposed revision.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

- (c) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included for this proposed revision.

Compliance Assurance Monitoring (CAM)

- (d) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the potential to emit of the source is limited to less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

State Rule Applicability Determination

The following state rules are applicable to the proposed revision:

- (a) 326 IAC 2-8-4 (FESOP)
This revision to an existing Title V minor stationary source will not change the minor status, because the potential to emit criteria pollutants from the entire source will still be limited to less than the Title V major source threshold levels. Therefore, the source will still be subject to the provisions of 326 IAC 2-8 (FESOP). See PTE of the Entire Source After Issuance of the FESOP Revision Section above.
- (b) 326 IAC 2-2 (Prevention of Significant Deterioration(PSD))
This modification to an existing PSD minor stationary source will not change the PSD minor status, because the potential to emit of all attainment regulated pollutants from the entire source will continue to be less than the PSD major source threshold levels. Therefore, pursuant to 326 IAC 2-2, the PSD requirements do not apply. See PTE of the Entire Source After Issuance of the FESOP Revision Section above.
- (c) 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))
The proposed revision is not subject to the requirements of 326 IAC 2-4.1, since the unlimited potential to emit of HAPs from the new units is less than ten (10) tons per year for any single HAP and less than twenty-five (25) tons per year of a combination of HAPs.
- (d) 326 IAC 2-6 (Emission Reporting)
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake, Porter, or LaPorte County, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.
- (e) 326 IAC 5-1 (Opacity Limitations)
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (f) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
- (g) 326 IAC 8-1-6 (VOC Rules: General Reduction Requirements for New Facilities)
The proposed revision is not subject to the requirements of 326 IAC 8-1-6, since the unlimited VOC potential emissions from each new unit is less than twenty-five (25) tons per year.

Refuge Scales 1 and 2

- (h) 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes)
Pursuant to 326 IAC 6-3-2, the particulate matter (PM) from each of the refuge scales, identified as Refuge Scale 1 and Refuge Scale 2, shall not exceed 15.90 pounds per hour when operating at a process weight rate of 7.56 tons per hour. The pound per hour limitation was calculated with the following equation:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

Based on calculations, the associated baghouses, identified as Red Dust Collector and C14, are not needed to comply with this limit.

Seed Pak Filler

- (i) 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes)
Pursuant to 326 IAC 6-3-2, the particulate matter (PM) from the seed pak filler, identified as Seed Pak Filler, shall not exceed 42.97 pounds per hour when operating at a process weight rate of 42.0 tons per hour. The pound per hour limitation was calculated with the following equation:

Interpolation and extrapolation of the data for the process weight rate in excess of sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 55.0 P^{0.11} - 40 \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

Based on calculations, the associated baghouse, identified as Red Dust Collector, is not needed to comply with this limit.

Shelled Corn Loadout

- (i) 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes)
Pursuant to 326 IAC 6-3-2, the particulate matter (PM) from the shelled corn loadout, identified as Shelled Corn Loadout, shall not exceed 38.2 pounds per hour when operating at a process weight

rate of 28.0 tons per hour. The pound per hour limitation was calculated with the following equation:

Interpolation and extrapolation of the data for the process weight rate in excess of sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 55.0 P^{0.11} - 40 \quad \text{where } E = \text{rate of emission in pounds per hour; and} \\ P = \text{process weight rate in tons per hour}$$

Based on calculations, the associated baghouse, identified as Red Dust Collector, is not needed to comply with this limit.

Compliance Determination, Monitoring and Testing Requirements

The existing compliance requirements will not change as a result of this revision. The source shall continue to comply with the applicable requirements and permit conditions as contained in FESOP No: F073-23632-00035, issued on February 20, 2010.

Proposed Changes

- (a) The following changes listed below are due to the proposed revision. Deleted language appears as ~~strikethrough~~ text and new language appears as **bold** text:

...

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) ~~Two (2) receiving lines, identified as Corn Receiving #1 and Corn Receiving #2, consisting of two (2) huskers, identified as Husker 1 and Husker 2, which each consist of seven (7) husking beds, installed in 1976, modified in 1995 and 2007, and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.~~
- (b) ~~Two (2) natural gas-fired bin dryers, identified as Dry 1 and Dry 2, exhausting to Stacks Dry 1 and Dry 2 installed in 1976, heat input capacity: sixty (60) million British thermal units per hour, each, and a dry rate of 20,238 bushels per batch (500 bushels (28,000 pounds) per hour, each).~~
- (c) ~~One (1) bagging unit, identified as EU100, one (1) seed pack fill unit, identified as EU101, one (1) manual seed pack unit, identified as EU105, and one (1) bagging machine, identified as EU12, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 134,400 pounds of seed corn per hour, total.~~
- (d) ~~One (1) treater, identified as Treater #3, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 500 bushels (28,000 pounds) of shelled corn per hour.~~
- (e) ~~One (1) Rebagging Aspirator, identified as #13, installed in 1992 and modified in 2005, with a capacity of 114,800 pounds per hour, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 114,800 pounds of seed corn per hour.~~
- (f) ~~One (1) seed corn debagger, identified as EU34, installed in 2002, exhausting to a baghouse, identified as Red Dust Collector, maximum throughput: 1,000 bushels (56,000 pounds) of seed corn per hour.~~

- (g) — One hundred eight (108) bulk storage bins, identified as B-1 through B-12, B-21 through B-72, and B-144 through B-187, throughput: 1000 bushels (56,000) pounds of shelled corn per hour:
- (1) — Sixty four (64) bulk storage bins, identified as B-1 through B-12, B-21 through B-40, and B-41 through B-72, installed in 1999 and 2007. Storage bins B-1 through B-4 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-5 through B-8 have a capacity of 15,000 bushels (1,050,000 pounds) each; storage bins B-9 through B-12 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-13 through B-17 have a capacity of 4,600 bushels (322,000 pounds) each; storage bins B-21 through B-30 have a capacity of 5,000 bushels (350,000 pounds) each; and storage bins B-31 through B-40 have a capacity of 7,500 bushels (525,000 pounds) each; storage bins B-41 through B-56 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-57 through B-72 have a capacity of 5,000 bushels (280,000 pounds), each.
 - (2) — Forty four (44) bulk storage bins, identified as B144 through B187, approved for construction in 2009. Storage bins B144 through B165 have a capacity of 5,000 bushels (280,000 pounds) each, and storage bins B166 through B187 have a capacity of 7,500 bushels (420,000 pounds) each.
- (h) — One (1) small lot bagging operation, installed in 2005, consisting of the CBT-100 treater, identified as EU102, an aspirator, identified as EU103, and bagging unit #2, identified as EU104, exhausting to a baghouse, identified as CE14, capacity: 3,550 bushels (198,800 pounds) per hour, total.
- (i) — One (1) natural gas-fired bin dryer, identified as Dry 3, approved for construction in 2007, exhausting to Stack Dry 3, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 3 Bins, used for drying with a capacity of 2,000 bushels (152,000 pounds), each.
- (j) — One (1) corn sheller, identified as Sheller #1, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15a, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (k) — Two (2) corn handling lines, identified as Line 1 and Line 2, consisting of the following:
- (1) — Two (2) cleaners, identified as Cleaner Line 1 and Cleaner Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
 - (2) — Two (2) sorters, identified as Sorter Line 1 and Sorter Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
 - (3) — Two (2) sizers, identified as Sizer Line 1 and Sizer Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
 - (4) — Sixteen (16) gravity tables, identified as Gravity Tables Line 1 and Gravity Tables Line 2, approved for construction in 2007, equipped with sixteen (16) dust collectors for particulate control, identified as Gravity Table Dust Collectors #1

- through #16, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) — Twenty-four (24) storage bins, identified as Storage Bins Lines 1 and Storage Bins Line 2, approved for construction in 2007, throughput capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (l) — Treating/packing machinery, consisting of the following:
- (1) — Three (3) aspirators, identified as Aspirator #1 through #3, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (2) — Two (2) treaters, identified as Treater #1 and #2, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (3) — Twelve (12) storage bins, identified as Treating and Packing Storage Bins 1 through 12, approved for construction in 2007, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (m) — Two (2) corn receiving lines identified as Corn Receiving #3 and Corn Receiving #4, consisting of two (2) huskers, identified as Husker 3 and Husker 4, which each consist of seven (7) husking beds, approved for construction in 2007 and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.
- (n) — Two (2) natural gas-fired bin dryers identified as Dry 4 and Dry 5, approved for construction in 2007, exhausting to Stack Dry 4 and Stack Dry 5, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, each equipped with eighteen (18) storage bins, identified as Dry 4 and Dry 5 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
- (o) — One (1) corn sheller, identified as Sheller #2, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15b, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (p) — Seventy-two (72) bulk storage bins, identified as B-73 through B-144, approved for construction in 2007, throughput: 2,000 bushels (112,000 pounds) of shelled corn per hour. Storage bins B-73 through B-108 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-109 through B-144 have a capacity of 5,000 bushels (280,000 pounds), each.
- (q) — One (1) natural gas-fired grain dryer, identified as Dry 6, approved for construction in 2008, exhausting to Stack Dry 6, with a drying rate of 500 bushels (28,000) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 6 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
- (r) — One (1) diesel fired generator, identified as Generator 1, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 1.
- (s) — One (1) diesel fired emergency generator, identified as Generator 2, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 2.

- ~~(t) One (1) diesel fired generator, identified as Generator 3, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 3.~~
- ~~(u) One (1) diesel fired generator, identified as Generator 4, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 4.~~
- ~~(v) One (1) diesel fired emergency generator, identified as Generator 5, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 5.~~
- ~~(w) Two (2) aspirators, identified as Sheller Aspirator 1 and Sheller Aspirator 2 approved for construction in 2009, exhausting to a baghouse for particulate control, identified as CE-35 (Harvest Dust System), capacity 2,500 bushels (140,000 pounds) of corn per hour, each.~~
- ~~(x) Six (6) loadout bins, identified as Loadout Bins 1 through 4, and Loadout Bins 5 and 6, approved for construction in 2009, throughput: 1,000 bushels per hour. Loadout Bins 1 through 4 have a capacity of 1,000 (56,000 pounds) each, and Loadout Bins 5 and 6 have a capacity of 1,000 bushels (56,000 pounds) each.~~

(a) Husking Receiving

- (1) Two (2) receiving lines, identified as Corn Receiving #1 and Corn Receiving #2, consisting of two (2) huskers, identified as Husker 1 and Husker 2, which each consist of six (6) husking beds, installed in 1976, modified in 1995 and 2007, and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.**
- (2) Two (2) corn receiving lines identified as Corn Receiving #3 and Corn Receiving #4, consisting of two (2) huskers, identified as Husker 3 and Husker 4, which each consist of seven (7) husking beds, approved for construction in 2007 and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.**

(b) Drying

- (1) Two (2) natural gas-fired bin dryers, identified as Dry 1 and Dry 2, exhausting to Stacks Dry 1 and Dry 2 installed in 1976, heat input capacity: sixty (60) million British thermal units per hour, each, and a dry rate of 20,238 bushels per batch (500 bushels (28,000 pounds) per hour, each).**
- (2) One (1) natural gas-fired bin dryer, identified as Dry 3, approved for construction in 2007, exhausting to Stack Dry 3, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 3 Bins, used for drying with a capacity of 2,000 bushels (152,000 pounds), each.**
- (3) Two (2) natural gas-fired bin dryers identified as Dry 4 and Dry 5, approved for construction in 2007, exhausting to Stack Dry 4 and Stack Dry 5, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, each equipped with eighteen (18) storage bins, identified as Dry 4 and Dry 5 Bins, used for**

drying with a capacity of 2,000 bushels (112,000 pounds), each.

- (4) One (1) natural gas-fired grain dryer, identified as Dry 6, approved for construction in 2008, exhausting to Stack Dry 6, with a drying rate of 500 bushels (28,000) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 6 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.

(c) **Shelling/Bulk Storage**

- (1) One (1) corn sheller, identified as Sheller #1, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15a, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (2) One (1) corn sheller, identified as Sheller #2, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15b, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (3) Two (2) aspirators, identified as Sheller Aspirator 1 and Sheller Aspirator 2 approved for construction in 2009, exhausting to a baghouse for particulate control, identified as CE-35 (Harvest Dust System), capacity 2,500 bushels (140,000 pounds) of corn per hour, each.
- (4) One hundred eighty (180) bulk storage bins, identified as B-1 through B-12, B-21 through B-72, B-73 through B-144, and B144 through B187:
 - (A) Sixty-four (64) bulk storage bins, identified as B-1 through B-12, B-21 through B-40, and B-41 through B-72, installed in 1999 and 2007. Storage bins B-1 through B-4 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-5 through B-8 have a capacity of 15,000 bushels (1,050,000 pounds) each; storage bins B-9 through B-12 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-13 through B-17 have a capacity of 4,600 bushels (322,000 pounds) each; storage bins B-21 through B-30 have a capacity of 5,000 bushels (350,000 pounds) each; and storage bins B-31 through B-40 have a capacity of 7,500 bushels (525,000 pounds) each; storage bins B-41 through B-56 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-57 through B-72 have a capacity of 5,000 bushels (280,000 pounds), each; throughput: 1000 bushels (56,000) pounds of shelled corn per hour.
 - (B) Forty-four (44) bulk storage bins, identified as B144 through B187, approved for construction in 2009. Storage bins B144 through B165 have a capacity of 5,000 bushels (280,000 pounds) each, and storage bins B166 through B187 have a capacity of 7,500 bushels (420,000 pounds) each.
 - (C) Seventy-two (72) bulk storage bins, identified as B-73 through B-144, approved for construction in 2007, throughput: 2,000 bushels (112,000 pounds) of shelled corn per hour. Storage bins B-73 through B-108 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-109 through B-144 have a capacity of

5,000 bushels (280,000 pounds), each.

- (5) One (1) shelled corn loadout operation, identified as Shelled Corn Loadout, installed in 1976, with a maximum capacity of 56,000 pounds per hour of shelled corn loaded to trucks, utilizing no control devices.**
- (6) Six (6) loadout bins, identified as Loadout Bins 1 through 4, and Loadout Bins 5 and 6, approved for construction in 2009, throughput: 1,000 bushels per hour. Loadout Bins 1 through 4 have a capacity of 1,000 (56,000 pounds) each, and Loadout Bins 5 and 6 have a capacity of 1,000 bushels (56,000 pounds) each.**

(d) Conditioning

- (1) Two (2) cleaners, identified as Cleaner Line 1 and Cleaner Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.**
- (2) Two (2) sorters, identified as Sorter Line 1 and Sorter Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.**
- (3) Two (2) sizers, identified as Sizer Line 1 and Sizer Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.**
- (4) Sixteen (16) gravity tables, identified as Gravity Tables Line 1 and Gravity Tables Line 2, approved for construction in 2007, equipped with sixteen (16) dust collectors for particulate control, identified as Gravity Table Dust Collectors #1 through #16, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.**
- (5) Twenty-four (24) storage bins, identified as Storage Bins Lines 1 and Storage Bins Line 2, approved for construction in 2007, throughput capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.**

(e) Treating/Packaging

- (1) Three (3) aspirators, identified as Aspirator #1 through #3, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.**
- (2) One (1) treater, identified as Treater #3, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 500 bushels (28,000 pounds) of shelled corn per hour.**
- (3) Two (2) treaters, identified as Treater #1 and #2, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.**

- (4) Twelve (12) storage bins, identified as Treating and Packing Storage Bins 1 through 12, approved for construction in 2007, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) One (1) bagging machine, identified as EU12, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 134,400 pounds of seed corn per hour.
- (6) One (1) seed pak filler, identified as Seed Pak Filler, approved for construction in 2010, with a maximum capacity of 84,000 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (7) One (1) refuge scale, identified as Refuge Scale 1, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to Red Dust Collector.
- (8) One (1) refuge scale, identified as Refuge Scale 2, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to baghouse CE14.
- (9) One (1) seed corn debagger, identified as EU34, installed in 2002, exhausting to a baghouse, identified as Red Dust Collector, maximum throughput: 1,000 bushels (56,000 pounds) of seed corn per hour.
- (10) One (1) small lot bagging operation, installed in 2005, consisting of the CBT-100 treater, identified as EU102, an aspirator, identified as EU103, and bagging unit #2, identified as EU104, exhausting to a baghouse, identified as CE14, capacity: 3,550 bushels (198,800 pounds) per hour, total.

...

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]: Corn Processing Facilities

- (a) ~~Two (2) receiving lines, identified as Corn Receiving #1 and Corn Receiving #2, consisting of two (2) huskers, identified as Husker 1 and Husker 2, which each consist of seven (7) husking beds, installed in 1976, modified in 1995 and 2007, and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.~~
- (b) ~~Two (2) natural gas-fired bin dryers, identified as Dry 1 and Dry 2, exhausting to Stacks Dry 1 and Dry 2 installed in 1976, heat input capacity: sixty (60) million British thermal units per hour, each, and a dry rate of 20,238 bushels per batch (500 bushels (28,000 pounds) per hour, each).~~
- (c) ~~One (1) bagging unit, identified as EU100, one (1) seed pack fill unit, identified as EU101, one (1) manual seed pack unit, identified as EU105, and one (1) bagging machine, identified as EU12, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 134,400 pounds of seed corn per hour, total.~~
- (d) ~~One (1) treater, identified as Treater #3, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 500 bushels (28,000 pounds) of shelled corn per hour.~~

- (e) — One (1) Rebagging Aspirator, identified as #13, installed in 1992 and modified in 2005, with a capacity of 114,800 pounds per hour, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 114,800 pounds of seed corn per hour.
- (f) — One (1) seed corn debagger, identified as EU34, installed in 2002, exhausting to a baghouse, identified as Red Dust Collector, maximum throughput: 1,000 bushels (56,000 pounds) of seed corn per hour.
- (g) — One hundred eight (108) bulk storage bins, identified as B-1 through B-12, B-21 through B-72, and B-144 through B-187, throughput: 1000 bushels (56,000) pounds of shelled corn per hour:
 - (1) — Sixty four (64) bulk storage bins, identified as B-1 through B-12, B-21 through B-40, and B-41 through B-72, installed in 1999 and 2007. Storage bins B-1 through B-4 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-5 through B-8 have a capacity of 15,000 bushels (1,050,000 pounds) each; storage bins B-9 through B-12 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-13 through B-17 have a capacity of 4,600 bushels (322,000 pounds) each; storage bins B-21 through B-30 have a capacity of 5,000 bushels (350,000 pounds) each; and storage bins B-31 through B-40 have a capacity of 7,500 bushels (525,000 pounds) each; storage bins B-41 through B-56 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-57 through B-72 have a capacity of 5,000 bushels (280,000 pounds), each.
 - (2) — Forty four (44) bulk storage bins, identified as B144 through B187, approved for construction in 2009. Storage bins B144 through B165 have a capacity of 5,000 bushels (280,000 pounds) each, and storage bins B166 through B187 have a capacity of 7,500 bushels (420,000 pounds) each.
- (h) — One (1) small lot bagging operation, installed in 2005, consisting of the CBT-100 treater, identified as EU102, an aspirator, identified as EU103, and bagging unit #2, identified as EU104, exhausting to a baghouse, identified as CE14, capacity: 3,550 bushels (198,800 pounds) per hour, total.
- (i) — One (1) natural gas-fired bin dryer, identified as Dry 3, approved for construction in 2007, exhausting to Stack Dry 3, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 3 Bins, used for drying with a capacity of 2,000 bushels (152,000 pounds), each.
- (j) — One (1) corn sheller, identified as Sheller #1, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15a, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (k) — Two (2) corn handling lines, identified as Line 1 and Line 2, consisting of the following:
 - (1) — Two (2) cleaners, identified as Cleaner Line 1 and Cleaner Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
 - (2) — Two (2) sorters, identified as Sorter Line 1 and Sorter Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.

- (3) Two (2) sizers, identified as Sizer Line 1 and Sizer Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (4) Sixteen (16) gravity tables, identified as Gravity Tables Line 1 and Gravity Tables Line 2, approved for construction in 2007, equipped with sixteen (16) dust collectors for particulate control, identified as Gravity Table Dust Collectors #1 through #16, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) Twenty four (24) storage bins, identified as Storage Bins Lines 1 and Storage Bins Line 2, approved for construction in 2007, throughput capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (l) Treating/packing machinery, consisting of the following:
 - (1) Three (3) aspirators, identified as Aspirator #1 through #3, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
 - (2) Two (2) treaters, identified as Treater #1 and #2, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
 - (3) Twelve (12) storage bins, identified as Treating and Packing Storage Bins 1 through 12, approved for construction in 2007, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (m) Two (2) corn receiving lines identified as Corn Receiving #3 and Corn Receiving #4, consisting of two (2) huskers, identified as Husker 3 and Husker 4, which each consist of seven (7) husking beds, approved for construction in 2007 and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.
- (n) Two (2) natural gas-fired bin dryers identified as Dry 4 and Dry 5, approved for construction in 2007, exhausting to Stack Dry 4 and Stack Dry 5, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, each equipped with eighteen (18) storage bins, identified as Dry 4 and Dry 5 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
- (o) One (1) corn sheller, identified as Sheller #2, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15b, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (p) Seventy-two (72) bulk storage bins, identified as B-73 through B-144, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE 34, throughput: 2,000 bushels (112,000 pounds) of shelled corn per hour. Storage bins B-73 through B-108 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-109 through B-144 have a capacity of 5,000 bushels (280,000 pounds), each.
- (q) One (1) natural gas-fired grain dryer, identified as Dry 6, approved for construction in 2008, exhausting to Stack Dry 6, with a drying rate of 500 bushels (28,000) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 6 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds),

each.

- ~~(r) One (1) diesel fired generator, identified as Generator 1, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 1.~~
- ~~(s) One (1) diesel fired emergency generator, identified as Generator 2, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 2.~~
- ~~(t) One (1) diesel fired generator, identified as Generator 3, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 3.~~
- ~~(u) One (1) diesel fired generator, identified as Generator 4, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 4.~~
- ~~(v) One (1) diesel fired emergency generator, identified as Generator 5, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 5.~~
- ~~(w) Two (2) aspirators, identified as Sheller Aspirator 1 and Sheller Aspirator 2 approved for construction in 2009, exhausting to a baghouse for particulate control, identified as CE-35 (Harvest Dust System), capacity 2,500 bushels (140,000 pounds) of corn per hour, each.~~
- ~~(x) Six (6) loadout bins, identified as Loadout Bins 1 through 4, and Loadout Bins 5 and 6, approved for construction in 2009, throughput: 1,000 bushels per hour. Loadout Bins 1 through 4 have a capacity of 1,000 (56,000 pounds) each, and Loadout Bins 5 and 6 have a capacity of 1,000 bushels (56,000 pounds) each.~~

(a) Husking Receiving

- (1) Two (2) receiving lines, identified as Corn Receiving #1 and Corn Receiving #2, consisting of two (2) huskers, identified as Husker 1 and Husker 2, which each consist of six (6) husking beds, installed in 1976, modified in 1995 and 2007, and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.**
- (2) Two (2) corn receiving lines identified as Corn Receiving #3 and Corn Receiving #4, consisting of two (2) huskers, identified as Husker 3 and Husker 4, which each consist of seven (7) husking beds, approved for construction in 2007 and approved for modification in 2008, exhausting to general ventilation, capacity: 2,000 bushels (112,000 pounds) of ear corn per hour for each line and each husker.**

(b) Drying

- (1) Two (2) natural gas-fired bin dryers, identified as Dry 1 and Dry 2, exhausting to Stacks Dry 1 and Dry 2 installed in 1976, heat input capacity: sixty (60) million British thermal units per hour, each, and a dry rate of 20,238 bushels per batch (500 bushels (28,000 pounds) per hour, each).**
- (2) One (1) natural gas-fired bin dryer, identified as Dry 3, approved for construction in 2007, exhausting to Stack Dry 3, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 3 Bins, used for drying with a capacity of 2,000 bushels (152,000 pounds), each.**

- (3) Two (2) natural gas-fired bin dryers identified as Dry 4 and Dry 5, approved for construction in 2007, exhausting to Stack Dry 4 and Stack Dry 5, with a drying rate of 500 bushels (28,000 pounds) per hour and a heat input capacity of 160 million British thermal units per hour, each equipped with eighteen (18) storage bins, identified as Dry 4 and Dry 5 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.
- (4) One (1) natural gas-fired grain dryer, identified as Dry 6, approved for construction in 2008, exhausting to Stack Dry 6, with a drying rate of 500 bushels (28,000) per hour and a heat input capacity of 160 million British thermal units per hour, equipped with eighteen (18) storage bins, identified as Dry 6 Bins, used for drying with a capacity of 2,000 bushels (112,000 pounds), each.

(c) Shelling/Bulk Storage

- (1) One (1) corn sheller, identified as Sheller #1, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15a, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (2) One (1) corn sheller, identified as Sheller #2, approved for construction in 2007, exhausting to a baghouse for particulate control, identified as CE15b, capacity: 2,500 bushels (140,000 pounds) of corn per hour.
- (3) Two (2) aspirators, identified as Sheller Aspirator 1 and Sheller Aspirator 2 approved for construction in 2009, exhausting to a baghouse for particulate control, identified as CE-35 (Harvest Dust System), capacity 2,500 bushels (140,000 pounds) of corn per hour, each.
- (4) One hundred eighty (180) bulk storage bins, identified as B-1 through B-12, B-21 through B-72, B-73 through B-144, and B144 through B187:
 - (A) Sixty-four (64) bulk storage bins, identified as B-1 through B-12, B-21 through B-40, and B-41 through B-72, installed in 1999 and 2007. Storage bins B-1 through B-4 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-5 through B-8 have a capacity of 15,000 bushels (1,050,000 pounds) each; storage bins B-9 through B-12 have a capacity of 11,000 bushels (770,000 pounds) each; storage bins B-13 through B-17 have a capacity of 4,600 bushels (322,000 pounds) each; storage bins B-21 through B-30 have a capacity of 5,000 bushels (350,000 pounds) each; and storage bins B-31 through B-40 have a capacity of 7,500 bushels (525,000 pounds) each; storage bins B-41 through B-56 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-57 through B-72 have a capacity of 5,000 bushels (280,000 pounds), each; throughput: 1000 bushels (56,000) pounds of shelled corn per hour:
 - (B) Forty-four (44) bulk storage bins, identified as B144 through B187, approved for construction in 2009. Storage bins B144 through B165 have a capacity of 5,000 bushels (280,000 pounds) each, and storage bins B166 through B187 have a capacity of 7,500 bushels (420,000 pounds) each.
 - (C) Seventy-two (72) bulk storage bins, identified as B-73 through B-144,

approved for construction in 2007, throughput: 2,000 bushels (112,000 pounds) of shelled corn per hour. Storage bins B-73 through B-108 have a capacity of 7,500 bushels (420,000 pounds), each, and storage bins B-109 through B-144 have a capacity of 5,000 bushels (280,000 pounds), each.

- (5) One (1) shelled corn loadout operation, identified as Shelled Corn Loadout, installed in 1976, with a maximum capacity of 56,000 pounds per hour of shelled corn loaded to trucks, utilizing no control devices.
- (6) Six (6) loadout bins, identified as Loadout Bins 1 through 4, and Loadout Bins 5 and 6, approved for construction in 2009, throughput: 1,000 bushels per hour. Loadout Bins 1 through 4 have a capacity of 1,000 (56,000 pounds) each, and Loadout Bins 5 and 6 have a capacity of 1,000 bushels (56,000 pounds) each.

(d) Conditioning

- (1) Two (2) cleaners, identified as Cleaner Line 1 and Cleaner Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (2) Two (2) sorters, identified as Sorter Line 1 and Sorter Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (3) Two (2) sizers, identified as Sizer Line 1 and Sizer Line 2, approved for construction in 2007, exhausting to two (2) baghouses for particulate control, identified as White Dust Collector #1 and White Dust Collector #2, capacity: 500 bushels (28,000 pounds) of shelled corn per hour, each.
- (4) Sixteen (16) gravity tables, identified as Gravity Tables Line 1 and Gravity Tables Line 2, approved for construction in 2007, equipped with sixteen (16) dust collectors for particulate control, identified as Gravity Table Dust Collectors #1 through #16, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (5) Twenty-four (24) storage bins, identified as Storage Bins Lines 1 and Storage Bins Line 2, approved for construction in 2007, throughput capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.

(e) Treating/Packaging

- (1) Three (3) aspirators, identified as Aspirator #1 through #3, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.
- (2) One (1) treater, identified as Treater #3, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 500 bushels (28,000 pounds) of shelled corn per hour.

- (3) **Two (2) treaters, identified as Treater #1 and #2, approved for construction in 2007, exhausting to a baghouse, identified as Red Dust Collector, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.**
 - (4) **Twelve (12) storage bins, identified as Treating and Packing Storage Bins 1 through 12, approved for construction in 2007, capacity: 1,000 bushels (56,000 pounds) of shelled corn per hour, total.**
 - (5) **One (1) bagging machine, identified as EU12, installed in 1994 and modified in 2005, equipped with a baghouse for particulate control, identified as Red Dust Collector, capacity: 134,400 pounds of seed corn per hour.**
 - (6) **One (1) seed pak filler, identified as Seed Pak Filler, approved for construction in 2010, with a maximum capacity of 84,000 pounds per hour, with particulate emissions vented to Red Dust Collector.**
 - (7) **One (1) refuge scale, identified as Refuge Scale 1, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to Red Dust Collector.**
 - (8) **One (1) refuge scale, identified as Refuge Scale 2, approved for construction in 2010, with a maximum capacity of 15,120 pounds per hour, with particulate emissions vented to baghouse CE14.**
 - (9) **One (1) seed corn debagger, identified as EU34, installed in 2002, exhausting to a baghouse, identified as Red Dust Collector, maximum throughput: 1,000 bushels (56,000 pounds) of seed corn per hour.**
 - (10) **One (1) small lot bagging operation, installed in 2005, consisting of the CBT-100 treater, identified as EU102, an aspirator, identified as EU103, and bagging unit #2, identified as EU104, exhausting to a baghouse, identified as CE14, capacity: 3,550 bushels (198,800 pounds) per hour, total.**
- (The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

D.1.14 Particulate Matter (PM) [326 IAC 6-3-2]

Emission Unit/Control	Process weight rate (tons per hour)	Allowable particulate emission rate (pounds per hour)
...
One (1) rebagging unit, identified as #13 (Baghouse Red Dust Collector)	57.4	45.9
...
Six (6) loadout bins, identified as Loadout Loadout Bins 1 through 6 (none)	28.0	38.20
Refuge Scale 1 (Baghouse Red Dust Collector)	7.56	15.90
Refuge Scale 2 (CE14)	7.56	15.90
Seed Pak Filler (Baghouse Red Dust Collector)	42.0	42.97
Treating/Packing Machinery, consisting of the following emission units:		

Emission Unit/Control	Process weight rate (tons per hour)	Allowable particulate emission rate (pounds per hour)
Aspirators #1 through #3 (Baghouse Red Dust Collector)	28.0	38.2
Treaters #1 through #3 (Baghouse Red Dust Collector)	42.0	42.967
One (1) bagging unit, identified as EU100, one (1) seed pack fill unit, identified as EU101, one (1) manual seed pack unit, identified as EU105, and one (1) bagging machine, identified as EU12 (Baghouse Red Dust Collector)	67.2	47.4
...
Shelled Corn Loadout (none)	28.0	38.2

...

In addition, several of the emission units exhaust through the same baghouse or stack. The allowable particulate pursuant to 326 IAC 6-3-2 has been tabulated by stack/exhaust and baghouse as follows:

Stack # or Exhaust	Emission Unit	Process Weight (tons per hour)	PM Emission Rate (pounds per hour)
Red Dust Collector	EU 34	Subtotal of 28.0	38.2
	EU 100	Subtotal of 67.2	47.4
	EU 101		
	EU 105		
	EU 12		
	Aspirators #1 - #3	Subtotal of 28.0	38.2
	Treaters #1- #3	Subtotal of 42.0	42.967
	Treating and Packing Storage Bins 1 through 12	Subtotal of 28.0	38.2
	Refuge Scale 1	Subtotal of 7.56	15.90
	Seed Pak Filler	Subtotal of 42.0	42.97
			Total: 204.96 263.84
Baghouse CE14	EU102	99.4	51.2
	EU103		
	EU104		
Refuge Scale 2	7.56	15.90	
			Total: 67.10
...

...

D.1.25 Particulate Matter (PM) [326 IAC 2-2]

The PM emissions from the four (4) corn receiving lines, identified as Corn Receiving 1, 2, 3, and 4, four (4) huskers, identified as Husker 1, 2, 3, and 4, six (6) natural gas-fired bin dryers, identified as Dry 1, 2, 3, 4, 5, and 6 (grain drying), two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, which are all part of the two (2) corn handling lines, identified as Lines 1 and 2, ~~the one (1) bagging unit, identified as EU100, the one (1) seed pack fill unit, identified as EU101, the one (1) manual seed pack unit, identified as EU105, the one (1) bagging machine, identified as EU12, and the one (1) small lot bagging operation,~~

consisting of EU102 through EU104, shall be limited to less than the throughput and emission limits specified in the following table:

Emission Units (Baghouse)	Limited Corn Throughput (tons/yr*)	PM Emission Limit (lbs PM/ton corn)
...
One (1) bagging unit, identified as EU100, one (1) seed pack fill unit, identified as EU101, one (1) manual seed pack unit, identified as EU105, and one (1) bagging machine, identified as EU12 (Red Dust Collector)	294,336, total	0.061
One (1) small lot bagging operation, consisting of EU102 through EU104 (CE14)	744,600, total	0.061

...

D.1.36 Particulate Matter (PM₁₀) [326 IAC 2-8-4]

The PM₁₀ emissions from the four (4) corn receiving lines, identified as corn receiving 1, 2, 3, and 4, four (4) huskers, identified as Husker 1, 2, 3, and 4, six (6) natural gas-fired bin dryers, identified as Dry 1, 2, 3, 4, 5, and 6 (grain drying), two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, which are all part of the two (2) corn handling lines, identified as Lines 1 and 2, the one (1) bagging unit, identified as EU100, the one (1) seed pack fill unit, identified as EU101, the one (1) manual seed pack unit, identified as EU105, the one (1) bagging machine, identified as EU12, and the one (1) small lot bagging operation, consisting of EU102 through EU104, shall be limited to less than the throughput and emission limits specified in the following table:

Emission Units (Baghouse)	Limited Corn Throughput (tons/yr*)	PM ₁₀ Emission Limit (lbs PM ₁₀ /ton corn)
...
One (1) bagging unit, identified as EU100, one (1) seed pack fill unit, identified as EU101, one (1) manual seed pack unit, identified as EU105, and one (1) bagging machine, identified as EU12 (Red Dust Collector)	294,336, total	0.034
One (1) small lot bagging operation, consisting of EU102 through EU104 (CE14)	744,600, total	0.034

...

D.1.47 Fuel Usage Limitations [326 IAC 2-8-4] [326 IAC 2-2] [326 IAC 7]

(a) The natural gas usage at the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 shall be less than 1,126.9 million cubic feet of gas per twelve (12) consecutive month period, total, with compliance determined at the end of each month. As a result of the natural gas limit:

(a)(1) NO_x from the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 shall be limited to 100 pounds of NO_x per million cubic feet of gas, total (equivalent to 5.7 pounds of NO_x per hour for Dry 1 and Dry 2, each, and 15.7 pounds of NO_x per hour for Dry 3, Dry 4, Dry 5, and Dry 6, each).

(b)(2) CO from the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 shall be limited to 84 pounds of CO per million cubic feet of gas, total.

(b) The total diesel usage at the generators, identified as Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5 shall not exceed 150,000 gallons per twelve

~~(12) consecutive month period, with compliance determined at the end of each month. As a result of the diesel limit:~~

- ~~_____ (1) _____ NO_x from the generators, identified as Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5 shall be limited to 0.0240 pounds of NO_x per horsepower hour.~~
- ~~_____ (2) _____ CO from the generators, identified as Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5 shall be limited to 0.0055 pounds of CO per horsepower hour.~~

Compliance with these limits, combined with the potential to emit NO_x and CO from all other emission units at this source, shall limit the source-wide total potential to emit of NO_x and CO to less than 100 tons per 12 consecutive month period, each, and shall render 326 IAC 2-7 (Part 70 Permits) and 326 IAC 2-2 (PSD) not applicable. ~~In addition, compliance with Condition D.1.7(b) will also render 326 IAC 7 (Sulfur Dioxide Emission Limitations) not applicable to Generator 1, Generator 3 and Generator 4.~~

...

SECTION E.1 _____ EMISSIONS UNIT OPERATION CONDITIONS

~~Facility Description [326 IAC 2-7-5(15)]: Corn Processing Facilities~~

- ~~(r) _____ One (1) diesel fired generator, identified as Generator 1, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 1.~~
- ~~(s) _____ One (1) diesel fired emergency generator, identified as Generator 2, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 2.~~
- ~~(t) _____ One (1) diesel fired generator, identified as Generator 3, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 3.~~
- ~~(u) _____ One (1) diesel fired generator, identified as Generator 4, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 4.~~
- ~~(v) _____ One (1) diesel fired emergency generator, identified as Generator 5, approved for construction in 2008, with a maximum capacity of 1,500 KW (2000 hp), and exhausting to stack Gen 5.~~

~~(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)~~

New Source Performance Standards (NSPS) Requirements [326 IAC 2-8-4(1)]

E.1.1 _____ General Provisions Relating to New Source Performance Standards Under 40 CFR Part 60 [326 IAC 12-1] [40 CFR Part 60, Subpart A]

- ~~(a) _____ The provisions of 40 CFR Part 60, Subpart A - General Provisions, which are incorporated by reference in 326 IAC 12-1-1, apply to Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5 except when otherwise specified in 40 CFR Part 60, Subpart III.~~
- ~~(b) _____ Pursuant to 40 CFR 60.7, the Permittee shall submit all of the required notifications and reports to:~~

~~Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality~~

~~100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251~~

~~E.1.2 New Source Performance Standard for Stationary Compression Ignition Internal Combustion Engines [40 CFR Part 60, Subpart III] [326 IAC 12]~~

~~Pursuant to 40 CFR Part 60, Subpart III, the Permittee shall comply with the following provisions of 40 CFR Part 60, Subpart III (included as Attachment A), which are incorporated by reference as 326 IAC 12, for Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5:~~

- ~~(1) 40 CFR 60.4200~~
- ~~(2) 40 CFR 60.4204(b)~~
- ~~(3) 40 CFR 60.4205(b)~~
- ~~(4) 40 CFR 60.4206~~
- ~~(5) 40 CFR 60.4207(a) and (c)~~
- ~~(6) 40 CFR 60.4209~~
- ~~(7) 40 CFR 60.4211(a) and (c)~~
- ~~(8) 40 CFR 60.4218~~
- ~~(9) 40 CFR 60.4219~~

...

~~INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY
 COMPLIANCE AND ENFORCEMENT BRANCH~~

~~FESOP Quarterly Report~~

Source Name: ~~_____ Monsanto Company~~
 Source Address: ~~_____ 15489 South US Highway 231, Remington, Indiana 47977~~
 Mailing Address: ~~_____ P.O. Box 35, Remington, Indiana 47977~~
 FESOP No.: ~~_____ F073-23632-00035~~
 Facility: ~~_____ Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5~~
 Parameter: ~~_____ Total Diesel fuel usage~~
 Limit: ~~_____ The total diesel usage at the generators, identified as Generator 1, Generator 2,
 _____ Generator 3, Generator 4 and Generator 5 shall not exceed 150,000 gallons per
 _____ twelve (12) consecutive month period, with compliance determined at the end of each
 _____ month.~~

YEAR: _____

Month	Diesel Fuel Usage (gallons)	Diesel Fuel Usage (gallons)	Diesel Fuel Usage (gallons)
	This Month	Previous 11 Months	12 Month Total

~~_____ No deviation occurred in this quarter.~~
~~_____ Deviation/s occurred in this quarter.~~
~~_____ Deviation has been reported on _____~~

Submitted by: _____
 Title/Position: _____
 Signature: _____
 Date: _____
 Phone: _____

~~Attach a signed certification to complete this report.~~

...

- (b) IDEM, OAQ has decided to make additional revisions to the permit as described below in order to update the language to match the most current version of the applicable rule, to eliminate redundancy within the permit, and to provide clarification regarding the requirements of these conditions.
- 1. Section A.1 of the permit and the reporting forms have been revised to remove all references to the source mailing address. IDEM, OAQ will continue to maintain records of the mailing address.

2. For clarity, IDEM has changed references to the general conditions: "in accordance with Section B", in accordance with Section C", or other similar language to "Section C...contains the Permittee's obligations with regard to the records required by this condition."
3. IDEM has decided that the phrases "no later than" and "not later than" are clearer than "within" in relation to the end of a timeline. Therefore all timelines have been switched to "no later than" or "not later than" except when the underlying rule states "within."
4. IDEM has decided to clarify throughout the permit that a certification needs to meet the requirements of 326 IAC 2-8-5(a)(1). In addition, IDEM has decided to remove the last sentence dealing with the need for certification from the forms because the conditions requiring the forms already addresses this issue.
5. IDEM has decided to clarify the certification requirements in Section B - Duty to Provide Information and Section B - Certification.
6. IDEM has decided to clarify the requirements of Section B – Preventive Maintenance Plan and to add a new paragraph (b) to handle a future situation where the Permittee adds units that need preventive maintenance plans.
7. IDEM has revised the language of the Section B - Preventive Maintenance Plan, Section C - Compliance Monitoring, Section C - General Record Keeping, and Section C - General Reporting to allow the Permittee to not have to begin implementing the requirements of these conditions until ninety days after initial start up.
8. IDEM has revised Section B - Emergency Provisions to delete paragraph (h). 326 IAC 2-8-4(3)(C)(ii) allows that deviations reported under an independent requirement do not have to be included in the Quarterly Deviation and Compliance Monitoring Report.
9. IDEM has decided that having a separate condition for the reporting of deviations is unnecessary. Therefore, IDEM has removed Section B - Deviation form Permit Requirements and Conditions and added the requirements of that condition to Section C - General Reporting Requirements. Paragraph (d) of Section C - General Reporting Requirements has been removed because IDEM already states the timeline and certification needs of each report in the condition requiring the report.
10. IDEM has revised Section B - Permit Renewal paragraph (c) to state which rule establishes the authority to set a deadline for the Permittee to submit additional information.
11. IDEM has decided to reference 326 IAC 2 in Section B - Source Modification Requirements, rather than specific construction rule.
12. IDEM has added 326 IAC 5-1-1 to the exception clause of Section C - Opacity, since 326 IAC 5-1-1 does list exceptions.
13. IDEM has revised Section C - Incineration to more closely reflect the two underlying rules.
14. IDEM has revised the language of the Section C - Asbestos Abatement Projects to change the terminology "Accredited" to "Licensed" in order to match the rule.
15. IDEM has removed the first paragraph of Section C - Performance Testing as due to the fact that specific testing conditions elsewhere in the permit will specify the timeline and procedures.
16. IDEM has revised Section C - Compliance Monitoring. The reference to recordkeeping has been removed due to the fact that other conditions already address recordkeeping. The voice of the

- condition has been change to clearly indicate that it is the Permittee that must follow the requirements of the condition
17. IDEM has removed Section C - Monitoring Methods. The conditions that require the monitoring or testing, if required, state what methods shall be used.
 18. IDEM has added Section C - Emergency Reduction Plans. The source has particulate emissions greater than 100 tons per year. Therefore they are required to submit an Emergency Reduction Plan in accordance with 326 IAC 1-5-2.
 19. IDEM has revised Section C - Response to Excursions or Exceedances. The introduction sentence has been added to clarify that it is only when an excursion or exceedance is detected that the requirements of this condition need to be followed. The word "excess" was added to the last sentence of paragraph (a) because the Permittee only has to minimize excess emissions. The middle of paragraph (b) has been deleted as it was duplicative of paragraph (a). The phrase "or are returning" was added to subparagraph (b)(2) as this is an acceptable response assuming the operation or emission unit does return to normal or its usual manner of operation. The phrase "within the indicator range, designated condition, or below the applicable emission limitation or standard, as applicable" was replaced with "normal or usual manner of operation" because the first phrase is just a limited list of the second phrase. The recordkeeping required by paragraph (e) was changed to require only records of the response because the previously listed items are required to be recorded elsewhere in the permit.
 20. IDEM has revised Section C - Actions Related to Noncompliance Demonstrated by a Stack Test. The requirements to take response steps and minimize excess emissions have been removed because Section C - Response to Excursions or Exceedances already requires response steps related to exceedances and excess emissions minimization. The start of the timelines was switched from "the receipt of the test results" to "the date of the test." There was confusion if the "receipt" was by IDEM, the Permittee, or someone else. Since the start of the timelines has been moved up, the length of the timelines was increased. The new timelines require action within a comparable timeline; and the new timelines still ensure that the Permittee will return to compliance within a reasonable timeframe.
 21. The voice of paragraph (b) of Section C - General Record Keeping Requirements has been changed to clearly indicate that it is the Permittee that must follow the requirements of the paragraph.
 22. IDEM has decided to simplify the referencing in Section C - Compliance with 40 CFR 82 and 326 IAC 22-1.
 23. IDEM OAQ has removed the general construction conditions from Section D of the permit, since the information included in these conditions is incorporated into the B and C Sections of this permit.
 24. IDEM has decided to clarify Section D - Testing Requirements.
 25. IDEM has included the replacement of an instrument as an acceptable action in Section D - Parametric Monitoring.
 26. The word "status" has been added to Section D - Record Keeping Requirements and Section D - Reporting Requirements. The Permittee has the obligation to document the compliance status. The wording has been revised to properly reflect this.
 27. The phrase "of this permit" has been added to the paragraph of the Quarterly Deviation and Compliance Monitoring Report Form to match the underlying rule.

The permit has been revised as follows with deleted language as ~~strikeouts~~ and new language **bolded**:

...
A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary hybrid corn seed processing plant.

Source Address: 15849 South US Highway 231, Remington, IN 47977
Mailing Address: ~~P.O. Box 35, Remington, IN 47977~~

...
B.7 Duty to Provide Information [326 IAC 2-8-4(5)(E)]

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. ~~The submittal by the Permittee does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).~~ Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.

...
B.8 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]

- (a) ~~Where specifically designated by this permit or required by an applicable requirement, any application form, report, or compliance certification submitted shall contain certification by an "authorized individual" of truth, accuracy, and completeness. This certification shall state that,~~ **A certification required by this permit meets the requirements of 326 IAC 2-8-5(a)(1) if:**
- (1) it contains a certification by an "authorized individual", as defined by 326 IAC 2-1.1-1(1), and**
 - (2) the certification states that,** based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) ~~One (1) certification shall be included, using~~ **The Permittee may use** the attached Certification Form, **or its equivalent** with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.

...
B.9 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (c) The annual compliance certification report shall include the following:

...
The submittal by the Permittee does require ~~the a~~ **certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...
B.11 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)][326 IAC 2-8-5(a)(1)]

...
The PMP extension notification does not require ~~the certification~~ **a certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

The Permittee shall implement the PMPs.

- (b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ

may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or potential to emit. The PMPs **and their submittal** do not require the certification a **certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

B.12 Emergency Provisions [326 IAC 2-8-12]

...

(b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:

...

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance ~~Section~~ **and Enforcement Branch**), or
Telephone Number: 317-233-0178 (ask for **Office of Air Quality, Compliance Section and Enforcement Branch**)
Facsimile Number: 317-233-6865

...

The notification which shall be submitted by the Permittee does not require the a certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

~~(h) The Permittee shall include all emergencies in the Quarterly Deviation and Compliance Monitoring Report.~~

...

B.15 Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)] Reserved

~~(a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provisions), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:~~

~~Indiana Department of Environmental Management
Compliance Data Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2254~~

~~using the attached Quarterly Deviation and Compliance Monitoring Report, or its equivalent. A deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report.~~

~~The Quarterly Deviation and Compliance Monitoring Report does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).~~

~~(b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.~~

B.16 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]

(a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Federally Enforceable State Operating Permit modification, revocation and reissuance, or termination, or of a notification of

planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require ~~the certification~~ **certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

B.17 Permit Renewal [326 IAC 2-8-3(h)]

(a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require ~~the a~~ certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

(c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified, **pursuant to 326 IAC 2-8-3(g)**, in writing by IDEM, OAQ any additional information identified as being needed to process the application.

B.18 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]

...

Any such application ~~shall be certified~~ **does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

B.20 Source Modification Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2-~~and 326 IAC 2-8-11.1.~~

...

B.22 Transfer of Ownership or Operational Control [326 IAC 2-8-10]

...

~~The~~ **Any such** application ~~which shall be submitted by the Permittee~~ does require ~~the a~~ certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

B.23 Annual Fee Payment [326 IAC 2-7-19][326 IAC 2-8-4(6)][326 IAC 2-8-16][326 IAC 2-1.1-7]

(a) The Permittee shall pay annual fees to IDEM, OAQ ~~within~~ **no later than** thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.

...

C.2 Overall Source Limit [326 IAC 2-8]

...

(b) ~~The~~ **Pursuant to 326 IAC 2-2 (PSD)**, potential to emit particulate matter (PM) from the entire source shall be limited to less than two hundred fifty (250) tons per twelve (12) consecutive month period. ~~This limitation shall make the requirements of 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)) not applicable.~~

...

C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in **326 IAC 5-1-1 (Applicability) and 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations)**, opacity shall meet the following, unless otherwise stated in this permit:

...
C.5 Incineration [326 IAC 4-2][326 IAC 9-1-2]

The Permittee shall not operate an incinerator ~~or incinerate any waste or refuse~~ except as provided in 326 IAC 4-2 ~~and 326 IAC 9-1-2~~ **or in this permit. The Permittee shall not operate a refuse incinerator or refuse burning equipment except as provided in 326 IAC 9-1-2 or in this permit.**

...
C.8 Asbestos Abatement Projects [326 IAC 14-10][326 IAC 18][40 CFR 61, Subpart M]

...
The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...
(g) ~~Indiana Accredited~~**Licensed** Asbestos Inspector
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana ~~Accredited~~**Licensed** Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos.

C.9 Performance Testing [326 IAC 3-6]

(a) ~~Compliance testing on new emissions units shall be conducted within 60 days after achieving maximum production rate, but no later than 180 days after initial start-up, if specified in Section D of this approval. All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ.~~

AFor performance testing required by this permit, a test protocol, except as provided elsewhere in this permit, shall be submitted to:

...
no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require **a certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require **a certification that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...
C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

Unless otherwise specified in this permit, ~~for all monitoring and record keeping requirements not already legally required, the Permittee shall be allowed up to~~ **shall be implemented within ninety (90) days of from the date of permit issuance or of initial start-up, whichever is later, to begin such monitoring.** ~~If required by Section D, the Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. If due to circumstances beyond its~~ **the Permittee's control, that any monitoring equipment required by**

this permit cannot be installed and operated ~~with~~ **no later than** ninety (90) days **after permit issuance or the date of initial startup, whichever is later**, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

The notification which shall be submitted by the Permittee does require ~~the a~~ certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

~~C.12 Monitoring Methods [326 IAC 3] [40 CFR 60] [40 CFR 63]~~

~~Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60 Appendix B, 40 CFR 63, or other approved methods as specified in this permit.~~

C.12 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

Pursuant to 326 IAC 1-5-2 (Emergency Reduction Plans; Submission):

(a) **The Permittee shall prepare written emergency reduction plans (ERPs) consistent with safe operating procedures.**

(b) **These ERPs shall be submitted for approval to:**

**Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251**

no later than ninety (90) days after the date of issuance of this permit.

The ERP does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

(c) **If the ERP is disapproved by IDEM, OAQ, the Permittee shall have an additional thirty (30) days to resolve the differences and submit an approvable ERP.**

(d) **These ERPs shall state those actions that will be taken, when each episode level is declared, to reduce or eliminate emissions of the appropriate air pollutants.**

(e) **Said ERPs shall also identify the sources of air pollutants, the approximate amount of reduction of the pollutants, and a brief description of the manner in which the reduction will be achieved.**

(f) **Upon direct notification by IDEM, OAQ that a specific air pollution episode level is in effect, the Permittee shall immediately put into effect the actions stipulated in the approved ERP for the appropriate episode level. [326 IAC 1-5-3]**

...

C.15 Response to Excursions or Exceedances [326 IAC 2-8-4][326 IAC 2-8-5]

Upon detecting an excursion where a response step is required by the D Section or an exceedance of a limitation in this permit:

(a) ~~Upon detecting an excursion or exceedance, the~~ **The Permittee shall take reasonable response steps to restore operation of the emissions unit (including any control device**

and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing **excess** emissions.

- (b) The response shall include minimizing the period of any startup, shutdown or malfunction ~~and taking any necessary corrective actions to restore normal operation and prevent the likely recurrence of the cause of an excursion or exceedance (other than those caused by excused startup or shutdown conditions).~~ **Corrective actions. The response** may include, but ~~are~~ is not limited to, the following:
- (1) initial inspection and evaluation;
 - (2) recording that operations returned **or are returning** to normal without operator action (such as through response by a computerized distribution control system); or
 - (3) any necessary follow-up actions to return operation to ~~within the indicator range, designated condition, or below the applicable emission limitation or standard, as applicable~~ **normal or usual manner of operation.**
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:
- (1) monitoring results;
 - (2) review of operation and maintenance procedures and records; **and/or**
 - (3) inspection of the control device, associated capture system, and the process.
- ...
- (e) The Permittee shall ~~record~~ **maintain the following records the reasonable response steps taken.:**
- (1) ~~monitoring data;~~
 - (2) ~~monitor performance data, if applicable; and~~
 - (3) ~~corrective actions taken.~~

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4][326 IAC 2-8-5]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the ~~Permittee shall take appropriate response actions. The Permittee shall submit a description of these its response actions to IDEM, OAQ, within no later than thirty (30) days of receipt of the test results~~ **seventy-five (75) days after the date of the test.** ~~The Permittee shall take appropriate action to minimize excess emissions from the affected facility while the response actions are being implemented.~~
- (b) A retest to demonstrate compliance shall be performed ~~within~~ **no later than** one hundred ~~and twenty (120) days of receipt of the original test results~~ **eighty (180) days after the date of the test.** Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred ~~twenty (120)~~ **eighty (180)** days is not practicable, IDEM, OAQ may extend the retesting deadline.

- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require ~~the a~~ certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)][326 IAC 2-8-5]

- ...
- (b) Unless otherwise specified in this permit, **for all record keeping requirements not already legally required, the Permittee shall be allowed up to** ~~shall be implemented within ninety~~ (90) days **from the date of permit issuance or the date of initial start-up, whichever is later, to begin such record keeping.**

C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)][326 IAC 2-1.1-11]

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported- **except that a deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report.** This report shall be submitted ~~with~~ **not later than** thirty (30) days ~~of~~ **after** the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include ~~the a~~ certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). **A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.**
- (b) ~~The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to~~ **address for report submittal is:**
- ...
- ~~(d)~~ ~~Unless otherwise specified in this permit, all reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. All reports do require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).~~
- ~~(de)~~ The first report shall cover the period commencing on the date of issuance of this permit **or the date of initial start-up, whichever is later**, and ending on the last day of the reporting period. Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit, "calendar year" means the twelve (12) month period from January 1 to December 31 inclusive.

C.19 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with ~~the~~ **applicable** standards for recycling and emissions reduction.:

- ~~(a)~~ ~~Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.~~
- ~~(b)~~ ~~Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.~~
- ~~(c)~~ ~~Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.~~

...

The construction conditions in this section of the permit are being issued under the provisions of 326 IAC 2-4 and 326 IAC 2-7-10.5, with conditions listed below, for the new emissions units described in (m) and (p) above.

Construction Conditions

General Construction Conditions

D.1.1 Permit No Defense

~~This permit to construct does not relieve the Permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated there under, as well as other applicable local, state, and federal requirements.~~

D.1.2 Effective Date of the Permit [IC13-15-5-3]

~~Pursuant to IC 13-15-5-3, this permit becomes effective upon its issuance.~~

D.1.3 Modification to Construction Conditions [326 IAC 2]

~~All requirements of these construction conditions shall remain in effect unless modified in a manner consistent with procedures established for modifications pursuant to 326 IAC 2.~~

Operation Conditions

...

D.1.58 Volatile Organic Compounds (VOCs) [326 IAC 8-1-6]

...

D.1.69 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

~~A Preventive Maintenance Plan, in accordance with Section B – Preventive Maintenance Plan, of this permit, is required for these facilities and their respective control devices. **Section B – Preventive Maintenance Plan contains the Permittee’s obligation with regard to the preventive maintenance plan required by this condition.**~~

...

D.1.740 Testing Requirements [326 IAC 2-8-5(a)(1),(4)] [326 IAC 2-1.1-11]

~~Within~~ **Not later than** 180 days ~~of~~ **after** startup of the two (2) corn handling lines, identified as Lines 1 and 2, **in order** to demonstrate compliance with Condition D.1.1, D.1.2 and D.1.3, the Permittee shall perform PM and PM₁₀ testing for the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, and the two (2) sizers, identified as Sizers Lines 1 and 2, all exhausting to two (2) baghouses, identified as White Dust Collector #1 and #2; and four (4) of the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, exhausting to sixteen (16) baghouses, identified as Gravity Table Dust Collectors #1 - #8 and Gravity Table Dust Collectors #9 - #16, utilizing methods as approved by the Commissioner. This test shall be repeated at least once every five years from the date of the most recent valid compliance demonstration. PM₁₀ includes filterable and condensable PM₁₀. Testing shall be conducted in accordance with **the provisions of 326 IAC 3-6 (Source Sampling Procedures).** Section C- Performance Testing **contains the Permittee’s obligation with regard to the performance testing required by this condition.**

...

D.1.844 Particulate Control

...

D.942 Visible Emissions Notations

- (a) Visible emission notations of the White Dust Collector #1 and #2, ~~and Gravity Table Dust Collectors #1 through #16, Gen 1, Gen 3, and Gen 4 exhausts shall be performed once per day during normal daylight operations when venting to the atmosphere.~~ A trained employee shall record whether emissions are normal or abnormal.
- ...
- (e) If abnormal emissions are observed, the Permittee shall take reasonable response. ~~steps in accordance with Section C - Response to Excursions or Exceedances~~ **contains the Permittee's obligation with regard to the reasonable response steps required by this condition.** Failure to take response steps ~~in accordance with Section C - Response to Excursions or Exceedances~~ shall be considered a deviation from this permit.

D.1043 Parametric Monitoring

- (a) The Permittee shall record the pressure drop across the baghouses, identified as White Dust Collectors #1 and #2 and Gravity Table Dust Collectors #1 through #16, used in conjunction with the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, all part of the two (2) Corn Handling Lines, identified as Lines 1 and 2, at least once per day when either of the two (2) corn handling lines is in operation. When for any one reading, the pressure drop across the baghouse is outside the normal range of 1.0 and 6.0 inches of water or a range established during the latest stack test, the Permittee shall take reasonable response steps. ~~in accordance with Section C- Response to Excursions or Exceedances~~ **contains the Permittee's obligation with regard to the reasonable response steps required by this condition.** A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps ~~in accordance with Section C - Response to Excursions or Exceedances,~~ shall be considered a deviation from this permit.
- (b) The instruments used for determining the pressure shall comply with Section C – Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated **or replaced** at least once every six (6) months.
- ...

D.1.1144 Broken or Failed Bag Detection

D.1245 Record Keeping Requirements

- (a) To document **the compliance status** with Condition D.1.47, the Permittee shall maintain records of the amount of natural gas used per month at the six (6) natural gas-fired bin dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6 ~~and the amount of diesel used at Generator 1, Generator 2, Generator 3, Generator 4 and Generator 5.~~
- (b) To document **the compliance status** with Conditions D.1.25 and D.1.36, the Permittee shall maintain records of the monthly corn throughput at the four (4) corn receiving lines, identified as Corn Receiving 1, 2, 3, and 4, four (4) huskers, identified as Husker 1, 2, 3, and 4, six (6) natural gas-fired bin dryers, identified as Dry 1, 2, 3, 4, 5, and 6 (grain drying), two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, all part of the two (2) Corn Handling Lines, identified as Lines 1 and 2, ~~the one (1) bagging unit, identified as EU100, the one (1) seed pack fill unit, identified as EU101, the one (1) manual seed pack unit, identified as EU105, the one (1) bagging machine, identified as EU12, and the one (1) small lot bagging operation, consisting of EU102 through EU104.~~

- (c) To document compliance with Condition D.1.58, the Permittee shall maintain records in accordance with (1) through (5) below. Records maintained for (1) through (5) shall be taken monthly and shall be complete and sufficient to establish compliance with the VOC usage limits and/or the VOC emission limits established in Condition D.1.58. Records necessary to demonstrate compliance shall be available within thirty (30) days of the end of each compliance period.
- ...
- (d) To document **the compliance status** with Condition D.1.942, the Permittee shall maintain daily records of visible emission notations of each of the two (2) cleaners, identified as Cleaners Lines 1 and 2, the two (2) sorters, identified as Sorters Lines 1 and 2, and the two (2) sizers, identified as Sizers Lines 1 and 2, and the sixteen (16) gravity tables, identified as Gravity Tables Lines 1 and 2, exhausts. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the process did not operate that day).
- (e) To document **the compliance status** with Condition D.1.1043, the Permittee shall maintain daily records of the pressure drop across the baghouses identified as White Dust Collectors #1 and #2 and Gravity Table Dust Collectors #1 through #16. The Permittee shall include in its daily record when a pressure drop reading is not taken and the reason for the lack of a pressure drop reading (e.g., the process did not operate that day).
- (f) ~~All records shall be maintained in accordance with Section C - General Record Keeping Requirements,~~ of this permit **contains the Permittee's obligations with regard to the records required by this condition.**
- ...

D.1346 Reporting Requirements

A quarterly summary of the information to document **the compliance status** with Conditions ~~D.1.5 through D.1.8~~ **D.1.2 through D.1.5** shall be submitted to the addresses listed in ~~Section C - General Reporting Requirements,~~ of this permit, using the reporting forms located at the end of this permit, or their equivalent, ~~within no later than~~ thirty (30) days after the end of the quarter being reported. **Section C - General Reporting contains the Permittee's obligation with regard to the reporting required by this condition.** The report submitted by the Permittee does require ~~the~~ a certification **that meets the requirements of 326 IAC 2-8-5(a)(1)** by ~~the~~ an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...

Mailing Address: ~~_____ P.O. Box 35, Remington, Indiana 47977~~

...

~~A certification is not required for this report.~~

...

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH

FESOP Quarterly Report

Source Name: Monsanto Company
Source Address: 15489 South US Highway 231, Remington, Indiana 47977
Mailing Address: ~~P.O. Box 35, Remington, Indiana 47977~~
FESOP No.: F073-23632-00035
Facilities: ~~One (1) bagging unit, identified as EU100, one (1) seed pack fill unit, identified as EU101, one (1) manual seed pack unit, identified as EU105, and one (1) bagging machine, identified as EU12~~
Parameter: Corn Throughput

...

~~Attach a signed certification to complete this report.~~

...

This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements **of this permit**, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".

...

Conclusion and Recommendation

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on November 18, 2010.

The construction and operation of this proposed revision shall be subject to the conditions of the attached proposed FESOP Minor Revision No. 073-29894-00035. The staff recommends to the Commissioner that this FESOP Minor Revision be approved.

IDEM Contact

- (a) Questions regarding this proposed permit can be directed to Jason R. Krawczyk at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 232-8427 or toll free at 1-800-451-6027 extension 2-8427.
- (b) A copy of the findings is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.in.gov/idem

Attachment A: Emissions Summary

Company Name: Monsanto Company
 Address City IN Zip: 15849 South US Highway 231, Remington, IN 47977
 Permit Revision #: 073-29894-00035
 PH ID: 073-00035
 Reviewer: Jason R. Krawczyk
 Date: December 27, 2010

Summary of Emissions (Entire Source) Limited Potential Emissions													
Emission Units	Limited Throughput	Pollutant	Emission Factor	Units	PM	PM-10	PM2.5	SO2	NOx	VOC	CO	Worst Single HAP	Total HAPs
					(tons/yr)	(tons/yr)	(tons/year)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	(tons/yr)	
Existing Emission Units													
Corn Receiving 1, 2, 3, 4	245,280 tons/year	PM PM10 PM2.5	0.035 lbs/ton 0.0078 lbs/ton 0.0013 lbs/ton	lbs/ton	4.29	0.96	0.16	0.00	0.00	0.00	0.00	-	0.00
Huskers 1, 2, 3, 4	245,280 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	7.48	4.17	0.71	0.00	0.00	0.00	0.00	-	0.00
Rack Dryer (Grain Drying) identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5, and Dry 6	245,280 tons/year	PM PM10 PM2.5	0.47 lbs/ton 0.12 lbs/ton 0.02 lbs/ton	lbs/ton	57.64	14.72	2.45	0.00	0.00	0.00	0.00	-	0.00
Corn Shellers identified as Sheller 1 and Sheller 2*	Baghouse Flowrate = 11,050 cfm Cyclone Grain Loading = 0.006 gr/dscf				2.49	2.49	2.49	0.00	0.00	0.00	0.00	-	0.00
Six natural gas-fired grain dryers, identified as Dry 1, Dry 2, Dry 3, Dry 4, Dry 5 and Dry 6 (Natural Gas Combustion)	1,126.90 MMcf/year	PM PM10/PM2.5 SO2 NOx VOC CO	1.90 lb/MMcf 7.60 lb/MMcf 0.60 lb/MMcf 100.00 lb/MMcf 5.50 lb/MMcf 84.00 lb/MMcf	lb/MMcf	1.07	4.28	4.28	0.34	56.35	3.10	47.33	1.01	1.06
Sheller Aspirators #1 and #2 ¹	245,280 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	7.48	4.17	0.71	0.00	0.00	0.00	0.00	-	0.00
Line 1: Cleaner, Sorter, Sizer **	61,320 tons/year	PM PM10 PM2.5	0.062 lbs/ton 0.062 lbs/ton 0.062 lbs/ton	lbs/ton	1.90	1.90	1.90	0.00	0.00	0.00	0.00	-	0.00
Line 2: Cleaner, Sorter, Sizer**	61,320 tons/year	PM PM10 PM2.5	0.062 lbs/ton 0.062 lbs/ton 0.062 lbs/ton	lbs/ton	1.90	1.90	1.90	0.00	0.00	0.00	0.00	-	0.00
Line 1: Eight (8) Gravity Tables	61,320 tons/year	PM PM10 PM2.5	0.269 lbs/ton 0.269 lbs/ton 0.269 lbs/ton	lbs/ton	8.25	8.25	8.25	0.00	0.00	0.00	0.00	-	0.00
Line 2: Eight (8) Gravity Tables	61,320 tons/year	PM PM10 PM2.5	0.269 lbs/ton 0.269 lbs/ton 0.269 lbs/ton	lbs/ton	8.25	8.25	8.25	0.00	0.00	0.00	0.00	-	0.00
Storage Bins (Bulk Bins identified as B1-B12, B21-B187, Line 1 and Line 2 Bins, Treating and Packing Storage Bins, Load-Out Bins)	140 tons/hr	PM PM10 PM2.5	0.025 lbs/ton 0.0063 lbs/ton 0.0011 lbs/ton	lbs/ton	15.33	3.86	0.67	0.00	0.00	0.00	0.00	-	0.00
Three (3) Aspirators (Aspirator #1 through #3)	245,280 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	7.48	4.17	0.71	0.00	0.00	0.00	0.00	-	0.00
Treaters (Treaters #1, #2, #3 and CBT-100)	367,920 tons/year	PM PM10 PM2.5 VOC	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton Limited***	lbs/ton	11.22	6.25	1.07	0.00	0.00	<90	0.00	-	0.95
One (1) bagging machine, identified as EU12	294,336 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	8.98	5.00	0.85	0.00	0.00	0.00	0.00	-	0.00
One small lot bagging operation, consisting of EU102 through EU104	744,600 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	22.71	12.66	2.16	0.00	0.00	0.00	0.00	-	0.00
One (1) debagger, identified as EU34	245,280 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	7.48	4.17	0.71	0.00	0.00	0.00	0.00	-	0.00
New Units													
Refuge Scale #1 and #2	132,451 tons/year	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	4.04	2.25	0.38	0.00	0.00	0.00	0.00	-	0.00
Seed Pak Filler	367,920 tons/yr	PM PM10 PM2.5	0.061 lbs/ton 0.034 lbs/ton 0.0058 lbs/ton	lbs/ton	11.22	6.25	1.07	0.00	0.00	0.00	0.00	-	0.00
Previously Un-Identified Operations													
Dust Collector Loadouts	17,520 tons/year	PM PM10 PM2.5	0.086 lbs/ton 0.029 lbs/ton 0.0049 lbs/ton	lbs/ton	0.75	0.25	0.04	0.00	0.00	0.00	0.00	-	0.00
Shelled Corn Loadout	245,280 tons/year	PM PM10 PM2.5	0.086 lbs/ton 0.029 lbs/ton 0.0049 lbs/ton	lbs/ton	10.55	3.56	0.60	0.00	0.00	0.00	0.00	-	0.00
Total:					200.51	99.52	39.38	0.34	56.35	< 93.10	47.33	1.01	2.01

Note:
 * Sheller 1 and Sheller 2 Emissions (tons/year) = Baghouse flowrate (cfm) x cyclone grain loading (gr/dscf) x (1 lb/7000 gr) x (1 ton/2000 lb) x 8760 hr/yr x (1 ton/2000 lb)
 ** Emission factor (lb/ton) based on the limits established in FESOP F073-23632-00035
 *** Treaters #1, #2 and #3 are limited to less than 25 tons of VOC per year each pursuant to FESOP F073-23632-00035. Treater CBT-100 is limited to less than 15 tons of VOC per year pursuant to FESOP F039-26568-00035
¹ Sheller Aspirators #1 and #2 are limited by the throughput limits for the dryers (Dry 1 through 6)



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: John Sturges
Monsanto Company
PO Box 35, 15849 S US Hwy 231
Remington, IN 47977

DATE: January 6, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
FESOP
073-29894-00035

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	CDENNY 1/6/2011 Monsanto Company 073-29894-00035 (final)		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handling Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee
											Remarks
1		John Sturges Monsanto Company PO Box 35, 15849 S US Hwy 231 Remington IN 47977 (Source CAATS)									
2		Mr. Charles L. Berger Attorney Berger & Berger, Attorneys at Law 313 Main Street Evansville IN 47700 (Affected Party)									
3		Jasper County Commissioners 115 W. Washington Street Rensselaer IN 47978 (Local Official)									
4		Jasper County Health Department 105 W. Kellner St Rensselaer IN 47978-2623 (Health Department)									
5		Mr. Kenny Haun P.O. Box 280 Rensselaer IN 47978 (Affected Party)									
6		Remington Town Coucil P.O. Box 70 Remington IN 47977 (Local Official)									
7		Mark Zeltwanger 26545 CR 52 Nappanee IN 46550 (Affected Party)									
8											
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--