



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: December 14, 2010

RE: Valmont Coatings Gateway Galvanizing / 019-29940-00100

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. Brett R. Goff
Valmont Coatings Gateway Galvanizing
1117 Brown Foreman Road
Jeffersonville, Indiana 47130

December 14, 2010

Re: 019-29940-00100
Second Registration Notice-Only Change to
R019-10825-00100

Dear Mr. Goff:

Valmont Coatings Gateway Galvanizing was issued a Registration No. R019-10825-00100 on August 3, 1999 for a stationary hot dip zinc galvanizing processing plant located at 1117 Brown Foreman Road, Jeffersonville, Indiana 47130. On November 29, 2010, the Office of Air Quality (OAQ) received an application from the source relating to the replacement of an existing natural gas boiler of 4.0 MMBtu/hr with a 6.7 MMBtu/hr natural gas fired boiler. This change to the registration is considered a notice-only change pursuant to 326 IAC 2-5.5-6(d). Pursuant to 326 IAC 2-5.5-6, the registration is hereby revised as follows, with deleted language as ~~strikeouts~~ and new language **bolded**:

(1) The description of the boilers in Section A.2 and D.1 has been revised as follows:

A.2 Emission Units and Pollution Control Equipment Summary

(m) ~~Two (2) natural gas fired hot water boilers, known as B1 and B2, installed in February 1999, exhausted to Stack #3, rated at 2.0 million British thermal units per hour each.~~
One (1) natural gas boiler, identified as B3, with a maximum heat input rate of 6.7 MMBtu per hour, exhausting to Stack #3, approved for the installation in 2010.
(Note: the company requested to remove one boiler because the company only installed one boiler with 4.0 MMBtu/hr; therefore, both boilers were removed from the registration and replaced with the new one.)

(2) The 326 IAC 6-2-4 requirements of the new boiler have been added to Section D as follows:


D.1.2 Particulate Emission Limitations for Indirect Heating [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4(a), the particulate matter from the boiler identified as B3 shall not exceed 0.6 pounds per MMBTU.

The source shall continue to operate according to 326 IAC 2-5.5. Please find enclosed the revised registration. A copy of the registration is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5.
If you have any questions on this matter, please contact Ms. Renee Traivaranon, at (800) 451-6027,
press 0 and ask for Renee Traivaranon or extension 4-5615, or dial (317) 234-5615.

Sincerely,



Iryn Calilung, Section Chief
Permits Branch
Office of Air Quality

IC/rt

Attachment: Revised Registration
Notice of Decision

cc: File - Clark County
Clark County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov


REGISTRATION OFFICE OF AIR QUALITY

**Valmont Coatings Gateway Galvanizing
1117 Brown Foreman Road
Jeffersonville, Indiana 47130**

Pursuant to 326 IAC 2-5.1 (Construction of New Sources: Registrations) and 326 IAC 2-5.5 (Registrations), (herein known as the Registrant) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this registration.

Registration No. 019-10825-00100	
Original Signed by: Paul Dubenetzky, Chief Permits Branch Office of Air Quality	Issuance Date: August 3, 1999

First Registration Notice-Only Change No. 019-27224-00100 issued on January 6, 2009

Second Registration Notice-Only Change No. 019-29940-00100	
Issued by:  Iryn Calilung, Section Chief Permits Branch Office of Air Quality	Issuance Date: December 14, 2010

SECTION A

SOURCE SUMMARY

This registration is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Registrant should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Registrant to obtain additional permits pursuant to 326 IAC 2.

A.1 General Information

The Registrant owns and operates a stationary hot dip zinc galvanizing processing plant.

Source Address:	1117 Brown Foreman Road, Jeffersonville, Indiana 47130
Mailing Address:	1117 Brown Foreman Road, Jeffersonville, Indiana 47130
General Source Phone Number:	(812) 284-5241
SIC Code:	3479
County Location:	Clark County
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Registration

A.2 Emission Units and Pollution Control Equipment Summary

This stationary source consists of the following emission units and pollution control devices:

- (a) Two (2) caustic strip tanks, known as C1 and C2, containing sodium hydroxide solution, installed in February 1999, capacity: 16,000 gallons each.
- (b) One (1) caustic rinse tank, known as CR1, containing water, installed in February 1999, capacity: 16,000 gallons.
- (c) Four (4) pickling tanks, known as A1, A2, A3 and A4, containing sulfuric acid and water, installed in February 1999, capacity: 16,000 gallons each.
- (d) Two (2) acid rinse tanks, known as AR1 and AR2, containing water, installed in February 1999, capacity: 16,000 gallons each.
- (e) One (1) Pre Flux tank, known as P1, containing ammonium chloride solution with zinc, installed in February 1999, capacity: 16,000 gallons.
- (f) One (1) zinc kettle, known as K1, installed in February 1999, capacity: 900,000 pounds of molten zinc.
- (g) One (1) natural gas kettle combustion unit, known as F1, installed in February 1999, exhausted to Stack #2, rated at 10.0 million British thermal units per hour.
- (h) Two (2) sulfuric acid storage tanks, known as Acid Storage 1 and Acid Storage 2, installed in February 1999, capacity: 10,000 gallons each.
- (i) One (1) quench tank, known as Q1, installed in February 1999, capacity: 12,850 gallons.
- (j) One (1) metal inert gas welder, known as MIG1, installed in February 1999, capacity: 1.0 pound of wire per hour.
- (k) One (1) stick welder, known as SW1, installed in February 1999, capacity: 1.8 pounds of wire per hour.

- (l) One (1) oxyacetylene flame cutter, known as OA1, installed in February 1999, capacity: 20.0 inches per minute.

- (m) One (1) natural gas boiler, identified as B3, with a maximum heat input rate of 6.7 MMBtu per hour, exhausting to Stack #3, approved for the installation in 2010.

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-1.1-1]

Terms in this registration shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

B.2 Effective Date of Registration [IC 13-15-5-3]

Pursuant to IC 13-15-5-3, this registration is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

B.3 Registration Revocation [326 IAC 2-1.1-9]

Pursuant to 326 IAC 2-1.1-9 (Revocation), this registration to operate may be revoked for any of the following causes:

- (a) Violation of any conditions of this registration.
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this registration.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this registration shall not require revocation of this registration.
- (d) For any cause which establishes in the judgment of IDEM, the fact that continuance of this registration is not consistent with purposes of this article.

B.4 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to Registration No. 019-10825-00100 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this registration.

B.5 Annual Notification [326 IAC 2-5.1-2(f)(3)] [326 IAC 2-5.5-4(a)(3)]

Pursuant to 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this registration.
- (b) The annual notice shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management
Compliance Branch, Office of Air Quality
100 North Senate Avenue

MC 61-53 IGCN 1003
Indianapolis, IN 46204-2251

- (c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.6 Source Modification Requirement [326 IAC 2-5.5-6(a)]

Pursuant to 326 IAC 2-5.5-6(a), an application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

B.7 Registrations [326 IAC 2-5.1-2(i)]

Pursuant to 326 IAC 2-5.1-2(i), this registration does not limit the source's potential to emit.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-5.1-2(g)] [326 IAC 2-5.5-4(b)]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this registration:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Fugitive Dust Emissions [326 IAC 6-4]

The Registrant shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

SECTION D.1

OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]:

- (a) Two (2) caustic strip tanks, known as C1 and C2, containing sodium hydroxide solution, installed in February 1999, capacity: 16,000 gallons each.
- (b) One (1) caustic rinse tank, known as CR1, containing water, installed in February 1999, capacity: 16,000 gallons.
- (c) Four (4) pickling tanks, known as A1, A2, A3 and A4, containing sulfuric acid and water, installed in February 1999, capacity: 16,000 gallons each.
- (d) Two (2) acid rinse tanks, known as AR1 and AR2, containing water, installed in February 1999, capacity: 16,000 gallons each.
- (e) One (1) Pre Flux tank, known as P1, containing ammonium chloride solution with zinc, installed in February 1999, capacity: 16,000 gallons.
- (f) One (1) zinc kettle, known as K1, installed in February 1999, capacity: 900,000 pounds of molten zinc.
- (g) One (1) natural gas kettle combustion unit, known as F1, installed in February 1999, exhausted to Stack #2, rated at 10.0 million British thermal units per hour.
- (h) Two (2) sulfuric acid storage tanks, known as Acid Storage 1 and Acid Storage 2, installed in February 1999, capacity: 10,000 gallons each.
- (i) One (1) quench tank, known as Q1, installed in February 1999, capacity: 12,850 gallons.
- (j) One (1) metal inert gas welder, known as MIG1, installed in February 1999, capacity: 1.0 pound of wire per hour.
- (k) One (1) stick welder, known as SW1, installed in February 1999, capacity: 1.8 pounds of wire per hour.
- (l) One (1) oxyacetylene flame cutter, known as OA1, installed in February 1999, capacity: 20.0 inches per minute.
- (m) One (1) natural gas boiler, identified as B3, with a maximum heat input rate of 6.7 MMBtu per hour, exhausting to Stack #3, approved for the installation in 2010.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

D.1.1 Particulate Emission Limitations for Manufacturing Processes [326 IAC 6-3-2]

- (a) Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.
- (b) Pursuant to 326 IAC 6-3-2, the particulate matter (PM) from the welding process and zinc galvanizing process shall be limited by using the following equation:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

D.1.2 Particulate Emission Limitations for Indirect Heating [326 IAC 6-2-4]

Pursuant to 326 IAC 6-2-4(a), the particulate matter from the boiler identified as B3 shall not exceed 0.6 pounds per MMBTU.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH**

**REGISTRATION
ANNUAL NOTIFICATION**

This form should be used to comply with the notification requirements under 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3).

Company Name:	Valmont Coatings Gateway Galvanizing
Address:	1117 Brown Foreman Road
City:	Jeffersonville, Indiana 47130
Phone Number:	(812) 284-5241
Registration No.:	019-10825-00100

I hereby certify that Valmont Coatings Gateway Galvanizing is :	<input type="checkbox"/> still in operation.
	<input type="checkbox"/> no longer in operation.
I hereby certify that Valmont Coatings Gateway Galvanizing is :	<input type="checkbox"/> in compliance with the requirements of Registration No. 019-10825-00100.
	<input type="checkbox"/> not in compliance with the requirements of Registration No. 019-10825-00100.

Authorized Individual (typed):
Title:
Signature:
Phone Number:
Date:

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

Noncompliance:

**Appendix A: Emissions Calculations
Natural Gas Combustion Only
Boiler**

Company Name: Valmont Coatings Gateway Galvanizing
Address City IN Zip: 1117 Brown Foreman Road, Jeffersonville, Indiana 47130
Permit Number: 019-29940-00100
Reviewer: Renee Traivaranon
Date: December 2, 2010

Heat Input Capacity
MMBtu/hr

Potential Throughput
MMCF/yr

6.7

58.7

Emission Factor in lb/MMCF	Pollutant					
	PM*	PM10*	SO2	NOx	VOC	CO
	1.9	7.6	0.6	100	5.5	84
				**see below		
Potential Emission in tons/yr	0.1	0.2	0.0	2.9	0.2	2.5

*PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined.

**Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Methodology

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,000 MMBtu

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

See page 2 for HAPs emissions calculations.

**Appendix A: Emissions Calculations
Natural Gas Combustion Only
Boiler**

HAPs Emissions

Company Name: Valmont Coatings Gateway Galvanizing
Address City IN Zip: 1117 Brown Foreman Road, Jeffersonville, Indiana 47130
Permit Number: 019-29940-00100
Reviewer: Renee Traivaranon
Date: December 2, 2010

	HAPs - Organics				
Emission Factor in lb/MMcf	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03
Potential Emission in tons/yr	6.163E-05	3.522E-05	2.201E-03	5.282E-02	9.978E-05

	HAPs - Metals				
Emission Factor in lb/MMcf	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03
Potential Emission in tons/yr	1.467E-05	3.228E-05	4.108E-05	1.115E-05	6.163E-05

Methodology is the same as page 1.

The five highest organic and metal HAPs emission factors are provided above.
 Additional HAPs emission factors are available in AP-42, Chapter 1.4.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Brett R Goff
Valmont Coatings Gateway Galvanizing
1117 Brown Forman Rd
Jeffersonville, IN 47130

DATE: December 14, 2010

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Notice-Only Change
019-29940-00100

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	GHOTOPP 12/14/2010 Valmont Coatings Gateway Galvanizing 019-29940-00100 Final		AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING	
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: CERTIFICATE OF MAILING ONLY	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Brett R. Goff Valmont Coatings Gateway Galvanizing 1117 Brown Forman Rd Jeffersonville IN 47130-8418 (Source CAATS) via confirmed delivery										
2		Ms. Rhonda England 17213 Persimmon Run Rd Borden IN 47106-8604 (Affected Party)										
3		Ms. Betty Hislip 602 Dartmouth Drive, Apt 8 Clarksville IN 47129 (Affected Party)										
4		Mrs. Sandy Banet 514 Haddox Rd Henryville IN 47126 (Affected Party)										
5		Jeffersonville City Council and Mayors Office 500 Quarter Master Jeffersonville IN 47130 (Local Official)										
6		Mr. Robert Bottom Paddlewheel Alliance P.O. Box 35531 Louisville KY 40232-5531 (Affected Party)										
7		Clark County Board of Commissioners 501 E. Court Avenue Jeffersonville IN 47130 (Local Official)										
8		Clark County Health Department 1320 Duncan Avenue Jeffersonville IN 47130-3723 (Health Department)										
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
7			