



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: Jan. 4, 2011

RE: George P. Todd Funeral Home, Inc. / 139-29985-00022

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. James A Todd
George P Todd Funeral Home Inc.
805 North Main Street
Rushville, IN 46173

Jan. 4, 2011

Re: Exempt Construction and Operation Status,
139-29985-00022

Dear Mr. Todd:

The application from George P Todd Funeral Home Inc., received on December 9, 2010, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-1.1-3, it has been determined that the following stationary crematory incinerator for human remains located at 1600 S. State Street Road 3, Rushville, IN 46173 is classified as exempt from air pollution permit requirements:

- (a) One (1) B & L Systems Model N-20 Cremation Retort, with afterburner, constructed in 2010, with a maximum operating capacity of 150 pounds per hour (lbs/hr), combusting natural gas at a maximum heat input capacity of 2.0 million Btu per hour (MMBtu/hr).

The following conditions shall be applicable:

1. 326 IAC 4-2-2 (Incinerators)
Pursuant to 326 IAC 4-2-2, the human crematory shall:
 - (1) Consist of primary and secondary chambers or the equivalent;
 - (2) Be equipped with a primary burner unless burning only wood products;
 - (3) Comply with 326 IAC 5-1 (Opacity Limitations) and 326 IAC 2 (Permit Review Rules);
 - (4) Be maintained, operated, and burn waste in accordance with the manufacturer's specifications or an operation and maintenance plan approved by the Administrator;
 - (5) The B & L Systems Model N-20 Cremation Retort shall not emit particulate matter in excess of five-tenths (0.5) pound of particulate matter per one thousand (1,000) pounds of dry exhaust gas under standard conditions corrected to fifty percent (50%) excess air because the maximum solid waste capacity is less than two hundred (200) pounds per hour;
 - (6) If any of the above requirements (1) through (5) are not met, then the owner or operator shall stop charging the incinerator until adjustments are made that address the underlying cause of the deviation; and
 - (7) The incinerator is exempt from requirement (5) if subject to a more stringent particulate matter emission limit in 40 CFR 52 Subpart P, State Implementation Plan for Indiana.
2. 326 IAC 5-1 (Opacity Limitations)
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
3. 326 IAC 6-4 (Fugitive Dust Emissions Limitations)
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.

This exemption is the first air approval issued to this source. A copy of the Exemption is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source. If you have any questions on this matter, please contact Jason R. Krawczyk, OAQ, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at 317-232-8427 or at 1-800-451-6027 (ext 2-8427).

Sincerely



Alfred C. Dumauval, Ph. D., Section Chief
Permits Branch
Office of Air Quality

ACD/JRK

cc: File - Rush County
Rush County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section

**Indiana Department of Environmental Management
Office of Air Quality**

Technical Support Document (TSD) for an Exemption

Source Description and Location
--

Source Name:	George P Todd Funeral Home Inc.
Source Location:	1600 S. State Street Road 3, Rushville, IN 46173
County:	Rush
SIC Code:	7261
Exemption No.:	139-29985-00022
Permit Reviewer:	Jason R. Krawczyk

On December 9, 2010, the Office of Air Quality (OAQ) received an application from George P Todd Funeral Home Inc. related to the operation of an existing stationary crematory incinerator for human remains.

Existing Approvals

There have been no previous approvals issued to this source.

County Attainment Status

The source is located in Rush County.

Pollutant	Designation
SO ₂	Better than national standards.
CO	Unclassifiable or attainment effective November 15, 1990.
O ₃	Unclassifiable or attainment effective June 15, 2004, for the 8-hour ozone standard. ¹
PM ₁₀	Unclassifiable effective November 15, 1990.
NO ₂	Cannot be classified or better than national standards.
Pb	Not designated.
¹ Unclassifiable or attainment effective October 18, 2000, for the 1-hour ozone standard which was revoked effective June 15, 2005. Unclassifiable or attainment effective April 5, 2005, for PM _{2.5} .	

- (a) **Ozone Standards**
 Volatile organic compounds (VOC) and Nitrogen Oxides (NOx) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NOx emissions are considered when evaluating the rule applicability relating to ozone. Rush County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

- (b) **PM_{2.5}**
 Rush County has been classified as attainment for PM_{2.5}. On May 8, 2008 U.S. EPA promulgated the requirements for Prevention of Significant Deterioration (PSD) for PM_{2.5} emissions. These rules became effective on July 15, 2008. Indiana has three years from the publication of these rules to revise its PSD rules, 326 IAC 2-2, to include those requirements. The May 8, 2008 rule revisions require IDEM to regulate PM₁₀ emissions as a surrogate for PM_{2.5} emissions until 326 IAC 2-2 is revised.

- (c) Other Criteria Pollutants
 Rush County has been classified as attainment or unclassifiable in Indiana for all criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

Fugitive Emissions

The fugitive emissions of criteria pollutants and hazardous air pollutants are counted toward the determination of 326 IAC 2-1.1-3 (Exemptions) applicability.

Background and Description of Emission Units and Pollution Control Equipment

The Office of Air Quality (OAQ) has reviewed an application, submitted by George P Todd Funeral Home Inc. on December 9, 2010, relating to construction and operation of a stationary crematory incinerator for human remains.

The source consists of the following existing emission unit:

- (a) One (1) B & L Systems Model N-20 Cremation Retort, with afterburner, constructed in 2010, with a maximum operating capacity of 150 pounds per hour (lbs/hr), combusting natural gas at a maximum heat input capacity of 2.0 million Btu per hour (MMBtu/hr).

Enforcement Issues

There are no pending enforcement actions related to this source.

Emission Calculations

See Appendix A of this TSD for detailed emission calculations.

Permit Level Determination – Exemption

The following table reflects the unlimited potential to emit (PTE) of the entire source before controls. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Process/ Emission Unit	Potential To Emit of the Entire Source (tons/year)								Worst Single HAP
	PM	PM10*	PM2.5	SO ₂	NO _x	VOC	CO	Total HAPs	
B & L Systems N-20 Cremation Retort	2.32	2.37	2.37	0.83	1.86	1.03	4.02	0.002	0.002 Hexane
Total PTE of Entire Source	2.32	2.37	2.37	0.83	1.86	1.03	4.02	0.002	0.002 Hexane
Exemptions Levels	5	5	5	10	10	10	25	25	10
Registration Levels	25	25	25	25	25	25	100	25	10

negl. = negligible
 * Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".

- (a) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1(16)) of all regulated criteria pollutants are less than the levels listed in 326 IAC 2-1.1-3(e)(1). Therefore, the source is subject to the provisions of 326 IAC 2-1.1-3 (Exemptions).
- (b) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1(16)) of any single HAP is less than ten (10) tons per year and the PTE of a combination of HAPs is less than twenty-five (25) tons per

year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-7.

Federal Rule Applicability Determination

New Source Performance Standards (NSPS)

- (a) The requirements of the New Source Performance Standard for Incinerators, 40 CFR 60, Subpart E (326 IAC 12), are not included in the permit, because the crematory has a charge rate of less than fifty (50) tons per day.
- (b) The requirements of the New Source Performance Standard for Hospital/Medical/Infectious Waste Incinerators for Which Construction is Commenced after January 20, 1996, 40 CFR 60, Subpart Ec (326 IAC 12), are not included in the permit, since the crematory incinerator is considered a pathological waste combustor and is not considered a municipal waste combustor or hospital/medical/infectious waste incinerator.
- (c) There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the permit.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

- (d) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included in the permit.

Compliance Assurance Monitoring (CAM)

- (e) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the unlimited potential to emit of the source is less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

State Rule Applicability Determination

The following state rules are applicable to the source:

- (a) 326 IAC 2-1.1-3 (Exemptions)
Exemption applicability is discussed under the Permit Level Determination – Exemption section above.
- (b) 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))
The potential to emit of any single HAP is less than ten (10) tons per year and the potential to emit of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-4.1.
- (c) 326 IAC 2-6 (Emission Reporting)
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake, Porter, or LaPorte County, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.
- (d) 326 IAC 5-1 (Opacity Limitations)
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (e) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
- (f) 326 IAC 6-5 (Fugitive Particulate Matter Emission Limitations)
The source is not subject to the requirements of 326 IAC 6-5, because the source does not have potential fugitive particulate emissions greater than 25 tons per year. Therefore, 326 IAC 6-5 does not apply.
- (g) 326 IAC 8-1-6 (VOC Rules: General Reduction Requirements for New Facilities)
Each of the emission units at this source is not subject to the requirements of 326 IAC 8-1-6, since the unlimited VOC potential emissions from each emission unit is less than twenty-five (25) tons per year.

Cremation Retort

- (h) 326 IAC 4-2-2 (Incinerators)
Pursuant to 326 IAC 4-2-2, the human crematory shall:
- (1) Consist of primary and secondary chambers or the equivalent;
 - (2) Be equipped with a primary burner unless burning only wood products;
 - (3) Comply with 326 IAC 5-1 (Opacity Limitations) and 326 IAC 2 (Permit Review Rules);
 - (4) Be maintained, operated, and burn waste in accordance with the manufacturer's specifications or an operation and maintenance plan approved by the Administrator;
 - (5) The B & L Systems Model N-20 Cremation Retort shall not emit particulate matter in excess of five-tenths (0.5) pound of particulate matter per one thousand (1,000) pounds of dry exhaust gas under standard conditions corrected to fifty percent (50%) excess air because the maximum solid waste capacity is less than two hundred (200) pounds per hour;
 - (6) If any of the above requirements (1) through (5) are not met, then the owner or operator shall stop charging the incinerator until adjustments are made that address the underlying cause of the deviation; and
 - (7) The incinerator is exempt from requirement (5) if subject to a more stringent particulate matter emission limit in 40 CFR 52 Subpart P, State Implementation Plan for Indiana.
- (i) 326 IAC 6-2 (Particulate Emission Limitations for Sources of Indirect Heating)
The crematory incinerator is not a source of indirect heating. Therefore, the incinerator is not subject to the conditions of 326 IAC 6-2.

- (j) 326 IAC 6-3 (Particulate Emission Limitations for Manufacturing Processes)
The crematory incinerator is not subject to 326 IAC 6-3. Pursuant to 326 IAC 6-3-1(b)(2), incineration is exempt from this rule.
- (k) 326 IAC 9-1 (Carbon Monoxide Emission Limits)
This stationary source, constructed after the applicability date of March 21, 1972, is not subject to the requirements of 326 IAC 9-1-2(a)(3), since the crematory incinerator (CFS-2300) burns pathological waste and does not burn refuse consisting of more than 50 percent municipal type waste (household, commercial/retail, and/or institutional waste).
- (l) 326 IAC 11-6 (Hospital/Medical/Infectious Waste Incinerators)
The crematory incinerator is not subject to the requirements of 326 IAC 11-6 because it is considered a pathological waste combustor and not a hospital/medical/infectious waste combustor.
- (m) 326 IAC 11-8 (Commercial and Industrial Solid Waste Incineration Units)
The crematory incinerator is not considered a Commercial and Industrial Incineration Unit. Therefore, 326 IAC 11-8 does not apply.

Conclusion and Recommendation

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on December 9, 2010.

The operation of this source shall be subject to the conditions of the attached proposed Exemption No. 139-29985-00022. The staff recommends to the Commissioner that this Exemption be approved.

IDEM Contact

- (a) Questions regarding this proposed permit can be directed to Jason R. Krawczyk at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 232-8427 or toll free at 1-800-451-6027 extension 2-8427.
- (b) A copy of the findings is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.in.gov/idem

**Appendix A: Emissions Calculations
Emissions Summary**

Company Name: George P Todd Funeral Home Inc.
Address City IN Zip: 1600 S. State Street Road 3, Rushville, IN 46173
Exemption: 139-29985-00022
Source ID: 139-00022
Reviewer: Jason R. Krawczyk
Date: December 16, 2010

Emissions Unit	Uncontrolled Potential to Emit (tons/year)							Single HAP	Total HAPs
	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	(Hexane)	
Incinerator	2.30	2.30	2.30	0.82	0.99	0.99	3.29	-	-
Natural Gas Combustion	0.02	0.07	0.07	0.01	0.88	0.05	0.74	0.002	0.002
Total	2.32	2.37	2.37	0.83	1.86	1.03	4.02	0.002	0.002

**Appendix A: Emission Calculations
Incinerator**

Company Name: George P Todd Funeral Home Inc.
Address City IN Zip: 1600 S. State Street Road 3, Rushville, IN 46173
Exemption: 139-29985-00022
Source ID: 139-00022
Reviewer: Jason R. Krawczyk
Date: December 16, 2010

Throughput lbs/hr 150

Throughput ton/yr 657

Emission Factor in lb/ton	POLLUTANT				
	PM	SO2	CO	VOC	NOX
Potential Emissions in ton/yr	7.0	2.5	10.0	3.0	3.0
	2.30	0.82	3.29	0.99	0.99

Methodology

There are no emission factors for PM-10 and PM-2.5 listed in AP-42, therefore it is assumed that PM-10 = PM-2.5 = PM.

Emission factors are from AP 42 Table 2.1-12 Uncontrolled emission factors for industrial/commercial refuse combustors, other than municipal waste, multiple chambers

Throughput (lb/hr) * 8760 hr/yr * ton/2000 lb = throughput (ton/yr)

Emission Factor (lb/ton) * throughput(ton/yr) * 1 ton / 2000 lbs = Potential Emissions (tons/ yr)

**Appendix A: Emissions Calculations
Natural Gas Combustion Only
MM BTU/HR <100**

Company Name: George P Todd Funeral Home Inc.
Address City IN Zip: 1600 S. State Street Road 3, Rushville, IN 46173
Exemption: 139-29985-00022
Source ID: 139-00022
Reviewer: Jason R. Krawczyk
Date: December 16, 2010

Heat Input Capacity
MMBtu/hr

Potential Throughput
MMCF/yr

2.0

17.5

Emission Factor in lb/MMCF	Pollutant					
	PM*	PM10*	SO2	NOx	VOC	CO
	1.9	7.6	0.6	100.0 **see below	5.5	84.0
Potential Emission in tons/yr	0.02	0.07	0.01	0.88	0.05	0.74

*PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined. PM10 is assumed to be equal to PM2.5.

**Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Methodology

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,000 MMBtu

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03 (SUPPLEMENT D 3/98)

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

**Appendix A: Emissions Calculations
Natural Gas Combustion Only
MM BTU/HR <100**

Company Name: George P Todd Funeral Home Inc.
Address City IN Zip: 1600 S. State Street Road 3, Rushville, IN 46173
Exemption: 139-29985-00022
Source ID: 139-00022
Reviewer: Jason R. Krawczyk
Date: December 16, 2010

	HAPs - Organics				
Emission Factor in lb/MMcf	Benzene 2.1E-03	Dichlorobenzen 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03
Potential Emission in tons/yr	2.100E-06	1.200E-06	7.500E-05	1.800E-03	3.400E-06

	HAPs - Metals				
Emission Factor in lb/MMcf	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03
Potential Emission in tons/yr	5.000E-07	1.100E-06	1.400E-06	3.800E-07	2.100E-06

Methodology is the same as page 3.

The five highest organic and metal HAPs emission factors are provided above.
 Additional HAPs emission factors are available in AP-42, Chapter 1.4.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: James A. Todd
President
George P. Todd Funeral Home, Inc.
805 N. Main St.
Rushville IN 46173

DATE: Jan. 4, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Exemption
139-29985-00022

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

bjm

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	BMILLER 1/4/2011 George P Todd Funeral Home Inc 139-29985-00022 (final)			AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: CERTIFICATE OF MAILING ONLY	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handling Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee
											Remarks
1		James A Todd President George P Todd Funeral Home Inc 805 N Main St Rushville IN 46173 (Source CAATS) <i>Via Confirm Delivery</i>									
2		Rush County Commissioners 101 East Second Street Rushville IN 46173 (Local Official)									
3		Rush County Health Department Courthouse, Room 5 Rushville IN 46173-1854 (Health Department)									
4		Rushville Town Council 133 W. First St. Rushville IN 46173 (Local Official)									
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--