



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: February 2, 2011

RE: Sun Polymers International, Inc / 109-30121-00036

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. Mathew Niemiec
Sun Polymers International, Inc.
P.O. Box 249
Mooresville, IN 46158

February 2, 2011

Re: 109-30121-00036
Second Registration Notice-Only Change to
R109-9952-00036

Dear Mr. Niemiec:

Sun Polymers International, Inc. was issued a Registration No. R109-9952-00036 on October 1, 1998 for a stationary source, producing saturated polyester resin, located at 100 Sun Polymers Drive, Mooresville, IN 46158. On January 13, 2010, the Office of Air Quality (OAQ) received an application from the source requesting that the registration be revised to correct a typographical error for source address and phone number. These changes to the registration are considered a notice-only change pursuant to 326 IAC 2-5.5-6(d)(1). Pursuant to 326 IAC 2-5.5-6, the registration is hereby revised as follows, with deleted language as ~~strikeouts~~ and new language **bolded**:

- (1) The permit number, source address and phone number in the Section A.1 General Information and Annual Notification have been revised as follows:

A.1 General Information

Source Address: **100 Sun Polymers International, Inc Drive. Mooreville, IN 29936 46158**


General Source Phone Number: **842-379-4606 (317) 834-6410**

Company Name:	Sun Polymers International, Inc.
Address:	1751 Arcadia Dr. 100 Sun Polymers Drive
City:	Columbus Mooresville, Indiana 47204 46158
Phone Number:	842-379-4606 (317) 834-6410
Registration No.:	R109-9952-00036

The source shall continue to operate according to 326 IAC 2-5.5. Please find enclosed the revised registration. A copy of the registration is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5.
If you have any questions on this matter, please contact Ms. Renee Traivaranon, at (800) 451-6027,
press 0 and ask for extension 4-5615 or dial (317) 234-5615.

Sincerely,



Iryn Calitang, Section Chief
Permits Branch
Office of Air Quality

IC/rt

Attachments: Revised Registration
Notice of Decision

cc: File - Morgan County
Morgan County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

REGISTRATION OFFICE OF AIR QUALITY

Sun Polymers International, Inc.
100 Sun polymers Drive, Mooresville, Indiana 46158

Pursuant to 326 IAC 2-5.1 (Construction of New Sources: Registrations) and 326 IAC 2-5.5 (Registrations), (herein known as the Registrant) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this registration.

Registration No.: 109-9952-00036	
Original signed by: Paul Dubenetzky, Chief Permits Branch Office of Air Quality	Issuance Date: October 1, 1998

First Registration Revision No.: 009-14794-00036, issued on October 4, 2001
Registration Notice-Only Change No.: 109-29936-00036, issued on December 22, 2010

Second Registration Notice-Only Change No.: 109-30121-00036	
Issued by:  Iryn Calilung, Section Chief Permits Branch Office of Air Quality	Issuance Date: February 2, 2011

SECTION A

SOURCE SUMMARY

This registration is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Registrant should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Registrant to obtain additional permits pursuant to 326 IAC 2.

A.1 General Information

The Registrant owns and operates a stationary manufacturing automotive parts out of sintered powder for engines, transmissions and shock absorbers.

Source Address:	100 Sun Polymers Drive, Mooresville, IN 46158
General Source Phone Number:	(317) 834-6410
SIC Code:	3714
County Location:	Morgan
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Registration

A.2 Emission Units and Pollution Control Equipment Summary

This stationary source consists of the following emission units and pollution control devices:

(a) Resin Production Units:

- (1) Two (2) enclosed identical saturated polyester resin production units, identified as resin reactors R-1 and R-2, constructed in 1998, each with a maximum throughput of 55,500 lbs of resin, equipped with a cyclone dust collector, DC-1 to control particulates, exhausting inside.
- (2) One (1) enclosed saturated polyester resin production unit, identified as resin reactor R-3, approved for construction in 2010, each with a maximum throughput of 55,500 lbs of resin equipped with a cyclone dust collector, DC-1 to control particulates, exhausting inside.
- (3) One (1) silo conveying, storage and bagging area, processing 3,375 lbs/hr of resin material, equipped with a cyclone dust collector, DC-2 to control particulates , exhausting inside.

(b) Combustion Units:

- (1) One (1) natural gas-fired thermal fluid heating boiler/heater, identified as C1, constructed in 1998, maximum heat input of 8.0 million BTU/hr, exhausting to stack S1.
- (2) One (1) natural gas-fired steam boiler, identified as C2, constructed in 2010, maximum heat input capacity of 0.78 million BTU/hr exhausting to stack S5.
- (3) One (1) natural gas-fired space heater furnace, identified as C3, constructed in 1998, with a maximum heat input capacity of 0.80 million BTU/hr, exhausting to stack S3.
- (4) Eight (8) natural gas-fired space heaters, collectively identified as C4, constructed in 1998, with a maximum capacity 0.085 MMBtu/hr each, exhausting outside.

- (c) Five (5) above ground storage tanks (AST), constructed in 1998 through 2000 to store raw materials and waste products as listed below:
- (1) One (1) fiberglass tank, maximum capacity 5,000 gallons, storing distillate with mix, identified as T-1.
 - (2) One (1) steel tank, maximum capacity 27,000 gallons, storing ethylene glycol, identified as T-2.
 - (3) One (1) steel tank, maximum capacity 27,000 gallons, storing diethylene glycol, identified as T-3.
 - (4) One (1) steel tank, maximum capacity 81,000 gallons, storing neopentyl glycol, identified as T-4.
 - (5) One (1) steel tank, maximum capacity 10,000 gallons, storing waste water, identified as T-5.

SECTION B

GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-1.1-1]

Terms in this registration shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

B.2 Effective Date of Registration [IC 13-15-5-3]

Pursuant to IC 13-15-5-3, this registration is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

B.3 Registration Revocation [326 IAC 2-1.1-9]

Pursuant to 326 IAC 2-1.1-9 (Revocation), this registration to operate may be revoked for any of the following causes:

- (a) Violation of any conditions of this registration.
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this registration.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this registration shall not require revocation of this registration.
- (d) For any cause which establishes in the judgment of IDEM the fact that continuance of this registration is not consistent with purposes of this article.

B.4 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to Registration No. 109-9952-00036 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this registration.

B.5 Annual Notification [326 IAC 2-5.1-2(f)(3)] [326 IAC 2-5.5-4(a)(3)]

Pursuant to 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this registration.
- (b) The annual notice shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue

MC 61-53 IGCN 1003
Indianapolis, IN 46204-2251

- (c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.6 Source Modification Requirement [326 IAC 2-5.5-6(a)]

Pursuant to 326 IAC 2-5.5-6(a), an application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

B.7 Registrations [326 IAC 2-5.1-2(i)]

Pursuant to 326 IAC 2-5.1-2(i), this registration does not limit the source's potential to emit.

B.8 Preventive Maintenance Plan [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this registration, the Registrant shall prepare and maintain Preventive Maintenance Plans (PMPs) no later than ninety (90) days after issuance of this registration or ninety (90) days after initial start-up, whichever is later, including the following information on each facility:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Registrant's control, the PMPs cannot be prepared and maintained within the above time frame, the Registrant may extend the date an additional ninety (90) days provided the Registrant notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The Registrant shall implement the PMPs.

- (b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Registrant to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions.
- (c) To the extent the Registrant is required by 40 CFR Part 60 or 40 CFR Part 63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such OMM Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-5.1-2(g)] [326 IAC 2-5.5-4(b)]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this registration:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Fugitive Dust Emissions [326 IAC 6-4]

The Registrant shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

SECTION D.1

OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]:

- (1) Two (2) enclosed identical saturated polyester resin production units, identified as resin reactors R-1 and R-2, constructed in 1998, each with a maximum throughput of 55,500 lbs of resin, equipped with a cyclone dust collector, DC-1 to control particulates, exhausting inside.
- (2) One (1) enclosed saturated polyester resin production unit, identified as resin reactor R-3, approved for construction in 2010, each with a maximum throughput of 55,500 lbs of resin, equipped with a cyclone dust collector, DC-1 to control particulates, exhausting inside.
- (3) One (1) resin cooling, conveying, silo storage and bagging area, processing 3,375 lbs/hr of resin material, equipped with a cyclone dust collector, DC-2 to control particulates, exhausting inside.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

D.1.1 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes)

- (a) Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), the particulate emission rate from each of the saturated polyester resin production units, R-1, R-2, and R-3 shall not exceed 37.99 lb/hr, when operating at a process weight rates up to 27.75 tons per hour.
- (b) Pursuant to 326 IAC 6-3-2, the particulate matter (PM) from the resin cooling, conveying, silo storage and bagging area shall not exceed 5.82 lbs/hr, when operating at a process weight rate of 1.687 tons/hr.

The pound per hour limitation for (a) and (b) was calculated with the following equation:

Interpolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67} \quad \text{where } E = \text{rate of emission in pounds per hour and} \\ P = \text{process weight rate in tons per hour}$$

D.1.2 Preventive Maintenance Plan [326 IAC 1-6-3]

A Preventive Maintenance Plan is required for this facility and control devices. Section B - Preventive Maintenance Plan contains the Registrant's obligation with regard to the preventive maintenance plan required by this condition.

Compliance Determination Requirements

D.1.3 Particulate Control

The cyclone to control particulate emissions associated with the resin cooling, conveying, and silo storage, shall be operated at all times that the associated processes are in operation.

SECTION D.2

OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]:

- (b) Combustion Units:
- (1) One (1) natural gas-fired thermal fluid heating boiler/heater, identified as C1, constructed in 1998, maximum heat input of 8.0 million BTU/hr, exhausting to stack S1.
 - (2) One (1) natural gas-fired steam boiler, identified as C2, constructed in 2010, maximum heat input capacity of 0.78 million BTU/hr exhausting to stack S5.
 - (3) One (1) natural gas-fired space heater furnace, identified as C3, constructed in 1998, with a maximum heat input capacity of 0.80 million BTU/hr, exhausting to stack S3.
 - (4) Eight (8) natural gas-fired space heaters, collectively identified as C4, constructed in 1998, with a maximum capacity 0.085 MMBtu/hr each, exhausting outside.
- (c) Five (5) above ground storage tanks (AST), constructed in 1998 through 2000 to store raw materials and waste products as listed below:
- (1) One (1) fiberglass tank, maximum capacity 5,000 gallons, storing distillate with mix, identified as T-1.
 - (2) One (1) steel tank, maximum capacity 27,000 gallons, storing ethylene glycol, identified as T-2.
 - (3) One (1) steel tank, maximum capacity 27,000 gallons, storing diethylene glycol, identified as T-3.
 - (4) One (1) steel tank, maximum capacity 81,000 gallons, storing neopentyl glycol, identified as T-4.
 - (5) One (1) steel tank, maximum capacity 10,000 gallons, storing waste water, identified as T-5, with negligible VOC emissions.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

326 IAC 6-2-4(a) (Particulate Emission Limitations for Sources of Indirect Heating)

Pursuant to 326 IAC 6-2-4(a) (Particulate Emission Limitations for Sources of Indirect Heating), the particulate emissions from the two (2) natural gas-fired boilers, C1 and C2, all constructed after September 21, 1983, shall not exceed the pounds per million British thermal units heat input limit as shown below:

$$Pt = 1.09/Q^{0.26}$$

where:

Pt = Pounds of particulate matter (PM) emitted per million BTU heat input (lb/MMBtu)
Q = Total source maximum operating capacity for both boilers C1 and C2, rating in million BTU per hour heat input.

Q = 13.78 MMBTU/hr, the PM emissions from the two (2) boilers shall be limited to 0.551 lb/MMBtu.

The emission rate limit calculated from the equation above equals:

$$Pt = \frac{1.09}{(8.0 + 5 + 0.78)^{0.26}} = 0.0551 \text{ lbs/MMBtu}$$

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

**REGISTRATION
ANNUAL NOTIFICATION**

This form should be used to comply with the notification requirements under 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3).

Company Name:	Sun Polymers International, Inc.
Address:	100 Sun Polymers Drive
City:	Moorsville, Indiana 46158
Phone Number:	(317) 834-6410
Registration No.:	R109-9952-00036

- I hereby certify that Sun Polymers International, Inc. is : still in operation.
 no longer in operation.
- I hereby certify that Sun Polymers International, Inc. is : in compliance with the requirements of Registration No. 109-9952-00036.
 not in compliance with the requirements of Registration No. 109-9952-00036.

Authorized Individual (typed):
Title:
Signature:
Phone Number:
Date:

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

Noncompliance:



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Matthew Niemiec
Sun Polymers International, Inc
P.O. Box 249
Mooresville, IN 46158

DATE: February 2, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Registration Notice-Only Change
109-30121-00036

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Kevin Harris (General Manager)
John Kilmer (Bruce Cater Associates)
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	MIDENNEY 2/2/2011 Sun Polymers International, Inc. 109-30121-00036 (final)		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Mathew Niemiec Sun Polymers International, Inc. PO Box 249 Mooresville IN 46158 (Source CAATS) via confirmed delivery										
2		Kevin Harris GM Sun Polymers International, Inc. PO Box 249 Mooresville IN 46158 (RO CAATS)										
3		Morgan County Commissioners 180 South Main Street Martinsville IN 46151 (Local Official)										
4		Mooresville Town Council 4 E Harrison Street Mooresville IN 46158 (Local Official)										
5		Mr. John W. Kilmer Bruce Carter Associates 6330 E 75th Street #150 Indianapolis IN 46250 (Consultant)										
6		Clayton D. & Patricia A. Arthur 5178 Brenda Boulevard Greenwood IN 46143 (Affected Party)										
7		Morgan County Health Department 180 S Main Street, Suite 252 Martinsville IN 46151-1988 (Health Department)										
8		T. K. Forslund 8147 E. Old St. Rd. 144 Mooresville IN 46158 (Affected Party)										
9		David Jones 7977 N. Taylors Rd. Mooresville IN 46158 (Affected Party)										
10		Claudia Parker 6761 Centenary Rd. Mooresville IN 46158 (Affected Party)										
11		James Swails 6568 E. Rosebud Lane Mooresville IN 46158 (Affected Party)										
12		John Thurston 6548 E. Watson Mooresville IN 46158 (Affected Party)										
13												
14												
15												

Total number of pieces Listed by Sender 11	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
--	--	--	--