



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

TO: Interested Parties / Applicant

DATE: March 14, 2011

RE: Bass & Gasper Funeral Home, Inc. / 031-30161-00033

FROM: Matthew Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

## Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FNPER-AM.dot12/3/07



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

Mr. Mike Gasper  
Bass & Gasper Funeral Home, Inc.  
402 East Bennett St.  
Westport, IN 47283

March 14, 2011

Re: Exempt Operation Status,  
031-30161-00033

Dear Mike Gasper:

The application from Bass & Gasper Funeral Home, Inc., received on January 28, 2011, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-1.1-3, it has been determined that the following stationary human crematory located at 407 East Schott St., Westport, IN 47283 is classified as exempt from air pollution permit requirements:

- (a) One (1) natural gas human pathological incinerator, identified as BL-01, approved for construction in February 2011, with a maximum capacity of 150 pounds of remains per hour, consisting of a cremation and afterburner chamber that fire natural gas at a rate of 1.5 million British thermal units per hour (MMBTU/hr).

The following conditions shall be applicable:

- (a) Pursuant to 326 IAC 4-2-2 (Incinerators), the crematory incinerator BL-01 shall:
  - (1) Consist of primary and secondary chambers or the equivalent;
  - (2) Be equipped with a primary burner unless burning only wood products;
  - (3) Comply with 326 IAC 5-1 (Opacity Limitations) and 326 IAC 2 (Permit Review Rules);
  - (4) Be maintained, operated, and burn waste in accordance with the manufacturer's specifications or an operation and maintenance plan as specified in 326 IAC 4-2-2(c);
  - (5) Not emit particulate matter in excess of five-tenths (0.5) pound of particulate matter per one thousand (1,000) pounds of dry exhaust gas under standard conditions corrected to fifty percent (50%) excess air.
  - (6) If any of the above requirements (1) through (5) are not met, then the owner or operator shall stop charging the incinerator until adjustments are made that address the underlying cause of the deviation.
  - (7) The incinerator is exempt from requirement (5) if subject to a more stringent particulate matter emissions limit in 40 CFR 52 Subpart P, State Implementation Plan for Indiana.
- (b) Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following:
  - (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

- (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixth (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute non-overlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (c) Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
- (d) Pursuant to 326 IAC 11-8-1(b)(1), the crematory incinerator, BL-01, are not subject to the requirements of 326 IAC 11-8, because it will burn 90 % or more by weight of pathological waste and provided that the following are met:
  - (1) The Permittee shall notify the department and U.S. EPA that the unit meets the criteria in this subdivision.
  - (2) The Permittee shall keep records on a calendar quarter basis of the weight of pathological waste, low-level radioactive waste, chemotherapeutic waste, or any combination of these wastes burned, and the weight of all other fuels and wastes burned in the unit.

This exemption is the first air approval issued to this source. A copy of the Exemption is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.idem.in.gov](http://www.idem.in.gov).

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source. If you have any questions on this matter, please contact Charles Sullivan, OAQ, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at 317-232-8422 or at 1-800-451-6027 (ext 28422).

Sincerely,



Alfred C. Dumauval, Ph.D., Section Chief  
Permits Branch  
Office of Air Quality

ACD/cs

cc: File - Decatur County  
Decatur County Health Department  
U.S. EPA, Region V  
Compliance and Enforcement Branch  
Billing, Licensing, and Training Section

## Indiana Department of Environmental Management Office of Air Quality

### Technical Support Document (TSD) for an Exemption

#### Source Description and Location

**Source Name:** Bass & Gasper Funeral Home, Inc.  
**Source Location:** 407 East Schott St., Westport, IN 47283  
**County:** Decatur  
**SIC Code:** 7261  
**Exemption No.:** 031-30161-00033  
**Permit Reviewer:** Charles Sullivan

On January 28, 2011, the Office of Air Quality (OAQ) received an application from Bass & Gasper Funeral Home, Inc. related to the construction and operation of a new crematory incinerator for human remains.

#### Existing Approvals

There have been no previous approvals issued to this source.

#### County Attainment Status

The source is located in Decatur County.

| Pollutant  | Designation   |
|--|---|
| SO <sub>2</sub>  | Better than national standards.   |
| CO   | Unclassifiable or attainment effective November 15, 1990.   |
| O <sub>3</sub>   | Unclassifiable or attainment effective June 15, 2004, for the 8-hour ozone standard. <sup>1</sup> |
| PM <sub>10</sub>   | Unclassifiable effective November 15, 1990.   |
| NO <sub>2</sub>  | Cannot be classified or better than national standards.   |
| Pb   | Not designated.   |
| <sup>1</sup> Unclassifiable or attainment effective October 18, 2000, for the 1-hour ozone standard which was revoked effective June 15, 2005. |   |
| Unclassifiable or attainment effective April 5, 2005, for PM <sub>2.5</sub> .  |   |

- (a) **Ozone Standards**  
 Volatile organic compounds (VOC) and Nitrogen Oxides (NO<sub>x</sub>) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NO<sub>x</sub> emissions are considered when evaluating the rule applicability relating to ozone. Decatur County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NO<sub>x</sub> emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.
- (b) **PM<sub>2.5</sub>**  
 Decatur County has been classified as attainment for PM<sub>2.5</sub>. On May 8, 2008 U.S. EPA promulgated the requirements for Prevention of Significant Deterioration (PSD) for PM<sub>2.5</sub> emissions. These rules became effective on July 15, 2008. Indiana has three years from the publication of these rules to revise its PSD rules, 326 IAC 2-2, to include those requirements. The May 8, 2008 rule revisions require IDEM to regulate PM<sub>10</sub> emissions as a surrogate for PM<sub>2.5</sub> emissions until 326 IAC 2-2 is revised.

- (c) Other Criteria Pollutants  
 Decatur County has been classified as attainment or unclassifiable in Indiana for Particulate Matter less than 10 micrometers (PM10), Carbon monoxide (CO) and 8-hr Ozone (O<sub>3</sub>). Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

**Fugitive Emissions**

The fugitive emissions of criteria pollutants and hazardous air pollutants are counted toward the determination of 326 IAC 2-1.1-3 (Exemptions) applicability.

**Background and Description of Emission Units and Pollution Control Equipment**

The Office of Air Quality (OAQ) has reviewed an application, submitted by Bass & Gasper Funeral Home, Inc. on January 28, 2011, relating to the construction and operation of a new human cremation unit. The following is a list of the new emission unit(s):

- (a) One (1) natural gas human pathological incinerator, identified as BL-01, approved for construction in February 2011, with a maximum capacity of 150 pounds of remains per hour, consisting of a cremation and afterburner chamber that fire natural gas at a rate of 1.5 million British thermal units per hour (MMBTU/hr).

**Enforcement Issues**

There are no pending enforcement actions related to this source.

**Emission Calculations**

See Appendix A of this TSD for detailed emission calculations.

**Permit Level Determination – Exemption**

The following table reflects the unlimited potential to emit (PTE) of the entire source before controls. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

| Process/<br>Emission Unit   | Potential To Emit of the Entire Source (tons/year) |             |             |                 |             |             |             |             |                            |
|---|--|-------------|-------------|-----------------|-------------|-------------|-------------|-------------|----------------------------|
|   | PM   | PM10*       | PM2.5       | SO <sub>2</sub> | NOx         | VOC         | CO          | Total HAPs  | Worst Single HAP           |
| BL-01 Human Cremation Unit  | 2.30   | 2.30        | 2.30        | 0.82            | 0.99        | 0.99        | 3.29        | 0.00        | --                         |
| Natural Gas Combustion  | 0.01   | 0.04        | 0.05        | 0.00            | 0.66        | 0.04        | 0.55        | 0.02        | 0.01<br>(n-Hexane)         |
| Fugitive Emissions  | 0.83   | 0.21        | 0.21        | 0.00            | 0.00        | 0.00        | 0.00        | 0.00        | --                         |
| <b>Total PTE of Entire Source</b>   | <b>3.14</b>  | <b>2.55</b> | <b>2.56</b> | <b>0.82</b>     | <b>1.65</b> | <b>1.03</b> | <b>3.84</b> | <b>0.02</b> | <b>0.01<br/>(n-Hexane)</b> |
| Exemptions Levels   | 5  | 5           | 5           | 10              | 10          | 5 or 10     | 25          | 25          | 10                         |
| Registration Levels   | 25   | 25          | 25          | 25              | 25          | 25          | 100         | 25          | 10                         |
| negl. = negligible<br>* Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant". |  |             |             |                 |             |             |             |             |                            |

- (a) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1(16)) of all regulated criteria pollutants are less than the levels listed in 326 IAC 2-1.1-3(e)(1). Therefore, the source is subject to the provisions of 326 IAC 2-1.1-3 (Exemptions).
- (b) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1(16)) of any single HAP is less than ten (10) tons per year and the PTE of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-7.

|   |
|---|
| <b>Federal Rule Applicability Determination</b> |
|---|

New Source Performance Standards (NSPS)

- (a) The requirements of the following New Source Performance Standards (NSPS) are not included in this exemption because crematory incinerator is considered a pathological waste combustor and is not considered a municipal waste combustor or hospital/medical/infectious waste incinerator:
  - (1) 40 CFR 60, Subpart Ea (60.50a through 60.59a), Standards of Performance for Large Municipal Waste Combustors for Which Construction is Commenced after December 20, 1989 and on or before September 20, 1994 (326 IAC 12)
  - (2) 40 CFR 60, Subpart Eb (60.50b through 60.59b), Standards of Performance for Large Municipal Waste Combustors for Which Construction is Commenced after September 20, 1994, or for Which Modification or Reconstruction is commenced after June 19, 1996 (326 IAC 12)
  - (3) 40 CFR 60, Subpart Ec (60.50c through 60.58c), Standards of Performance for Hospital/Medical/Infectious Waste Incinerators for Which Construction is Commenced after January 20, 1996 (326 IAC 12)
  - (4) 40 CFR 60, Subpart AAAA (60.1000 through 60.1465), Standards of Performance for Small Municipal Waste Combustion Units for Which Construction is Commenced After August 30, 1999 or for Which Modification or Reconstruction is Commenced After June 6, 2001 (326 IAC 12)
- (b) The requirements of 40 CFR 60, Subpart CCCC (60.2000 through 60.2265), Standards of Performance for Commercial and Industrial Solid Waste Incinerations Units for Which Construction is Commenced After November 30, 1999 or for Which Modification or Reconstruction is Commenced on or After June 1, 2001 (326 IAC 12), are not included in this exemption because this unit is considered pathological waste incineration unit (40 CFR 60.2020(a)).
- (c) There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the exemption for this source.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

- (d) The requirements of 40 CFR 63, Subpart EEE (63.1200 through 63.1214), NESHAP for Hazardous Waste Combustors (326 IAC 20-28-1), are not included in this exemption because the crematory incinerator is not considered a hazardous waste incinerator and the source is not a major source of HAPs.
- (e) There are no National Emission Standards for Hazardous Air Pollutants (NESHAP) (326 IAC 14, 20 and 40 CFR Part 61, 63) included in the exemption for this source.

Compliance Assurance Monitoring (CAM)

- (f) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the unlimited potential to emit of the source is less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

|   |
|---|
| <b>State Rule Applicability Determination</b> |
|---|

The following state rules are applicable to the source:

- (a) 326 IAC 2-1.1-3 (Exemptions)  
Exemption applicability is discussed under the Permit Level Determination – Exemption section above.
- (b) 326 IAC 2-2 (Prevention of Significant Deterioration (PSD))  
This source was constructed after the applicability date of August 7, 1977. However, it is not one of the 28 listed source categories defined in 326 IAC 2-2-1(gg)(1), and the potential to emit of all attainment regulated pollutants is less than 250 tons per year. Therefore, the requirements of 326 IAC 2-2 (PSD) is not applicable.
- (c) 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))  
The potential to emit of any single HAP is less than ten (10) tons per year and the potential to emit of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-4.1.
- (d) 326 IAC 2-6 (Emission Reporting)  
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake, Porter, or LaPorte County, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.
- (e) 326 IAC 5-1 (Opacity Limitations)  
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
- (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
  - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (f) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)  
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.

Crematory

- (g) 326 IAC 4-2 (Incinerators)  
Pursuant to 326 IAC 4-2-2 (Incinerators), the crematory incinerator BL-01 shall:
- (1) Consist of primary and secondary chambers or the equivalent;
  - (2) Be equipped with a primary burner unless burning only wood products;

- (3) Comply with 326 IAC 5-1 (Opacity Limitations) and 326 IAC 2 (Permit Review Rules);
  - (4) Be maintained, operated, and burn waste in accordance with the manufacturer's specifications or an operation and maintenance plan as specified in 326 IAC 4-2-2(c); and
  - (5) Not emit particulate matter in excess of five-tenths (0.5) pound of particulate matter per one thousand (1,000) pounds of dry exhaust gas under standard conditions corrected to fifty percent (50%) excess air.
  - (6) If any of the above requirements (1) through (5) are not met, then the owner or operator shall stop charging the incinerator until adjustments are made that address the underlying cause of the deviation.
- (h) 326 IAC 6-2 (Particulate Emission Limitations for Sources of Indirect Heating)  
The crematory is not considered a source of indirect heating. Therefore, the crematory is not subject to the provisions of 326 IAC 6-2.
- (i) 326 IAC 6-3 (Particulate Emission Limitations for Manufacturing Processes)  
The crematory, BL-01, is an incinerator. Pursuant to 326 IAC 6-3-1(b)(2), incinerators are exempt from the provisions of 326 IAC 6-3. Therefore, the crematory is not subject to the provisions of 326 IAC 6-3.
- (j) 326 IAC 6-5 (Fugitive Particulate Matter Emission Limitations)  
The crematory incinerator, BL-01, is not subject to the requirements of 326 IAC 6-5, because the source does not have potential fugitive particulate emissions greater than 25 tons per year. Therefore, 326 IAC 6-5 does not apply.
- (k) 326 IAC 7-1 (Sulfur dioxide emission limitations: Applicability)  
The crematory incinerator, BL-01, is not subject to the requirements of 326 IAC 7-1, because the potential and the actual emissions of sulfur dioxide are less than twenty-five (25) tons per year and ten (10) pounds per hour respectively.
- (l) 326 IAC 8-1-6 (VOC Rules: General Reduction Requirements for New Facilities)  
Each of the emission units at this source is not subject to the requirements of 326 IAC 8-1-6, since the unlimited VOC potential emissions from each emission unit is less than twenty-five (25) tons per year.
- (m) 326 IAC 9-1 (Carbon Monoxide Emission Limits)  
This stationary source, constructed after the applicability date of March 21, 1972, is not subject to the requirements of 326 IAC 9-1-2(a)(3), since the crematory incinerator, BL-01, burns pathological waste and does not burn refuse consisting of more than 50 percent municipal type waste (household, commercial/retail, and/or institutional waste).
- (n) 326 IAC 11-7 (Emission Limitations for Municipal Waste Combustors)  
The crematory incinerator, BL-01, is not subject to the requirements of 326 IAC 11-7, since the crematory incinerator is considered pathological waste combustors and not considered municipal waste combustor.
- (o) 326 IAC 11-8 (Emission Limitations for Commercial and Industrial Solid Waste Incineration Units)  
Pursuant to 326 IAC 11-8-1(b)(1), the crematory incinerator, BL-01, are not subject to the requirements of 326 IAC 11-8, because the crematory incinerator burns 90 % or more by weight of pathological waste and provided that the following are met:
- (a) The Permittee shall notify the department and U.S. EPA that the unit meets the criteria in this subdivision.

- (b) The Permittee shall keep records on a calendar quarter basis of the weight of pathological waste, low-level radioactive waste, chemotherapeutic waste, or any combination of these wastes burned, and the weight of all other fuels and wastes burned in the unit.
- (p) 326 IAC 12 (New Source Performance Standards)  
See Federal Rule Applicability Section of this TSD.
- (q) 326 IAC 20 (Hazardous Air Pollutants)  
See Federal Rule Applicability Section of this TSD.

|                                      |
|--------------------------------------|
| <b>Conclusion and Recommendation</b> |
|--------------------------------------|

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on January 28, 2011.

The operation of this source shall be subject to the conditions of the attached proposed Exemption No. 031-30161-00033. The staff recommends to the Commissioner that this Exemption be approved.

|                     |
|---------------------|
| <b>IDEM Contact</b> |
|---------------------|

- (a) Questions regarding this proposed permit can be directed to Charles Sullivan at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 232-8422 or toll free at 1-800-451-6027 extension 28422.
- (b) A copy of the findings is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.in.gov/idem](http://www.in.gov/idem)

**Appendix A: Emissions Calculations  
Emission Summary**

**Incinerators BL-01 & BL-01-NG**

**Company Name:** Bass & Gasper Funeral Home, Inc.  
**Address City IN Zip:** 407 East Schott St., Westport, IN 47283  
**Permit Number:** 30161  
**Plt ID:** 031-00033  
**Reviewer:** C. Sullivan  
**Date:** 2/11/2011

| Category                        | Uncontrolled Potential Emissions (tons/year) |              |                        |                              |          |
|---------------------------------|--|--------------|------------------------|------------------------------|----------|
|                                 | Emissions Generating Activity                |              |                        |                              |          |
|                                 | Pollutant                                    | Incineration | Natural Gas Combustion | Fugitive Paved/Unpaved Roads | TOTAL    |
| <b>Criteria Pollutants</b>      | PM   | 2.30         | 0.01                   | 0.83                         | 3.14     |
|                                 | PM10   | 2.30         | 0.04                   | 0.21                         | 2.55     |
|                                 | PM2.5  | 2.30         | 0.05                   | 0.21                         | 2.56     |
|                                 | SO2  | 0.82         | 0.00                   | 0.00                         | 0.82     |
|                                 | NOx  | 0.99         | 0.66                   | 0.00                         | 1.65     |
|                                 | VOC  | 0.99         | 0.04                   | 0.00                         | 1.03     |
|                                 | CO   | 3.29         | 0.55                   | 0.00                         | 3.84     |
| <b>Hazardous Air Pollutants</b> | Chromium                                     | --           | 1.40E-03               | --                           | 1.40E-03 |
|                                 | Manganese                                    | --           | 3.80E-04               | --                           | 3.80E-04 |
|                                 | Nickel                                       | --           | 2.10E-03               | --                           | 2.10E-03 |
|                                 | n-Hexane                                     | --           | 0.01                   | --                           | 1.18E-02 |
|                                 | Toluene                                      | --           | 2.23E-05               | --                           | 2.23E-05 |
|                                 | Benzene                                      | --           | 1.38E-05               | --                           | 1.38E-05 |
|                                 | Dichlorobenzene                              | --           | 7.88E-06               | --                           | 7.88E-06 |
|                                 | Formaldehyde                                 | --           | 4.93E-04               | --                           | 4.93E-04 |
|                                 | Lead   | --           | 3.29E-06               | --                           | 3.29E-06 |
|                                 | Cadmium                                      | --           | 7.23E-06               | --                           | 7.23E-06 |
| <b>Totals</b>                   | <b>0</b>                                     | <b>0.02</b>  |                        | <b>0.02</b>                  |          |
|                                 | <b>Worse Case HAP</b>                        |              |                        | <b>0.01</b>                  |          |

Total Emissions based on rated capacity at 8,760 hours per year.

**Appendix A: Emission Calculations  
Incinerator BL-01**

**Company Name: Bass & Gasper Funeral Home, Inc.  
Address City IN Zip: 407 East Schott St., Westport, IN 47283  
Permit Number: 30161  
Pit ID: 031-00033  
Reviewer: C. Sullivan  
Date: 2/11/2011**

|                             |
|-----------------------------|
| THROUGHPUT<br>lbs/hr<br>150 |
|-----------------------------|

THROUGHPUT  
ton/yr  
657

|                               | POLLUTANT |       |        |      |      |      |      |
|-------------------------------|-----------|-------|--------|------|------|------|------|
|                               | PM*       | PM10* | PM2.5* | SO2  | CO   | VOC  | NOX  |
| Emission Factor in lb/ton     | 7.0       | 7.0   | 7.0    | 2.5  | 10.0 | 3.0  | 3.0  |
| Potential Emissions in ton/yr | 2.30      | 2.30  | 2.30   | 0.82 | 3.29 | 0.99 | 0.99 |

**Methodology**

Potential Throughput (tons/yr) = [Potential Throughput (lbs/hr)] \* [8,760 hrs/yr] \* [ton/2000 lbs]

Potential to Emit (tons/yr) = [Potential Throughput (tons/yr)] \* [Emission Factor (lb/ton)] \* [ton/2,000 lbs]

Emission factors are from AP 42 (5th Edition 1/95) Table 2.1-12, Uncontrolled emission factors for industrial/commercial refuse combustors, multiple chambers

Throughput (lb/hr) \* 8760 hr/yr \* ton/2000 lb = throughput (ton/yr)

\*No emission factor for PM10 and PM2.5 available (assume PM = PM10= PM2.5)

**Appendix A: Emissions Calculations**

**Natural Gas Combustion Only**

**MM BTU/HR <100**

**Incinerator BL-01**

**Company Name: Bass & Gasper Funeral Home, Inc.**  
**Address City IN Zip: 407 East Schott St., Westport, IN 47283**  
**Permit Number: 30161**  
**Pit ID: 031-00033**  
**Reviewer: C. Sullivan**  
**Date: 2/11/2011**

Heat Input Capacity  
MMBtu/hr

Potential Throughput  
MMCF/yr

1.5

13.1

|                               | Pollutant |       |        |      |                    |      |      |
|-------------------------------|-----------|-------|--------|------|--------------------|------|------|
|                               | PM*       | PM10* | PM2.5# | SO2  | NOx                | VOC  | CO   |
| Emission Factor in lb/MMCF    | 1.9       | 7.6   | 7.6    | 0.6  | 100<br>**see below | 5.5  | 84   |
| Potential Emission in tons/yr | 0.01      | 0.04  | 0.05   | 0.00 | 0.66               | 0.04 | 0.55 |

\*PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined.

\*\*Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = :

# PM2.5 is a surrogate of PM10

**Methodology**

All emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03

Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,000 MMBt

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

See page 4 for HAPs emissions calculations.

**Appendix A: Emissions Calculations**

**Natural Gas Combustion Only**

**MM BTU/HR <100**

**HAPs Emissions**

**Company Name: Bass & Gasper Funeral Home, Inc.**

**Address City IN Zip: 407 East Schott St., Westport, IN 47283**

**Permit Number: 30161**

**Pit ID: 031-00033**

**Reviewer: C. Sullivan**

**Date: 2/11/2011**

| HAPs - Organics               |           |                 |              |           |           |
|-------------------------------|-----------|-----------------|--------------|-----------|-----------|
|                               | Benzene   | Dichlorobenzene | Formaldehyde | Hexane    | Toluene   |
| Emission Factor in lb/MMcf    | 2.1E-03   | 1.2E-03         | 7.5E-02      | 1.8E+00   | 3.4E-03   |
| Potential Emission in tons/yr | 1.380E-05 | 7.884E-06       | 4.928E-04    | 1.183E-02 | 2.234E-05 |

| HAPs - Metals                 |           |           |           |           |           |
|-------------------------------|-----------|-----------|-----------|-----------|-----------|
|                               | Lead      | Cadmium   | Chromium  | Manganese | Nickel    |
| Emission Factor in lb/MMcf    | 5.0E-04   | 1.1E-03   | 1.4E-03   | 3.8E-04   | 2.1E-03   |
| Potential Emission in tons/yr | 3.285E-06 | 7.227E-06 | 9.198E-06 | 2.497E-06 | 1.380E-05 |

Methodology is the same as page 2.

The five highest organic and metal HAPs emission factors are provided above.

Additional HAPs emission factors are available in AP-42, Chapter 1.4.

**Appendix A: Emission Calculations  
Fugitive Dust Emissions - Unpaved Roads**

**Company Name:** Bass & Gasper Funeral Home, Inc.  
**Address City IN Zip:** 407 East Schott St., Westport, IN 47283  
**Permit Number:** 30161  
**Pit ID:** 031-00033  
**Reviewer:** C. Sullivan  
**Date:** 2/11/2011

**Unpaved Roads at Industrial Site**

The following calculations determine the amount of emissions created by unpaved roads, based on 8,760 hours of use and AP-42, Ch 13.2.2 (11/2006).

Vehicle Information (provided by source)

| Type                                    | Maximum number of vehicles | Number of one-way trips per day per vehicle | Maximum trips per day (trip/day) | Maximum Weight Loaded (tons/trip) | Total Weight driven per day (ton/day) | Maximum one way distance (feet/trip) | Maximum one way distance (mi/trip) | Maximum one-way miles (miles/day) | Maximum one-way miles (miles/yr) |
|---|----------------------------|---|----------------------------------|-----------------------------------|---------------------------------------|--------------------------------------|------------------------------------|-----------------------------------|----------------------------------|
| Vehicle (entering plant) (one-way trip) | 1.0                        | 1.0   | 48.0                             | 1.0                               | 72.0                                  | 132                                  | 0.025                              | 1.2                               | 438.0                            |
| Vehicle (leaving plant) (one-way trip)  | 1.0                        | 1.0   | 48.0                             | 1.0                               | 72.0                                  | 132                                  | 0.025                              | 1.2                               | 438.0                            |
| <b>Total</b>                            |                            |   | <b>96.0</b>                      |                                   | <b>144.0</b>                          |                                      |                                    | <b>2.4</b>                        | <b>876.0</b>                     |

Average Vehicle Weight Per Trip = 1.5 tons/trip  
 Average Miles Per Trip = 0.03 miles/trip

Unmitigated Emission Factor,  $E_f = k * [(s/12)^a] * [(W/3)^b]$  (Equation 1a from AP-42 13.2.2)

|           | PM   | PM10 | PM2.5 |  |
|-----------|------|------|-------|--|
| where k = | 4.9  | 1.5  | 1.5   | lb/mi = particle size multiplier (AP-42 Table 13.2.2-2 for Industrial Roads)                 |
| s =       | 4.8  | 4.8  | 4.8   | % = mean % silt content of unpaved roads (AP-42 Table 13.2.2-1 Sand/Gravel Processing Plant) |
| a =       | 0.7  | 0.9  | 0.9   | = constant (AP-42 Table 13.2.2-2 for Industrial Roads)                                       |
| W =       | 1.5  | 1.5  | 1.5   | tons = average vehicle weight (provided by source)   |
| b =       | 0.45 | 0.45 | 0.45  | = constant (AP-42 Table 13.2.2-2 for Industrial Roads)                                       |

Taking natural mitigation due to precipitation into consideration, Mitigated Emission Factor,  $E_{ext} = E * [(365 - P)/365]$  (Equation 2 from AP-42 13.2.2)

Mitigated Emission Factor,  $E_{ext} = E * [(365 - P)/365]$   
 where P = 125 days of rain greater than or equal to 0.01 inches (see Fig. 13.2.2-1)

|  | PM   | PM10 | PM2.5 |   |
|--|------|------|-------|---|
| Unmitigated Emission Factor, $E_f$ =   | 1.89 | 0.48 | 0.48  | lb/mile   |
| Mitigated Emission Factor, $E_{ext}$ = | 1.24 | 0.32 | 0.32  | lb/mile   |
| Dust Control Efficiency =              | 50%  | 50%  | 50%   | (pursuant to control measures outlined in fugitive dust control plan) |

| Process                                 | Unmitigated PTE of PM (tons/yr) | Unmitigated PTE of PM10 (tons/yr) | Unmitigated PTE of PM2.5 (tons/yr) | Mitigated PTE of PM (tons/yr) | Mitigated PTE of PM10 (tons/yr) | Mitigated PTE of PM2.5 (tons/yr) | Controlled PTE of PM (tons/yr) | Controlled PTE of PM10 (tons/yr) | Controlled PTE of PM2.5 (tons/yr) |
|---|---------------------------------|-----------------------------------|------------------------------------|-------------------------------|---------------------------------|----------------------------------|--------------------------------|----------------------------------|-----------------------------------|
| Vehicle (entering plant) (one-way trip) | 0.41                            | 0.11                              | 0.11                               | 0.27                          | 0.07                            | 0.07                             | 0.14                           | 0.03                             | 0.03                              |
| Vehicle (leaving plant) (one-way trip)  | 0.41                            | 0.11                              | 0.11                               | 0.27                          | 0.07                            | 0.07                             | 0.14                           | 0.03                             | 0.03                              |
|   | <b>0.83</b>                     | <b>0.21</b>                       | <b>0.21</b>                        | <b>0.54</b>                   | <b>0.14</b>                     | <b>0.14</b>                      | <b>0.27</b>                    | <b>0.07</b>                      | <b>0.07</b>                       |

**Methodology**

Total Weight driven per day (ton/day) = [Maximum Weight Loaded (tons/trip)] \* [Maximum trips per day (trip/day)]  
 Maximum one-way distance (mi/trip) = [Maximum one-way distance (feet/trip)] / [5280 ft/mile]  
 Maximum one-way miles (miles/day) = [Maximum trips per year (trip/day)] \* [Maximum one-way distance (mi/trip)]  
 Average Vehicle Weight Per Trip (ton/trip) = SUM[Total Weight driven per day (ton/day)] / SUM[Maximum trips per day (trip/day)]  
 Average Miles Per Trip (miles/trip) = SUM[Maximum one-way miles (miles/day)] / SUM[Maximum trips per year (trip/day)]  
 Unmitigated PTE (tons/yr) = (Maximum one-way miles (miles/yr)) \* (Unmitigated Emission Factor (lb/mile)) \* (ton/2000 lbs)  
 Mitigated PTE (tons/yr) = (Maximum one-way miles (miles/yr)) \* (Mitigated Emission Factor (lb/mile)) \* (ton/2000 lbs)  
 Controlled PTE (tons/yr) = (Mitigated PTE (tons/yr)) \* (1 - Dust Control Efficiency)

**Abbreviations**

PM = Particulate Matter  
 PM10 = Particulate Matter (<10 um)  
 PM2.5 = Particulate Matter (<2.5 um)  
 PTE = Potential to Emit



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
**Governor**

*Thomas W. Easterly*  
**Commissioner**

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

## SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Make Gasper  
Bass & Gasper Funeral Home, Inc.  
402 E Bennett St  
Westport, IN 47283

DATE: March 14, 2011

FROM: Matt Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

SUBJECT: Final Decision  
Exemption  
031-30161-00033

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:  
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at [jbrush@idem.IN.gov](mailto:jbrush@idem.IN.gov).

Final Applicant Cover letter.dot 11/30/07

# Mail Code 61-53

|                            |   |   |  |  |
|----------------------------|---|---|--|--|
| IDEM Staff                 | GHOTOPP 3/14/2011<br>Bass & Gasper Funeral Home, Inc 031-30161-00033 Final        |   | AFFIX STAMP<br>HERE IF<br>USED AS<br>CERTIFICATE<br>OF MAILING |  |
| Name and address of Sender |  | Indiana Department of Environmental Management<br>Office of Air Quality – Permits Branch<br>100 N. Senate<br>Indianapolis, IN 46204 | Type of Mail:<br><br><b>CERTIFICATE OF MAILING ONLY</b>        |  |

| Line | Article Number | Name, Address, Street and Post Office Address  | Postage | Handing Charges | Act. Value (If Registered) | Insured Value | Due Send if COD | R.R. Fee | S.D. Fee | S.H. Fee | Rest. Del. Fee | Remarks |
|------|----------------|--|---------|-----------------|----------------------------|---------------|-----------------|----------|----------|----------|----------------|---------|
| 1    |                | Mike Gasper Bass & Gasper Funeral Home, Inc 402 E Bennett St Westport IN 47283 (Source CAATS) via confirmed delivery |         |                 |                            |               |                 |          |          |          |                |         |
| 2    |                | Decatur County Commissioners 150 Courthouse Square Greensburg IN 47240 (Local Official)                              |         |                 |                            |               |                 |          |          |          |                |         |
| 3    |                | Decatur County Health Department 801 N. Lincoln St Greensburg IN 47240-1397 (Health Department)                      |         |                 |                            |               |                 |          |          |          |                |         |
| 4    |                | Mr. Leonard Rohls 8504 North County Road 300 West Batesville IN 47006 (Affected Party)                               |         |                 |                            |               |                 |          |          |          |                |         |
| 5    |                | Melanie Brassell 606 Nelsons Parkway, P.O. Box 465 Wakarusa IN 46573 (Affected Party)                                |         |                 |                            |               |                 |          |          |          |                |         |
| 6    |                | Westport Town Council P. O. Box 579 Westport IN 47283 (Local Official)   |         |                 |                            |               |                 |          |          |          |                |         |
| 7    |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 8    |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 9    |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 10   |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 11   |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 12   |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 13   |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 14   |                |  |         |                 |                            |               |                 |          |          |          |                |         |
| 15   |                |  |         |                 |                            |               |                 |          |          |          |                |         |

|   |  |  |  |
|---|--|--|--|
| Total number of pieces Listed by Sender | Total number of Pieces Received at Post Office | Postmaster, Per (Name of Receiving employee) | The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See <b>Domestic Mail Manual R900, S913, and S921</b> for limitations of coverage on inured and COD mail. See <b>International Mail Manual</b> for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels. |
| <b>5</b>                                |  |  |  |