



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: April 20, 2011

RE: Createc Corporation / 075 - 303281 - 00024

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

April 20, 2011

Mr. Jon Lewis, General Manager
Createc Corporation
1619 North Meridian Street
Portland, IN 47371

Re: Interim Significant Source Modification Approval
075-303281-00024

Dear Mr. Lewis:

On March 30, 2011, the Office of Air Quality (OAQ) received an interim significant source modification petition from Createc Corporation located at 1619 North Meridian, Portland, IN 47371. Based on the data and information submitted in the petition and the provisions in 326 IAC 2-13-1, this interim significant source modification petition is hereby approved for:


- (1) Two (2) Hirsch 6000 pre-expanders, identified as PE4 and PE5, each rated at 1250 pounds per hour, and exhausting to stacks S-PE4 and S-PE5, respectively.
- (2) Twenty-five (25) pre-puff storage silos, identified as PPS1 – PPS25, each with a total maximum storage capacity of approximately 1200 pounds.
- (3) Six (6) Kurtz 813 molding presses, identified as 813-1, 813-2, 813-3, 8143-4, 813-5 and 813-6, each rated at 200 pounds per hour.
- (4) Three (3) Kurtz 68 molding presses, identified as 68-1, 68-2, and 68-3, each rated at 175 pounds per hour.
- (5) One (1) Kurtz 13517 molding presses, identified as 13517, rated at 300 pounds per hour.
- (6) Two (2) Kurtz 1014 molding presses, identified as 1014-1 and 1014-2, rated at 250 pounds per hour.
- (7) One (1) natural gas fired boiler equipped with low-NOx burners, identified as B3, rated at 25.1 million British thermal units per hour (MMBtu/hr), exhausting through one (1) stack, identified as S-B3.

Public notice of the interim significant source modification petition was published on March 31, 2011. The public comment period ended on April 14, 2011. Since there are no comments received during the public comment period, pursuant to 326 IAC 2-13-1(i), the interim significant source modification petition is in effect upon issuance, and expires on the effective date of the final significant source modification permit. The interim significant source modification petition may be revoked after this effective date upon a written finding by the Indiana Department of Environmental Management (IDEM) that any of the reasons for denial in 326 IAC 2-13-1(h) exist or if the final significant source modification is denied. The IDEM has reviewed this interim significant source modification petition and has not found any such reason. The facilities specified in the interim significant source modification petition may be constructed upon issuance of this interim approval. Operational approval is granted in accordance with 326 IAC 2-7-12.

The interim significant source modification petition is federally enforceable. Detailed construction and operation conditions will be specified in the final significant source modification permit no. 075-30328-00024.

If you have any questions regarding this interim significant source modification petition, please contact Madhurima Moulik of my staff at 317-233-0868, or at 1-800-451-6027 (ask for extension 3-0868).

Sincerely,



Chrystal Wagner, Section Chief
Permit Branch
Office of Air Quality

Enclosure: Interim SSM Evaluation
MDM

cc: File – Jay County
Jay County Health Department

Indiana Department of Environmental Management Office of Air Quality


Interim Petition Checklist	
Instructions: (a) Please answer yes or no. (b) Enclosed this checklist with the completed interim petition package.	
Company Name: CREATEC CORPORATION, d/b/a Tegrant Corporation - ThermoSafe Brands	
Location: PORTLAND, IN	
YES	1. Is the written interim petition prepared?
YES	2. Is the written petition signed and dated?
YES	3. Is the public notice drafted?
YES	4. Is the filing and review fee enclosed? \$625 for TV, FESOP, and SSOA. \$500 for MSOP.
YES	5. Is the account number written on the check or money order?
YES	6. Is the Affidavit of Construction signed, dated, and notarized?
YES	7. Is the proposed modification/revision described in detail?
YES	8. Is the proposed modification/revision a modification or addition to an existing source?
YES	9. Is the proposed modification/revision located in an attainment area for all the criteria pollutants?
NO	10. Is the proposed modification/revision located in a nonattainment area? If yes, answer No. 11.
N/A	11. Is the pollutant, which the nonattainment designation is based on, going to be emitted in this proposed modification/revision?
YES	12. Are potential emissions calculated?
YES	13. Is federal enforceability consent specifically indicated?
YES	14. Are specific conditions, limitations, and/or restrictions included that preclude applicability of PSD?
N/A	15. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NSPS?
N/A	16. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NESHAP?
YES	17. Are specific conditions, limitations, and/or restrictions included that assure compliance with all applicable state air pollution rules?
YES	18. Has a regular modification/revision permit application been submitted to OAQ?
NO	19. Has the proposed modification/revision commenced prior to the submission of the interim permit petition?
YES	20. The interim petition comment period has been decided to be: <u>14 calendar days</u>
Additional Comments: For further information see Permit Application # 075-30328-00024. Potential emission calculations are enclosed with this Interim Petition application.	

Affidavit of Construction

I, Stefan Polywka, being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in Lake County, Illinois, and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.
2. I hold the position of V.P. of Operations for Tegrant Corporation – ThermoSafe Brands
(Title) (Company Name)
3. By virtue of my position with Tegrant Corporation – ThermoSafe Brands, I have personal
(Company Name)
knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of Createc Corporation, d/b/a Tegrant Corporation – ThermoSafe Brands.
(Company Name)
4. I, the undersigned, have submitted an Interim Significant Source Modification Petition to the Office of Air Quality for the construction of foam molding and boiler equipment.
5. Tegrant Corporation – ThermoSafe Brands recognizes the following risks:
(Company Name)
(a) own financial risk, (b) that IDEM may require additional or different control technology for the final approval, (c) that IDEM may deny issuance of the final approval, and
(d) any additional air permitting requirements.

Further Affiant said not.
I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.




Signature: [Handwritten Signature]
Printed Name: Stefan Polywka
Phone No.: 847-398-0110
Date: March 24th 2011

STATE OF ILLINOIS)
COUNTY OF Lake)

Subscribed and sworn to me, a notary public in and for Lake County and
State of Illinois on this 24th day of March, 20 11.
My Commission expires: 4/13/2011

Signature: [Handwritten Signature]
Printed Name: Rebecca Demarchie



**NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT**

Proposed Approval of Interim Significant Source Modification
for **CREATEC CORPORATION**
in **JAY COUNTY**

Notice is hereby given that the above company located at 1619 North Meridian St., Portland, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct foam molding equipment and a 600hp boiler, with limited material VOC content in the foam molding process and a low-NOx burner as air pollution control. Based on 8,760 hours per year of operation, the VOC, NOx, and CO emissions are 647, 5.4, and 9.1 tons per year, respectively. *To avoid the PSD requirements of 326 IAC 2-2, the facility will continue to limit plant-wide VOC emissions from the foam molding operations to less than 250 tons/year. To avoid BACT requirements in 326 IAC 8-1-6, each of the new foam molding equipment units will be limited to less than 25 tons/year of VOC emissions.*

The company has submitted an application for a Significant Source Modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Jay County Public Library, 315 North Ship St., Portland, Indiana, 47371**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature:



Company Official's Printed Name:

Stefan Polywka

Company Name:
ThermoSafe Brands

Createc Corporation (d/b/a Tegrant Corporation -

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY**

**PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION, SIGNIFICANT SOURCE
MODIFICATION, MINOR PERMIT REVISION, OR MINOR SOURCE MODIFICATION**

Source Name: CREATEC CORPORATION, d/b/a Tegrant Corp. – ThermoSafe Brands
 Source Address: 1619 NORTH MERIDIAN ST, PORTLAND, IN 47371
 Mailing Address: SAME AS ABOVE
 SIC/NAICS Code: 3086/32614

Description of the Operation or Equipment:

On December 30, 2010, Createc Corporation (Createc) became a wholly owned subsidiary of Tegrant Diversified Brands, Inc. (Tegrant), and is now doing business under the name Tegrant Corporation – ThermoSafe Brands. This application addresses the transfer/relocation of two Hirsch 6000 pre-expanders, 10 molding presses and 25 'pre-puff' storage bags from Tegrant's Michigan City plant to the Portland site. In addition, installation of a 600 hp Cleaver Brooks boiler and a 30 hp boiler is planned to supply process steam necessary to expand the additional volumes of polystyrene and polypropylene-based resins currently being processed in Michigan City.

Specific equipment moving to Portland from Michigan City is indicated in the Table below.

Equipment	Make & Model	No. of Units
Pre-Expanders	Hirsch 6000	2
Molding Presses	Hirsch 13.517	1
	Kurtz 1014	1
	Kurtz 813	5
	Kurtz 68	3
Pre-Puff Storage Bags	N/A	25

No change will be needed to the Portland plant's current VOC emission limit to accommodate the additional equipment from the Michigan City Plant. The current permit's VOC limit will remain under 250 tons per 12 consecutive months, ensuring it remains a Minor Source under PSD Rules.

All individual units being installed will emit less than 25 tons per 12 consecutive months (either based on their true potential or requested emission restrictions), thereby rendering the BACT requirements of 326 IAC 8-1-6 not applicable.

Potential to Emit:

The most significant criteria pollutants to be emitted from the equipment described above are volatile organic compounds (VOC), nitrogen oxides (NO_x), and carbon monoxide (CO). The total potential to emit of these pollutants is 140.1 tons/year, 5.4 tons/year, and 9.1 tons/year, respectively. The methodology and calculations of the potential to emit are provided in the attached Tables 1 through 4 and 11 through 12. This information was also provided in the full permit application.

PSD Requirements:

As stated above, Createc Corporation will continue to limit plantwide VOC emissions to less than 250 tons/year to avoid PSD requirements in 326 IAC 2-2. This is accomplished by restricting and tracking material throughput, volatile content, and resultant emissions.

NSPS Requirements:

There is no NSPS rule applicable to this operation or equipment.

NESHAP Requirements:

There is no NESHAP rule applicable to this operation or equipment.

State Rules & Requirements:

Particulate Matter [326 IAC 6-2-3]:

Pursuant to 326 IAC 6-2-3 (e), particulate emissions from new Boiler B3 shall be limited to 0.6 pounds of particulate matter per million British thermal units heat input.

Sulfur Dioxide (SO2) [326 IAC 7-1.1-1] [326 IAC 7-2-1]:

Pursuant to 326 IAC 7-1.1, the SO2 emissions from new Boilers B3 shall not exceed five-tenths (0.5) pound per MMBtu heat input. Pursuant to 326 IAC 7-2-1, compliance shall be demonstrated on a thirty (30) day rolling weighted average.

Opacity [326 IAC 5-1]:

Pursuant to 326 IAC 5-1-2, opacity shall meet the following, unless otherwise stated in the permit:

(a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.

(b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute non-overlapping integrated averages (for a continuous opacity monitor) in a six (6) hour period.


General Reporting Requirements [326 IAC 2-7-5(3)(C)] [326 IAC 2-1.1-11]:

The Permittee shall submit a Quarterly Deviation and Compliance Monitoring Report. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported.

Federal Enforceability:

The company consents to the federal enforceability of this interim petition.

Signature:



Printed Name:

STEFAN POLYWKA

Title or Position:

V.P. of Operations, Tegrant Corporation - ThermoSafe Brands

Phone Number:

724-847-2458

Date:

March 24th 2011

State of Indiana)


) ss:

Jay County)


Personally appeared before me, a notary public in and for said county and state, the undersigned Julie E. Swoveland, who, being duly sworn, says that she is Business Manager of The Commercial Review newspaper of general circulation printed and published in the English language in the city of Portland in state and county aforesaid, and that the printed matter attached hereto is a true copy, which was duly published in said paper for 1 time(s), the date(s) of publication being as follows:

March 31, 2011.

The undersigned further states that The Commercial Review newspaper maintains an Internet website, which is located at www.thecr.com website and that a copy of the above referenced printed matter was posted on such website on the date(s) of publication set forth above.


Julie E. Swoveland

Subscribed and sworn to before me this 8 day of April, 2011.


Joy E. Ballard, Jay Co. Notary Public

My commission expires: December 11, 2015

This is your invoice for legal adver

Please remit promptly to:
GRAPHIC PRINTING
PO BOX 1049
PORTLAND, IN 47371

Public Notice

NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Source
Modification
for CREATEC CORPORATION
in JAY COUNTY

Notice is hereby given that the above company located at 1619 North Meridian St., Portland, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct foam molding equipment and a 600hp boiler, with limited material VOC content in the foam molding process and a low-NOx burner as air pollution control. Based on 8,760 hours per year of operation, the VOC, NOx, and CO emissions are 647, 5.4, and 9.1 tons per year, respectively. To avoid the PSD requirements of 326 IAC 2-2, the facility will continue to limit plant-wide VOC emissions from the foam molding operations to less than 250 tons/year. To avoid BACT requirements in 326 IAC 8-1-6, each of the new foam molding equipment units will be limited to less than 25 tons/year of VOC emissions.

The company has submitted an application for a Significant Source Modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the Jay County Public Library, 315 North Ship St., Portland, Indiana, 47371. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 238-0178.

Company Official's Printed Name: Stefan Poljanec
Company Name: Createc Corporation
(d/b/a Tegrant Corporation
ThermoSafe Brands)



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Jon Lewis
Createc Corporation
1619 N Meridian St
Portland, IN 47371

DATE: April 20, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Title V - Interim Significant Source Modification
075 - 30328I - 00024

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Stefan Polywka, VP, Ops - Tegrant Corp - ThermoSafe Brands
Victoria BrindAmour Tegrant Corporation
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	LPOGOST 4/20/2011 Createc Corporation 075 - 303281 - 00024 final)		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Jon Lewis Createc Corporation 1619 N Meridian St Portland IN 47371 (Source CAATS) Via confirmed delivery										
2		Stefan Polywka VP, Ops - Tegrant Corp - ThermoSafe Brands Createc Corporation Tegrant EHS Dept, PO Box 44 New Brighton PA 15066 (RO CAATS)										
3		Mr. Charles L. Berger Berger & Berger, Attorneys at Law 313 Main Street Evansville IN 47700 (Affected Party)										
4		Jay County Commissioners Jay County Courthouse Portland IN 47371 (Local Official)										
5		Portland City Council and Mayors Office 321 N. Meridian Portland IN 47371 (Local Official)										
6		Jay County Health Department 504 West Arch Street Portland IN 47371 (Health Department)										
7		Mark Zeltwanger 26545 CR 52 Nappanee IN 46550 (Affected Party)										
8		Ms. Victoria BrindAmour Tegrant Corporation PO Box 448 New Brighton PA 15066 (Source & addl contact)										
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--