INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: July 8, 2011

RE: Createc Corporation / 075-30372I-00024

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

(1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
(2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
(3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

(1) the name and address of the person making the request;
(2) the interest of the person making the request;
(3) identification of any persons represented by the person making the request;
(4) the reasons, with particularity, for the request;
(5) the issues, with particularity, proposed for considerations at any hearing; and
(6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

July 8, 2011

Mr. Jon Lewis, General Manager
Createc Corporation
1619 North Meridian Street
Portland, IN 47371

Re: Interim Significant Source Modification Approval
075-30372I-00024

Dear Mr. Lewis:

On June 17, 2011, the Office of Air Quality (OAQ) received an interim significant source modification petition from Createc Corporation located at 1619 North Meridian, Portland, IN 47371. Based on the data and information submitted in the petition and the provisions in 326 IAC 2-13-1, this interim significant source modification petition is hereby approved for:

(1) One (1) natural gas fired boiler, identified as B3, rated at 29.3 million British thermal units per hour (MMBtu/hr), exhausting through one (1) stack, identified as S-B3.

Public notice of the interim significant source modification petition was published on June 21, 2011. The public comment period ended on July 5, 2011. Since there are no comments received during the public comment period, pursuant to 326 IAC 2-13-1(i), the interim significant source modification petition is in effect upon issuance, and expires on the effective date of the final significant source modification permit. The interim significant source modification petition may be revoked after this effective date upon a written finding by the Indiana Department of Environmental Management (IDEM) that any of the reasons for denial in 326 IAC 2-13-1(h) exist or if the final significant source modification is denied. The IDEM has reviewed this interim significant source modification petition and has not found any such reason. The facilities specified in the interim significant source modification petition may be constructed upon issuance of this interim approval. Operational approval is granted in accordance with 326 IAC 2-7-12.

The interim significant source modification petition is federally enforceable. Detailed construction and operation conditions will be specified in the final significant source modification permit no. 075-30328-00024.

If you have any questions regarding this interim significant source modification petition, please contact Madhurima Moulik of my staff at 317-233-0868, or at 1-800-451-6027 (ask for extension 3-0868).

Sincerely,

Chrystal Wagner, Section Chief
Permit Branch
Office of Air Quality

Enclosure: Interim SSM Evaluation
MDM
cc: File – Jay County
Jay County Health Department

Indiana Department of Environmental Management
Office of Air Quality

Interim Petition Checklist

Instructions: (a) Please answer yes or no.
(b) Enclosed this checklist with the completed interim petition package.

Company Name: CREATEC CORPORATION, d/b/a Tegrant Corporation - ThermoSafe Brands

Location: PORTLAND, IN

YES	1. Is the written interim petition prepared?
YES	2. Is the written petition signed and dated?
YES	3. Is the public notice drafted?
YES	4. Is the filing and review fee enclosed? $625 for TV, FESOP, and SSOA. $500 for MSOP.
YES	5. Is the account number written on the check or money order?
YES	6. Is the Affidavit of Construction signed, dated, and notarized?
YES	7. Is the proposed modification/revision described in detail?
YES	8. Is the proposed modification/revision a modification or addition to an existing source?
YES	9. Is the proposed modification/revision located in an attainment area for all the criteria pollutants?
NO	10. Is the proposed modification/revision located in a nonattainment area? If yes, answer No. 11.
N/A	11. Is the pollutant, which the nonattainment designation is based on, going to be emitted in this proposed modification/revision?
YES	12. Are potential emissions calculated?
YES	13. Is federal enforceability consent specifically indicated?
YES	14. Are specific conditions, limitations, and/or restrictions included that preclude applicability of PSD?
N/A	15. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NSPS?
N/A	16. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NESHAP?
YES	17. Are specific conditions, limitations, and/or restrictions included that assure compliance with all applicable state air pollution rules?
YES	18. Has a regular modification/revision permit application been submitted to OAQ?
NO	19. Has the proposed modification/revision commenced prior to the submission of the interim permit petition?
YES	20. The interim petition comment period has been decided to be: 14 calendar days

Additional Comments:

For further information see Permit Application # 075-30328-00024, as revised on May 27, 2011. Potential emission calculations are enclosed with this Interim Petition application.

RECEIVED
State of Indiana
JUN 17 2011
Dept of Environmental Management
Office of Air Quality

CREATEC CORPORATION

Affidavit of Construction

I, Stefan Polywka, being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in Lake County, Illinois, and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.

2. I hold the position of V.P. of Operations (Title) for Tegrant Corporation – ThermoSafe Brands (Company Name) (a Strategic Business Unit of Tegrant Diversified Brands, Inc.)

3. By virtue of my position with Tegrant Corporation – ThermoSafe Brands (Company Name), I have personal knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of Createc Corporation, d/b/a Tegrant Corporation – ThermoSafe Brands (Company Name).

4. I, the undersigned, have submitted an interim significant source modification petition to the Office of Air Quality for the construction of a 700-horsepower steam boiler.

5. Createc Corporation, d/b/a Tegrant Corporation – ThermoSafe Brands (Company Name) recognizes the following risks:

(a) own financial risk, (b) that IDEM may require additional or different control technology for the final approval, (c) that IDEM may deny issuance of the final approval, and (d) any additional air permitting requirements.

Further Affiant said not.
I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature: [signature]

Printed Name: Stefan Polywka

Phone No.: 847-398-0110

Date: 6/15/11

STATE OF ILLINOIS)

COUNTY OF Lake)

Subscribed and sworn to me, a notary public in and for Lake County and State of Illinois on this 15th day of June, 20 11.
My Commission expires: 3-21-15

Signature: Linda Waszkiewicz

Printed Name: Linda Waszkiewicz

LINDA J. WASZKIEWICZ
OFFICIAL SEAL
Notary Public, State of Illinois
My Commission Expires
March 21, 2015

NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification
for **CREATEC CORPORATION (d/b/a Tegrant Corporation - ThermoSafe Brands)**
in **JAY COUNTY**

Notice is hereby given that the above company located at 1619 North Meridian St., Portland, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a **700-horsepower steam boiler**, to be fired only with natural gas. Based on 8,760 hours per year of operation, the PM, VOC, NOx, and CO emissions are 1.0, 0.7, 12.6, and 10.6 tons per year, respectively. *To avoid PSD the facility will continue to limit plant-wide VOC emissions from all operations within the facility to less than 250 tons/year. The boiler is not subject to BACT, since there are no criteria pollutants with potential emissions of 25 tons/year of more.*

The company has already submitted an application for a significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the new boiler cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Jay County Public Library, 315 North Ship St., Portland, Indiana, 47371**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature: _____

Company Official's Printed Name: Stefan Polywka

Company Name: Createc Corporation (d/b/a/ Tegrant Corporation - ThermoSafe Brands

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION, SIGNIFICANT SOURCE MODIFICATION, MINOR PERMIT REVISION, OR MINOR SOURCE MODIFICATION

Source Name: CREATEC CORPORATION (d/b/a Tegrant Corporation – ThermoSafe Brands

Source Address: 1619 NORTH MERIDIAN ST, PORTLAND, IN 47371

Mailing Address: SAME AS ABOVE

SIC/NAICS Code: 3086/32614

Description of the Operation or Equipment:

Createc Corporation (Createc) is a wholly-owned subsidiary of Tegrant Diversified Brands, Inc. (Tegrant), and is now doing business under the name "Tegrant Corporation – ThermoSafe Brands." This application addresses the installation of a **700-horsepower boiler** to supply process steam for the facility's expandable polystyrene and polypropylene-based resin molding operations.

This boiler, to be designated as B3, is manufactured by Cleaver Brooks, has a heat input rating of 29.3 million British thermal units per hour (mmBtu/Hr), and will be fired only with natural gas.

No change will be needed to the Portland plant's current VOC emission limit to accommodate the emissions from this new boiler. The current permit's plant-wide VOC limit will remain under 250 tons per 12 consecutive months, ensuring that the facility remains a Minor Source under PSD Rules.

The boiler being installed will emit less than 25 tons per 12 consecutive months of all criteria pollutants (based on its true potential), thereby rendering the BACT requirements of 326 IAC 8-1-6 not applicable.

Potential to Emit:

The most significant criteria pollutants to be emitted from the equipment described above are particulates (PM), volatile organic compounds (VOC), nitrogen oxides (NOx), and carbon monoxide (CO). The potential to emit of these pollutants is 1.0 tons/year, 0.7 tons/year, 12.6 tons/year, and 10.6 tons/year, respectively. The methodology and calculations of the potential to emit are provided in attached Table 1. This information was also provided in the source modification application.

PSD Requirements:

As stated above, the facility will continue to limit plant-wide VOC emissions to less than 250 tons/year to avoid PSD requirements. This is accomplished by restricting and tracking material throughput and volatile content for the process, and fuel usage in the boiler. The potential VOC emissions from the proposed 700-hp boiler are less than 1 ton/year.

NSPS Requirements:

The 700-hp boiler, with a heat input rating of 29.3 mmBtu/hr, is subject to NSPS rule Subpart Dc (New Source Performance Standards for Small Industrial-Commercial-Institutional Generating Units). Since the unit will burn only natural gas, the only applicable provisions of that rule will be sections 60.40c, 60.41c, 60.48c(a), 60.48c(g)(2), 60.48c(i), and 60.48c(j).

NESHAP Requirements:

There is an area source NESHAP standard for boilers (CFR Part 63, Subpart JJJJJJ). However, the rule is not applicable to boilers that burn only natural gas. Therefore, this rule does not apply to the proposed boiler.

State Rules & Requirements:

Particulate Matter [326 IAC 6-2-4]:
Pursuant to 326 IAC 6-2-4, particulate emissions from new Boiler B3 shall be limited to 0.4 pounds of particulate matter per mmBtu heat input.

Sulfur Dioxide (SO2) [326 IAC 7-1.1-1] [326 IAC 7-2-1]:
Pursuant to 326 IAC 7-1.1, the SO2 emissions from new Boiler B3 shall not exceed five-tenths (0.5) pound per mmBtu heat input. Compliance shall be demonstrated by burning only natural gas.

Opacity [326 IAC 5-1]:
Pursuant to 326 IAC 5-1-2, opacity shall meet the following, unless otherwise stated in the permit:
(a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
(b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute non-overlapping integrated averages (for a continuous opacity monitor) in a six (6) hour period.

General Reporting Requirements [326 IAC 2-7-5(3)(C)] [326 IAC 2-1.1-11]:
The Permittee shall submit a Quarterly Deviation and Compliance Monitoring Report. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported.

Federal Enforceability:

The company consents to the federal enforceability of this interim petition.

Signature: _____

Printed Name: STEFAN POLYWKA

Title or Position: V.P. of Operations, Tegrant Corporation - ThermoSafe Brands

Phone Number: 724-847-2458

Date: 6/15/11

ATTN VICTORIA BRIND'AMOUR

PUBLISHER'S AFFIDAVIT

PRINTER'S FEE $ 256.30

State of Indiana)

) ss:

Jay County)

Personally appeared before me, a notary public in and for said county and state, the undersigned Julie E. Swoveland, who, being duly sworn, says that she is Business Manager of The Commercial Review newspaper of general circulation printed and published in the English language in the city of Portland in state and county aforesaid, and that the printed matter attached hereto is a true copy, which was duly published in said paper for 1 time(s), the date(s) of publication being as follows:

June 21, 2011.

The undersigned further states that The Commercial Reveiw newspaper maintains an Interent website, which is located at www.thecr.com website and that a copy of the above referenced printed matter was posted on such website on the date(s) of publication set forth above.

Julie E Swoveland

Julie E. Swoveland

Subscribed and sworn to before me this 24 day of

Joy E Ballard

Joy E. Ballard, Jay Co. Notary Public

My commission expires: December 11, 2015

This is your invoice for legal :

Please remit promptly

GRAPHIC PRINTIN

PO BOX 1049

PORTLAND, IN 473

Public Notice

Notice of fourteen-day period for public comment
Proposed Approval of Interim Significant Permit Revision/Significant Source Modification for Createc Corporation in Jay County

Notice is hereby given that the above company located at 1619 North Meridian St., Portland, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a seven hundred-horsepower steam boiler, to be fired only with natural gas. Based on 8,760 hours per year of operation, the PM, VOC, NOx, and CO emissions are 1.0, 0.7, 18.6, and 10.6 tons per year, respectively. To avoid PSD the facility will continue to limit plant-wide VOC emissions from all operations within the facility to less than two hundred-fifty tons per year. The boiler is not subject to BACT, since there are no criteria pollutants with potential emissions of twenty-five tons per year or more.

The company has already submitted an application for a significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the new boiler cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of fourteen days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the Jay County Public Library, 315 North Ship St., Portland, Indiana, 47371. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have fifteen days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Printed Name: Stefan Polywka
Company Name: Createc Corporation
(d/b/a Tegrant Corporation ThermoSafe Brands
CR June 21, 2011

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Jon Lewis
Createc Corporation
1619 N Meridian St
Portland, IN 47371

DATE: July 8, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Interim
075-30372I-00024

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Stefan Polywka – VP, Opfs – Tegrant Corp – ThermoSafe Brands Createc Corporation Tegrant EHS Dept.
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	GHOTOPP 7/8/2011 Createc Corporation 075-30372I-00024 Final			AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	▶	Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: **CERTIFICATE OF MAILING ONLY**	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee Remarks
1		Jon Lewis Createc Corporation 1619 N Meridian St Portland IN 47371 (Source CAATS) via confirmed delivery									
2		Stefan Polywka VP, Ops - Tegrant Corp - ThermoSafe Brands Createc Corporation Tegrant EHS Dept, PO Box 44 New Brighton PA 15066 *(RO CAATS)*									
3		Mr. Charles L. Berger Berger & Berger, Attorneys at Law 313 Main Street Evansville IN 47700 *(Affected Party)*									
4		Jay County Commissioners Jay County Courthouse Portland IN 47371 *(Local Official)*									
5		Portland City Council and Mayors Office 321 N. Meridian Portland IN 47371 *(Local Official)*									
6		Jay County Health Department 504 West Arch Street Portland IN 47371 *(Health Department)*									
7		Mark Zeltwanger 26545 CR 52 Nappanee IN 46550 *(Affected Party)*									
8											
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is $50,000 per piece subject to a limit of $50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is $500. The maximum indemnity payable is $25,000 for registered mail, sent with optional postal insurance. See ***Domestic Mail Manual*** **R900, S913**, and **S921** for limitations of coverage on inured and COD mail. See ***International Mail Manual*** for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
6			

FACSIMILIE OF PS Form 3877