



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: February 23, 2012

RE: AKJ Industries, Inc. / 089-30619-00505

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval – Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3-7 and IC 13-15-6-1(b) or IC 13-15-6-1(a) require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204.

For an **initial Title V Operating Permit**, a petition for administrative review must be submitted to the Office of Environmental Adjudication within **thirty (30)** days from the receipt of this notice provided under IC 13-15-5-3, pursuant to IC 13-15-6-1(b).

For a **Title V Operating Permit renewal**, a petition for administrative review must be submitted to the Office of Environmental Adjudication within **fifteen (15)** days from the receipt of this notice provided under IC 13-15-5-3, pursuant to IC 13-15-6-1(a).

The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

Pursuant to 326 IAC 2-7-18(d), any person may petition the U.S. EPA to object to the issuance of an initial Title V operating permit, permit renewal, or modification within sixty (60) days of the end of the forty-five (45) day EPA review period. Such an objection must be based only on issues that were raised with reasonable specificity during the public comment period, unless the petitioner demonstrates that it was impracticable to raise such issues, or if the grounds for such objection arose after the comment period.

To petition the U.S. EPA to object to the issuance of a Title V operating permit, contact:

U.S. Environmental Protection Agency
401 M Street
Washington, D.C. 20406

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

**Part 70 Administrative Operating Permit Renewal
OFFICE OF AIR QUALITY**

**AKJ Industries, Inc.
One North Broadway
Gary, Indiana 46402**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. Noncompliance with any provision of this permit, except any provision specifically designated as not federally enforceable, constitutes a violation of the Clean Air Act. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T089-30619-00505	
Issued by:  Chrystal A. Wagner, Section Chief Permits Branch Office of Air Quality	Issuance Date: February 23, 2012 Expiration Date: February 23, 2017

TABLE OF CONTENTS

A. SOURCE SUMMARY	4
A.1 General Information [326 IAC 2-7-4(c)][326 IAC 2-7-5(15)][326 IAC 2-7-1(22)]	
A.2 Part 70 Source Definition [326 IAC 2-7-1(22)]	
A.3 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]	
A.4 Specifically Regulated Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]	
A.5 Part 70 Permit Applicability [326 IAC 2-7-2]	
B. GENERAL CONDITIONS	6
B.1 Definitions [326 IAC 2-7-1]	
B.2 Permit Term [326 IAC 2-7-5(2)][326 IAC 2-1.1-9.5][326 IAC 2-7-4(a)(1)(D)] [IC 13-15-3-6(a)]	
B.3 Term of Conditions [326 IAC 2-1.1-9.5]	
B.4 Enforceability [326 IAC 2-7-7] [IC 13-17-12]	
B.5 Severability [326 IAC 2-7-5(5)]	
B.6 Property Rights or Exclusive Privilege [326 IAC 2-7-5(6)(D)]	
B.7 Duty to Provide Information [326 IAC 2-7-5(6)(E)]	
B.8 Certification [326 IAC 2-7-4(f)][326 IAC 2-7-6(1)][326 IAC 2-7-5(3)(C)]	
B.9 Annual Compliance Certification [326 IAC 2-7-6(5)]	
B.10 Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)][326 IAC 2-7-6(1) and (6)] [326 IAC 1-6-3]	
B.11 Emergency Provisions [326 IAC 2-7-16]	
B.12 Permit Shield [326 IAC 2-7-15][326 IAC 2-7-20][326 IAC 2-7-12]	
B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5][326 IAC 2-7-10.5]	
B.14 Termination of Right to Operate [326 IAC 2-7-10][326 IAC 2-7-4(a)]	
B.15 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-7-5(6)(C)][326 IAC 2-7-8(a)][326 IAC 2-7-9]	
B.16 Permit Renewal [326 IAC 2-7-3][326 IAC 2-7-4][326 IAC 2-7-8(e)]	
B.17 Permit Amendment or Modification [326 IAC 2-7-11][326 IAC 2-7-12]	
B.18 Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-7-5(8)] [326 IAC 2-7-12(b)(2)]	
B.19 Operational Flexibility [326 IAC 2-7-20][326 IAC 2-7-10.5]	
B.20 Source Modification Requirement [326 IAC 2-7-10.5]	
B.21 Inspection and Entry [326 IAC 2-7-6][IC 13-14-2-2][IC 13-30-3-1][IC 13-17-3-2]	
B.22 Transfer of Ownership or Operational Control [326 IAC 2-7-11]	
B.23 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-7-5(7)][326 IAC 2-1.1-7]	
B.24 Credible Evidence [326 IAC 2-7-5(3)][326 IAC 2-7-6][62 FR 8314] [326 IAC 1-1-6]	
C. SOURCE OPERATION CONDITIONS	17
Emission Limitations and Standards [326 IAC 2-7-5(1)]	
C.1 Opacity [326 IAC 5-1]	
C.2 Open Burning [326 IAC 4-1] [IC 13-17-9]	
C.3 Incineration [326 IAC 4-2] [326 IAC 9-1-2]	
C.4 Fugitive Dust Emissions [326 IAC 6-4]	
C.5 Fugitive Particulate Matter Emissions [326 IAC 6.8-10-3]	
C.6 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]	
Testing Requirements [326 IAC 2-7-6(1)]	
C.7 Performance Testing [326 IAC 3-6]	

Compliance Requirements [326 IAC 2-1.1-11]

- C.8 Compliance Requirements [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-7-5(1)][326 IAC 2-7-6(1)]

- C.9 Compliance Monitoring [326 IAC 2-7-5(3)][326 IAC 2-7-6(1)]
- C.10 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-7-5(3)]
[326 IAC 2-7-6(1)]

Corrective Actions and Response Steps [326 IAC 2-7-5][326 IAC 2-7-6]

- C.11 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]
- C.12 Risk Management Plan [326 IAC 2-7-5(12)] [40 CFR 68]
- C.13 Response to Excursions or Exceedances [326 IAC 2-7-5] [326 IAC 2-7-6]
- C.14 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5]
[326 IAC 2-7-6]

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

- C.15 Emission Statement [326 IAC 2-7-5(3)(C)(iii)][326 IAC 2-7-5(7)][326 IAC 2-7-19(c)]
[326 IAC 2-6]
- C.16 General Record Keeping Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-6]
- C.17 General Reporting Requirements [326 IAC 2-7-5(3)(C)] [326 IAC 2-1.1-11]

Stratospheric Ozone Protection

- C.18 Compliance with 40 CFR 82 and 326 IAC 22-1

D.1. EMISSIONS UNIT OPERATION CONDITIONS..... 25

Emission Limitations and Standards [326 IAC 2-7-5(1)]

- D.1.1 Volatile Organic Liquid Storage Vessels [326 IAC 8-9-1][326 IAC 8-9-6]
- D.1.2 Preventive Maintenance Plan [326 IAC 2-7-5(13)]

D.2. EMISSIONS UNIT OPERATION CONDITIONS..... 26

Emission Limitations and Standards [326 IAC 2-7-5(1)]

- D.2.1 Volatile Organic Liquid Storage Vessels [326 IAC 8-9-1] [326 IAC 8-9-6]

Certification 27
Emergency Occurrence Report 28
Quarterly Deviation and Compliance Monitoring Report 30
Attachment A - Fugitive Dust Control Plan

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1, A.3 through A.4 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-7-4(c)][326 IAC 2-7-5(15)][326 IAC 2-7-1(22)]

The Permittee owns and operates a stationary coal tar sludge processing facility.

Source Address:	One North Broadway, Gary, Indiana 46402
General Source Phone Number:	850-545-0503
SIC Code:	3312
County Location:	Lake
Source Location Status:	Nonattainment for PM _{2.5} standard Attainment for all other criteria pollutants
Source Status:	Part 70 Operating Permit Program Major Source, under PSD and Emission Offset Rules Major Source, Section 112 of the Clean Air Act 1 of 28 Source Categories

A.2 Part 70 Source Definition [326 IAC 2-7-1(22)]

US Steel - Gary Works is an integrated steel mill consisting of a source with an on-site contractor:

This integrated steel mill consists of a main mill and eight (8) on-site contractors:

- (a) U. S. Steel - Gary Works, plant Id 089-00121, the primary operation, located at One North Broadway, Gary, Indiana 46402;
- (b) Central Teaming Company, plant Id 089-00172, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (c) Heckett Multiserv, plant Id 089-00170, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (d) International Mill Service, Inc. plant Id 089-00132, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (e) AKJ Industries, Inc., plant Id 089- 00505, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (f) Levy- Indiana Slag Company, plant Id 089-00133, the on-site contractor, located at One North Buchanan Street, Gary, Indiana 46401;
- (g) Mid-Continent Coal and Coke Company, plant Id 089-00173, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (h) Tube City, Inc., plant Id 089-00174, the on-site contractor located at One North Broadway, Gary, Indiana 46401.
- (i) U.S. Aggregates, Inc., plant Id 089- 05256, the on-site contractor, located at One North Broadway, Gary, Indiana 46402.

Separate Part 70 permits will be issued to US Steel - Gary Works and each on site contractor, solely for administrative purposes.

A.3 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)]
[326 IAC 2-7-5(15)]

AKJ Industries, Inc. consists of the following emission units and control devices:

- (a) One (1) process mixing tank, identified as T001, constructed in 2006, with a maximum capacity of 3,000 gallons and a maximum processing capacity of 4,000 gallons in eight (8) hours.
- (b) One (1) product storage tank, identified as T002, constructed in 2006, with a maximum storage capacity of 10,000 gallons.
- (c) One (1) diluent storage tank, identified as T003, constructed in 2006, with a maximum storage capacity of 6,000 gallons.
- (d) One (1) product storage tank, identified as T004, constructed in 2009, with a maximum storage capacity of 5,000 gallons.
- (e) One (1) product storage tank, identified as T005, constructed in 2009, with a maximum storage capacity of 3,500 gallons.

A.4 Specifically Regulated Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-7-4(c)]
[326 IAC 2-7-5(15)]

AKJ Industries, Inc. also includes the following insignificant activities, as defined in 326 IAC 2-7-1(21), that have applicable requirements:

- (a) Specifically Regulated Insignificant Activities:
 - (1) One (1) 275 gallon diesel tank. [326 IAC 8-9-1]

A.5 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

- (a) It is a major source, as defined in 326 IAC 2-7-1(22);
- (b) It is a source in a source category designated by the United States Environmental Protection Agency (U.S. EPA) under 40 CFR 70.3 (Part 70 - Applicability).

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-7-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

B.2 Permit Term [326 IAC 2-7-5(2)][326 IAC 2-1.1-9.5][326 IAC 2-7-4(a)(1)(D)][IC 13-15-3-6(a)]

- (a) This permit, T089-30619-00505, is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, including any permit shield provided in 326 IAC 2-7-15, until the renewal permit has been issued or denied.

B.3 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.4 Enforceability [326 IAC 2-7-7] [IC 13-17-12]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Severability [326 IAC 2-7-5(5)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.6 Property Rights or Exclusive Privilege [326 IAC 2-7-5(6)(D)]

This permit does not convey any property rights of any sort or any exclusive privilege.

B.7 Duty to Provide Information [326 IAC 2-7-5(6)(E)]

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.8 Certification [326 IAC 2-7-4(f)][326 IAC 2-7-6(1)][326 IAC 2-7-5(3)(C)]

- (a) A certification required by this permit meets the requirements of 326 IAC 2-7-6(1) if:

- (1) it contains a certification by a "responsible official" as defined by 326 IAC 2-7-1(34), and
 - (2) the certification states that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) The Permittee may use the attached Certification Form, or its equivalent with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.
- (c) A "responsible official" is defined at 326 IAC 2-7-1(34).

B.9 Annual Compliance Certification [326 IAC 2-7-6(5)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. All certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than April 15 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Air Enforcement Branch - Indiana (AE-17J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
- (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-7-5(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ may require to determine the compliance status of the source.

The submittal by the Permittee does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

B.10 Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)][326 IAC 2-7-6(1) and (6)][326 IAC 1-6-3]

- (a) A Preventive Maintenance Plan meets the requirements of 326 IAC 1-6-3 if it includes, at a minimum:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

The Permittee shall implement the PMPs.

- (b) If required by specific condition(s) in Section D of this permit where no PMP was previously required, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) no later than ninety (90) days after issuance of this permit or ninety (90) days after initial start-up, whichever is later, including the following information on each facility:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

The Permittee shall implement the PMPs.

- (c) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions. The

PMPs and their submittal do not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

- (d) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.11 Emergency Provisions [326 IAC 2-7-16]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation.

- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:

- (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
- (2) The permitted facility was at the time being properly operated;
- (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
- (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, or Northwest Regional Office within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance and Enforcement Branch), or
Telephone Number: 317-233-0178 (ask for Office of Air Quality, Compliance and Enforcement Branch)
Facsimile Number: 317-233-6865
Northwest Regional Office phone: (219) 757-0265; fax: (219) 757-0267.

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-7-5(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;

- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
- (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
- (e) The Permittee seeking to establish the occurrence of an emergency shall make records available upon request to ensure that failure to implement a PMP did not cause or contribute to an exceedance of any limitations on emissions. However, IDEM, OAQ may require that the Preventive Maintenance Plans required under 326 IAC 2-7-4(c)(9) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-7 and any other applicable rules.
- (g) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.

B.12 Permit Shield [326 IAC 2-7-15][326 IAC 2-7-20][326 IAC 2-7-12]

- (a) Pursuant to 326 IAC 2-7-15, the Permittee has been granted a permit shield. The permit shield provides that compliance with the conditions of this permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that either the applicable requirements are included and specifically identified in this permit or the permit contains an explicit determination or concise summary of a determination that other specifically identified requirements are not applicable. The Indiana statutes from IC 13 and rules from 326 IAC, referenced in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a Part 70 permit under 326 IAC 2-7 or for applicable requirements for which a permit shield has been granted.

This permit shield does not extend to applicable requirements which are promulgated after the date of issuance of this permit unless this permit has been modified to reflect such new requirements.

- (b) If, after issuance of this permit, it is determined that the permit is in nonconformance with an applicable requirement that applied to the source on the date of permit issuance, IDEM, OAQ, shall immediately take steps to reopen and revise this permit and issue a compliance order to the Permittee to ensure expeditious compliance with the applicable

requirement until the permit is reissued. The permit shield shall continue in effect so long as the Permittee is in compliance with the compliance order.

- (c) No permit shield shall apply to any permit term or condition that is determined after issuance of this permit to have been based on erroneous information supplied in the permit application. Erroneous information means information that the Permittee knew to be false, or in the exercise of reasonable care should have been known to be false, at the time the information was submitted.
- (d) Nothing in 326 IAC 2-7-15 or in this permit shall alter or affect the following:
 - (1) The provisions of Section 303 of the Clean Air Act (emergency orders), including the authority of the U.S. EPA under Section 303 of the Clean Air Act;
 - (2) The liability of the Permittee for any violation of applicable requirements prior to or at the time of this permit's issuance;
 - (3) The applicable requirements of the acid rain program, consistent with Section 408(a) of the Clean Air Act; and
 - (4) The ability of U.S. EPA to obtain information from the Permittee under Section 114 of the Clean Air Act.
- (e) This permit shield is not applicable to any change made under 326 IAC 2-7-20(b)(2) (Sections 502(b)(10) of the Clean Air Act changes) and 326 IAC 2-7-20(c)(2) (trading based on State Implementation Plan (SIP) provisions).
- (f) This permit shield is not applicable to modifications eligible for group processing until after IDEM, OAQ, has issued the modifications. [326 IAC 2-7-12(c)(7)]
- (g) This permit shield is not applicable to minor Part 70 permit modifications until after IDEM, OAQ, has issued the modification. [326 IAC 2-7-12(b)(8)]

B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5][326 IAC 2-7-10.5]

- (a) All terms and conditions of permits established prior to T089-30619-00505 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised under 326 IAC 2-7-10.5, or
 - (3) deleted under 326 IAC 2-7-10.5.
- (b) Provided that all terms and conditions are accurately reflected in this permit, all previous registrations and permits are superseded by this Part 70 operating permit.

B.14 Termination of Right to Operate [326 IAC 2-7-10][326 IAC 2-7-4(a)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-7-3 and 326 IAC 2-7-4(a).

B.15 Permit Modification, Reopening, Revocation and Reissuance, or Termination
[326 IAC 2-7-5(6)(C)][326 IAC 2-7-8(a)][326 IAC 2-7-9]

- (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Part 70 Operating Permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-7-5(6)(C)] The notification by the Permittee does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).
- (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:
- (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-7-9(a)(3)]
- (c) Proceedings by IDEM, OAQ to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-7-9(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-7-9(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ may provide a shorter time period in the case of an emergency. [326 IAC 2-7-9(c)]

B.16 Permit Renewal [326 IAC 2-7-3][326 IAC 2-7-4][326 IAC 2-7-8(e)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-7-4. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40). The renewal application does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) A timely renewal application is one that is:
- (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the

document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-7 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified, pursuant to 326 IAC 2-7-4(a)(2)(D), in writing by IDEM, OAQ any additional information identified as being needed to process the application.

B.17 Permit Amendment or Modification [326 IAC 2-7-11][326 IAC 2-7-12]

- (a) Permit amendments and modifications are governed by the requirements of 326 IAC 2-7-11 or 326 IAC 2-7-12 whenever the Permittee seeks to amend or modify this permit.
- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]

B.18 Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-7-5(8)][326 IAC 2-7-12(b)(2)]

- (a) No Part 70 permit revision or notice shall be required under any approved economic incentives, marketable Part 70 permits, emissions trading, and other similar programs or processes for changes that are provided for in a Part 70 permit.
- (b) Notwithstanding 326 IAC 2-7-12(b)(1) and 326 IAC 2-7-12(c)(1), minor Part 70 permit modification procedures may be used for Part 70 modifications involving the use of economic incentives, marketable Part 70 permits, emissions trading, and other similar approaches to the extent that such minor Part 70 permit modification procedures are explicitly provided for in the applicable State Implementation Plan (SIP) or in applicable requirements promulgated or approved by the U.S. EPA.

B.19 Operational Flexibility [326 IAC 2-7-20][326 IAC 2-7-10.5]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-7-20(b),(c), or (e) without a prior permit revision, if each of the following conditions is met:
 - (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
 - (2) Any preconstruction approval required by 326 IAC 2-7-10.5 has been obtained;

(3) The changes do not result in emissions which exceed the limitations provided in this permit (whether expressed herein as a rate of emissions or in terms of total emissions);

(4) The Permittee notifies the:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

(5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-7-20(b),(c), or (e). The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ in the notices specified in 326 IAC 2-7-20(b)(1), (c)(1), and (e)(2).

(b) The Permittee may make Section 502(b)(10) of the Clean Air Act changes (this term is defined at 326 IAC 2-7-1(36)) without a permit revision, subject to the constraint of 326 IAC 2-7-20(a). For each such Section 502(b)(10) of the Clean Air Act change, the required written notification shall include the following:

- (1) A brief description of the change within the source;
- (2) The date on which the change will occur;
- (3) Any change in emissions; and
- (4) Any permit term or condition that is no longer applicable as a result of the change.

The notification which shall be submitted is not considered an application form, report or compliance certification. Therefore, the notification by the Permittee does not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

(c) Emission Trades [326 IAC 2-7-20(c)]
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-7-20(c).

- (d) Alternative Operating Scenarios [326 IAC 2-7-20(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-7-5(9). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (e) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

B.20 Source Modification Requirement [326 IAC 2-7-10.5]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2.

B.21 Inspection and Entry [326 IAC 2-7-6][IC 13-14-2-2][IC 13-30-3-1][IC 13-17-3-2]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a Part 70 source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.22 Transfer of Ownership or Operational Control [326 IAC 2-7-11]

- (a) The Permittee must comply with the requirements of 326 IAC 2-7-11 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]

B.23 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-7-5(7)][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ within thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Except as provided in 326 IAC 2-7-19(e), failure to pay may result in administrative enforcement action or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.24 Credible Evidence [326 IAC 2-7-5(3)][326 IAC 2-7-6][62 FR 8314] [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-7-5(1)]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-1 (Applicability) and 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of twenty percent (20%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.3 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

The Permittee shall not operate an incinerator except as provided in 326 IAC 4-2 or in this permit. The Permittee shall not operate a refuse incinerator or refuse burning equipment except as provided in 326 IAC 9-1-2 or in this permit.

C.4 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions). 326 IAC 6-4-2(4) is not federally enforceable.

C.5 Fugitive Particulate Matter Emissions [326 IAC 6.8-10-3]

Pursuant to 326 IAC 6.8-10-3 (formerly 326 IAC 6-1-11.1) (Lake County Fugitive Particulate Matter Control Requirements), the particulate matter emissions from source wide activities shall meet the following requirements:

- (a) The average instantaneous opacity of fugitive particulate emissions from a paved road shall not exceed ten percent (10%).
- (b) The average instantaneous opacity of fugitive particulate emissions from an unpaved road shall not exceed ten percent (10%).
- (c) The opacity of fugitive particulate emissions from exposed areas shall not exceed ten percent (10%) on a six (6) minute average.
- (d) The opacity of fugitive particulate emissions from continuous transfer of material onto and out of storage piles shall not exceed ten percent (10%) on a three (3) minute average.
- (e) The opacity of fugitive particulate emissions from storage piles shall not exceed ten percent (10%) on a six (6) minute average.

- (f) There shall be a zero (0) percent frequency of visible emission observations of a material during the inplant transportation of material by truck or rail at any time.
- (g) The opacity of fugitive particulate emissions from the inplant transportation of material by front end loaders and skip hoists shall not exceed ten percent (10%).
- (h) Material processing facilities shall include the following:
 - (1) There shall be a zero (0) percent frequency of visible emission observations from a building enclosing all or part of the material processing equipment, except from a vent in the building.
 - (2) The PM₁₀ emissions from building vents shall not exceed twenty-two thousandths (0.022) grains per dry standard cubic foot and ten percent (10%) opacity.
 - (3) The PM₁₀ stack emissions from a material processing facility shall not exceed twenty-two thousandths (0.022) grains per dry standard cubic foot and ten percent (10%) opacity.
 - (4) The opacity of fugitive particulate emissions from the material processing facilities, except a crusher at which a capture system is not used, shall not exceed ten percent (10%) opacity.
 - (5) The opacity of fugitive particulate emissions from a crusher at which a capture system is not used shall not exceed fifteen percent (15%).
- (i) The opacity of particulate emissions from dust handling equipment shall not exceed ten percent (10%).
- (j) Material transfer limits shall be as follows:
 - (1) The average instantaneous opacity of fugitive particulate emissions from batch transfer shall not exceed ten percent (10%).
 - (2) Where adequate wetting of the material for fugitive particulate emissions control is prohibitive to further processing or reuse of the material, the opacity shall not exceed ten percent (10%), three (3) minute average.
 - (3) Slag and kish handling activities at integrated iron and steel plants shall comply with the following particulate emissions limits:
 - (A) The opacity of fugitive particulate emissions from transfer from pots and trucks into pits shall not exceed twenty percent (20%) on a six (6) minute average.
 - (B) The opacity of fugitive particulate emissions from transfer from pits into front end loaders and from transfer from front end loaders into trucks shall comply with the fugitive particulate emission limits in 326 IAC 6.8-10-3(9).
- (k) Any facility or operation not specified in 326 IAC 6.8-10-3 shall meet a twenty percent (20%), three (3) minute average opacity standard.

The Permittee shall achieve these limits by controlling fugitive particulate matter emissions according to the attached Fugitive Dust Control Plan.

C.6 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
 - (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.

- (f) **Demolition and Renovation**
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Licensed Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Licensed Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos. The requirement to use an Indiana Licensed Asbestos inspector is not federally enforceable.

Testing Requirements [326 IAC 2-7-6(1)]

C.7 Performance Testing [326 IAC 3-6]

- (a) For performance testing required by this permit, a test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).
- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.8 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-7-5(1)][326 IAC 2-7-6(1)]

C.9 Compliance Monitoring [326 IAC 2-7-5(3)][326 IAC 2-7-6(1)]

Unless otherwise specified in this permit, for all monitoring requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance or of initial start-up, whichever is later, to begin such monitoring. If due to circumstances beyond the Permittee's control, any monitoring equipment required by this permit cannot be installed and operated no later than ninety (90) days after permit issuance or the date of initial startup, whichever is later, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units or emission units added through a source modification shall be implemented when operation begins.

C.10 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale.
- (b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

Corrective Actions and Response Steps [326 IAC 2-7-5][326 IAC 2-7-6]

C.11 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

Pursuant to 326 IAC 1-5-2 (Emergency Reduction Plans; Submission):

- (a) The Permittee shall maintain the most recently submitted written emergency reduction plans (ERPs) consistent with safe operating procedures.
- (b) Upon direct notification by IDEM, OAQ that a specific air pollution episode level is in effect, the Permittee shall immediately put into effect the actions stipulated in the approved ERP for the appropriate episode level. [326 IAC 1-5-3]

C.12 Risk Management Plan [326 IAC 2-7-5(12)] [40 CFR 68]

If a regulated substance, as defined in 40 CFR 68, is present at a source in more than a threshold quantity, the Permittee must comply with the applicable requirements of 40 CFR 68.

C.13 Response to Excursions or Exceedances [326 IAC 2-7-5] [326 IAC 2-7-6]

Upon detecting an excursion where a response step is required by the D Section or an exceedance of a limitation in this permit:

- (a) The Permittee shall take reasonable response steps to restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing excess emissions.
- (b) The response shall include minimizing the period of any startup, shutdown or malfunction. The response may include, but is not limited to, the following:

- (1) initial inspection and evaluation;
 - (2) recording that operations returned or are returning to normal without operator action (such as through response by a computerized distribution control system);
or
 - (3) any necessary follow-up actions to return operation to normal or usual manner of operation.
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:
- (1) monitoring results;
 - (2) review of operation and maintenance procedures and records; and/or
 - (3) inspection of the control device, associated capture system, and the process.
- (d) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (e) The Permittee shall record the reasonable response steps taken.

C.14 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5][326 IAC 2-7-6]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall submit a description of its response actions to IDEM, OAQ, no later than seventy-five (75) days after the date of the test.
- (b) A retest to demonstrate compliance shall be performed no later than one hundred eighty (180) days after the date of the test. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred eighty (180) days is not practicable, IDEM, OAQ may extend the retesting deadline
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

C.15 Emission Statement [326 IAC 2-7-5(3)(C)(iii)][326 IAC 2-7-5(7)][326 IAC 2-7-19(c)][326 IAC 2-6]

Pursuant to 326 IAC 2-6-3(a)(1), the Permittee shall submit by July 1 of each year an emission statement covering the previous calendar year. The emission statement shall contain, at a minimum, the information specified in 326 IAC 2-6-4(c) and shall meet the following requirements:

- (1) Indicate estimated actual emissions of all pollutants listed in 326 IAC 2-6-4(a);
- (2) Indicate estimated actual emissions of regulated pollutants as defined by 326 IAC 2-7-1(32) ("Regulated pollutant, which is used only for purposes of Section 19 of this rule") from the source, for purpose of fee assessment.

The statement must be submitted to:

Indiana Department of Environmental Management
Technical Support and Modeling Section, Office of Air Quality
100 North Senate Avenue
MC 61-50 IGCN 1003
Indianapolis, Indiana 46204-2251

The emission statement does require a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34).

C.16 General Record Keeping Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-6]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Unless otherwise specified in this permit, for all record keeping requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance or the date of initial start-up, whichever is later, to begin such record keeping.

C.17 General Reporting Requirements [326 IAC 2-7-5(3)(C)] [326 IAC 2-1.1-11]

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported except that a deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. This report shall be submitted not later than thirty (30) days after the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include a certification that meets the requirements of 326 IAC 2-7-6(1) by a "responsible official" as defined by 326 IAC 2-7-1(34). A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.
- (b) The address for report submittal is:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

- (d) Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit "calendar year" means the twelve (12) month period from January 1 to December 31 inclusive.

Stratospheric Ozone Protection

C.18 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with applicable standards for recycling and emissions reduction.

SECTION D.1

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]: One (1) coal tar sludge processing plant, consisting of the following:

- (a) One (1) process mixing tank, identified as T001, constructed in 2006, with a maximum capacity of 3,000 gallons and a maximum processing capacity of 4,000 gallons in eight (8) hours,.
- (b) One (1) product storage tank, identified as T002, constructed in 2006, with a maximum storage capacity of 10,000 gallons.
- (c) One (1) diluent storage tank, identified as T003, constructed in 2006, with a maximum storage capacity of 6,000 gallons.
- (d) One (1) product storage tank, identified as T004, constructed in 2009, with a maximum storage capacity of 5,000 gallons.
- (e) One (1) product storage tank, identified as T005, constructed in 2009, with a maximum storage capacity of 3,500 gallons.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emissions Limitations and Standards [326 IAC 2-7-5(1)]

D.1.1 Volatile Organic Liquid Storage Vessels [326 IAC 8-9-1] [326 IAC 8-9-6]

Pursuant to 326 IAC 8-9-6 (a) and (b), the Permittee shall maintain the following records for the life of the vessel and submit a report to IDEM, OAQ containing the following for the process mixing tank T001, product storage tanks T002, T004, T005, and diluent storage tank T003:

- (a) The vessel identification number,
- (b) The vessel dimensions, and
- (c) The vessel capacity.

D.1.2 Preventive Maintenance Plan [326 IAC 2-7-5(13)]

A Preventive Maintenance Plan is required for the process mixing tank T001, product storage tanks T002, T004, T005, and diluent storage tank T003 and their control devices. Section B - Preventive Maintenance Plan contains the Permittee's obligation with regard to the Preventive Maintenance Plan required by this condition.

SECTION D.2

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)]: Insignificant activities as defined in 326 IAC 2-7-1(21):

(a) Specifically Regulated Insignificant Activities:

(1) One (1) 275 gallon diesel tank.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emissions Limitations and Standards [326 IAC 2-7-5(1)]

D.2.1 Volatile Organic Liquid Storage Vessels [326 IAC 8-9-1] [326 IAC 8-9-6]

Pursuant to 326 IAC 8-9-6 (a) and (b), the Permittee shall maintain the following records for the life of the vessel and submit a report to IDEM, OAQ containing the following for one (1) 275 gallon diesel tank:

- (a) The vessel identification number,
- (b) The vessel dimensions, and
- (c) The vessel capacity.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH**

**PART 70 ADMINISTRATIVE OPERATING PERMIT
CERTIFICATION**

Source Name: AKJ Industries, Inc. - an on-site contractor of US Steel - Gary Works
Source Address: One North Broadway, Gary, Indiana 46402
Part 70 Permit No.: T089-30619-00505

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

Annual Compliance Certification Letter

Test Result (specify) _____

Report (specify) _____

Notification (specify) _____

Affidavit (specify) _____

Other (specify) _____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Phone:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH
100 North Senate Avenue
Indianapolis, Indiana 46204-2251
Phone: 317-233-0178
Fax: 317-233-6865**

**PART 70 ADMINISTRATIVE OPERATING PERMIT
EMERGENCY OCCURRENCE REPORT**

Source Name: AKJ Industries, Inc. - an on-site contractor of US Steel - Gary Works
Source Address: One North Broadway, Gary, Indiana 46402
Part 70 Permit No.: T089-30619-00505

This form consists of 2 pages

Page 1 of 2

<p>This is an emergency as defined in 326 IAC 2-7-1(12)</p> <p>The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and</p> <p>The Permittee must submit notice in writing or by facsimile within two (2) days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16.</p>
--

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emerge
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM ₁₀ , SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by _____

Title / Position: _____

Date: _____

Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY
 COMPLIANCE DATA SECTION
 PART 70 ADMINISTRATIVE OPERATING PERMIT
 QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: AKJ Industries, Inc. - an on-site contractor of US Steel - Gary Works
 Source Address: One North Broadway, Gary, Indiana 46402
 Part 70 Permit No.: T089-30619-00505
 Months: _____ to _____ Year: _____

Page 1 of 2

<p>This report shall be submitted quarterly based on a calendar year. Any deviation from the requirements, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p>	
<input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<p>9 THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD</p>	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Submitted by: _____

Title/Position: _____

Date: _____

Phone _____

Attachment A

Fugitive Dust Control Plan

TABLE OF CONTENTS

1.0 Introduction	1
2.0 Description of Facilities	2
3.0 Identification of Facilities	3
3.1 Paved Roadways and Parking Lots	3
3.2 Unpaved Roadways and Parking Lots	3
3.3 Storage Piles	3
3.4 Other Material Handling Facilities	3
3.4.1 Blast Furnace Dustcatchers	3
3.4.2 Revert Coal and Coke Screening	3
3.4.3 Coal and Coke Handling	4
3.4.4 Destock Coke Screening	3
3.4.5 Raw Material Handling at the Sinter Plant	4
3.4.6 Ore Unloading	4
3.4.7 Mill Scale Recycling	4
3.4.8 B-Mix and B-Scrap Recycling	5
3.4.9 Unloading Burnt Lime and Dolomite	5
3.4.10 Baghouse Dust Disposal	5
3.4.11 Alloy Control	5
4.0 Control Measures	5
4.1 Paved Roadway Cleaning	5
4.2 Paved Parking Area Cleaning	5
4.3 Unpaved Roadway Treatment	6
4.4 Exposed Area Treatment	6
4.5 Material Storage Area Treatment	6
4.5.1 Sinter Plant Storage Pile Area	6
4.5.2 Coal Stockpile Delivery Management	7
4.5.3 Coal Storage Pile Areas	7
4.5.4 Coke Loading Station Transfers	7
4.6 Material Transfer and Inplant Transportation Control	7
4.6.1 Vehicle Speed Control	7
4.6.2 Inplant Transportation	7
4.7 Other control Measures	7
5.0 Conditions Preventing Use of Control Measures	8
5.1 Conditions for Paved Roads	8
5.2 Conditions for Unpaved Roadways and Areas and Storage Piles	8
6.0 Schedule for Achieving Compliance	9
6.1 Road Paving Program	9
6.2 Road Cleaning Program	9
6.3 Storage Pile, Material Handling and Transfer, and Exposed Area Treatment	9
6.4 Other Fugitive Dust Control Activities	9
7.0 Record Keeping and Reporting	9
7.1 Drawings Showing Controlled Emission Sources	9
7.2 Records of Water or Chemical Applications	9
7.3 Records of Eliminated or Delayed Treatments	10
7.4 Maintenance of Records	10
7.5 Quarterly Reports	10
7.6 Changing of Control Plan	10
8.0 Fugitive Emission Monitoring Program	11
8.1 Silt Sampling of Paved Road	11
8.2 Opacity Monitoring of Fugitive Emission Sources	11

1.0 INTRODUCTION

On May 12, 1993, The Indiana Department of Environmental Management (IDEM) promulgated rule 326 IAC 6-1-11.1, Lake County Fugitive Particulate Matter Control Requirements, placing it into effect 30 days later. This rule requires that affected sources submit a fugitive particulate control plan to reduce emissions of PM-10 (particulate matter with an aerodynamic diameter of 10 microns or less) from nontraditional sources of fugitive emissions. This plan must include a description of each nontraditional source, measurements of the parameters needed to estimate emissions from these sources, control measures and other work practices to be employed to limit PM-10 emissions from these sources, and conditions (i.e. rain, snow, high wind speeds, freezing conditions, etc.) that may prevent or delay routine implementation of some control measures.

In response to these regulations, Gary Works conducted field programs to quantify emissions of PM-10 generated by vehicular traffic on plant roadways, material handling and transfer activities, wind erosion of storage piles and open areas, and vehicular traffic entering and exiting parking lots. In order to quantify these emissions, samples of the particulate in parking lots and roadways were collected. Storage piles and open areas were also sampled. The opacity of PM-10 emissions from these nontraditional sources were also observed and recorded using the procedures set forth in 326 IAC 6-1-11.1. Gary Works recently updated the original survey. Roadways, storage piles, material transfer and handling activities, parking lots and exposed areas under the control of private contractors were not included in this study. The results of this survey and the quantification of nontraditional sources of fugitive emissions are presented in Figure 1. The background data used to estimate these emissions can be found in Appendix A.

The following sections contain the plan developed to control nontraditional fugitive particulate emissions at USS Gary Works. This plan updates the original plan submitted in 1993 and will be executed under the supervision of the USS Environmental Control Division, Gary Works, One North Broadway, Mail Station 70, Gary, Indiana 46402. Telephone number (219) 888-2339. This plan will be implemented on a year round basis except, when not required to do so under Section 5.0 – Conditions Preventing Use of Control Measures.

Areas of USS Gary Works which are under the control of independent contractors and companies will have separate particulate control plans and are not covered within the context of this particulate control plan. These contractors fall under 326 IAC 6-1-11.1 paragraph (a) (4).

2.0 DESCRIPTION OF FACILITIES

USS Gary Works is a fully integrated steelmaking facility located on the southern shore of Lake Michigan in Gary, Indiana. The plant occupies an area approximately seven miles long and more than a mile wide. Landfill areas occupy the extreme eastern end of the plant property. The Coke Plant and Sinter Plant are also located east of the Slip with the remainder of the Plant west of the slip. Roadways, storage piles, and most of the material handling operations that are the responsibility of Gary Works are identified in this plan. The blast furnace dustcatcher, coke screening, coal handling, raw material handling at the sinter plant, ore unloading, alloy control and other operations are described in paragraphs 3.3.1 through 3.3.11.

3.0 IDENTIFICATION OF FACILITIES

3.1 Paved Roadways and Parking Lots

Drawings GW468068 and GW468069 show the locations of the existing paved roads and parking lots at USS Gary Works. Paved roadways and parking lots that require control measures specified by this plan are identified on these drawings.

3.2 Unpaved Roadways and Open Areas

Drawings GW468070 and GW468071 show the locations of existing unpaved roads and open areas at USS Gary Works. Unpaved roads and open areas that require control measures specified by this plan are identified on these drawings.

3.3 Storage Piles

The approximate locations of the various storage piles are identified on Gary Works drawings GW487814 and GW487815. Because of the transient nature of these storage piles, the exact pile locations may change but the general storage pile areas will remain the same. Load-in, load-out and screening operations are also transient and take place throughout the area.

3.4 Other Material Handling Facilities

The majority of material handling activities that have the potential to generate fugitive particulate are performed by outside contractors. Plant contractor locations and associated activities are identified on Gary Works drawings GW487814 and GW487815. Control of these emissions is the responsibility of the individual contractor and these activities are not included in this control plan. Material handling activities performed by USS are also identified on these drawings and are described below. Figure 2 lists USS material processing facilities and their associated control equipment as specified in 326 IAC 6-1-11.1. A general material process flow diagram can be found in Figure 3.

3.4.1 Blast Furnace Dustcatchers

The blast furnace dustcatchers are unloaded into trucks and hauled to the sinter plant storage area. Occasionally a truck may not be available and the content of the dustcatcher is discharged to the ground and a front-end loader transfers this material to the truck. Because the contents of the dustcatchers for blast furnaces 4, 6, and 8 are wetted in a slurry device with water and steam prior to discharge, emissions are normally negligible. If the dust binds in the dustcatcher and plugs the discharge port, significant emissions may result because the material is not thoroughly wetted in the slurry device.

The No. 13 blast furnace dust catcher unloads automatically on a regular cycle throughout the day. The dust is discharged from an intermediate chamber, which is sealed off from the dust catcher, therefore, the dust falls by gravity to a truck or to the ground and fugitive emissions are not significant. Front-end loaders are used to load material to trucks if on the ground.

3.4.2 Revert Coal & Coke Screening

The coal and coke screening operation sizes undersize material into three or more products. These screened products are recycled or sold. Except for periods when the wind speed is very high, no visible emissions are generated.

3.4.3 Coal and Coke Handling

Coal is transported to the plant by rail. Rail cars are unloaded to hoppers and then the coal is transported by covered conveyors to the coal handling facility where it is pulverized and blended. The blended coal is transferred by covered conveyor to the No. 5 and 7 coke batteries (wet-charged) or to the precarbon facilities and then to the No. 2 and 3 batteries.

After the coking process is completed, the coke is pushed into a quench car and transported to the quench tower. The quenched coke is then transferred to the coke wharf where further cooling takes place. The cooled coke slides down the sloped wharf onto a covered belt conveyor system where it is transferred to one of the three coke loading stations (2 & 3 loading station, No. 5 loading station and No. 6 loading station). The unscreened coke is transported by rail to the blast furnaces where it is unloaded, screened and subsequently charged to the blast furnaces.

3.4.4 Destock Coke Screening

Excess production or purchased coke is staged in a storage area at the east end of the plant. This coke is screened for size prior to use at the blast furnaces. A contractor currently performs this screening activity. Material not suitable for use is recycled or sold.

3.4.5 Raw Material Handling at the Sinter Plant

Waste and raw materials are transferred by truck from various areas of the plant to the Sinter Plant storage pile area. These materials are unloaded from the trucks onto specific storage piles. The material in these storage piles is then loaded into trucks by use of front-end loaders and transferred to one of the blending areas. The material is blended and then loaded into trucks and taken to the sinter plant where it is screened and loaded onto a conveyor. The conveyor transfers the screened material to the Sinter Plant storage bins where it is then fed to the sinter machines. The sinter product is transported by conveyor belt from the sinter plant to the highline sinter load-out bins. Transfer cars deposit the sinter into the appropriate blast furnace bins along the highline. Sinter is then drawn from the highline bins into a stockhouse scale car and then deposited into the blast furnace skips.

3.4.6 Ore Unloading

Pellets are received by bulk carriers and are transferred to a belt conveyor by self-unloaders. Pellets are transferred to a stockpile in the West Ore Yard by a conveyor-stacker or by ore bridge. The material is then handled by ore bridge and/or conveyor and deposited at the North or South pellet screening station. The screened pellets are fed by conveyor into the stockhouse of the No. 13 Blast Furnace.

Screened pellets from the south screening station are transported by conveyor to the blast furnace highline load-out bin. Transfer cars transport the pellets from the load-out bin to the appropriate blast furnace bins. The pellets are then drawn from the highline bins into a stockhouse scale car where they are weighed before being deposited into the blast furnace skips.

3.4.7 Mill Scale Recycling

Mill scale is transferred by truck from the 84-inch Hot Strip Mill and the continuous casters to the sinter plant storage area. This material is wet and is unloaded into storage piles prior to being transferred to the blending area.

3.4.8 B-Mix and B-Scrap Recycling

B-Mix and B-Scrap are processed by slag contractors at several locations in the plant. The material is screened, loaded into trucks and transported to the north and south ends of the West Ore Yard on an alternating sequence. The material is then handled by ore bridge and deposited into highline transfer cars. The transfer cars transport the B-Mix or B-Scrap to the appropriate blast furnace highline bins. The material is then drawn from the highline bins into a stockhouse scale car and deposited into the blast furnace skips.

3.4.9 Unloading Burnt Lime and Dolomite

Burnt lime for the No. 1 BOP Shop is unloaded from rail cars at the flux unloading station east of the shop. The railcar is positioned over an underground storage bin and the lime is discharged from the hopper beneath the car into the storage bin. The burnt lime is transferred from the storage bin by covered conveyor to the highline storage bins inside the BOP Shop. The lime is then drawn from the storage bins into the furnace hopper.

Pulverized lime and pebble sized dolomite are both used as fluxing agents at the No. 2 Q-BOP. Pulverized lime is delivered to the flux unloading station south of the Q-BOP in railroad cars. The lime is unloaded through hoppers at the bottom of the cars by introducing low-pressure air into the hoppers so that the lime is fluidized and flows freely into an underground storage bin. The lime is then transferred pneumatically via a 12-inch steel pipe from the bottom of the storage bin to the day storage tank. The day storage tank is located north of the unloading building and holds enough lime to supply the Q-BOP Shop for one day. The lime is again transferred pneumatically from the day tank to three intermediate bins inside the Q-BOP Shop. The lime in the intermediate bins is transferred to the weigh tank by a short air slide. The powdered lime leaving the weigh tank is injected with oxygen through the tuyeres.

Dolomite is unloaded from rail cars or trucks into underground bins at the unloading house. A conveyor that starts 20-feet underground moves the dolomite to the Q-BOP transfer tower and another conveyor transfers the material to the flux floor. From the flux floor another conveyor moves the dolomite to the inside storage bins. The dolomite is then drawn from the bins to the weigh hoppers.

3.4.10 Baghouse Dust Disposal

Particulate from the many baghouses located at the Gary Works are trucked to the appropriate facility for recycle, disposal onsite or offsite. Figure 2 identifies the plant dust control equipment and the disposition of the collected particulate.

3.4.11 Alloy Control

Alloys used for additions during steel making are screened and stored in small piles prior to use. These alloys are loaded by front-end loaders into trucks and transported to the appropriate facility.

4.0 CONTROL MEASURES

4.1 Paved Roadway Cleaning

Paved roadways within USS Gary Works will be cleaned by using high pressure water flushing and/or vacuum sweeping. The planned cleaning frequency of each paved road segment along with the segment length is listed in Table 1. This frequency may be temporarily or permanently

modified if the emissions limitation specified in 326 IAC 6-1-11.1 is exceeded and/or the road silt loading is excessive. Gary Works drawings nos. GW468068 & GW468069 identify paved roadways that require control measures in the plant.

4.2 Paved Parking Area Cleaning

Paved parking areas may be high pressure water flushed and/or vacuum swept to prevent visible particulate emissions from vehicular traffic. Identified lots will be cleaned on as needed basis determined by an opacity-based mechanism where parking areas will be monitored using procedures described in 326 IAC 6-1-11.1. The paved parking areas eligible for control measures are listed in Table 2. Gary Works drawings nos. GW468068 & GW468069 identify lot locations in the plant.

4.3 Unpaved Roadway Treatment

All unpaved roadways listed below in Table 3 are identified on Gary works drawings GW468070 & GW468071 and will be treated with a commercially produced chemical dust suppressant specifically manufactured for that purpose. Application rates and frequencies will be consistent with the manufacturers recommendations to achieve the degree of control required to meet the applicable emission limitation. At times, recommended application rates may be too high to be absorbed by the roadway in one step. In that case, application will be adjusted in dust suppressant concentration and frequency to ensure proper control of particulate emissions per 326 IAC 6-1-11.1. As an alternative USS may pave previously unpaved road sections and apply paved road cleaning measures to these newly paved roads at frequencies consistent with the existing paved roads in the immediate area.

Gary Works currently uses an asphalt based emulsion dust suppressant to control particulate emissions from unpaved roadways. A material data safety sheet (MSDS) for the current dust suppressant can be found in Appendix B. The minimum application frequencies are shown in Table 4. Note: Contractors are responsible for the treatment of roadways under their control.

4.4 Exposed Area Treatment

Unpaved open areas without roadway designations may require treatment to reduce windblown emissions or to prevent visible emissions from vehicular traffic that utilize these areas. Gary Works will commit to the opacity-based mechanism of the average instantaneous opacity of 10% as described in 326 IAC 6-1-11.1. Application of dust suppressant chemical will be done at a frequency and application rate to effectively control fugitive dust to the above stated opacity limitation. Table 5 lists unpaved open areas currently controlled by chemical dust suppressants at Gary Works and drawings nos. GW468070 and GW468071 show their locations. In addition to chemical treatment, selected open areas have been seeded with vegetation to inhibit the generation of fugitive dust. Current plans are to continue vegetating areas to prevent dust generation in open areas. Note: Contractors are responsible for the treatment of unpaved open areas under their control.

4.5 Material Storage Area Treatment

4.5.1 Sinter Plant Storage Pile Area

Measures to control fugitive emissions generated by mechanical disturbance and wind erosion of the storage piles in the sinter plant area are limited to water spraying, because by specification, hydrocarbon compounds like those contained in the dust suppressant chemicals are strictly

limited in the burden materials. This area will be routinely sprayed with water at a rate and frequency necessary to achieve compliance with the applicable emissions limitation.

4.5.2 Coal Stockpile and Delivery Management

Coal stockpile management focuses on the reduction of inventory and land used for coal storage. Coal deliveries are scheduled to maximize availability to utilize coal directly as efficiently as possible. Adherence to shipping schedule is a priority for all concerned parties involved including coal suppliers, railroads and USS.

4.5.3 Coal Storage Pile Areas

A dust suppressant will be applied to coal storage piles, April through November, on an as needed basis to meet the opacity limitation specified in 326 IAC 6-1-11.1. The material safety data sheet for the currently used dust suppressant can be found in Appendix B.

4.5.4 Coke Loading Station Transfers

Coke is transferred to the blast furnaces via three loading stations located at the coke plant. A dust suppressant will be applied at these loading stations should this material transfer activity generate excessive fugitive particulate emissions as specified in 326 IAC 6-1-11.1. The material safety data sheet for the currently used dust suppressant can be found in Appendix B.

4.6 Material Transfer and Inplant Transportation Control

4.6.1 Vehicle Speed Control

All plant roads shall have posted 20 mph speed limits with a few exceptions dependent upon location and utilization. Enforcement of these posted speed limits shall be the responsibility of the various plant security forces who will employ security vehicles and radar.

4.6.2 Inplant Transportation

Inplant transportation of material by truck will be carried out in such a manner that meets the opacity standard found in 326 IAC 6-1-11.1 (d)(6). Material transported by rail or trucks that generate visible particulate emissions will be covered to meet the applicable emission limit.

4.7 Other control Measures

Gary Works has a program to evaluate and improve paved and unpaved roads on an as needed basis when funds are available.

Vacuum sweeping or flushing on paved roads will continue and the unpaved shoulders of the more heavily traveled roads will be treated with a dust suppressant.

The use of open areas as roadways creates a dust problem because vehicles may veer off paved roads to travel on exposed open areas and can track dust onto paved road surfaces. In addition, in some parts of the plant, vehicles can travel in and out of material processing areas although alternate routes can be taken. In order to limit the use of open areas as roadways and reduce the volume of traffic in material processing areas, signs and concrete barriers may be used to redirect traffic at selected locations. The placement of signs and concrete barriers will be coordinated with knowledgeable plant personnel. After the signs and barriers are in place, additional traffic control measures will be evaluated that will further limit the generation of fugitive dust.

As an alternative to eliminate treatment, selected exposed areas may be seeded with an appropriate ground cover to limit or eliminate the generation of fugitive particulate. The type of ground cover to be established will be appropriate to the soil and climatic conditions at the Gary Works, and will be self-sustaining.

5.0 CONDITIONS PREVENTING USE OF CONTROL MEASURES

Under the following set of conditions, USS Gary Works will not perform the control measures as listed above:

5.1 Conditions for Paved Roads

The cleaning of paved road segments may be delayed when:

- It is raining or snowing at the time of the scheduled cleaning.
- Rain of 0.1 or more inches or 0.5 inches or more of snow has accumulated during the 24-hour period prior to the scheduled cleaning.
- The temperature is below 32°F at the scheduled time of cleaning, use of high pressure water flushing will be discontinued due to the potential for ice buildup on roadways.
- The road segment is closed or abandoned. Abandoned roads will be barricaded to prevent vehicle access.
- Treatment is not required because the roadway meets the opacity limitation specified in 326 IAC 6-1-11.1.

In the event that consecutive rain or snow days create a condition where a severe backlog of road segments to be cleaned exists, USS will make a reasonable effort to eliminate this backlog as soon as conditions permit.

5.2 Conditions for Unpaved Roadways and Areas and Storage Piles

The treating of unpaved road segments, unpaved areas, or storage piles may be delayed when:

- It is raining or snowing at the time of the scheduled treatment.
- Greater than 0.1 inches of rain or 0.5 inches of snow has accumulated during the 24-hour period prior to the scheduled treatment.
- Road segments, areas, or piles are saturated with water such that chemical dust suppressants cannot be accepted by the surface.
- Road segments, areas, or piles are frozen or covered by ice, snow or standing water.

- The road segment or area is closed or abandoned. Abandoned roads will be barricaded.
- Treatment is not required because the unpaved road or open area meets the opacity limitation specified in 326 IAC 6-1-11.1.
- Sustained wind speeds are excessive.

The treatment of exposed areas and storage piles may be temporarily suspended during periods when excessive wind speeds would result in ineffective or wasteful chemical use. [top↑](#)

6.0 SCHEDULE FOR ACHIEVING COMPLIANCE

6.1 Road Paving Program

Road paving and repairing is an ongoing program at the plant. It is expected that the paving of unpaved roads, and paved roads in poor condition, will continue.

6.2 Road Cleaning Program

The road cleaning program was implemented on January 1, 1994, and continues.

6.3 Storage Pile, Material Handling & Transfer, and Exposed Area Treatment

The treatment of storage piles, material handling and transfer activities, and exposed areas was implemented on January 1, 1994, and continues.

6.4 Other Fugitive Dust Control Activities

Other fugitive dust control measures as described in Section 4.7 will continue.

7.0 RECORD KEEPING AND REPORTING

7.1 Drawings Showing Controlled Emission Sources

The drawings showing the locations of the controlled roadways, parking lots, storage piles, open areas, and material handling will be kept in the Environmental Control Division Office. Drawings will also be maintained showing the locations of all areas under the control of outside contractors at USS Gary Works.

7.2 Records of Water or Chemical Applications

Records will be kept on file of all sweeping and flushing and chemical treatments that are performed on the fugitive dust sources covered by this control plan. These forms will be kept in the Environmental Compliance, Energy and Environmental Control Division Office. The following information will be contained on the form:

- The name and location of the roadway, area, or pile controlled.
- The application rate.
- The time of each application.
- The area covered by each application.
- Identification of each method of application.

- The total quantity of water or chemical used for each application.
- For each application of chemical solution, the concentration and identity of the chemical.

If special physical or chemical treatment occurs on an area or facility within the plant as specified in 326 IAC 6-1-11.1 part (e), paragraph (4)(C), the following information will be provided in the log:

- The name of the physical or chemical agent used.
- The location of the application,
- The application rate.
- The total quantity of agent used.
- If the agent was diluted, the percent of concentration.

7.3 Records of Eliminated or Delayed Treatments

A log will be maintained for the reporting of incidents that prevent the application of control measures. For each incident, the date along with a specific explanation as to why the control measures were not implemented will be provided. This notation should also include any necessary corrective action to be taken.

7.4 Maintenance of Records

A section will be established within the Environmental Control Division Office for the Storage of five (5) years of records pertaining to fugitive particulate control measures. Copies of all records required will be submitted to IDEM within twenty (20) working days upon written request. These records will be available for inspection and copying by IDEM department representatives during normal working hours.

7.5 Quarterly Reports

A quarterly report will be submitted by the Environmental Control Division Office containing the following information:

- The dates on which any of the required control measures were not implemented.
- A listing of the above control measures.
- The reasons that the control measures were not implemented.
- Any corrective action taken, that may be necessary.

This report will be submitted to the IDEM within 30 calendar days after the end of the quarter. The quarters end on March 31, June 30, September 30, and December 31.

7.6 Changing of Control Plan

The plan administrator will review and update the plan as necessary. A copy of the revised plan will be provided to IDEM upon request. The plan will also be revised if IDEM determines that the requirements of the control plan have not been met and requests such revisions in writing. The plan will also be revised if a significant change occurs on a road, area, or transfer procedure which would make the current control measure obsolete, such as an unpaved road being paved.

8.0 FUGITIVE EMISSION MONITORING PROGRAM

8.1 Silt Sampling of Paved Road

If requested by IDEM, USS Gary Works will provide representative silt loading measurements for a maximum of ten paved roads per month during the months of April through November. Silt loadings will be measured in accordance with the procedures provided in the Rule. IDEM will have the right to specify the road segments to be sampled.

8.2 Opacity Monitoring of Fugitive Emission Sources

A visible emission based mechanism as described in 326 IAC 6-1-11.1 (d)(1-9) will be used to determine the effectiveness of this treatment program. Opacity readings will be taken one day per month of paved and unpaved roads, parking lots, material handling, processing, transfer activities, wind erosion of storage piles and exposed areas during the months of April through November. Opacity readings will help to determine the effectiveness of the program and identify areas where corrective action may be necessary to maintain compliance. [top↑](#)

LIST OF DRAWINGS

GW468068 - Paved Roadways and Paved Parking Lots (West)

GW468069 - Paved Roadways and Paved Parking Lots (East)

GW468070 - Unpaved Roadways and Open Areas (West)

GW468071 - Unpaved Roadways and Open Areas (East)

GW487814 - Storage Piles and Material Handling (West)

GW487815 - Storage Piles and Material Handling (East)

TABLES

Table 1 - Paved Roads

Table 2 - Paved Parking Lots

Table 3 - Unpaved Roads

Table 4 - Control Levels of Applications to Unpaved Roads

Table 5 - Unpaved Open Areas

APPENDICES

Appendix A (Background Data for Estimating Particulate Emissions) [top↑](#)

A roads

B roads

C roads

D roads

E roads

Fugitives

Material handling

Modeling Area Designations

Outdoor storage piles

Road Segments

Appendix B (Material Safety Data Sheets for Dust Suppressants) top↑

Asphotac 18883 MSDS

EC-46 MSDS

PetroTac MSDS

Indiana Department of Environmental Management
Office of Air Quality

Technical Support Document (TSD) for a Part 70 Administrative Operating Permit
Renewal

Source Background and Description

Source Name:	AKJ Industries, Inc.
Source Location:	One North Broadway, Gary, IN 46706
County:	Lake
SIC Code:	3312
Permit Renewal No.:	T089-30619-00505
Permit Reviewer:	RLO

The Office of Air Quality (OAQ) has reviewed the administrative operating permit renewal application from AKJ Industries, Inc. relating to the operation of a stationary coal tar sludge processing plant. On June 8, 2011, AKJ Industries, Inc. submitted an application to the OAQ requesting to renew its Part 70 Administrative Operating Permit. AKJ Industries, Inc. was issued its first Part 70 Administrative Operating Permit T089-22772-00505 on May 24, 2007.

Source Definition

This integrated steel mill consists of a main mill and eight (8) on-site contractors:

- (a) U. S. Steel - Gary Works, plant Id 089-00121, the primary operation, located at One North Broadway, Gary, Indiana 46402;
- (b) Central Teaming Company, plant Id 089-00172, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (c) Heckett Multiserv, plant Id 089-00170, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (d) International Mill Service, Inc. plant Id 089-00132, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (e) AKJ Industries, Inc., plant Id 089- 00505, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (f) Levy- Indiana Slag Company, plant Id 089-00133, the on-site contractor, located at One North Buchanan Street, Gary, Indiana 46401;
- (g) Mid-Continent Coal and Coke Company, plant Id 089-00173, the on-site contractor, located at One North Broadway, Gary, Indiana 46402;
- (h) Tube City, Inc., plant Id 089-00174, the on-site contractor located at One North Broadway, Gary, Indiana 46401.
- (i) U.S. Aggregates, Inc., plant Id 089- 05256, the on-site contractor, located at One North Broadway, Gary, Indiana 46402.

Separate Part 70 permits will be issued to US Steel - Gary Works and each on site contractor, solely for administrative purposes.

Permitted Emission Units and Pollution Control Equipment

The source consists of the following permitted emission units:

- (a) One (1) process mixing tank, identified as T001, constructed in 2006, with a maximum capacity of 3,000 gallons and a maximum processing capacity of 4,000 gallons in eight (8) hours.
- (b) One (1) product storage tank, identified as T002, constructed in 2006, with a maximum storage capacity of 10,000 gallons.
- (c) One (1) diluent storage tank, identified as T003, constructed in 2006, with a maximum storage capacity of 6,000 gallons.
- (d) One (1) product storage tank, identified as T004, constructed in 2009, with a maximum storage capacity of 5,000 gallons.
- (e) One (1) product storage tank, identified as T005, constructed in 2009, with a maximum storage capacity of 3,500 gallons.

Emission Units and Pollution Control Equipment Constructed and/or Operated without a Permit

There are no unpermitted emission units operating at this source during this review process.

Insignificant Activities

The source also consists of the following insignificant activities:

- (a) Specifically Regulated Insignificant Activities:
 - (1) One (1) 275 gallon diesel tank. [326 IAC 8-9-1] [326 IAC 8-9-6]
- (b) Other Insignificant Activities:
 - (1) Equipment powered by internal combustion engines of the capacity equal to or less than 500,000 Btu/hour, except where total capacity of equipment operated by one stationary source exceeds 2,000,000 Btu/hour.

Existing Approvals

Since the issuance of the Part 70 Operating Permit T089-22772-00505 on May 24, 2007, the source has constructed or has been operating under the following additional approvals:

- (a) Administrative Amendment No. 089-27452-00505 issued on February 23, 2009.
- (b) Former permit Conditions D.1.1 which are related to the four (4) product storage tanks, one (1) process mixing tank and one (1) diluent tank, have been removed from the permit because 326 IAC 6.8-1-2(a) applies to particulate emission units located in Lake County. The storage tanks have no particulate emissions. Therefore, the following term and condition was removed from the permit as follows:

~~D.1.1 Particulate Matter Emissions Lake County [326 IAC 6.8-1-2(a)]~~

~~Pursuant to 326 IAC 6.8-1-2(a), the particulate emissions from the process mixing tank T001, product storage tanks T002, T004, T005, and diluent tank T003 shall not exceed 0.03 gr/dscf.~~

Enforcement Issue

There are no enforcement actions pending.

Emission Calculations

See Appendix A of this document for detailed emission calculations.

County Attainment Status

The source is located in Lake County.

Pollutant	Designation
SO ₂	Better than national standards.
CO	Attainment effective February 18, 2000, for the part of the city of East Chicago bounded by Columbus Drive on the north; the Indiana Harbor Canal on the west; 148 th Street, if extended, on the south; and Euclid Avenue on the east. Unclassifiable or attainment effective November 15, 1990, for the remainder of East Chicago and Lake County.
O ₃	Attainment effective May 11, 2010, for the 8-hour ozone standard. ¹
PM ₁₀	Attainment effective March 11, 2003, for the cities of East Chicago, Hammond, Whiting, and Gary. Unclassifiable effective November 15, 1990, for the remainder of Lake County.
NO ₂	Cannot be classified or better than national standards.
Pb	Not designated.

¹The U. S. EPA has acknowledged in both the proposed and final rulemaking for this redesignation that the anti-backsliding provisions for the 1-hour ozone standard no longer apply as a result of the redesignation under the 8-hour ozone standard. Therefore, permits in Lake County are no longer subject to review pursuant to Emission Offset, 326 IAC 2-3.
 Basic nonattainment designation effective federally April 5, 2005, for PM_{2.5}.

- (a) **Ozone Standards**
 Volatile organic compounds (VOC) and Nitrogen Oxides (NO_x) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NO_x emissions are considered when evaluating the rule applicability relating to ozone. Lake County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NO_x emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

- (b) **PM_{2.5}**
 U.S. EPA, in the Federal Register Notice 70 FR 943 dated January 5, 2005, has designated Lake County as nonattainment for PM_{2.5}. On March 7, 2005 the Indiana Attorney General's Office, on behalf of IDEM, filed a lawsuit with the Court of Appeals for the District of Columbia Circuit challenging U.S. EPA's designation of nonattainment areas without sufficient data. However, in order to ensure that sources are not potentially liable for a violation of the Clean Air Act, the OAQ is following the U.S. EPA's New Source Review Rule for PM_{2.5} promulgated on May 8, 2008. These rules became effective on July 15, 2008. Therefore, direct PM_{2.5} and SO₂ emissions were reviewed pursuant to the requirements of Nonattainment New Source Review, 326 IAC 2-1.1-5. See the State Rule Applicability – Entire Source section.

- (c) **Other Criteria Pollutants**
 Lake County has been classified as attainment or unclassifiable in Indiana for PM₁₀, SO₂, NO₂, CO and Pb. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

Fugitive Emissions

Since this source is classified as an integrated steel mill, it is considered one of the twenty-eight (28) listed source categories, as specified in 326 IAC 2-2, 326 IAC 2-3, or 326 IAC 2-7. Therefore, fugitive emissions are counted toward the determination of PSD, Emission Offset, and Part 70 Permit applicability.

**Unrestricted Potential Emissions US Steel - Gary Works (089-00121)
 and AKJ Industries, Inc. (089-00505)**

This table reflects the unrestricted potential emissions of the source.

Unrestricted Potential Emissions	
Pollutant	Tons/year
PM	greater than 100
PM ₁₀	greater than 100
PM _{2.5}	greater than 100
SO ₂	greater than 100
VOC	greater than 100
CO	greater than 100
NO _x	greater than 100
GHG	greater than 100,000
Single HAP	greater than 10
Total HAP	greater than 25

- (a) The potential to emit (as defined in 326 IAC 2-7-1(29)) of all criteria pollutants are equal to or greater than 100 tons per year. Therefore, the source is subject to the provisions of 326 IAC 2-7 and will be issued a Part 70 Administrative Operating Permit Renewal.
- (b) The potential to emit (as defined in 326 IAC 2-7-1(29)) of GHG is equal to or greater than one hundred thousand (100,000) tons of CO₂ equivalent (CO₂e) emissions per year. Therefore, the source is subject to the provisions of 326 IAC 2-7 and will be issued a Part 70 Administrative Operating Permit Renewal.

Actual Emissions

The following table shows the actual emissions as reported by AKJ Industries, Inc. This information reflects the 2009 OAQ emission data.

Pollutant	Actual Emissions (tons/year)
PM	Not reported
PM ₁₀	Not reported
SO ₂	Not reported
VOC	0
CO	Not reported
NO _x	Not reported

HAP (specify)	Not reported
---------------	--------------

Part 70 Permit Conditions

This source is subject to the requirements of 326 IAC 2-7, because the source met the following:

- (a) Emission limitations and standards, including those operational requirements and limitations that assure compliance with all applicable requirements at the time of issuance of Part 70 permits.
- (b) Monitoring and related record keeping requirements which assume that all reasonable information is provided to evaluate continuous compliance with the applicable requirements.

Potential to Emit After Issuance

The table below summarizes the potential to emit, reflecting all limits, of the emission units. Any new control equipment is considered federally enforceable only after issuance of this Part 70 permit renewal, and only to the extent that the effect of the control equipment is made practically enforceable in the permit.

Process/ Emission Unit	Potential To Emit of the Entire Source After Issuance of Renewal (tons/year)									
	PM	PM ₁₀ *	PM _{2.5} **	SO ₂	NO _x	VOC	CO	GHG	Total HAPs	Worst Single HAP
Process mixing tank/ T001	negl.	negl.	negl.	negl.	negl.	1.20	negl.	negl.	1.20	0.68
Product storage tank/ T002	negl.	negl.	negl.	negl.	negl.	2.98	negl.	negl.	2.98	1.70
Diluent storage tank/ T003	negl.	negl.	negl.	negl.	negl.	1.49	negl.	negl.	1.49	0.85
Product storage tank/ T004	negl.	negl.	negl.	negl.	negl.	1.20	negl.	negl.	1.20	0.68
Product storage tank/ T005	negl.	negl.	negl.	negl.	negl.	1.00	negl.	negl.	1.00	0.57
Insignificant Activities/Combustion	0.1	0.4	0.4	0	5.5	0.3	4.6	6,610.0	14.59	9.86
Total PTE of AKJ Industries, Inc.	negl.	negl.	negl.	negl.	negl.	7.87	negl.	negl.	22.46	9.86
PSD Significant Level	25	15	---	40	40	40	100	---	25	10
Nonattainment NSR Significant Level	---	---	10	---	---	---	---	---	---	---

negl. = negligible

*Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".

**PM_{2.5} listed is direct PM_{2.5}.

- (a) This existing stationary source is major for PSD because the emissions of at least one criteria pollutant are greater than one hundred (>100) tons per year, the emissions of GHG are greater than one hundred thousand (>100,000) tons of CO₂ equivalent (CO₂e) emissions per year, and it is in one of the twenty-eight (28) listed source categories.

Federal Rule Applicability

- (a) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is applicable to each existing pollutant-specific emission unit that meets the following criteria:
- (1) has a potential to emit before controls equal to or greater than the major source threshold for the pollutant involved;
 - (2) is subject to an emission limitation or standard for that pollutant; and
 - (3) uses a control device, as defined in 40 CFR 64.1, to comply with that emission limitation or standard.

Based on this evaluation, the requirements of 40 CFR Part 64, CAM are not applicable to any of the existing units as part of this Part 70 permit renewal because no emission unit has a control device.

NSPS:

- (b) The process mixing tank T001, product storage tanks T002, T004, T005, diluent tank T003, and diesel storage tank are not subject to the New Source Performance Standard, 326 IAC 12, (40 CFR Part 60, Subpart Kb), Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984, because this rule applies to storage vessels with a capacity greater than or equal to 75 cubic meters (m³) (19812.9 gallons) that are used to store volatile organic liquids (VOL) for which construction, reconstruction, or modification is commenced after July 23, 1984. The process mixing tank T001, product storage tanks T002, T004, T005, diluent tank T003, and diesel storage tank all have a capacity less than 75 cubic meters (m³). Therefore, the requirements of 40 CFR Part 60, Subpart Kb do not apply.

NESHAP:

- (c) There are no National Emission Standards for Hazardous Air Pollutants (NESHAP) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included in this permit renewal.

State Rule Applicability - Entire Source

326 IAC 1-6-3 (Preventive Maintenance Plan)
The source is subject to 326 IAC 1-6-3.

326 IAC 2-2 (Prevention of Significant Deterioration (PSD))
This source is not in one (1) of the twenty-eight (28) source categories and the potential to emit of each criteria pollutant after controls is less than 250 tons per year. There have been no major modifications at the source. Therefore, AKJ Industries, Inc. is a minor source under PSD and the provisions of 326 IAC 2-2 do not apply.

326 IAC 2-6 (Emission Reporting)
This source is subject to 326 IAC 2-6 (Emission Reporting) because it is located in Lake County and its emissions of VOC and NOx are greater than 25 tons per year. Therefore, pursuant to 326 IAC 2-6-3(a)(1), annual reporting is required. An emission statement shall be submitted by July 1, 2012 and every year thereafter. The emission statement shall contain, at a minimum, the information specified in 326 IAC 2-6-4.

326 IAC 5-1 (Opacity Limitations)
This source is subject to the opacity limitations specified in 326 IAC 5-1-2.

326 IAC 6.8-10 (Lake County: Fugitive Particulate Matter Control)

The source is subject to the limits in 326 IAC 6.8-10, because particulate matter emissions from source wide activities are greater than five (5) tons per year. The Permittee shall achieve these limits by controlling fugitive particulate matter emissions according to the Fugitive Dust Control Plan submitted on March 1, 2003 (See Attachment A).

326 IAC 6.8-11 (Lake County: Particulate Matter Contingency Measures)

The source is subject to 326 IAC 6.8-11 because it is subject to the requirements of 326 IAC 6.8-10-3. Pursuant to this rule, the source shall comply with 326 IAC 6.8-11-4 and 326 IAC 6.8-11-6.

State Rule Applicability – Individual Facilities

326 IAC 2-4.1 (Major Source of Hazardous Air Pollutants (HAPS))

Each of the mixing and storage tanks identified as T001, T002, T003, T004, and T005 will emit less than 10 tons per year of a single HAP and 25 tons per year of a combination of HAPs. Therefore, 326 IAC 2-4.1 does not apply.

326 IAC 6-3 (Particulate Matter Limitations for Manufacturing Operations)

The coal tar sludge processing plant is not subject to the requirements of 326 IAC 6-3, because the plant is subject to the requirements of 326 IAC 6.8-1-2(a) (Particulate Matter Limitations for Lake County).

326 IAC 6-4 (Fugitive Dust Emissions)

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions). 326 IAC 6-4-2(4) is not federally enforceable.

326 IAC 7-1.1 (Sulfur Dioxide (SO₂) Emission Limitations) and 326 IAC 7-4.1-1 (Lake County SO₂ Emission Limitations)

This coal tar sludge processing plant is not subject to the requirements of 326 IAC 7-1.1 (Sulfur Dioxide (SO₂) Emission Limitations) and 326 IAC 7-4.1-1 (Lake County SO₂ Emission Limitations), because the equipment does not have the potential to emit twenty five (25) tons per year or more of SO₂.

326 IAC 8-1-6 (New facilities: General reduction requirements)

This coal tar sludge processing plant is not subject to the requirements of 326 IAC 8-1-6, because the uncontrolled VOC emissions are less than 25 tons per year.

326 IAC 8-9-1 and 326 IAC 8-9-6 (Volatile Organic Liquid Storage Vessels)

The source is subject to the to the reporting and record keeping requirements of 326 IAC 8-9-6 (a) and (b), because the process mixing tank T001, product storage tanks T002, T004, T005, and diluent storage tank T003 are stationary vessels constructed after October 1, 1995 that store volatile organic liquids (VOL) located in, Lake County with a capacity of less than thirty nine thousand (39,000) gallons. The VOL storage vessels are exempt from all other provisions of this rule.

326 IAC 9-1 (Carbon Monoxide Emission Rules)

This rule does not apply because this coal tar sludge processing plant does not contain the specific operations regulated under 326 IAC 9.

Compliance Determination and Monitoring Requirements

Permits issued under 326 IAC 2-7 are required to ensure that sources can demonstrate compliance with all applicable state and federal rules on a continuous basis. All state and federal rules contain compliance provisions; however, these provisions do not always fulfill the requirement for a continuous demonstration. When this occurs, IDEM, OAQ, in conjunction with

the source, must develop specific conditions to satisfy 326 IAC 2-7-5. As a result, Compliance Determination Requirements are included in the permit. The Compliance Determination Requirements in Section D of the permit are those conditions that are found directly within state and federal rules and the violation of which serves as grounds for enforcement action.

If the Compliance Determination Requirements are not sufficient to demonstrate continuous compliance, they will be supplemented with Compliance Monitoring Requirements, also in Section D of the permit. Unlike Compliance Determination Requirements, failure to meet Compliance Monitoring conditions would serve as a trigger for corrective actions and not grounds for enforcement action. However, a violation in relation to a compliance monitoring condition will arise through a source's failure to take the appropriate corrective actions within a specific time period.

There are no new Compliance Determination and Monitoring Requirements included in this Part 70 Administrative Operating Permit Renewal.

Recommendation

The staff recommends to the Commissioner that the Part 70 Administrative Operating Permit Renewal be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

An application for the purposes of this review was received on June 8, 2011.

Conclusion

The operation of this coal tar sludge processing plant shall be subject to the conditions of the attached Part 70 Administrative operating Permit Renewal No. 089-30619-00505.

IDEM Contact

- (a) Questions regarding this proposed permit can be directed to Roger Osburn at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 233-0242 or toll free at 1-800-451-6027 extension 3-0242.
- (b) A copy of the findings is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

Appendix A: Emission Calculations

VOC/HAPS

Coal Tar Sludge Processing Operations

Source Name: AKJ Industries, Inc.
Source Location: One North Broadway, Gary, IN 46402
County: Lake
SIC Code: 3312
Part 70 Administrative Permit Renewal No.: 089-30619-00505
Permit Reviewer: RLO

Emission Unit	Maximum Process/Storage Capacity (gal/8 hr)	Maximum Capacity (gal/yr)	Total VOC (tons/yr)	Single HAP (tons/yr)	Combination of HAPS (tons/yr)
Tank T001	4000	4380000	1.20	0.68	1.20
Tank T002	10000	10950000	2.99	1.70	2.99
Tank T003	5000	5475000	1.49	0.85	1.49
Tank T004	4000	4380000	1.20	0.68	1.20
Tank T005	3500	3832500	1.05	0.60	1.05
Total			7.92	4.52	7.92

Note: The emissions from the storage tanks are based on the highest VOC content of the sludge, assuming that the entire VOC and HAP content of the annual throughput of sludge is emitted.

VOC: Highest VOC content of sludge = 0.000546 lb/gal.

The sludge contains naphthalene, benzene, toluene and xylenes, with benzene (highest HAP content) comprising 57% of the total HAPs.

The material processed from the storage tanks will be bottlenecked by the maximum production rate of 4000 gallons/8 hours.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Jack Burnside
AKJ Industries, Inc.-contractor of US Steel (00121
10175 Six Mile Cypress Pkwy
Fort Myers, FL 339663

DATE: February 23, 2012

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Title V
089-30619-00505

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

February 23, 2012

TO: Gary Public Library

From: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Subject: **Important Information for Display Regarding a Final Determination**

Applicant Name: AKJ Industries Inc.
Permit Number: 089-30619-00505

You previously received information to make available to the public during the public comment period of a draft permit. Enclosed is a copy of the final decision and supporting materials for the same project. Please place the enclosed information along with the information you previously received. To ensure that your patrons have ample opportunity to review the enclosed permit, **we ask that you retain this document for at least 60 days.**

The applicant is responsible for placing a copy of the application in your library. If the permit application is not on file, or if you have any questions concerning this public review process, please contact Joanne Smiddie-Brush, OAQ Permits Administration Section at 1-800-451-6027, extension 3-0185.

Enclosures
Final Library.dot 11/30/07

Mail Code 61-53

IDEM Staff	CDENNY 2/23/2012 AKJ Industries, Inc.-contractor of US Steel 089-30619-00505 (final)		AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING	
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: CERTIFICATE OF MAILING ONLY	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Jack Burnside AKJ Industries, Inc.-contractor of US Steel (00121 10175 Six Mile Cypress Pkwy Fort Myers FL 33966 (Source CAATS)										
2		Jim Marcum COO AKJ Industries, Inc.-contractor of US Steel (00121 10175 Six Mile Cypress Pkwy Fort Myers FL 33966 (RO CAATS)										
3		East Chicago City Council 4525 Indianapolis Blvd East Chicago IN 46312 (Local Official)										
4		Gary - Hobart Water Corp 650 Madison St, P.O. Box M486 Gary IN 46401-0486 (Affected Party)										
5		Gary Mayors Office 401 Broadway # 203 Gary IN 46402 (Local Official)										
6		Gary Public Library 220 W 5th Avenue Gary IN 46402 (Library)										
7		Lake County Health Department-Gary 1145 W. 5th Ave Gary IN 46402-1795 (Health Department)										
8		WJOB / WZVN Radio 6405 Olcott Ave Hammond IN 46320 (Affected Party)										
9		Laurence A. McHugh Barnes & Thornburg 100 North Michigan South Bend IN 46601-1632 (Affected Party)										
10		Shawn Sobocinski 3229 E. Atlanta Court Portage IN 46368 (Affected Party)										
11		Ms. Carolyn Marsh Lake Michigan Calumet Advisory Council 1804 Oliver St Whiting IN 46394-1725 (Affected Party)										
12		Mark Coleman 9 Locust Place Ogden Dunes IN 46368 (Affected Party)										
13		Mr. Chris Hernandez Pipefitters Association, Local Union 597 8762 Louisiana St., Suite G Merrillville IN 46410 (Affected Party)										
14		Craig Hogarth 7901 West Morris Street Indianapolis IN 46231 (Affected Party)										
15		Lake County Commissioners 2293 N. Main St, Building A 3rd Floor Crown Point IN 46307 (Local Official)										

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--

Mail Code 61-53

IDEM Staff	CDENNY 2/23/2012 AKJ Industries, Inc.-contractor of US Steel 089-30619-00505 (final)		AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	 Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: CERTIFICATE OF MAILING ONLY	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Anthony 2006 E. 140th Street East Chicago IN 46312 (Affected Party)										
2		Barbara G. Perez 506 Lilac Street East Chicago IN 46312 (Affected Party)										
3		Mr. Robert Garcia 3733 Parrish Avenue East Chicago IN 46312 (Affected Party)										
4		USS Steel Gary Works One North Broadway Gary IN 46402 (Source ? addl contact)										
5		Ms. Karen Kroczek 8212 Madison Ave Munster IN 46321-1627 (Affected Party)										
6		Joseph Hero 11723 S Oakridge Drive St. John IN 46373 (Affected Party)										
7		Gary City Council 401 Broadway # 209 Gary IN 46402 (Local Official)										
8		Mr. Larry Davis 268 South, 600 West Hebron IN 46341 (Affected Party)										
9		Gitte Laasby Post Tribune 1433 E. 83rd Ave Merrillville IN 46410 (Affected Party)										
10		Susan Severtson City of Gary Law Dept. 401 Broadway 4th Floor Gary IN 46402 (Local Official)										
11		Mark Zeltwanger 26545 CR 52 Nappanee IN 46550 (Affected Party)										
12		Kimberly Pesenko MACTEC Engineering & Consulting, Inc. 8745 Higgins, Suite 300 Chicago IL 60631 (Consultant)										
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--