



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: July 8, 2011

RE: Adams Funeral Home / 019-30639-00111

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

July 8, 2011

Mark E. Adams
Adams Funeral Home
209 S. Ferguson Street
Henryville, IN 47126

Re: 019-30639-00111
Transfer of Ownership and Name Change
Exempt Operation Status
E019-17366-00111

Dear Mark E. Adams:

On February 19, 2003, Pyke Cremation Services, was issued an Exemption No. E019-17191-00111 for a crematory incinerator for human remains and containers, identified as BL-01, located at 209 S. Ferguson Street, Henryville, IN 47126. On July 14, 2003, Kentuckiana Pet Cremation was issued an Exemption No. E019-17366-00111, for a crematory incinerator for dead animal remains, identified as BL-02, located at 209 S. Ferguson Street, Henryville, IN 47126. On June 15, 2011, the Office of Air Quality (OAQ) received an application from the source requesting that the exemption be updated to indicate a change in the ownership and company name to Adams Funeral Home. Since these two (2) crematory incinerators are located at the same address and now owned by the same owner, they will be permitted under one Exemption (019-17366-00111). This transfer of ownership letter will supersede Exemption No. E019-17191-00111, issued on February 19, 2003.

The potential to emit calculations for the two (2) crematory incinerators has been updated to include the most recently published emission factors from EPA's AP-42 Compilation of Air Pollutant Emission Factors and to include greenhouse gas (GHG) emissions (see Attachment A).

Based on the data submitted and the provisions in 326 IAC 2-1.1-3, it has been determined that the following stationary crematory source located at 209 S. Ferguson Street, Henryville, IN 47126 is classified as exempt from the registration and construction permit requirements:

- (a) one (1) crematory incinerator with an afterburner for human remains and containers, identified as BL-01, constructed in 2003, with a maximum capacity of 150 pounds per hour, supplemented by natural gas fuel at a maximum heat input rate of 1.50 million British Thermal Units per hour (MMBtu/hr) (primary chamber at 0.50 MMBtu/hr and secondary chamber at 1.00 MMBtu/hr).
- (b) one (1) crematory incinerator with an afterburner for dead animal remains, identified as BL-02, constructed in 2003, with a maximum capacity of 150 pounds per hour, supplemented by natural gas fuel at a maximum heat input rate of 1.50 million British Thermal Units per hour (MMBtu/hr) (primary chamber at 0.50 MMBtu/hr and secondary chamber at 1.00 MMBtu/hr).

As part of this transfer of ownership letter, IDEM OAQ has evaluated the applicability of the following federal and state rules:

- (a) The requirements of the New Source Performance Standards for Hospital/Medical/ Infectious Waste Incinerators, 40 CFR 60.50, Subpart Ec (326 IAC 12), are not included in this exemption, because each of the crematory incinerators is not a hospital/medical/ infectious waste incinerator as defined by 40 CFR 60.51c. Pursuant to the definitions under 40 CFR 60.51c, "hospital waste" and "medical/infectious waste" do not include remains that are intended cremation.
- (b) The requirements of the following New Source Performance Standards (NSPS) are not included in this exemption, because each of the crematory incinerators is not considered a municipal waste combustor and does not burn municipal type waste:
 - (1) 40 CFR 60, Subpart E (60.50 through 60.54), Standards of Performance for Standards of Performance for Incinerators (326 IAC 12);
 - (2) 40 CFR 60, Subpart Ea (60.50a through 60.59a), Standards of Performance for Large Municipal Waste Combustors for Which Construction is Commenced after December 20, 1989 and on or before September 20, 1994 (326 IAC 12);
 - (3) 40 CFR 60, Subpart Eb (60.50b through 60.59b), Standards of Performance for Large Municipal Waste Combustors for Which Construction is Commenced after September 20, 1994, or for Which Modification or Reconstruction is commenced after June 19, 1996 (326 IAC 12);
 - (4) 40 CFR 60, Subpart AAAA (60.1000 through 60.1465), Standards of Performance for Small Municipal Waste Combustion Units for Which Construction is Commenced After August 30, 1999 or for Which Modification or Reconstruction is Commenced After June 6, 2001 (326 IAC 12).
- (c) The requirements of the New Source Performance Standard (NSPS) for Commercial and Industrial Solid Waste Incinerations Units for Which Construction is Commenced After November 30, 1999 or for Which Modification or Reconstruction is Commenced on or After June 1, 2001, 40 CFR 60, Subpart CCCC (60.2000 through 60.2265) (326 IAC 12), are not included in this exemption, because each of the crematory incinerators is not considered a commercial and industrial solid waste incineration (CISWI) unit as defined 40 CFR 60.2265. Pursuant to the definitions under 40 CFR 60.2265, a commercial and industrial solid waste incineration (CISWI) unit does not include any of the fifteen types of units described in 40 CFR 60.2555. Pursuant to 40 CFR 60.2555(a), incineration units burning 90 percent or more by weight (on a calendar quarter basis and excluding the weight of auxiliary fuel and combustion air) of pathological waste, low-level radioactive waste, and/or chemotherapeutic waste as defined in 40 CFR 60.2875 are not subject to this subpart if you meet the two requirements specified in paragraphs (a)(1) and (2) of this section.
 - (1) Notify the Administrator that the unit meets these criteria.
 - (2) Keep records on a calendar quarter basis of the weight of pathological waste, low-level radioactive waste, and/or chemotherapeutic waste burned, and the weight of all other fuels and wastes burned in the unit.

In order to demonstrate that each of the crematory incinerators is not subject to the requirements of 40 CFR 60, Subpart CCCC (326 IAC 12), the source shall comply with the two requirements specified in 40 CFR 60.2555(a)(1) and 40 CFR 60.2555(a)(2).

- (d) The requirements of the New Source Performance Standards for Other Solid Waste Incineration Units for Which Construction is Commenced After December 9, 2004 or for Which Modification or Reconstruction is commenced on or After June 16, 2006, 40 CFR 60, Subpart EEEE (60.2280 through 60, 2891), are not included in this exemption, because each of the crematory incinerators is not considered an other solid waste incineration (OSWI) unit as defined by 40 CFR 60.2977. Each of the crematory incinerators does not burn municipal solid waste or institutional waste as defined in 40 CFR 60.2977.
- (e) The requirements of 326 IAC 11-6 (Hospital/Medical/Infectious Waste Incinerators) are not included in this exemption, because each of the crematory incinerators is not a hospital/medical/ infectious waste incinerator and each incinerator was not constructed on or before June 20, 1996.
- (f) The requirements of 326 IAC 11-8 (Commercial and Industrial Solid Waste Incineration) are not included in this exemption, because each of the crematory incinerators is not considered a commercial and industrial solid waste incineration (CISWI) unit as defined 40 CFR 60.2875 and each incinerator was not constructed on or before November 30, 1999.

The following conditions shall be applicable:

1. Opacity Limitations [326 IAC 5-1-2]
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
 - (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity) monitor in a six (6) hour period.
2. Incinerators [326 IAC 4-2-2]
Pursuant to 326 IAC 4-2-2, the Permittee shall comply with the following:
 - (a) Each of the crematory incinerators shall comply with the following requirements:
 - (1) Consist of primary and secondary chambers or the equivalent.
 - (2) Be equipped with a primary burner unless burning only wood products.
 - (3) Comply with 326 IAC 5-1 (Opacity Limitations) and 326 IAC 2 (Permit Review Rules).
 - (4) Be maintained, operated, and burn waste in accordance with the manufacturer's specifications or an operation and maintenance plan as specified in subsection (b) below.
 - (5) Not emit particulate matter in excess of five-tenths (0.5) pound of particulate matter per one thousand (1,000) pounds of dry exhaust gas under standard conditions corrected to fifty percent (50%) excess air for incinerators with solid waste capacity less than two hundred (200) pounds per hour.

- (6) If any of the requirements of subdivisions (1) through (5) are not met, then the owner or operator shall stop charging the incinerator until adjustments are made that address the underlying cause of the deviation.
 - (7) The incinerator is exempt from requirement (5) if subject to a more stringent particulate matter emissions limit in 40 CFR 52 Subpart P, State Implementation Plan for Indiana.
 - (b) An owner or operator developing an operation and maintenance plan pursuant to subsection (a)(4) above must comply with the following for each of the crematory incinerators:
 - (1) The operation and maintenance plan must be designed to meet the particulate matter emission limitation specified in subsection (a)(5) above and include the following:
 - (A) Procedures for receiving, handling, and charging waste.
 - (B) Procedures for incinerator startup and shutdown.
 - (C) Procedures for responding to a malfunction.
 - (D) Procedures for maintaining proper combustion air supply levels.
 - (E) Procedures for operating the incinerator and associated air pollution control systems.
 - (F) Procedures for handling ash.
 - (G) A list of wastes that can be burned in the incinerator.
 - (2) Each incinerator operator shall review the plan before initial implementation of the operation and maintenance plan and annually thereafter.
 - (3) The operation and maintenance plan must be readily accessible to incinerator operators.
 - (4) The owner or operator of the incinerator shall notify the department, in writing, thirty (30) days after the operation and maintenance plan is initially developed pursuant to this section.
 - (c) The owner or operator of each incinerator must make the manufacturer's specifications or the operation and maintenance plan available to the department upon request.
3. Fugitive Dust Emissions Limitations [326 IAC 6-4]
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
4. Recordkeeping and Notification Requirements [40 CFR 60, Subpart CCCC] [326 IAC 12]
Pursuant to 40 CFR 60.2555(a)(1) and 40 CFR 60.2555(a)(2), in order to demonstrate that each of the crematory incinerators is not subject to the requirements of the New Source Performance Standard (NSPS) for Commercial and Industrial Solid Waste Incinerations Units for Which Construction is Commenced After November 30, 1999 or for Which Modification or Reconstruction is Commenced on or After June 1, 2001, 40 CFR 60, Subpart CCCC (326 IAC 12), the source shall comply with the following:

- (a) The Permittee shall notify the IDEM, OAQ that each of the crematory incinerators burns 90% or more by weight of pathological waste, excluding the weight of the auxiliary fuel and combustion air. The Permittee shall submit the notification to:


Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) The Permittee shall maintain records on a calendar quarter basis of the weight of pathological waste burned (excluding the weight of auxiliary fuel and combustion air) and the weight of all other fuels and wastes burned each of the crematory incinerators.
- (c) Pursuant to 40 CFR 60.2875, pathological waste means waste material consisting of only human or animal remains, anatomical parts, and/or tissue, the bags/containers used to collect and transport the waste material, and animal bedding (if applicable).
- (d) All records shall be retained for a period of at least five (5) years from the date of the measurement. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

A copy of the Exemption is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source. If you have any questions on this matter, please contact Nathan Bell, OAQ, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at 317-233-5670 or at 1-800-451-6027 (3-5670)

Sincerely,


Alfred C. Dumauval, Ph. D., Section Chief
Permits Branch

Attachments: Updated Calculations

ACD/ncb

cc: File - Clark County
Clark County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section

**Attachment A: Emissions Calculations
Emission Summary**

Company Name: Adams Funeral Home
Source Address: 209 S. Ferguson Street, Henryville, IN 47126
Exemption No.: E019-17366-00111
Transfer of Ownership No.: 019-30639-00111
Reviewer: Nathan C. Bell

Category	Uncontrolled Potential Emissions (tons/year)			
	Emissions Generating Activity			
	Pollutant	Incineration	Natural Gas Combustion	TOTAL
Criteria Pollutants	PM	4.60	0.02	4.62
	PM10	4.60	0.04	4.64
	PM2.5	4.60	0.10	4.70
	SO2	1.64	0.008	1.65
	NOx	1.97	1.29	3.26
	VOC	1.97	0.07	2.04
	CO	6.57	1.08	7.65
	GHGs as CO2e	1335.60	1555.29	2890.89
Hazardous Air Pollutants	Chromium	0.0	1.40E-03	1.40E-03
	Manganese	0.0	3.80E-04	3.80E-04
	Nickel	0.0	2.10E-03	2.10E-03
	n-Hexane	0.0	0.02	0.02
	Toluene	0.0	4.38E-05	4.38E-05
	Benzene	0.0	2.71E-05	2.71E-05
	Dichlorobenzene	0.0	1.55E-05	1.55E-05
	Formaldehyde	0.0	9.66E-04	9.66E-04
	Lead	0.0	6.44E-06	6.44E-06
	Cadmium	0.0	1.42E-05	1.42E-05
	Totals	0.0	0.03	0.03
	Worse Case HAP			

Total Emissions based on rated capacity at 8,760 hours per year.

**Attachment A: Emissions Calculations
Crematory Incinerators BL-01 and BL-02**

**Company Name: Adams Funeral Home
Source Address: 209 S. Ferguson Street, Henryville, IN 47126
Exemption No.: E019-17366-00111
Transfer of Ownership No.: 019-30639-00111
Reviewer: Nathan C. Bell**

To estimate the potential to emit for the incineration of human and animal remain, it is assumed that emissions from the crematory incinerators are similar to emissions from a municipal solid waste combustor.

Unit	Potential Throughput (lbs/hr)	Potential Throughput (tons/yr)
BL-01	150	657
BL-02	150	657
Total	300	1314

	Pollutant						
Emission Factor in lb/ton	PM*	PM10*	PM2.5*	SO2	CO	VOC	NOx
	7.0	7.0	7.0	2.5	10.0	3.0	3.0
Potential Emissions in ton/yr	4.60	4.60	4.60	1.64	6.57	1.97	1.97

Methodology

Potential Throughput (tons/yr) = [Potential Throughput (lbs/hr)] * [8,760 hrs/yr] * [ton/2000 lbs]
 Potential to Emit (tons/yr) = [Potential Throughput (tons/yr)] * [Emission Factor (lb/ton)] * [ton/2,000 lbs]
 Emission factors are from AP 42 for Refuse Combustion (5th Edition 10/96) Table 2.1-12, Uncontrolled emission factors for industrial/commercial refuse combustors, multiple chambers.
 *No emission factor for PM10 and PM2.5 available (assume PM = PM10= PM2.5)

Greenhouse Gases

	Greenhouse Gas		
	CO2	CH4	N2O
Emission Factor (kg/MMBtu)*	90.7	3.20E-02	4.20E-03
High Heat Value (MMBtu/ton)**	9.95	9.95	9.95
Emission Factor (lb/ton)	1989.6	0.70	0.09
Potential to Emit (tons/yr)	1307.15	0.46	0.06
Summed Potential Emissions in tons/yr	1307.67		
CO2e Total in tons/yr	1335.60		

Methodology

*The CO2, CH4, and N2O emission factors are from Table C-1 and Table C-2, 40 CFR Part 98, Subpart C, for Municipal Solid Waste
 **The High Heat Value (HHV) corresponds to municipal solid waste.
 Greenhouse Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.
 Emission Factor (lb/ton) = [Emission Factor (kg/MMBtu)] * [2.2046 lb/kg] * [High Heat Value (MMBtu/ton)]
 Potential to Emit (tons/yr) = [Potential Throughput (tons/yr)] * [Emission Factor (lb/ton)] * [ton/2,000 lbs]
 CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O GWP (310).

**Attachment A: Emissions Calculations
Natural Gas Combustion Only
Capacity <100 MMBtu/hr
Cremator Incinerators BL-01 and BL-02**

**Company Name: Adams Funeral Home
Source Address: 209 S. Ferguson Street, Henryville, IN 47126
Exemption No.: E019-17366-00111
Transfer of Ownership No.: 019-30639-00111
Reviewer: Nathan C. Bell**

Unit	Maximum Heat Input Capacity (MMBtu/hr)	High Heat Value (MMBtu/MMscf)	Potential Throughput (MMcf/yr)
BL-01	1.50	1020	12.88
BL-02	1.50	1020	12.88
Totals	3.00		25.76

Criteria Pollutants	Pollutant						
	PM*	PM10*	PM2.5*	SO2	NOx	VOC	CO
Emission Factor in lb/MMcf	1.9	7.6	7.6	0.6	100 **see below	5.5	84
Potential Emission in tons/yr	0.02	0.04	0.10	0.008	1.29	0.07	1.08

*PM emission factor is filterable PM only. PM10 emission factor is filterable and condensable PM10 combined. PM2.5 assumed equal to PM10
**Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

Hazardous Air Pollutants	HAPs - Organics*					HAPs - Metals*				
	Benzene	DCB	Formaldehyde	Hexane	Toluene	Pb	Cd	Cr	Mn	Ni
Emission Factor in lb/MMcf	2.1E-03	1.2E-03	7.5E-02	1.8E+00	3.4E-03	5.0E-04	1.1E-03	1.4E-03	3.8E-04	2.1E-03
Potential Emission in tons/yr	2.705E-05	1.546E-05	9.662E-04	2.319E-02	4.380E-05	6.441E-06	1.417E-05	1.804E-05	4.895E-06	2.705E-05

*The five highest organic and metal HAPs emission factors are provided above. Additional HAPs emission factors are available in AP-42, Chapter 1.4.

Methodology

All emission factors are based on normal firing.
MMBtu = 1,000,000 Btu
MMCF = 1,000,000 Cubic Feet of Gas
Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03
Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 8,760 hrs/yr x 1 MMCF/1,000 MMBtu
Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

Greenhouse Gases (GHGs)	Greenhouse Gas (GHG)		
	CO2	CH4	N2O
Emission Factor in lb/MMcf	120000	2.3	2.2
Potential Emission in tons/yr	1545.88	0.03	0.03
Summed Potential Emissions in tons/yr	1545.94		
CO2e Total in tons/yr	1555.29		

Methodology

The N2O Emission Factor for uncontrolled is 2.2. The N2O Emission Factor for low Nox burner is 0.64.
Emission Factors are from AP 42, Table 1.4-2 SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03.
Greenhouse Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.
Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton
CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O GWP (310).

Abbreviations

PM = Particulate Matter	DCB = Dichlorobenzene	CO2 = Carbon Dioxide
PM10 = Particulate Matter (<10 um)	Pb = Lead	CH4 = Methane
SO2 = Sulfur Dioxide	Cd = Cadmium	N2O = Nitrous Oxide
NOx = Nitrous Oxides	Cr = Chromium	CO2e = CO2 equivalent emissions
VOC = Volatile Organic Compounds	Mn = Manganese	
CO = Carbon Monoxide	Ni = Nickel	



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Mark E. Adams
Adams Funeral Home
209 S Ferguson St
Henryville, IN 47126

DATE: July 8, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Transfer of Ownership & Name Change/Exempt Operation Status
019-30639-00111

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	GHOTOPP 7/8/2011		AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	Adams Funeral Home 019-30639-0011.1 Final  Indiana Department of Environmental Management Office of Air Quality - Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail:	CERTIFICATE OF MAILING ONLY

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Mark E Adams Adams Funeral Home 209 S Ferguson St Henryville IN 47126 (Source CAATS) via confirmed delivery										
2		Ms. Rhonda England 17213 Persimmon Run Rd Borden IN 47106-8604 (Affected Party)										
3		Ms. Betty Hislip 602 Dartmouth Drive, Apt 8 Clarksville IN 47129 (Affected Party)										
4		Mrs. Sandy Banet 514 Haddock Rd Henryville IN 47126 (Affected Party)										
5		Mr. Robert Bottom Paddlewheel Alliance P.O. Box 35531 Louisville KY 40232-5531 (Affected Party)										
6		Clark County Board of Commissioners 501 E. Court Avenue Jeffersonville IN 47130 (Local Official)										
7		Clark County Health Department 1320 Duncan Avenue Jeffersonville IN 47130-3723 (Health Department)										
8												
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50,000 per occurrence. The maximum indemnity payable on Express mail merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913 , and S921 for limitations of coverage on insured and COD mail. See International Mail Manual for limitations of coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
6			