INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: September 9, 2011

RE: D.A. Incorporated / 019-30695-00103

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

(1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
(2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
(3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

(1) the name and address of the person making the request;
(2) the interest of the person making the request;
(3) identification of any persons represented by the person making the request;
(4) the reasons, with particularity, for the request;
(5) the issues, with particularity, proposed for considerations at any hearing; and
(6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Pami Egan
301 Pike Street
Charleston, IN 47111

September 9, 2011

Re: Interim Significant Permit Revision Petition Approval
019-30695I-00103

Dear Ms. Egan:

On July 8, 2011, the Office of Air Quality (OAQ) received an interim Significant Permit Revision petition from D.A., Incorporated, located at 301 Pike Street, in Charleston, Indiana for construction of a new spray booth, identified as SB-4 with wet booth & dry filters as air pollution control.

A public notice of the interim Significant Permit Revision petition was published in *The Leader* on August 10, 2011. The public comment period ended on August 23, 2011.

Since there are no comments received during the public comment period, pursuant to 326 IAC 2-13-1(i), the interim Significant Permit Revision petition is in effect upon issuance and expires on the effective date of the final Significant Permit Revision permit.

The interim Significant Permit Revision petition may be revoked after its effective date upon a written finding by the Indiana Department of Environmental Management (IDEM) that any of the reasons for denial in 326 IAC 2-13-1(h) exist or if the final Significant Permit Revision permit is denied. The IDEM has reviewed this interim Significant Permit Revision petition and has not found any such reason. The facilities specified in the interim Significant Permit Revision petition may not operate until the final Significant Permit Revision permit is issued by OAQ.

The interim Significant Permit Revision petition is federally enforceable. Detailed construction and operation conditions will be specified in the final Significant Permit Revision permit 019-30695-00103.

If you have any questions regarding this interim Significant Permit Revision petition, please contact Sarah Conner, Ph. D., OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call at (800) 451-6027, and ask for Sarah Conner, Ph. D. or extension 4-6555, or dial (317) 234-6555.

Sincerely,

Iryn Calilung, Section Chief
Permits Branch
Office of Air Quality

Enclosure: Interim Permit Evaluation, Interim Petition, Affidavit of Construction, Public Notice Letter, and Proof of Public Notice

(slc)

cc: File –Clark County
Clark County Health Department
U.S. EPA, Region V
Compliance and Enforcement Branch

Rick Cartuyvelles
301 Pike Street
Charleston, IN 47111

Indiana Department of Environmental Management
Office of Air Quality

Interim Petition Checklist

Instructions: (a) Please answer yes or no.
(b) Enclosed this checklist with the completed interim petition package.

Company Name: D.A. Inc

Location: 301 Pike Street Charlestown, IN 47111

Yes	1. Is the written interim petition prepared?
Yes	2. Is the written petition signed and dated?
Yes	3. Is the public notice drafted?
Yes	4. Is the filing and review fee enclosed? $625 for TV, FESOP, and SSOA. $500 for MSOP.
Yes	5. Is the account number written on the check or money order?
Yes	6. Is the Affidavit of Construction signed, dated, and notarized?
Yes	7. Is the proposed modification/revision described in detail?
Yes	8. Is the proposed modification/revision a modification or addition to an existing source?
No	9. Is the proposed modification/revision located in an attainment area for all the criteria pollutants?
Yes	10. Is the proposed modification/revision located in a nonattainment area? If yes, answer No. 11.
No	11. Is the pollutant, which the nonattainment designation is based on, going to be emitted in this proposed modification/revision?
Yes	12. Are potential emissions calculated?
Yes	13. Is federal enforceability consent specifically indicated?
No	14. Are specific conditions, limitations, and/or restrictions included that preclude applicability of PSD?
No	15. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NSPS?
No	16. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NESHAP?
Yes	17. Are specific conditions, limitations, and/or restrictions included that assure compliance with all applicable state air pollution rules?
Yes	18. Has a regular modification/revision permit application been submitted to OAQ?
No	19. Has the proposed modification/revision commenced prior to the submission of the interim permit petition?
Yes	20. The interim petition comment period has been decided to be: 14 calendar days

Additional Comments:

RECEIVED
State of Indiana
JUL 08 2011 - Y
Dept of Environmental Management
Office of Air Quality

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION

Source Name:	D.A. INC
Source Address:	301 PIKE STREET
Mailing Address:	301 PIKE STREET, CHARLESTOWN, IN 47111
SIC/NAICS Code:	3089/326199

Description of the Operation or Equipment

D.A. Inc is a custom plastic injection molding company who specializes in interior automotive parts (i.e. vents, center consoles).Construct and operates a robot spray booth at a maximum of 65 units per hour using a cure oven with a maximum rate of 1.34 MMBtu per hour. The spray booth will be equipped with dry filters to control eighty percent (80%) of particulate matter (PM/PM10). The newly proposed booth will be inline with our current air operating permit for Spray Booth 1, 2 and 3. Maximum potential coverage per unit was based on maximum paint spray of 0.0132 gallons per unit.

Potential to Emit

PM	3.64
PM10	3.64
SO2	0.004
VOC	44.90
CO	0.49
NOx	0.59

PSD Requirements

The potential to emit is less than the PSD Significant levels, therefore, PSD rules and requirements do not apply.

NSPS Requirements

There is no applicable NSPS rule applicable to this operation or equipment

NESHAP

There is no applicable NESHAP rule applicable to this operation or equipment

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

State Rules & Requirements

326 IAC 6-3 Particulate Emission Limitation for Manufacturing Processes; 326 IAC 5-1 Opacity, 326 IAC 2-8 Emissions Limitations

Federal Enforceability

D.A. Inc. consents to the federal enforceability of this interim petition

Signature: Rick Cartwrights

Printed Name: Rick Cartwrights

Title or Position: GM

Phone Number: 812-256-3351 x125

Date: 6/30/11

Affidavit of Construction

I, Rick Cartuyvelles, being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in FLOYD County, Indiana and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.

2. I hold the position of General Manager (Title) for D.A. Inc (Company Name).

3. By virtue of my position with D.A. Inc (Company Name), I have personal knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of D.A. Inc (Company Name).

4. I, the undersigned, have submitted an interim (minor permit revision, significant permit revision, minor source modification, significant source modification) petition to the Office of Air Quality for the construction of Spray Booth #4 MSOP Operating Permit to FESOP Operating Permit.

5. D.A. Inc. (Company Name) recognizes the following risks:

(a) own financial risk, (b) that IDEM may require additional or different control technology for the final approval, (c) that IDEM may deny issuance of the final approval, and
(d) any additional air permitting requirements.

Further Affiant said not.
I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature: Rick Cartuyvelles
Printed Name: Rick Cartuyvelles
Phone No.: 812-256-3351
Date: 6/30/11

STATE OF INDIANA)
)SS
COUNTY OF Clark)

Subscribed and sworn to me, a notary public in and for Clark County and State of Indiana on this 30th day of June, 20 11.

My Commission expires: June 05 2016

TIMOTHY WADE ELDRIDGE
Notary Public, State of Indiana
Clark County
My Commission Expires
June 05, 2016

Signature: Timothy Wade Eldridge
Printed Name: Timothy Wade Eldridge

NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification
for **D.A. INC**
in **CLARK**

Notice is hereby given that the above company located at (301 Pike Street, Chalrestown), Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a (facility description or equipment) with (control) as air pollution control. Based on 8,760 hours per year of operation, the (VOC) emissions are (124.68) tons per year, respectively. *(FESOP Limited to 100 TPY)*

The company has submitted an application for a significant permit revision / significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **(Charlestown) Public Library, (51 Clark Road, Charlestown), Indiana, (47111)**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature: _____

Company Official's Printed Name: Rick Cartuyvelles

Company Name: D.A. Inc

ert line-up for the 2011 State Fair caters to all musical tastes

and Sister Hazel.

The Oak Ridge Boys with special guest the Grascals – Sunday, August 21

The Happy Together tour ith The Turtles featuring Flo ıd Eddie, Mark Lindsay, The ssociation, The Buckinghams, and The Grass Roots - Wednesday, August 24

Mark Volman, known as "Flo", and Howard Kaylan, who

Emotion" in 1989. Since then, she has charted more than 25 singles on the Billboard country

album, "Doin' My Thing" which included hits such as "Do I" and "Rain Is a Good Thing". Candy

ɔumpkin contest

ı Adult Category for everyone ge 16 and over and a Junior ategory for those under 16 ears of age. Trophies will e awarded for 1st, 2nd and d places for each category. egistration is preferred but ɔt required and can be found ı the Rules and Regulations rm. Exhibitors are allowed have up to two entries each. If you are interested in rticipating in this contest ease visit the church website r the Rules and Regulations rm, if you have any questions ease call Jamie at 923-6558 or e church office at 923-5419.

NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification
for **D.A. INC**
in **CLARK**

Notice is hereby given that the above company located at (301 Pike Street, Charlestown), Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a (facility description or equipment) with (control) as air pollution control. Based on 8,760 hours per year of operation, the (VOC) emissions are (124.68) tons per year, respectively. *(FESOP Limited to 100 TPY)*

The company has submitted an application for a significant permit revision / significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **(Charlestown) Public Library, (51 Clark Road, Charlestown), Indiana, (47111)**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature: Rick Cartuyvelles

Company Official's Printed Name: Rick Cartuyvelles

Company Name: D.A. Inc

revised 12/5/2006 by klc

Received 7/25/11

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION

Source Name:	D.A. INC
Source Address:	301 PIKE STREET
Mailing Address:	301 PIKE STREET, CHARLESTOWN, IN 47111
SIC/NAICS Code:	3089/326199

Description of the Operation or Equipment

D.A. Inc is a custom plastic injection molding company who specializes in interior automotive parts (i.e. vents, center consoles).Construct and operates a robot spray booth at a maximum of 65 units per hour using a cure oven with a maximum rate of 1.34 MMBtu per hour. The spray booth will be equipped with dry filters to control eighty percent (80%) of particulate matter (PM/PM10). The newly proposed booth will be inline with our current air operating permit for Spray Booth 1, 2 and 3. Maximum potential coverage per unit was based on maximum paint spray of 0.0132 gallons per unit.

Potential to Emit

PM	3.64
PM10	3.64
SO2	0.004
VOC	44.90
CO	0.49
NOx	0.59

PSD Requirements

The potential to emit is less than the PSD Significant levels, therefore, PSD rules and requirements do not apply.

NSPS Requirements

There is no applicable NSPS rule applicable to this operation or equipment.

7/25/11

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

NESHAP

There is no applicable NESHAP rule applicable to this operation or equipment

NESHAP Subpart HHHHHH does not apply, the source is an area source of HAP's; however, D.A. Inc does not perform spray application of coating, as defined §63.11180, to motor vehicles and mobile equipment and we do not perform spray application of coatings that contain the target HAP, as defined in §63.11180, to a plastic and/or metal substrate on a part or product)

State Rules & Requirements

326 IAC 6-3 Particulate Emission Limitation for Manufacturing Processes;
326 IAC 5-1 Opacity, 326 IAC 2-8 Emissions Limitations

326 IAC8-1-6 New Facilities; General Reduction Requirements – SB-4 would be subject to 326 IAC 8-1-6 because the potential VOC emissions are greater than 25 tons per year however, D.A. would like to limit the VOC emissions from SB-4 to less than 25 tons per year in order to render the requirements of 326 IAC 8-1-6 not applicable.

Federal Enforceability

D.A. Inc. consents to the federal enforceability of this interim petition

Signature: Rick Cartuyvelles

Printed Name: Rick Cartuyvelles

Title or Position: General Manager

Phone Number: 812-256-3351

Date: 7-22-2011

received 7/25/2011

Opening Gates Equine Assisted Le

together to improve the quality of life and mental health of individuals, families and groups. As a family-owned, 501(c)(3) organization, Opening Gates provides outpatient mental health counseling using horses as the main facilitating tool. In addition, Opening Gates combines its animals and specialized trainers to offer

Hidden Creek Golf Club located at 4975 Utica-Sellersburg Road in Sellersburg on Friday, July 29 at 2 p.m. To register please call Shara at 502-523-3360 or e-mail openinggates@yahoo.com. Registration fee is $75 per player or if you cannot play but would like to help there are hole sponsorships available for $100. You may also mail a donation

Sellersburg District's new Trooper receives patrol car

Trooper Zachary Smith

Indiana has 43 new troopers ssigned to state police districts roughout the state now patrolling the roads. Members of the 70th Indiana State Police Recruit School that graduated March 4, received their patrol cars at the Indiana State Police Museum located at the Indiana State Police Indianapolis District, Monday, June 20.

Sellersburg's new trooper, Zachary Smith, originally from Washington County, Indiana, completed a three month field training period with seasoned troopers before receiving his police car and placed on solo patrol. Trooper Smith has been assigned to patrol Clark and Scott Counties within the Sellersburg District.

CHS Class of 1959 meets for breakfast

The Class of 1959 of at the home of Judy and Patti

NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification
for **D.A. INC**
in **CLARK COUNTY**

Notice is hereby given that the above company located at 301 Pike Street, Charlestown, 47111, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a new spray booth, identified as SB-4 with dry filters as air pollution control. Based on 8,760 hours per year of operation, the VOC emissions are 124.68 tons per year, respectively. *In order to comply with 326 IAC 2-8 (FESOP), the source will limit the source-wide VOC emissions to less than 100 tons per year.*

The company has submitted an application for a significant permit revision / significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Charlestown Public Library, 51 Clark Road, Charlestown, Indiana, 47111.** All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature: Rick Cartuyvelles

Company Official's Printed Name: Rick Cartuyvelles

Company Name: D.A. Inc

revised 12/5/2006 by klc

Form Prescribed by State Board of Accounts

General Form 99P (Revised 1987)

DA, Inc (Governmental Unit) to: The Leader Dr.

Clark County, Indiana

received by e-mail 7/25/11

PUBLISHER'S CLAIM

LINE COUNT

Display Matter (Must not exceed two actual lines, neither of which shall total more than four solid lines of type in which the body of the advertisement is set) - number of equivalent lines. ..... _____

Head - number of lines. 2

Body - number of lines. 33

Tail - number of lines. ..... _____

Total number of lines in notice. 35

COMPUTATION OF CHARGES

35 lines 2 columns wide equals 70 equivalent lines at 222 cents per line. 155.40

Additional charge for notices containing rule of tabular work (50 percent of above amount). ..... –

Charge for extra proofs of publication ($1.00 for each proof in excess of two). ..... –

TOTAL AMOUNT OF CLAIM. 155.40

DATA FOR COMPUTING COST

Width of single column in ems 9.7

Number of insertions 2

Size of type in points 10

Pursuant to the provisions and penalties of Chapter 155, Acts 1953.
I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

Date: 7-20-11 April ~~Bowling~~ Falk

Title: Sales Manager

PUBLISHER AFFIDAVIT

State of Indiana)
Clark County) ss:

Personally appeared before me, a notary public in and for said county and state, the undersigned April Falk who, being duly sworn, says that he/she as Sales Manager of the The Leader newspaper of general circulation printed and published in English language in the city of Charlestown in state and county afore-said, and that the printed matter attached hereto is true copy, which was duly published in said paper for 2 time(s), the dates of publication being as follows:

ATTACH COPY OF ADVERTISEMENT HERE

7-6-11 7-20-11

April Falk

Subscribed and sworn to before me this date: 7-20-11

Joseph K Lee Clark Co.

Notary Public

My commision expires: 9-24-15

Form Prescribed by State Board of Accounts — General Form 99P (Revised 1987)

D.A. Inc (Governmental Unit) to: The Leader Dr.

Clark County, Indiana

PUBLISHER'S CLAIM

LINE COUNT

Display Matter (Must not exceed two actual lines, neither of which shall total more than four solid lines of type in which the body of the advertisement is set) - number of equivalent lines. ____

Head - number of lines. 2

Body - number of lines. 33

Tail - number of lines. ____

Total number of lines in notice. 35

COMPUTATION OF CHARGES

35 lines 2 columns wide equals 70 equivalent lines at 222 cents per line. 155.40

Additional charge for notices containing rule of tabular work (50 percent of above amount). –

Charge for extra proofs of publication ($1.00 for each proof in excess of two). –

TOTAL AMOUNT OF CLAIM. 155.40

DATA FOR COMPUTING COST

NOTICE OF 14 DAY PERIOD FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification for **D.A. INC** in **CLARK COUNTY**

Notice is hereby given that the above company located at 301 Pike Street, Charlestown, 47111, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a new spray booth, identified as SB-4 with dry filters as air pollution control. Based on 8,760 hours per year of operation, the VOC emissions are 124.68 tons per year, respectively. *In order to comply with 326 IAC 2-8 (FESOP), the source will limit the source-wide VOC emissions to less than 100 tons per year.*

The company has submitted an application for a significant permit revision/significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Charlestown Public Library, 51 Clark Road, Charlestown, Indiana, 47111**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Person following the comment period, the review process will continue and a public hearing may be conducted if deemed appropriate by the OAQ. Persons must submit a written request to the Office of Air Quality (OAQ) at the above address. All interested parties of record will receive notice of the decision on this matter and will have 15 days after receipt of the Notice of Decision to request an administrative review. Procedures for filing such a petition will be included with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature: [signature]

Company Official's Printed Name: Rick Cartuyvelles

Company Name: D.A. Inc

Revised 12/5/2006 by KC

...t claimed is legally

...alk

...uager

...glish

...ched

...ublication being as follows:

...-11

Clark Co.

...-15

Received 8/16/11

Form Prescribed by State Board of Accounts — General Form 99P (Revised 1987)

D.A. Inc of Clark Co (Governmental Unit) to: The Leader Dr.

Clark County, Indiana

PUBLISHER'S CLAIM

LINE COUNT

Display Matter (Must not exceed two actual lines, neither of which shall total more than four solid lines of type in which the body of the advertisement is set) - number of equivalent lines. .....

Head - number of lines. 2

Body - number of lines. 33

Tail - number of lines. .....

Total number of lines in notice. 35

COMPUTATION OF CHARGES

35 lines 2 columns wide equals 70 equivalent lines at

253 cents per line. 177.10

Additional charge for notices containing rule or tabular work

NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision
for **D.A. INC**
in **CLARK COUNTY**

Notice is hereby given that the above company located at 301 Pike Street, Charlestown, 47111, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a new spray booth, identified as SB-4 with wet booth & dry filters as air pollution control. Based on 8,760 hours per year of operation, the VOC emissions are greater than 100 tons per year, respectively. *In order to comply with 326 IAC 2-8 (FESOP), the source will limit the source-wide VOC emissions to less than 100 tons per year.*

The company has submitted an application for a significant permit revision / significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Charlestown Public Library, 51 Clark Road, Charlestown, Indiana, 47111.** All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature: Rick Cartuyvelles

Company Official's Printed Name: Rick Cartuyvelles

Company Name: D.A. Inc

revised 12/5/2006 by klc

:d is legally

being as follows:

Clark Co.

Form Prescribed by State Board of Accounts General Form 99P (Revised 1987)

D.A. Inc of Clark Co to: The Leader Dr.
(Governmental Unit)

Clark County, Indiana

8/16/11

PUBLISHER'S CLAIM

LINE COUNT

Display Matter (Must not exceed two actual lines, neither of which shall total more than four solid lines of type in which the body of the advertisement is set) - number of equivalent lines.....

Head - number of lines..... 2

Body - number of lines..... 33

Tail - number of lines.....

Total number of lines in notice..... 35

COMPUTATION OF CHARGES

35 lines 2 columns wide equals 70 equivalent lines at

253 cents per line..... 177.10

Additional charge for notices containing rule of tabular work (50 percent of above amount)..... -

Charge for extra proofs of publication ($1.00 for each proof in excess of two).... -

TOTAL AMOUNT OF CLAIM..... 177.10

DATA FOR COMPUTING COST

Width of single column in ems 9.7

Number of Insertions 1

Size of type in points 10

Pursuant to the provisions and penalties of Chapter 155, Acts 1953.
I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

Karen L. Ross

Date: 8-10-11 Title: Sales Rep

PUBLISHER AFFIDAVIT

State of Indiana)
Clark County) ss:

Personally appeared before me, a notary public in and for said county and state, the undersigned Karen Ross who, being duly sworn, says that he/she as Sales Rep of the The Leader newspaper of general circulation printed and published in English language in the city of Charlestown in state and county afore-said, and that the printed mater attached hereto is true copy, which was duly published in said paper for 1 time(s), the dates of publication being as follows:

ATTACH COPY OF ADVERTISEMENT HERE

8-10-11 Karen L. Ross

Subscribed and sworn to before me this date: 8-16-11

Joseph V. Gee Clark Co.
Notary Public
My commision expires: 9-24-15

Indiana Department of Environmental Management
Office of Air Management

Interim Significant Permit Revision / Significant Source Modification Evaluation Sheet

Company Name:	D.A., Incorporated		
Location:	301 Pike Street, Charlestown, Indiana 47111	**Permit No**:	019-30695I-00103
Permit Reviewer:	Sarah Conner, Ph. D.	**Date Receipt of Application:**	7/8/2011
		Date of review:	09/06/2011
Description of the interim construction:	a new spray booth, identified as SB-4 with wet booth & dry filters as air pollution control.		
Public Notice Period =	8/10/2011	to	8/23/2011
Public Notice Date + 3 days = 17 days =	8/26/2011		

Interim Petition Applicability: 326 IAC 2-13-1

(a) Existing Source with valid permit;

(b) Exemptions:

(1) construction of a PSD source or PSD modification;

(2) construction or modification in nonattainment area that would emit those pollutants for which the nonattainment designation is based.

(3) any modification subject to 326 IAC 2-4.1.

(c) Public notice comment period is 14 calendar days.

Instructions: Check (✓) appropriate answers and make a recommendation.

1. Did the applicant submit a written petition for an interim significant permit revision or significant source modification?

☒ Yes Go to question 2.
☐ No Ignore verbal request.

2. Did the applicant pay the applicable interim permit fee? $625 for TV, FESOP, and SSOA. $500 for MSOP.

☒ Yes Go to question 3.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(1).

Comments: _____

3. Did the applicant state acceptance of federal enforceability of an interim significant permit revision or significant source modification?

☒ Yes Go to question 4.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(D).

4. Did the applicant or its authorized agent sign the application?

☒ Yes Go to question 5.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(E).

5. Did the applicant submit a notarized affidavit stating that the applicant will proceed at its own risk (if the interim significant permit revision or significant source modification is issued), including, but not limited to:

   (a) Financial risk,

   (b) Risk that additional emission controls may be required,

   (c) Risk that the final significant permit revision or significant source modification may be denied.

   ☒ Yes Go to question 6.
   ☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(F).

6. Did the applicant begin construction prior to submitting the interim significant permit revision or significant source modification application?

   ☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(6).
   ☒ No Go to question 7.

7. What is the type of the interim construction?

   ☐ New Source Deny the application, pursuant to 326 IAC 2-13-1(a)
   ☒ Modification to an existing source Go to question 8.

8. Did the applicant present data in the interim significant permit revision or significant source modification that is sufficient to determine PSD, NSPS, NESHAP, and state rule compliance?

   ☒ Yes Go to question 9.
   ☐ No Deny the application pursuant to:
   326 IAC 2-13-1(c)(2)(B), for PSD;
   326 IAC 2-13-1(c)(2)(C), for NSPS or NESHAP;
   326 IAC 2-13-1(c)(2)(C), for state rules.

9. Is the proposed modification to be located in a nonattainment area?

   ☒ Yes Go to question 10.
   ☐ No Go to question 11.

   County: Clark County

   Comments: Basic nonattainment designation effective federally April 5, 2005, for PM2.5.

10. Will the proposed modification emit the pollutant for which the area is nonattainment in quantities greater than the significant levels?

    ☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(a)(2).
    ☒ No Go to question 11.

11. Did the petition include a complete description of the process?

    ☒ Yes Go to question 12.
    ☐ No Deny the petition, pursuant to 326 IAC 2-13-1(c)(2).

12. Did the interim significant permit revision or significant source modification petition contain conditions accepting either emission controls (baghouse, afterburners, scrubbers, etc.) or enforceable limits or other suitable restriction to avoid PSD applicability; as well as control parameters (incinerator operating temperature, baghouse pressure drop, etc.)? The specific limits must be explicitly spelled out (i.e.: The gas consumption of the boiler shall not exceed 29 million cubic feet per month.) A statement such as that the company agrees to conditions such that PSD rules are not applicable is not acceptable.

    ☒ Yes Go to question 13.

☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(B).

13. Do the emission controls and/or throughput limits prevent PSD applicability?

☒ Yes Go to question 14.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(B).

14. Will the modification, after application of all emission controls and/or throughput limitations comply with all applicable New Source Performance Standards (NSPS) (40 CFR 60)?

☒ Yes Go to question 15.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).

15. Will the modification, after application of all emission controls and/or throughput limitations comply with all applicable National Emission Standards for Hazardous Air Pollutants (NESHAP)?

☒ Yes Go to question 16.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).

16. Will the modification, after application of all emission controls and/or throughput limitations, comply with all applicable state rules?

☒ Yes Go to question 17.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).

17. Does the applicant dispute applicability of any applicable state or federal rule?

☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).
☒ No Go to question 18.

18. Is there good reason to believe that the applicant does not intend to construct in accordance with the interim significant permit revision or significant source modification petition?

☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(1).
☒ No Go to question 19.

19. Is there good reason to believe that information in the petition has been falsified?

☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(7).
☒ No Approve the interim significant permit revision or significant source modification petition.

20. Has the petition been adequately public noticed? A proof of publication copy is necessary.

☒ Yes Go to question 21.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(e).

Newspaper: The Leader

Date of publication: 8/10/2011 (They changed control options and had to republic notice, first PN date was 7/6/2011, second was 7/20/2011) Final and third PN was 8/10/2011

21. Were comments received within seventeen (17) days after the public notice of the interim significant permit revision or significant source modification?

(14 calendar days for comment period + 3 working days for mailing)

☐ Yes Evaluate the comments received, and make a recommendation.
☒ No Issue the final interim significant permit revision or significant source modification approval.

Comments: _____

Recommendation: Approve the interim significant permit revision

Date the applicant was informed of the decision: 8/24/2011 (applicant informed the interim could be issued on 8/29/2011 as long as there were no comments) Applicant asked IDEM to wait on 8/29/2011 to issue the interim. On 9/06/2011 applicant informed IDEM they will be moving forward and asked IDEM to issue the interim.

Method of informing the applicant: e-mail

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Pami Egan
D.A. Incorporated
301 Pike St
Charlestown, IN 47111

DATE: September 9, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Interim
019-30695-00103

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Rick Cartuyvelles (General Manager)
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	MIDENNEY 9/9/2011 DA Incorporated 019-30695-00103 (interim)			AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	▶	Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: **CERTIFICATE OF MAILING ONLY**	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee Remarks
1		Pami Egan DA Incorporated 301 Pike St Charlestown IN 47111 (Source CAATS) via confirm delivery									
2		Rick Cartuyvelles GM DA Incorporated 301 Pike St Charlestown IN 47111 *(RO CAATS)*									
3		Ms. Rhonda England 17213 Persimmon Run Rd Borden IN 47106-8604 *(Affected Party)*									
4		Ms. Betty Hislip 602 Dartmouth Drive, Apt 8 Clarksville IN 47129 *(Affected Party)*									
5		Mrs. Sandy Banet 514 Haddox Rd Henryville IN 47126 *(Affected Party)*									
6		Charlestown City Council and Mayors Office 304 Main Cross Street Charlestown IN 47111-1230 *(Local Official)*									
7		H & H Metal Products 104 Industrial Way Chalestown In 47111 *(Affected Party)*									
8		Mr. Paul Grayson Superior Vault Co, Inc 500 Pike St Charlestown IN 47111 *(Affected Party)*									
9		Mr. Robert Bottom Paddlewheel Alliance P.O. Box 35531 Louisville KY 40232-5531 *(Affected Party)*									
10		Mr. Jim Witten Witten Brothers, Inc 101 Industrial Way Charleston IN 47111 *(Affected Party)*									
11		Mr. Steve Spies Rhodes, Inc 100 Quality Ct Charlestown IN 47111 *(Affected Party)*									
12		Clark County Board of Commissioners 501 E. Court Avenue Jeffersonville IN 47130 *(Local Official)*									
13		Clark County Health Department 1320 Duncan Avenue Jeffersonville IN 47130-3723 (Health Department)									
14		R & R Donnelly 100 Quality Court Charlestown IN 47111 *(Affected Party)*									
15		Big G Supply 600 Pike Street Charlestown IN 47111 *(Affected Party)*									

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is $50,000 per piece subject to a limit of $50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is $500. The maximum indemnity payable is $25,000 for registered mail, sent with optional postal insurance. See ***Domestic Mail Manual*** **R900, S913**, and **S921** for limitations of coverage on inured and COD mail. See ***International Mail Manual*** for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
14			

FACSIMILIE OF PS Form 3877

Mail Code 61-53

IDEM Staff	MIDENNEY 9/9/2011 DA Incorporated 019-30695-00103 (interim)			AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	▶	Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: **CERTIFICATE OF MAILING ONLY**	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee Remarks
1		Superior Vault Company 500 Pike Street Charlestown IN 47111 (Affected Party)									
2		Allens Heat & Air 300 Pike Street Charlestown IN 47111 *(Affected Party)*									
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender 2	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is $50,000 per piece subject to a limit of $50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is $500. The maximum indemnity payable is $25,000 for registered mail, sent with optional postal insurance. See ***Domestic Mail Manual*** **R900, S913**, and **S921** for limitations of coverage on inured and COD mail. See ***International Mail Manual*** for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.

FACSIMILIE OF PS Form 3877