



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: November 17, 2011

RE: Rock Tenn CP, LLC / 141-31080-00575

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Chris De Baets
Rock Tenn CP, LLC
1925 Stone Ct
Mishawaka, Indiana 46245

November 17, 2011

Re: 141-31080-00575
First Registration Notice-Only Change to
R141-30162-00575

Dear Chris De Baets:

Rock-Tenn Company was issued a Registration No. R141-30162-00575 on October 28, 2011 for a stationary corrugated container manufacturer located at 1925 Stone Ct, Mishawaka, Indiana 46245. On October 28, 2011, the Office of Air Quality (OAQ) received an application from the source stating that on May 27, 2011 Smurfit-Stone Container Corporation merged with Rock-Tenn Company. Smurfit-Stone Container Corporation (Rock-Tenn's) legal name was changed to Rock Tenn CP, LLC. Pursuant to 326 IAC 2-5.5-6, the registration is hereby revised as follows, with deleted language as strikeouts and new language **bolded**:

1. requesting that the registration be updated to indicate a change in ownership and company name change to Rock Tenn CP, LLC. This change to the registration is considered a notice-only change pursuant to 326 IAC 2-5.5-6(d)(3).

The company name has been revised throughout the registration as follows:

Company Name: ~~Rock-Tenn Company~~
Rock Tenn CP, LLC

The source shall continue to operate according to 326 IAC 2-5.5. Please find enclosed the revised registration. A copy of the registration is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Marcia Earl, at (800) 451-6027, press 0 and ask for Marcia Earl or extension 3-0863, or dial (317) 233-0863.

Sincerely,

Iryn Caljung, Section Chief
Permits Branch
Office of Air Quality

IC/me

Attachment: Revised Registration

Rock Tenn CP, LLC
Mishawaka, Indiana
Permit Reviewer: Marcia Earl

Page 2 of 2
Registration Notice-Only Change No. R141-31080-00575

cc: File - St. Joseph County
St. Joseph County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section

[Faint handwritten signature]



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner


100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

REGISTRATION OFFICE OF AIR QUALITY

**RockTenn CP, LLC
1925 Stone Ct,
Mishawaka, Indiana 46425**

Pursuant to 326 IAC 2-5.1 (Construction of New Sources: Registrations) and 326 IAC 2-5.5 (Registrations), (herein known as the Registrant) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this registration.

| | |
|--|---------------------------------|
| Registration No. R141-30162-00575 | |
| Issued by/Original Signed By: Iryn Calilung, Section Chief Permits Branch Office of Air Quality | Issuance Date: October 28, 2011 |

| | |
|--|---|
| First Notice-Only Change No.: 141-31080-00575 | |
| Issued by:  Iryn Calilung, Section Chief Permits Branch Office of Air Quality | Issuance Date: November 17, 2011 |

SECTION A

SOURCE SUMMARY

This registration is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Registrant should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Registrant to obtain additional permits pursuant to 326 IAC 2.

A.1 General Information

The Registrant owns and operates a stationary corrugated container manufacturer.

| | |
|------------------------------|---|
| Source Address: | 1925 Stone Ct, Mishawaka, IN 46425 |
| General Source Phone Number: | (574) 323-2390 |
| SIC Code: | 2653 (Corrugated and Solid Fiber Boxes) |
| County Location: | St. Joseph County |
| Source Location Status: | Attainment for all criteria pollutants |
| Source Status: | Registration |

A.2 Emission Units and Pollution Control Equipment Summary

This stationary source consists of the following emission units and pollution control devices:

- (a) One (1) Langston Corrugator, constructed in 1980, with a maximum throughput of 43.9 tons per hour, using a cyclone as particulate control and collection of cardboard scrap.
- (b) One (1) flexo folder gluer, identified as S&S 821, constructed in 1973, with a maximum throughput of 48.18 tons per hour, using a cyclone as particulate control.
- (c) One (1) flexo folder gluer, identified as S&S 822, constructed in 1972, with a maximum throughput of 71.32 tons per hour, using a cyclone as particulate control.
- (d) One (1) Staley rotary die cutter, constructed in 1981, with a maximum throughput of 73.20 tons per hour, using a cyclone as particulate control.
- (e) One (1) Ward rotary die cutter, constructed in 1971, with a maximum throughput of 48.80 tons per hour, using a cyclone as particulate control.
- (f) One (1) printer-slotter, constructed in 1971, with a maximum throughput of 133.90 tons per hour, using a cyclone as particulate control.
- (g) One (1) Cleaver Brooks natural gas-fired boiler, constructed in 1977, with a maximum heat input capacity of 13.4 MMBtu per hour, exhausting to stack 001.
- (h) One (1) starch silo, with a maximum capacity of 184,000 pounds.
- (i) One (1) baler, constructed in 1981, with a maximum throughput of 2.5 tons per hour, using a cyclone as particulate control.

SECTION B

GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-1.1-1]

Terms in this registration shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

B.2 Effective Date of Registration [IC 13-15-5-3]

Pursuant to IC 13-15-5-3, this registration is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

B.3 Registration Revocation [326 IAC 2-1.1-9]

Pursuant to 326 IAC 2-1.1-9 (Revocation), this registration to operate may be revoked for any of the following causes:

- (a) Violation of any conditions of this registration.
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this registration.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this registration shall not require revocation of this registration.
- (d) For any cause which establishes in the judgment of IDEM the fact that continuance of this registration is not consistent with purposes of this article.

B.4 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to Registration No. R141-30162-00575 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this registration.

B.5 Annual Notification [326 IAC 2-5.1-2(f)(3)] [326 IAC 2-5.5-4(a)(3)]

Pursuant to 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this registration.
- (b) The annual notice shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, IN 46204-2251

- (c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.6 Source Modification Requirement [326 IAC 2-5.5-6(a)]

Pursuant to 326 IAC 2-5.5-6(a), an application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

B.7 Registrations [326 IAC 2-5.1-2(i)]

Pursuant to 326 IAC 2-5.1-2(i), this registration does not limit the source's potential to emit.

B.8 Preventive Maintenance Plan [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this registration, the Registrant shall prepare and maintain Preventive Maintenance Plans (PMPs) no later than ninety (90) days after issuance of this registration or ninety (90) days after initial start-up, whichever is later, including the following information on each facility:
- (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Registrant's control, the PMPs cannot be prepared and maintained within the above time frame, the Registrant may extend the date an additional ninety (90) days provided the Registrant notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The Registrant shall implement the PMPs.

- (b) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Registrant to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions.
- (c) To the extent the Registrant is required by 40 CFR Part 60 or 40 CFR Part 63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such OMM Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-5.1-2(g)] [326 IAC 2-5.5-4(b)]

C.1 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this registration:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.2 Fugitive Dust Emissions [326 IAC 6-4]

The Registrant shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

SECTION D.1

OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]:

- (a) One (1) Langston Corrugator, constructed in 1980, with a maximum throughput of 43.9 tons per hour, using an integral cyclone as particulate control and collection of cardboard scrap.
- (b) One (1) flexo folder gluer, identified as S&S 821, constructed in 1973, with a maximum throughput of 48.18 tons per hour, using an integral cyclone as particulate control.
- (c) One (1) flexo folder gluer, identified as S&S 822, constructed in 1972, with a maximum throughput of 71.32 tons per hour, using an integral cyclone as particulate control.
- (d) One (1) Staley rotary die cutter, constructed in 1981, with a maximum throughput of 73.20 tons per hour, using an integral cyclone as particulate control.
- (e) One (1) Ward rotary die cutter, constructed in 1971, with a maximum throughput of 48.80 tons per hour, using an integral cyclone as particulate control.
- (f) One (1) printer-slotter, constructed in 1971, with a maximum throughput of 133.90 tons per hour, using an integral cyclone as particulate control.
- (h) One (1) starch silo, with a maximum capacity of 184,000 pounds.
- (i) One (1) baler, constructed in 1981, with a maximum throughput of 2.5 tons per hour, using an integral cyclone as particulate control.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

D.1.1 Particulate Matter Limitations [326 IAC 2-2]

- (1) The PM emissions from the scrap baler shall not exceed 7.58 pounds per hour.
- (2) The PM emissions from the corrugator shall not exceed 11.06 pound per hour.
- (3) The PM emissions from the flexo folder gluer 821 shall not exceed 11.76 pound per hour.
- (4) The PM emissions from the flexo folder gluer 822 shall not exceed 15.29 pounds per hour.
- (5) The PM emissions from the Staley rotary die cutter shall not exceed 15.56 pounds per hour.
- (6) The PM emissions from the Ward rotary die cutter shall not exceed 11.86 pounds per hour.
- (7) The PM emissions from the printer-slotter shall not exceed 23.32 pounds per hour.
- (8) The PM emissions from the starch silo shall not exceed 8.56 pounds per hour.

Compliance with these limits, combined with the potential to emit PM from all other emission units at this source, shall limit the source-wide total potential to emit of PM to less than 250 tons per 12 consecutive month period and shall render 326 IAC 2-2 (Prevention of Significant Deterioration (PSD)) not applicable.

D.1.2 Particulate Limit [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3 (Particulate Emission Limitations from Manufacturing Processes), the particulate emissions shall not exceed the pounds per hour emission limit as shown below:

| Emission Units | Maximum Waste Material Processed (tons/hour) | Particulate Emission Limit (lbs/hour) |
|--------------------------|--|---------------------------------------|
| Scrap Baler | 2.5 | 7.58 |
| Corrugator | 4.4 | 11.06 |
| Flexo Folder Gluer 821 | 4.82 | 11.76 |
| Flexo Folder Gluer 822 | 7.13 | 15.29 |
| Staley Rotary Die Cutter | 7.32 | 15.56 |
| Ward Rotary Die Cutter | 4.88 | 11.86 |
| Printer-Slotter | 13.39 | 23.32 |
| Starch Silo | 3.0 | 8.56 |

The pound per hour limitation was calculated with the following equation:

Interpolation of the data for the process weight rate up to 60,000 pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67}$$

Where: E = rate of emission in pounds per hour; and
P = process weight rate in tons per hour

The cyclone controlling particulate emissions from the scrap baler, corrugator, flexo folder gluers, die cutters, and printer-slotter has been determined by IDEM, OAQ to be integral to the process for these units. Therefore, it shall be in operation at all times that these units are in operation.

D.1.3 Preventive Maintenance Plan [326 IAC 1-6-3]

A Preventive Maintenance Plan is required for these facilities and their control device. Section B - Preventive Maintenance Plan contains the Registrant's obligation with regard to the preventive maintenance plan required by this condition.

Compliance Monitoring Requirements [326 IAC 2-6.1-5(a)(2)]

D.1.4 Cyclone Inspections

An inspection shall be performed each calendar quarter of the cyclone associated with the cardboard scrap baling process. Inspections required by this condition shall not be performed in consecutive months.

D.1.5 Cyclone Failure Detection

In the event that cyclone failure has been observed:

Failed units and the associated process will be shut down immediately until the failed units have been repaired or replaced. Failure to take response steps in accordance with Section C - Response to Excursions or Exceedances shall be considered a deviation from this permit.

Record Keeping and Reporting Requirements [326 IAC 2-6.1-5(a)(2)]

D.1.6 Record Keeping Requirements

- (a) To document the compliance status with Condition D.1.4, the Permittee shall maintain records of the results of the inspections required under Condition D.1.4.
- (b) Section C - General Record Keeping Requirements, of this permit contains the Permittee's obligations with regard to the records required by this condition.

SECTION D.2

OPERATION CONDITIONS

Facility Description [326 IAC 2-5.1-2(f)(2)] [326 IAC 2-5.5-4(a)(2)]:

- (g) One (1) Cleaver Brooks natural gas-fired boiler, constructed in 1977, with a maximum heat input capacity of 13.4 MMBtu per hour, exhausting to stack 001.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-5.1-2(f)(1)] [326 IAC 2-5.5-4(a)(1)]

D.2.1 Particulate Limit [326 IAC 6-2-3]

Pursuant to 326 IAC 6-2-3(e), the particulate limit for the Clever Brooks boiler is 0.6 lb/MMBtu.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH**

**REGISTRATION
ANNUAL NOTIFICATION**

This form should be used to comply with the notification requirements under 326 IAC 2-5.1-2(f)(3) and 326 IAC 2-5.5-4(a)(3).

| | |
|--------------------------|--------------------------|
| Company Name: | Rock Tenn CP, LLC |
| Address: | 1925 Stone Ct |
| City: | Mishawaka, Indiana 46425 |
| Phone Number: | (574) 323-2390 |
| Registration No.: | R141-30162-00575 |

I hereby certify that Rock Tenn CP, LLC is:

- still in operation.
- no longer in operation.
- in compliance with the requirements of Registration No. R141-30162-00575.
- not in compliance with the requirements of Registration No. R141-30162-00575.

I hereby certify that Rock Tenn CP, LLC is:

| |
|---------------------------------------|
| Authorized Individual (typed): |
| Title: |
| Signature: |
| Phone Number: |
| Date: |

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

| |
|-----------------------|
| Noncompliance: |
| |
| |
| |
| |



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Chris De Baets
Rock Tenn CP, LLC
1925 Stone Court
Mishawaka, IN 46545

DATE: November 17, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Notice-Only Change
141-31080-00575

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Robert Feeney (Business Unit GM)
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

| | | | | |
|----------------------------|---|---|---|--|
| IDEM Staff | MIDENNEY 11/17/2011 Rock-Tenn CP, LLC 141-31080-00575 (final) | | Type of Mail: CERTIFICATE OF MAILING ONLY | AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING |
| Name and address of Sender |  | Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204 | | |

| Line | Article Number | Name, Address, Street and Post Office Address | Postage | Handing Charges | Act. Value (If Registered) | Insured Value | Due Send if COD | R.R. Fee | S.D. Fee | S.H. Fee | Rest. Del. Fee |
|------|----------------|--|---------|-----------------|----------------------------|---------------|-----------------|----------|----------|----------|----------------|
| | | | | | | | | | | | Remarks |
| 1 | | Chris De Baets Rock-Tenn CP, LLC 1925 Stone Ct Mishawaka IN 46545 (Source CAATS) via confirm delivery | | | | | | | | | |
| 2 | | Robert Feeney Business Unit GM Rock-Tenn CP, LLC 2251 Berens Dr New Lenox IL 60451 (RO CAATS) | | | | | | | | | |
| 3 | | Mr. Charles L. Berger Berger & Berger, Attorneys at Law 313 Main Street Evansville IN 47700 (Affected Party) | | | | | | | | | |
| 4 | | Laurence A. McHugh Barnes & Thornburg 100 North Michigan South Bend IN 46601-1632 (Affected Party) | | | | | | | | | |
| 5 | | Mishawaka City Council and Mayors Office 600 E. 3rd Street Mishawaka City Hall Mishawaka IN 46546 (Local Official) | | | | | | | | | |
| 6 | | Mr. Wayne Falda South Bend Tribune 255 W Colfax Ave South Bend IN 46626 (Affected Party) | | | | | | | | | |
| 7 | | St. Joseph County Board of Commissioners 227 West Jefferson Blvd, South Bend IN 46601 (Local Official) | | | | | | | | | |
| 8 | | St. Joseph County Health Department 227 W Jefferson Blvd, Room 825 South Bend IN 46601-1870 (Health Department) | | | | | | | | | |
| 9 | | Mark Zeltwanger 26545 CR 52 Nappanee IN 46550 (Affected Party) | | | | | | | | | |
| 10 | | | | | | | | | | | |
| 11 | | | | | | | | | | | |
| 12 | | | | | | | | | | | |
| 13 | | | | | | | | | | | |
| 14 | | | | | | | | | | | |
| 15 | | | | | | | | | | | |

| | | | |
|---|--|--|--|
| Total number of pieces Listed by Sender 8 | Total number of Pieces Received at Post Office | Postmaster, Per (Name of Receiving employee) | The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels. |
|---|--|--|--|