



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: December 22, 2011

RE: Faurecia Emissions Control Technologies, Inc / 141-31134-00045

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER-AM.dot12/3/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

December 22, 2011

Mr. Doug Remmeck
Faurecia Emissions Control Technologies, Inc.
950 West 450 Street,
Columbus, IN 47201

Re: Exempt Construction and Operation Status,
141-31134-00045

Dear Mr. Remmeck:

The application from Faurecia Emissions Control Technologies, Inc., received on November 10, 2011, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-1.1-3, it has been determined that the following stationary air sparge/soil vapor extraction (AS/SVE) operation to remediate groundwater and soil contamination by trichloroethylene (TCE) located at 13065 Anderson Road, Granger, IN 46530 is classified as exempt from air pollution permit requirements:

- (a) One (1) air sparge/soil vapor extraction (AS/SVE) system, approved for construction in 2011 with a maximum soil vapor extraction airflow rate of 300 actual cubic feet per minute and a maximum groundwater pump-and-treat flow rate of 10 gallons per minute, for remediation of soil and groundwater contaminated with Trichloroethylene (TCE).
- (b) Fugitive emissions from paved roads and parking lots with public access.


The following conditions shall be applicable:

1. 326 IAC 5-1 (Opacity Limitations)
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
 - (1) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
2. ~~326 IAC 6-4 (Fugitive Dust Emissions Limitations)~~
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.

This exemption is the first air approval issued to this source. A copy of the Exemption is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source. If you have any questions on this matter, please contact Charles Sullivan, OAQ, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at 317-232-8422 or at 1-800-451-6027 (ext 2-8422).

Sincerely,



Iryn Calilung, Section Chief
Permits Branch
Office of Air Quality

IC/cbs

cc: File - St. Joseph County
St. Joseph County Health Department
Compliance and Enforcement Branch
Billing, Licensing and Training Section
IDEM Northern Regional Office

**Indiana Department of Environmental Management
Office of Air Quality**

Technical Support Document (TSD) for a Registration Transitioning to an
Exemption

Source Description and Location

Source Name:	Faurecia Emissions Control Technologies, Inc.
Source Location:	13065 Anderson Road, Granger, IN 46530
County:	St. Joseph
SIC Code:	4959
Exemption No.:	141-31134-00045
Permit Reviewer:	Charles Sullivan

On November 10, 2011, the Office of Air Quality (OAQ) received an application from Faurecia Emissions Control Technologies, Inc. related to the construction and operation of a new emission unit at an existing plant and transition from a Registration to an Exemption.

Existing Approvals

The source has been operating under previous approvals including, but not limited to, the following:

- (a) Registration No. 141-4938-00045, issued on November 6, 1995;
- (b) Registration NOC No. 141-13577-00045, issued on January 18, 2001.

Due to this application, the source is transitioning from a Registration to an Exemption.

County Attainment Status

The source is located in St. Joseph County.

Pollutant	Designation
SO ₂	Better than national standards.
CO	Unclassifiable or attainment effective November 15, 1990.
O ₃	Attainment effective July 19, 2007, for the 8-hour ozone standard. ¹
PM ₁₀	Unclassifiable effective November 15, 1990.
NO ₂	Cannot be classified or better than national standards.
Pb	Not designated.

¹Attainment effective October 18, 2000, for the 1-hour ozone standard for the South Bend-Elkhart area, including St. Joseph County, and is a maintenance area for the 1-hour ozone National Ambient Air Quality Standards (NAAQS) for purposes of 40 CFR 51, Subpart X*. The 1-hour standard was revoked effective June 15, 2005.
Unclassifiable or attainment effective April 5, 2005, for PM2.5.

- (a) **Ozone Standards**
Volatile organic compounds (VOC) and Nitrogen Oxides (NOx) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NOx emissions are considered when evaluating the rule applicability relating to ozone. St. Joseph County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

- (b) St. Joseph County has been classified as attainment for PM_{2.5}. On May 8, 2008 U.S. EPA promulgated the requirements for Prevention of Significant Deterioration (PSD) for PM_{2.5} emissions. These rules became effective on July 15, 2008. On May 4, 2011 the air pollution control board issued an emergency rule establishing the direct PM_{2.5} significant level at ten (10) tons per year. This rule became effective, June 28, 2011. Therefore, direct PM_{2.5} and SO₂ emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2. See the State Rule Applicability – Entire Source section.
- (c) Other Criteria Pollutants
St. Joseph County has been classified as attainment or unclassifiable in Indiana for all other criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

Fugitive Emissions

The fugitive emissions of criteria pollutants, hazardous air pollutants, and greenhouse gases are counted toward the determination of 326 IAC 2-1.1-3 (Exemptions) applicability.

Background and Description of Emission Units and Pollution Control Equipment

The Office of Air Quality (OAQ) has reviewed an application, submitted by Faurecia Emissions Control Technologies, Inc. on November 10, 2011, relating to installation and operation of an air sparge/soil vapor extraction (AS/SVE) system at its former automotive exhaust system manufacturing facility located at 13065 Anderson Road, Granger, St. Joseph County, Indiana. The registrant's prior company name Faurecia Exhaust Systems, Inc.- Granger Plant no longer operates at this Granger location. The source has requested an exemption in lieu of any modification to the prior permit.

The source consists of the following existing emission unit(s):

- (a) One (1) air sparge/soil vapor extraction (AS/SVE) system, approved for construction in 2011 with a maximum soil vapor extraction airflow rate of 300 actual cubic feet per minute and a maximum groundwater pump-and-treat flow rate of 10 gallons per minute, for remediation of soil and groundwater contaminated with trichloroethylene (TCE).
- (b) Fugitive emissions from paved roads and parking lots with public access.

Enforcement Issues

There are no pending enforcement actions related to this source.

Emission Calculations

See Appendix A of this TSD for detailed emission calculations.

Permit Level Determination – Exemption

The following table reflects the unlimited potential to emit (PTE) of the entire source before controls. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Process/ Emission Unit	Potential To Emit of the Entire Source (tons/year)									
	PM	PM10*	PM2.5	SO ₂	NO _x	VOC	CO	GHGs as CO ₂ e**	Total HAPs	Worst Single HAP
sparge/soil vapor extraction (AS/SVE) system	–	–	–	–	–	0.002	–	–	0.002	0.002 Trichloroethylene (TCE)
Paved & Unpaved Roads	negl.	negl.	negl.	–	–	–	–	–	–	–
Total PTE of Entire Source	negl.	negl.	negl.	–	–	0.002	–	–	0.002	0.002 (TCE)
Exemptions Levels**	5	5	5	10	10	5	25	100,000	25	10
Registration Levels**	25	25	25	25	25	25	100	100,000	25	10
negl. = negligible *Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant". **The 100,000 CO ₂ e threshold represents the Title V and PSD subject to regulation thresholds for GHGs in order to determine whether a source's emissions are a regulated NSR pollutant under Title V and PSD.										

Criteria Pollutants (PM10, PM2.5, SO₂, NO_x, VOC, and CO)

- (a) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1) of all regulated criteria pollutants are less than the levels listed in 326 IAC 2-1.1-3(e)(1). Therefore, the source is subject to the provisions of 326 IAC 2-1.1-3 (Exemptions).

Hazardous Air Pollutants

- (b) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1) of any single HAP is less than ten (10) tons per year and the PTE of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-7.
- (c) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1) greenhouse gases (GHGs) is less than the Title V subject to regulation threshold of one hundred thousand (100,000) tons of CO₂ equivalent emissions (CO₂e) per year. Therefore, the source is not subject to the provisions of 326 IAC 2-7.

Federal Rule Applicability Determination

New Source Performance Standards (NSPS)

- (a) There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the permit.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

- (b) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included in the permit.

Compliance Assurance Monitoring (CAM)

- (c) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the unlimited potential to emit of the source is less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

State Rule Applicability Determination

The following state rules are applicable to the source:

- (a) 326 IAC 2-1.1-3 (Exemptions)
Exemption applicability is discussed under the Permit Level Determination – Exemption section above.
- (b) 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))
The potential to emit of any single HAP is less than ten (10) tons per year and the potential to emit of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-4.1.
- (c) 326 IAC 2-6 (Emission Reporting)
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake, Porter, or LaPorte County, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.
- (d) 326 IAC 5-1 (Opacity Limitations)
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
- (1) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (e) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
- (f) 326 IAC 6-5 (Fugitive Particulate Matter Emission Limitations)
The source is not subject to the requirements of 326 IAC 6-5, because the **source does not** have potential fugitive particulate emissions greater than 25 tons per year. Therefore, 326 IAC 6-5 does not apply.
- (h) 326 IAC 8-1-6 (VOC Rules: General Reduction Requirements for New Facilities)
Each of the emission units at this source is not subject to the requirements of 326 IAC 8-1-6, since the unlimited VOC potential emissions from each emission unit is less than twenty-five (25) tons per year.

Conclusion and Recommendation

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on November 10, 2011.

The construction and operation of this source shall be subject to the conditions of the attached proposed Exemption No. 141-31134-00045. The staff recommends to the Commissioner that this Exemption be approved.

IDEM Contact

- (a) Questions regarding this proposed permit can be directed to Charles Sullivan at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 232-8422 or toll free at 1-800-451-6027 extension 2-8422.
- (b) A copy of the findings is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.in.gov/idem

**Appendix A: Emission Calculations
Fugitive Dust Emissions - Unpaved Roads**

Company Name: Faurecia Emissions Control Technologies, Inc.
 Site Address: 13065 Anderson Road, Granger, IN 46530
 Exemption No.: 141-31134-00045
 Reviewer: C. Sullivan
 Date: 1-Dec-11

	PM	PM10	PM2.5	SO2	NOx	VOC's	GHGs	HAPs	Worst Case Single HAP
Air Sparge/Soil Vapor Extraction (AS/SVE) Remediation System	-	-	-	-	-	0.002	-	0.002	0.002
Fugitive Emissions - Paved Roads	negl.	negl.	negl.	-	-	-	-	-	-
Potential to Emit:	0.00	0.00	0.00	-	-	0.002	-	0.002	0.002

Trichloroethylene (TCE)

Note:
negl. = negligible

Table 1
Contaminant Mass Calculations - TCE and TCE Derivatives

Company Name: Faurecia Emissions Control Technologies, Inc.
Site Address: 13065 Anderson Road, Granger, IN 46530
Exemption No.: 141-31134-00045
Reviewer: C. Sullivan
Date: 1-Dec-11

Zone	Area ft ²	12/10 Total TCE Constituent Concentration, µg/L	Assumed Maximum Total TCE Constituent Concentration, µg/L	Assumed Impacted Thickness, ft	Assumed Porosity	Volume of Water, ft ³	Volume of Water, L	Mass of Dissolved TCE Constituents, g	Assumed Water to Soil Partitioning Coefficient, g	Total Mass, g ¹
MW-4	191,952.05	Historically ND	1	10	0.3	575,856.14	16,306,403.15	16.31	1	16.31
MW-5	136,345.12	Historically ND	1	10	0.3	409,035.36	11,582,572.48	11.58	1	11.58
MW-6	59,518.92	48.5	48.5	10	0.3	178,556.76	5,056,156.06	245.22	1	245.22
MW-7	153,777.19	2.23	2.23	10	0.3	461,331.56	13,063,433.52	29.13	1	29.13
MW-9	55,469.54	6.3	6.3	10	0.3	166,408.62	4,712,159.61	29.69	1	29.69
MW-10	141,214.17	Historically ND	1	10	0.3	423,642.50	11,996,199.95	12.00	1	12.00
MW-14	141,387.95	1.83	1.83	10	0.3	424,163.86	12,010,963.19	21.98	1	21.98
MW-15	294,898.45	1.60	1.60	10	0.3	884,695.35	25,051,741.29	4,008.28	1	4,008.28
								Totals:		4,374.19
								Total Pounds:		9.65
								Total Tons:		0.005

Note:

1 - The total sum mass of trichloroethylene and its derivatives is calculated based on historical groundwater sampling data.

Methodology

Weight of TCE in Soil (Absorbed to Soil) (lbs) = [Mass of Dissolved TCE Constituents(g)]*[Assumed Water to Soil Partitioning Coefficient(g)] * [0.002205 (lb/g)]

Potential to Emit (PTE) HAP

Total HAP in Soil (lbs)	9.65
Total HAP in Soil (tons)	0.005
Remediation Time (years)	2
PTE of HAP (tons/yr)	0.002

The potential emission rate for HAPs emitted from the SVE system is assumed to be constant during the remediation time period.

Based on information provided by the source, the remediation time will be 730 days or 2 years.

Each of the TCE components is considered a VOC.

PTE of HAPs (tons/yr) = [Total HAP in Soil (tons)]/[Remediation Time (years)]

**Appendix A: Emission Calculations
Fugitive Dust Emissions - Unpaved Roads**

Company Name: Faurecia Emissions Control Technologies, Inc.
Site Address: 13065 Anderson Road, Granger, IN 46530
Exemption No.: 141-31134-00045
Reviewer: C. Sullivan
Date: 1-Dec-11

Paved Roads at Industrial Site

The following calculations determine the amount of emissions created by paved roads, based on 8,760 hours of use and AP-42, Ch 13.2.1 (12/2003).

Vehicle Information (provided by source)

Type	Maximum number of vehicles	Number of one-way trips per day per vehicle	Maximum trips per day (trip/day)	Maximum Weight Loaded (tons/trip)	Total Weight driven per day (ton/day)	Maximum one-way distance (feet/trip)	Maximum one-way distance (mi/trip)	Maximum one-way miles (miles/day)	Maximum one-way miles (miles/yr)
Vehicle (entering plant) (one-way trip)	2.0	0.033	0.066	2.0	0.13	250	0.047	0.0	1.1
Vehicle (leaving plant) (one-way trip)	2.0	0.033	0.066	2.0	0.13	250	0.047	0.0	1.1
Total			0.1		0.3			0.0	2.3

Average Vehicle Weight Per Trip = $\frac{2.0}{0.05}$ tons/trip
 Average Miles Per Trip = $\frac{0.05}{0.05}$ miles/trip

Unmitigated Emission Factor, $E_f = [k * (sL/2)^{0.65} * (W/3)^{1.5} - C]$ (Equation 1 from AP-42 13.2.1)

	PM	PM10	
where k =	0.082	0.016	lb/mi = particle size multiplier (AP-42 Table 13.2.1-1)
W =	2.0	2.0	tons = average vehicle weight (provided by source)
C =	0.00047	0.00047	lb/mi = emission factor for vehicle exhaust, brake wear, and tire wear (AP-42 Table 13.2.1-2)
sL =	0.6	0.6	g/m ² = Ubiquitous Baseline Silt Loading Values of paved roads (Table 13.2.1-3 for summer months)

Taking natural mitigation due to precipitation into consideration, Mitigated Emission Factor, $E_{ext} = E * [1 - (p/4N)]$

Mitigated Emission Factor, $E_{ext} = \frac{E_f * [1 - (p/4N)]}{N}$
 where p = 125 days of rain greater than or equal to 0.01 inches (see Fig. 13.2.1-2)
 N = 365 days per year

	PM	PM10	
Unmitigated Emission Factor, E_f =	0.02	0.00	lb/mile
Mitigated Emission Factor, E_{ext} =	0.02	0.00	lb/mile
Dust Control Efficiency =	50%	50%	(pursuant to control measures outlined in fugitive dust control plan)

Process	Unmitigated PTE of PM (tons/yr)	Unmitigated PTE of PM10 (tons/yr)	Mitigated PTE of PM (tons/yr)	Mitigated PTE of PM10 (tons/yr)	Controlled PTE of PM (tons/yr)	Controlled PTE of PM10 (tons/yr)
Vehicle (entering plant) (one-way trip)	1.14E-05	2.00E-06	1.04E-05	1.83E-06	5.20E-06	9.16E-07
Vehicle (leaving plant) (one-way trip)	1.14E-05	2.00E-06	1.04E-05	1.83E-06	5.20E-06	9.16E-07
	2.27E-05	4.01E-06	2.08E-05	3.66E-06	1.04E-05	1.83E-06

Methodology

Total Weight driven per day (ton/day) = [Maximum Weight Loaded (tons/trip)] * [Maximum trips per day (trip/day)]
 Maximum one-way distance (mi/trip) = [Maximum one-way distance (feet/trip)] / [5280 ft/mile]
 Maximum one-way miles (miles/day) = [Maximum trips per year (trip/day)] * [Maximum one-way distance (mi/trip)]
 Average Vehicle Weight Per Trip (ton/trip) = SUM[Total Weight driven per day (ton/day)] / SUM[Maximum trips per day (trip/day)]
 Average Miles Per Trip (miles/trip) = SUM[Maximum one-way miles (miles/day)] / SUM[Maximum trips per year (trip/day)]
 Unmitigated PTE (tons/yr) = [Maximum one-way miles (miles/yr)] * [Unmitigated Emission Factor (lb/mile)] * (ton/2000 lbs)
 Mitigated PTE (tons/yr) = [Maximum one-way miles (miles/yr)] * [Mitigated Emission Factor (lb/mile)] * (ton/2000 lbs)
 Controlled PTE (tons/yr) = [Mitigated PTE (tons/yr)] * [1 - Dust Control Efficiency]

Abbreviations

PM = Particulate Matter
 PM10 = Particulate Matter (<10 um)
 PTE = Potential to Emit



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Doug Rommeck
Faurecia Emissions Control Technologies, Inc
950 W 450 S
Columbus, IN 47201

DATE: December 22, 2011

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Exemption
141-31134-00045

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Julie Johnson (URS Corporation)
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	MIDENNEY 12/22/2011 Faurecia Emissions Control Technologies Inc 141-31134-00045 (final)		AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	 Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: CERTIFICATE OF MAILING ONLY	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Doug Rommeck Faurecia Emissions Control Technologies Inc 950 W 450 S Columbus IN 47201 (Source CAATS) via confirm delivery										
2		Mr. Charles L. Berger Attorney Berger & Berger, Attorneys at Law 313 Main Street Evansville IN 47700 (Affected Party)										
3		Laurence A. McHugh Barnes & Thornburg 100 North Michigan South Bend IN 46601-1632 (Affected Party)										
4		Mr. Wayne Falda South Bend Tribune 255 W Colfax Ave South Bend IN 46626 (Affected Party)										
5		St. Joseph County Board of Commissioners 227 West Jefferson Blvd, South Bend IN 46601 (Local Official)										
6		St. Joseph County Health Department 227 W Jefferson Blvd, Room 825 South Bend IN 46601-1870 (Health Department)										
7		Mark Zeltwanger 26545 CR 52 Nappanee IN 46550 (Affected Party)										
8		Julie S Johnson URS Corporation One Indiana Square, Suite 2100 Indianapolis IN 46204 (Consultant)										
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender 7	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--