



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: February 29, 2012

RE: Altec Engineering/039-314701-00519

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. Derek DeGraff, Assistant General Manager
Altec Engineering
28274 CR 20
Elkhart, IN 46517

February 29, 2012

Re: Interim Significant Source Modification Approval
039-31470I-00519

Dear Mr. DeGraff:

On February 9, 2012, the Office of Air Quality (OAQ) received an interim significant source modification petition from Altec Engineering located at 2944 Gateway Drive, Elkhart, Indiana 46515. Based on the data and information submitted in the petition and the provisions in 326 IAC 2-13-1, this interim significant source modification petition is hereby approved for:


1. One (1) coating area, identified as Spray Area 3, permitted in 2012, equipped with high volume, low pressure (HVLP) or spray guns at least as efficient, and air atomized spray guns for repairs only, utilizing dry filters for overspray control, exhausting to stack S-5. This is a plastic coating facility under 40 CFR 63, Subpart PPPP.

Public notice of the interim significant source modification petition was published on February 11, 2012. The public comment period ended on February 25, 2012. Since there are no comments received during the public comment period, pursuant to 326 IAC 2-13-1(i), the interim significant source modification petition is in effect upon issuance, and expires on the effective date of the final significant source modification permit. The interim significant source modification petition may be revoked after this effective date upon a written finding by the Indiana Department of Environmental Management (IDEM) that any of the reasons for denial in 326 IAC 2-13-1(h) exist or if the final significant source modification is denied. The IDEM has reviewed this interim significant source modification petition and has not found any such reason. The facilities specified in the interim significant source modification petition may be constructed upon issuance of this interim approval. Operational approval is granted in accordance with 326 IAC 2-7-12.

The interim significant source modification petition is federally enforceable. Detailed construction and operation conditions will be specified in the final Significant Source Modification permit no. 039-31470I-00519.

If you have any questions regarding this interim significant source modification petition, please contact Madhurima Moulik of my staff at 317-233-0868, or at 1-800-451-6027 (ask for extension 3-0868).

Sincerely,



Chrystal Wagner, Section Chief
Permit Branch
Office of Air Quality

Enclosure: Interim SSM Evaluation

MDM

cc: File – Elkhart County
Elkhart County Health Department

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY**

**PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION, SIGNIFICANT SOURCE
MODIFICATION, MINOR PERMIT REVISION, OR MINOR SOURCE MODIFICATION**

Source Name: Altec Engineering LLC.
Source Address: 2944 Gateway Drive
Mailing Address: 28274 C.R. 20 West, Elkhart IN 46517
SIC/NAICS Code: 7389/56199

Description of the Operation or Equipment:

One Spray System Paint Booth coating area Model # TB-502015 Pressurized drive-thru booth to be identified as 'Spray area 3'. Equipped with high volume low pressure (HVLV) spray guns at least as efficient, and air atomized spray guns for repairs only, utilizing dry filters for over spray control. It is to be exhausted through the roof of the building to be identified as stack S-5. Paint area 3 will have the maximum capacity of 20.2 tons of VOC per hour.

Potential to Emit:

The potential to emit for spray area 3 is as follows: Based on 8760 hours per year the emissions of VOC will be 89 Tons/year. The HAPs do not exceed 10 tons/year in any individual HAP, and do not exceed 25 tons/year total combined HAPs.

Altec will limit 'spray area 3' to <25 tpy VOC and <10/25 tph HAP. While keeping the source PTE <250 tpy.

See Tables 1.1, 1.2, and 1.3 for details on methodology and calculations.

PSD Requirements:

The source location in Elkhart County is classified as an attainment area. The potential to emit is less than the PSD significant levels, therefore PSD rules and requirements do not apply. The source will be minor for PSD.

NSPS Requirements:

There is no applicable NSPS rule applicable to this operation or equipment.

NESHAP Requirements:


There is no applicable NESHAP rule for this emission unit alone.
However the Plant Source is subject to NESHAP 40 CFR Part 63, Subpart PPPP.

State Rules & Requirements:

- 326 IAC 2-7: TITLE V OPERATING PERMIT
- 326 IAC 6-3-2: PARTICULATE EMISSION LIMITATIONS FOR MANUFACTURING PROCESS
- 326 IAC 5-1: OPACITY
- 326 IAC 2-2 PSD
- 326 IAC 1-7 STACK HEIGHT
- 326 IAC 2-3 EMISSION OFFSET
- 326 IAC 2-6 EMISSION REPORTING
- 326 IAC 6-4 FUGITIVE EMISSIONS

Federal Enforce ability:

Altec Engineering consents to the federal enforce ability of this interim petition.

Signature 

Printed Name: Gary Robinson

Title or Position: President

Phone Number: 574-293-1965

Date: 2/3/12

Indiana Department of Environmental Management Office of Air Quality

Interim Petition Checklist	
Instructions: (a) Please answer yes or no. (b) Enclosed this checklist with the completed interim petition package.	
Company Name: Altec Engineering	
Location: 2944 Gateway Dr. Elkhart IN 46515	
yes	1. Is the written interim petition prepared?
yes	2. Is the written petition signed and dated?
yes	3. Is the public notice drafted?
yes	4. Is the filing and review fee enclosed? \$625 for TV, FESOP, and SSOA. \$500 for MSOP.
yes	5. Is the account number written on the check or money order?
yes	6. Is the Affidavit of Construction signed, dated, and notarized?
yes	7. Is the proposed modification/revision described in detail?
yes	8. Is the proposed modification/revision a modification or addition to an existing source?
yes	9. Is the proposed modification/revision located in an attainment area for all the criteria pollutants?
no	10. Is the proposed modification/revision located in a nonattainment area? If yes, answer No. 11.
	11. Is the pollutant, which the nonattainment designation is based on, going to be emitted in this proposed modification/revision?
yes	12. Are potential emissions calculated?
yes	13. Is federal enforceability consent specifically indicated?
yes	14. Are specific conditions, limitations, and/or restrictions included that preclude applicability of PSD?
yes	15. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NSPS?
no	16. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NESHAP?
yes	17. Are specific conditions, limitations, and/or restrictions included that assure compliance with all applicable state air pollution rules?
yes	18. Has a regular modification/revision permit application been submitted to OAQ?
no	19. Has the proposed modification/revision commenced prior to the submission of the interim permit petition?
yes	20. The interim petition comment period has been decided to be: 14 calendar days
Additional Comments:	

**NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT**

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification
for **Altec Engineering LLC.**
in **Elkhart County**

Notice is hereby given that the above company located at 2944 Gateway Dr in Elkhart, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a Paint Booth with Dry Filters as air pollution control. Based on 8,760 hours per year of operation, the VOC and Controlled Particulate emissions are VOC = 89 Tons per Year, HAPs = 6.6/12.9 tpy and Controlled Particulate = .393 tons per year, respectively. *Altec proposes to limit VOC to <25 tpy, and HAP <10/25 tpy. consisting of no more than 1920 hours per year.*

The company has submitted an application for a significant permit revision / significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Elkhart Public Library, 300 S. Second St, Elkhart Indiana, 46516**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature:



Company Official's Printed Name:

Gary Robinson

Company Name:

Altec Engineering

Affidavit of Construction

I, Dennis Jordan, being duly sworn upon my oath, depose and say:

(Name of the Authorized Representative)

1. I live in St Joseph County, Indiana and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.

2. I hold the position of Vice President for Altec Engineering.
(Title) (Company Name)

3. By virtue of my position with Altec Engineering, I have personal
(Company Name)
knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of Altec Engineering.
(Company Name)

4. I, the undersigned, have submitted an interim (minor permit revision, significant permit revision, minor source modification, significant source modification) petition to the Office of Air Quality for the construction of a Paint booth.

5. Altec Engineering recognizes the following risks:
(Company Name)
(a) own financial risk, (b) that IDEM may require additional or different control technology for the final approval, (c) that IDEM may deny issuance of the final approval, and
(d) any additional air permitting requirements.

Further Affiant said not.

I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature: [Handwritten Signature]

Printed Name: Dennis Jordan

Phone No.: 574-293-1965

Date: 2/3/12

STATE OF INDIANA)
)SS
COUNTY OF Elkhart)

Subscribed and sworn to me, a notary public in and for Dennis Jordan County and

State of Indiana on this 03 day of Feb., 20 12.

My Commission expires: Aug 1, 2019

Signature: [Handwritten Signature]

Printed Name: Heather L. Newton



The Elkhart Truth

Elkhart, Indiana 46516

PROOF OF PUBLICATION

STATE OF INDIANA)
ELKHART COUNTY) ss

Mark T. Wolf, being duly sworn on oath, says that he is the Classified Manager of The Elkhart Truth, a daily newspaper of general circulation, printed in the city of Elkhart in said County and State; that the notice, of which that annexed is a true copy, was published in regular editions of said newspaper, issued on the following dates to wit:

February 11, 2012

Mark T. Wolf
Name of Affiant

Subscribed and sworn to before me, this 11 day of Feb 20 12

Teri A. Fritz-Lint

Notary Public

TERI A. FRITZ-LINT
NOTARY PUBLIC STATE OF INDIANA
ELKHART COUNTY

MY COMMISSION EXPIRES APR. 26, 2014

Fee: \$

40.55

NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification for Altec Engineering LLC. in Elkhart County

Notice is hereby given that the above company located at 2944 Gateway Dr in Elkhart, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a Paint Booth with Dry Filters as air pollution control. Based on 8,760 hours per year of operation, the VOC and Controlled Particulate emissions are VOC = 89 Tons per Year, HAPs = 6.6/12.9 tpy and Controlled Particulate = .393 tons per year, respectively. Altec proposes to limit VOC to less 25 tpy, and HAP less 10/25 tpy, consisting of no more than 1920 hours per year.

Teri A. Fritz-Lint

Notary Public

TERI A. FRITZ-LINT
NOTARY PUBLIC STATE OF INDIANA
ELKHART COUNTY

MY COMMISSION EXPIRES APR. 26, 2014

Fee \$

40.55

**NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT**

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification for Altec Engineering LLC. in Elkhart County

Notice is hereby given that the above company located at 2944 Gateway Dr in Elkhart, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a Paint Booth with Dry Filters as air pollution control. Based on 8,760 hours per year of operation, the VOC and Controlled Particulate emissions are VOC = 89 Tons per Year, HAPs = 6.6/12.9 tpy and Controlled Particulate = .393 tons per year, respectively. *Altec proposes to limit VOC to less 25 tpy, and HAP less 10/25 tpy, consisting of no more that 1920 hours per year.*

The company has submitted an application for a significant permit revision/significant source modification. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the Elkhart Public Library, 300 S. Second St., Elkhart Indiana, 46516. All comments, along with supporting documentation, should be submitted in writing in the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties or record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Gary Robinson
Altec Engineering

February 11, 2014



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Derek DeGraff
Assistant General Manager
Altec Engineering
28274 CR 20
Elkhart, IN 46517

DATE: February 29, 2012

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Interim Significant Source Modification Approval
039-31470I-00519

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Gary Robinson, Responsible Official
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	PWAY 2/29/2012 Altec Engineering, LLC 039-314701-00519 (final)		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Derek DeGraff Altec Engineering, LLC 28274 CR 20 Elkhart IN 46517 (Source CAATS)										
2		Gary Robinson President Altec Engineering, LLC 28274 CR 20 Elkhart IN 46517 (RO CAATS)										
3		Elkhart City Council and Mayors Office 229 South Second Street Elkhart IN 46516 (Local Official)										
4		Elkhart County Health Department 608 Oakland Avenue Elkhart IN 46516 (Health Department)										
5		Laurence A. McHugh Barnes & Thornburg 100 North Michigan South Bend IN 46601-1632 (Affected Party)										
6		Elkhart County Board of Commissioners 117 North Second St. Goshen IN 46526 (Local Official)										
7												
8												
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--