INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: March 16, 2012

RE: Honeywell International, Inc / 141-31500i-00172

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

(1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
(2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
(3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

(1) the name and address of the person making the request;
(2) the interest of the person making the request;
(3) identification of any persons represented by the person making the request;
(4) the reasons, with particularity, for the request;
(5) the issues, with particularity, proposed for considerations at any hearing; and
(6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

March 16, 2012

Katherine Beach
Honeywell International, Inc.
3520 Westmoor Street
South Bend, IN 46628

Re: Interim Significant Source Modification Petition Approval
141-31500i-00172

Dear Ms. Beach:

On February 15, 2012, the Office of Air Quality (OAQ) received an interim Significant Source Modification petition from Honeywell International, Inc., located at 3520 Westmoor Street, in South Bend, Indiana for construction of two (2) chemical vapor deposition units controlled by internal flares.

A public notice of the interim Significant Source Modification petition was published in the South Bend Tribune on February 22, 2012. The public comment period ended on March 7, 2012.

There were no comments received during the public comment period. This interim Significant Source Modification petition is in effect upon issuance and will expire on the effective date of the final Significant Source Modification permit.

The interim Significant Source Modification petition may be revoked after the effective date upon a written finding by the Indiana Department of Environmental Management (IDEM) that any of the reasons for denial in 326 IAC 2-13-1(h) exist or if the final Significant Source Modification permit is denied. The IDEM has reviewed this interim Significant Source Modification petition and has not found any such reason. The facilities subject to this approval may not operate until the final Significant Permit Modification is issued by OAQ.

The interim Significant Source Modification petition is federally enforceable. Detailed construction and operation conditions will be specified in the final Significant Source Modification permit 141-31500-00172.

If you have any questions regarding this interim Significant Source Modification petition, please contact Kristen Willoughby, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call at (800) 451-6027, and ask for Kristen Willoughby or extension 3-3031, or dial (317)233-3031.

Sincerely,

for Tripurari P. Sinha, Ph. D., Section Chief
Permits Branch
Office of Air Quality

Enclosure: Interim Permit Evaluation (3 pages)

kw
cc: File –St Joseph County
St Joseph County Health Department
U.S. EPA, Region V
Compliance and Enforcement Branch

141-31500i-00172

Honeywell

Aircraft Landing Systems
3520 Westmoor Street
South Bend, IN 46628-1373

(574) 231-2000
(574) 231-2020 Fax

RECEIVED
FEB 15 2012
STATE OF INDIANA
DEPT. OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY

February 14, 2012

Mr. Matthew Stuckey, Chief
Air Permits Branch
Indiana Department of Environmental Management
100 N. Senate Avenue
Indianapolis, Indiana

Re: Interim Permit Application for Honeywell International, Inc.
Plt. ID No. 141-00172

Dear Mr. Stuckey:

The attached Interim Permit application is for two Carbon Vapor Deposition (CVD) units (CVD-26 and CVD-27), each controlled by an internal flare. This application is being submitted in conjunction with a Title V Significant Source/ Permit Modification application for these units. Applicable state and federal rules are identified in the Petition for Interim Permit as well as in the attached application.

If you have questions regarding our application, please do not hesitate to contact me at (574) 231-3832, or contact Tom Rarick of ERM. at (317) 706-2003. ERM assisted us with the preparation of this application and the analyses contained in this letter.

Sincerely,
Honeywell International, Inc.

Eric Kloss
HSE Leader

RECEIVED
State of Indiana
FEB 15 2012 - 7
Permit
Dept of Environmental Management
Office of Air Quality

Enclosures

AIR PERMIT APPLICATION COVER SHEET

State Form 50639 (R3 / 11-07)
INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

IDEM - Office of Air Quality - Permits Branch
100 N. Senate Avenue, MC 61-53, Room 1003
Indianapolis, IN 46204-2251
Telephone: (317) 233-0178 or
Toll Free: 1-800-451-6027 x30178 (within Indiana)
Facsimile Number: (317) 232-6749
www.in.gov/idem/permits/air/index.html

NOTES:

- The purpose of this cover sheet is to obtain the core information needed to process the air permit application. This cover sheet is required for all air permit applications submitted to IDEM, OAQ. Place this cover sheet on top of all subsequent forms and attachments that encompass your air permit application packet.
- Submit the completed air permit application packet, including all forms and attachments, to **IDEM Air Permits Administration** using the address in the upper right hand corner of this page. Also send a copy to the local agency (if applicable).
- IDEM will send a bill to collect the filing fee and any other applicable fees.
- Detailed **instructions** for this form are available online at www.in.gov/idem/permits/air/apps/instructions/coverinstructions.html.

FOR OFFICE USE ONLY

PERMIT NUMBER:

DATE APPLICATION WAS RECEIVED:

RECEIVED
State of Indiana
FEB 15 2012
Perm
Dept of Environmental Management
Office of Air Quality

1. Tax ID Number: 22-2640650/0

PART A: Purpose of Application

Part A identifies the purpose of this air permit application. For the purposes of this form, the term "source" refers to the plant site as a whole and NOT to individual emissions units.

2. Source / Company Name: Honeywell International, Inc. **3. Plant ID:** 141 – 0172

4. Billing Address: 3520 Westmoor Street

City: South Bend **State:** IN **ZIP Code:** 46628 – 1373

5. Permit Level: ☐ Exemption ☐ Registration ☐ SSOA ☐ MSOP ☐ FESOP ☒ TVOP ☐ PBR

6. Application Summary: *Check all that apply. Multiple permit numbers may be assigned as needed based on the choices selected below.*

☐ Initial Permit ☐ Renewal of Operating Permit ☐ Asphalt General Permit
☐ Review Request ☐ Revocation of Operating Permit ☐ Alternate Emission Factor Request
☒ Interim Approval ☐ Relocation of Portable Source ☐ Acid Deposition (Phase II)
☐ Site Closure ☐ Emission Reduction Credit Registry

☐ Transition (between permit levels) *From:* *To:*

☐ Administrative Amendment: ☐ *Company Name Change* ☐ *Change of Responsible Official*
☐ *Correction to Non-Technical Information* ☐ *Notice Only Change*
☐ *Other (specify):*

☐ Modification: ☐ *New Emission Unit or Control Device* ☐ *Modified Emission Unit or Control Device*
☐ *New Applicable Permit Requirement* ☐ *Change to Applicability of a Permit Requirement*
☐ *Prevention of Significant Deterioration* ☐ *Emission Offset* ☐ *MACT Preconstruction Review*
☐ *Minor Source Modification* ☐ *Significant Source Modification*
☐ *Minor Permit Modification* ☐ *Significant Permit Modification*
☐ *Other (specify):*

7. Is this an application for an initial construction and/or operating permit for a **"Greenfield" Source**? ☐ Yes ☒ No

8. Is this an application for construction of a new emissions unit at an **Existing Source**? ☒ Yes ☐ No

Continued on Next Page

PART B: Pre-Application Meeting

Part B specifies whether a meeting was held or is being requested to discuss the permit application.

9. Was a meeting held between the company and IDEM prior to submitting this application to discuss the details of the project?

☒ No ☐ Yes: *Date:*

10. Would you like to schedule a meeting with IDEM management and your permit writer to discuss the details of this project?

☒ No ☐ Yes: *Proposed Date for Meeting:*

PART C: Confidential Business Information

Part C identifies permit applications that require special care to ensure that confidential business information is kept separate from the public file.

Claims of confidentiality must be made at the time the information is submitted to IDEM, and must follow the requirements set out in the Indiana Administrative Code (IAC). To ensure that your information remains confidential, refer to the IDEM, OAQ information regarding submittal of confidential business information. For more information on confidentiality for certain types of business information, please review IDEM's Nonrule Policy Document Air-031-NPD regarding Emission Data.

11. Is any of the information contained within this application being claimed as **Confidential Business Information**?

☐ Yes ☒ No

PART D: Certification Of Truth, Accuracy, and Completeness

Part D is the official certification that the information contained within the air permit application packet is truthful, accurate, and complete. Any air permit application packet that we receive without a signed certification will be deemed incomplete and may result in denial of the permit.

For a Part 70 Operating Permit (TVOP) or a Source Specific Operating Agreement (SSOA), a "responsible official" as defined in 326 IAC 2-7-1(34) must certify the air permit application. For all other applicants, this person is an "authorized individual" as defined in 326 IAC 2-1.1-1(1).

☒ *I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate, and complete.*

Dennis Webster
Name *(typed)*

Director, Integrated Supply Chain
Title

Dennis Webster
Signature

2 14 2012
Date *(month, day, year)*

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR MANAGEMENT

PETITION FOR INTERIM SIGIFICANT SOURCE MODIFICATION

for
Honeywell International, Inc.
3520 Westmoor Street
South Bend, Indiana 46628

SIC Code: 3728

Description of the Operation or Equipment:

Two(2) Chemical Vapor Deposition (CVD) units, also known as carbon vapor deposition units, identified as CVD-26 and CVD27 with each unit having an estimated batch capacity of 8800 pounds (initial weight) of brakes for random fiber process or 5300 pounds (initial weight) of brakes for non-woven process. Each CVD has a nominal total reactant gas flow of 2000 scf per soak hour for random fiber process or a nominal total reactant gas flow of 4200 scf per soak hour for non-woven fiber process. Each CVD unit is equipped with an enclosed flare, controlling the soak phase VOC emissions, each having a rated capacity of 5.5 MMBtu per hour, natural gas combustion, and exhausting through stacks S-FL-26 through S-FL-27, respectively.

Potential Emissions:

Pollutant	Uncontrolled Potential Emissions Tons/year	Limited Potential to Emit After Controls Tons/Year
VOC	91	1.81
NO_x		4.35
CO		5.21
SO2		0.026
PM		0.083
$PM_{10}/PM_{2.5}$		0.33
Benzene	12.2	0.25
Toluene	1.31	0.026
Styrene	1.21	0.024
Total Hazardous Air Pollutants (HAPs)	14.8	0.34

Calculations and methodologies are included in the attached Construction Permit application.

PSD Requirements:

The facility wide limited Potential to emit is less than the major source thresholds prior to this modification and after the modification is completed and therefore the requirements of the PSD rules do not apply.

NSPS Requirements:

There are no applicable NSPS rules for this operation or equipment.

NESHAP Requirements:

There are no applicable NESHAP rules for this operation or equipment.

State Rules & Requirements:

326 IAC 2-4.1, New Source Toxics Controls, does not apply, since the potential to emit for each of the two CVD units is less than the applicability threshold of 10 tons/year of any single HAP or 25 tons/year of all HAPs.

326 IAC 5, Opacity Regulations. The applicable opacity standard for Honeywell's facility is 30% opacity under 326 IAC 5-1-2(2) since the facility is located in St. Joseph County north of Kern Road and east of Pine Road.

326 IAC 6, Particulate Rules. These emission units are subject to a limit of 0.03 gr/dscf pursuant to 326 IAC 6.5-1.

326 IAC 8, Volatile Organic Compound Rules. There are no specific rules in Article 8 which would apply to these emission units. Since proposed uncontrolled potential emissions of VOCs are greater than 25 tons per year, the requirements of 326 IAC 8-1-6 (State BACT) would apply to the proposed project. The use of enclosed flares to reduce VOC emissions by 98% is proposed as BACT for the CVD units.

Federal Enforceability:

Honeywell International, Inc. consents to the federal enforceability of this interim construction permit.

Signature: Dennis Webster

Printed Name: Dennis Webster

Title or Position: Director Integrated Supply Chain

Date: 2/14/12

Affidavit of Construction

I, Dennis Webster, being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in St. Joseph County, Indiana and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.

2. I hold the position of Director, Integrated Supply Chain (Title) for Honeywell International, Inc. (Company Name).

3. By virtue of my position with Honeywell International, Inc. (Company Name), I have personal knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of Honeywell International, Inc. (Company Name).

4. I, undersigned, have submitted an interim significant source and permit modification petition to the Office of Air Quality for the construction of two Carbon Vapor Deposition (CVD) unit with internal flares.

5. Honeywell International, Inc., recognizes the following risks:

(a) own financial risk, (b) that IDEM may require additional or different control technology for the final approval, (c) that IDEM may deny issuance of the final approval, and (d) any additional air permitting requirements.

Further Affiant said not.

I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature Dennis Webster
Dennis Webster

Date 2/14/12

STATE OF INDIANA)
)SS
COUNTY OF St. Joseph)

Subscribed and sworn to me, a notary public in and for St. Joseph County and State of Indiana on this 14 day of February, ~~19~~ 2012.

My Commission expires:
March 29, 2013

Signature Sandra M. Westphal

Name (typed or printed)
SANDRA M. Westphal

NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Source Modification

Honeywell International, Inc.
St. Joseph County

Notice is hereby given that the above-mentioned company, located at 3520 Westmoor Street, South Bend, Indiana, 46628-1373, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim significant source modification to construct two Carbon Vapor Deposition (CVD) units, each controlled by an internal flare. Based on 8760 hours per year of operation, the limited allowable emissions are 1.81 tons/year for VOCs; 4.35 tons/year for NOx; 5.21 tons/year for CO; 0.026 tons/year for SO2; 0.083 tons/year for PM; 0.003 tons/year for PM10/PM2.5 and 0.34 tons/year for total Hazardous Air Pollutants (HAPs).

The company has submitted an application for a significant source and permit modification under the Part 70 regulations (326 IAC 2-7). The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid permit modification is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this proposed permit should or should not be issued. Appropriate comments should be related to any air quality issues, interpretation of the state and federal rules, calculations made, technical issues, or the effect that the operation of this source would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the St. Joseph County Public Library, 304 South Main Street, South Bend, Indiana. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003 Indianapolis, Indiana 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have fifteen (15) days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or at (317) 233-0178.

Company Official's Signature: _____

Company Official's Printed Name: Dennis Webster, Director, Integrated Supply Chain

Company Name: Honeywell International, Inc.

Indiana Department of Environmental Management
Office of Air Quality

Interim Petition Checklist

Instructions: (a) Please answer yes or no.
(b) Enclosed this checklist with the completed interim petition package.

Company Name:

Location:

yes	1. Is the written interim petition prepared?
yes	2. Is the written petition signed and dated?
yes	3. Is the public notice drafted?
NO*	4. Is the filing and review fee enclosed? $625 for TV, FESOP, and SSOA. $500 for MSOP.
	5. Is the account number written on the check or money order?
Yes	6. Is the Affidavit of Construction signed, dated, and notarized?
yes	7. Is the proposed modification/revision described in detail?
yes	8. Is the proposed modification/revision a modification or addition to an existing source?
yes	9. Is the proposed modification/revision located in an attainment area for all the criteria pollutants?
No	10. Is the proposed modification/revision located in a nonattainment area? If yes, answer No. 11.
	11. Is the pollutant, which the nonattainment designation is based on, going to be emitted in this proposed modification/revision?
yes	12. Are potential emissions calculated?
yes	13. Is federal enforceability consent specifically indicated?
yes	14. Are specific conditions, limitations, and/or restrictions included that preclude applicability of PSD?
NA	15. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NSPS?
NA	16. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NESHAP?
yes	17. Are specific conditions, limitations, and/or restrictions included that assure compliance with all applicable state air pollution rules?
yes	18. Has a regular modification/revision permit application been submitted to OAQ?
no	19. Has the proposed modification/revision commenced prior to the submission of the interim permit petition?
	20. The interim petition comment period has been decided to be: 14 calendar days

Additional Comments:

* Fee will be submitted to IDEM within 5 working days. Public Notice has been filed with local paper. Proof of publication will be sent to IDEM when it is received.

HOROSCOPES

By FRANCIS DRAKE
King Features Syndicate

ARIES (March 21 to April 19) Some kind of behind-the-scenes research can really benefit you today. Don't be afraid to put on your thinking cap and start digging.

TAURUS (April 20 to May 20) You could encounter a powerful female acquaintance or friend in a group situation today. Quite likely, this person's suggestions will influence your goals.

GEMINI (May 21 to June 20) People might look to you for suggestions about improvements or how to make something better today. You appear to be the one with the answers. Are you?

CANCER (June 21 to July 22) This is an excellent day to tweak travel plans or plans for higher education, publishing, the media or anything having to do with medicine and the law. That's because you see a better approach.

LEO (July 23 to Aug. 22) Talk with others about how to get better use out of shared property or something that is jointly owned. You might even revise the way you handle estates, banking and inheritances.

VIRGO (Aug. 23 to Sept. 22) Give some thought today to how you can improve your closest relationships. However, refrain from telling others how they can improve their relationship with you! (Ye think?)

LIBRA (Sept. 23 to Oct. 22) This is a perfect day to introduce reforms to your job. Others likely will endorse your ideas. Similarly, you might have good ideas about how to improve your health as well.

SCORPIO (Oct. 23 to Nov. 21) Talk with others about how to improve educating or caring for kids. Romantic partners also might sit down and discuss ways to improve their relationship.

SAGITTARIUS (Nov. 22 to Dec. 21) Look around your home scene today and see what needs to be fixed or improved. This is a perfect day to do something so that you can enjoy your home better. In particular, look at laundry areas and bathrooms.

CAPRICORN (Dec. 22 to Jan. 19) You're highly persuasive today. This is why it's an ideal day for those of you who market, sell, teach, write or promote anything for a living.

AQUARIUS (Jan. 20 to Feb. 18) Keep your eyes open for better ways of earning money today. You might also see new uses for something you already own.

PISCES (Feb. 19 to March 20) Take a realistic look in the mirror and ask yourself what you can do to improve your image. After all, you never get a second chance to make a first impression.

YOU BORN TODAY Even though you are hardworking and committed to your goals, you are surprisingly spontaneous. You have a strong sense of duty, especially to society, which you often aspire to change or improve. Nevertheless, you do take time to enjoy yourself! Ultimately, you are motivated by your idealism. In your year ahead, your strong focus will be on partnerships and close friendships. **Birthdate of:** Richard North Patterson, author; Ted Kennedy, politician; Drew Barrymore, actress.

040512

950 SKILLED TRADES

PRESS OPERATOR

Full Time Evenings

The South Bend Tribune is looking to fill two full time positions for **Press Operators.** The candidates will work 40 hours per week in the evenings to output the daily paper.

Duties include: run folder and color register; web press for production; operate the reel room area; clean the press as necessary; hang plates at proper location and at times work on camera to platemaking equipment.

We are looking for individuals that are neat, thorough and able to produce a significant volume of work in a specified period of time. You must be an independent worker who is reliable in task completion and follow-up. Good communication skills are necessary and must be able to respond quickly even while under pressure.

This job requires the use of cleaning solvents, climbing on ladders, stooping, working in cramped areas and lifting a minimum of 50 lbs. High school graduate or equivalent with 1-2 years of experience in web offset printing.

Please email resume to:

4342590@sbtjobs.com

No Phone Calls Please

South Bend Tribune

975 WORK FROM HOME

The South Bend Tribune does not endorse or assume liability for any ads appearing in this classification. Future entrepreneurs should investigate offers before investing. There may some fees involved or purchases required. The South Bend Tribune recommends anyone responding to these ads should check with the **Better Business Bureau** at 1-800-552-4631

CLASSIFIED IS... CONVENIENT

Whether you're buying, selling or just looking, Classified has what you need. You'll find leads on real estate, transportation, merchandise, employment and so much more, all in one convenient section! South Bend Tribune Classifieds are ready when you are!



Real Estate Information 2010
Campsites/Recreation 2015
Condo/Townhome/Villas.....2025
Farms – Land & Buildings ...2125
Lake, River & Resort Properties 2275
Lots/Land.....2325
Mobile Homes.....2340
Modular Homes 2360
New Home Construction.....2370
Open House 2410
Other Towns 2425
Outside of Indiana 2475
Real Estate - Elkhart Co 2525
Real Estate - Granger.....2575
Real Estate - Marshall Co.....2625
Real Estate - Michigan 2675
Real Estate - Mishawaka.....2700
Real Estate - Osceola.....2725
Real Estate - South Bend 2750
Rent-to-Own 2775
Suburban/Country 2800
Wanted Mobile Homes 2850
Wanted Real Estate.....2950

2010 REAL ESTATE INFORMATION

ALL REAL ESTATE advertised herein is subject to the Federal Fair Housing Act which makes it illegal to advertise "any preference, limitation, or discrimination based on race, color, religion, sex, handicap, familial status, or national origin, or intention to make any such preference, limitation, or discrimination". We will not knowingly accept any advertising for real estate which is in violation of the law. All persons are hereby informed that all dwellings advertised are available on an equal opportunity basis. Persons having reason to believe they have been discriminated against on the basis of race, religion, color, sex, familial status, national origin or ancestry, or handicap may contact the South Bend Human Rights Commission 235-9355.

NOTICE:

Before you send any money or make any 900 calls on an ad for loans, call the Indiana Secretary of State office's Hotline 1-800-223-8791 or the Better Business Bureau at 800-552-4631.

FIND IT!

SOUTH BEND TRIBUNE CLASSIFIEDS

2010 REAL ESTATE INFORMATION

ATTRACT BUYERS!!

By using one of the below Open House logos.

Open House

you can set your ad apart from the rest of the ads in the paper.

OPEN HOUSE

Draw attention to your house ad & attract buyers!

Call today for more information on using graphics in your ads.

574-235-6000

Mon. - Fri. 7 a.m. to 5 p.m.

800-248-7142

2015 CAMPSITES/RECREATION

LAKE TIPPECANOE
Campground, Cottage Rentals, Boat Spaces
Patons Bay Resort & Marina 574-453-3671
www.patonsbay.com

2275 LAKE, RIVER, RESORT PROPERTIES

"TIMESHARE FOR SALE"
2 Bedroom, 2 bath located at Marriott's St. Kitts Beach Club with an ocean view. Priced to sell as soon as possible!!!!
Call 574-229-6791

2340 MOBILE HOMES

$9,900.00
Great buy on this 76x16 3 BDRM/2 BATH home. 1992 Liberty. Move-in Ready!! Includes kitchen appliances, Brand New 2011 furnace/ A/C Nice big shed
Located in Clear Water.
Call 1.888.638.6617
www.clearwatermhc.com

2410 OPEN HOUSE

OPEN HOUSE
SUN 2-4 PM
ALSO OPEN
WED 3-6 PM
51081 Kerry Glen Dr.
Take Ironwood Rd. just South of Adams Rd. to BRADFORD SHORES
Go to end of street, turn right. It is the first house on the left.
(574) 272-2892

Birkey's Homes

Real Estate Auction

Open House
Today 5-7pm
2022 Berkley Pl., South Bend, IN
Florence Huffman Estate
Tetzlaff's Auction/Realty
AU 01038707. 574-291-6077
See Auctionzip.com #13050

2575 REAL ESTATE - GRANGER

GRANGER PROPERTY
*Brick & Fir Rds. 5 acres close to everything with completely remodeled ranch home. *Can be up to 5 additional large lots for development, or build your dream home. $396,000.
*15242 Brick Rd. 2.27 acre lot, walk to Prairie Vista school $129,900.
ALL SOIL TESTS COMPLETE

Alcaddesign.com for details

2700 REAL ESTATE - MISHAWAKA

PRICE REDUCED
On the ST. JOSEPH RIVER-1929 Rainbow Bend Blvd.-Elkhart. $286,900. Sprawling Ranch Over 2,784 sq.ft. 3 bdrms, 2.5 bath.
LOG CABIN 14429 Ireland Rd.-Mishawaka. $119,900. Lower level walk-out, fireplace, large deck. 2 bedrooms, loft.
SPARKLING GEM 223 Borley Ave. E-Mishawaka $59,900 Basement, garage, enclosed front porch.
Barbara Dodd
574-256-1712

How To Place Legal Advertising

If you have any questions or concerns on deadlines or how to submit your legal advertising, you can reach Erica Warren by phone at:

(574) 235-6216

Or Fax

(574) 232-1880

or E-Mail

ewarren@sbtinfo.com

2999 LEGALS

LEGAL NOTICE OF PUBLIC HEARING WITH INTENTION TO DEMOLISH HOUSE, GARAGE AND CONTINUOUS ENFORCEMENT

To: 1138 O'BRIEN LAND TRUST OF 12282 CALVARY COURT, GRANGER, IN 46530, and to all persons or corporations having or claiming any rights, titles or interest in the following real estate commonly known as 1138 O'BRIEN, South Bend, Indiana described as key number: 18-2092-3456

You are hereby ordered to be present at a hearing before the Hearing Officer, for the Department of Code Enforcement, on MARCH 6, 2012 at 1:30 p.m., in Room 1308, County-City Building, South Bend, Indiana.

At this hearing, the Hearing Officer may affirm the demolition order on the HOUSE AND GARAGE, if the property owners do not have the HOUSE AND GARAGE demolished by the date of the hearing. If the demolition order is affirmed, the City of South Bend will award a demolition contract to the lowest bidder, have the HOUSE AND GARAGE demolished and bill the property owners for the cost of the demolition plus $712.00 in administrative fees.

This is a continuous enforcement order as defined by I.C. 36-7-9, and therefore is in full force and effect without the need to seek additional compliance, abatement or orders for the same or similar violations. Ongoing compliance and enforcement activities are authorized if necessary, and fees and costs may be assessed and collected without the need for additional notice or hearing.

The action required by the order and the exact terms of the order may be obtained from the Department of Code Enforcement, Room 1300, County-City Building, 227 W. Jefferson, South Bend, Indiana. Phone #235-9486

Catherine M. Toppel, C.C.O.
Director
Dept of Code Enforcement
2t: 2: 22 & 23

LEGAL NOTICE OF PUBLIC HEARING WITH INTENTION TO DEMOLISH HOUSE, FENCE AND CONTINUOUS ENFORCEMENT

To: BARBARA PLUMP OF 2428 ARROWHEAD CIRCLE, SOUTH BEND, IN 46628, NOTRE DAME FCU OF P O BOX 7678, NOTRE DAME, IN 46556, and to all persons or corporations having or claiming any rights, titles or interest in the following real estate commonly known as 126 HUEY, South Bend, Indiana described as key number: 18-2020-0601

You are hereby ordered to be present at a hearing before the Hearing Officer, for the Department of Code Enforcement, on MARCH 6, 2012 at 1:30 p.m., in Room 1308, County-City Building, South Bend, Indiana.

At this hearing, the Hearing Officer may affirm the demolition order on the HOUSE AND FENCE, if the property owners do not have the HOUSE AND FENCE demolished by the date of the hearing. If the demolition order is affirmed, the City of South Bend will award a demolition contract to the lowest bidder, have the HOUSE AND FENCE demolished and bill the property owners for the cost of the demolition plus $712.00 in administrative fees.

This is a continuous enforcement order as defined by I.C. 36-7-9, and therefore is in full force and effect without the need to seek additional compliance, abatement or orders for the same or similar violations. Ongoing compliance and enforcement activities are authorized if necessary, and fees and costs may be assessed and collected without the need for additional notice or hearing.

The action required by the order and the exact terms of the order may be obtained from the Department of Code Enforcement, Room 1300, County-City Building, 227 W. Jefferson, South Bend, Indiana. Phone #235-9486

Catherine M. Toppel, C.C.O.
Director
Dept of Code Enforcement
2t: 2: 22 & 23

2999 LEGALS

NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT
Proposed Approval of Interim Significant Source Modification
Honeywell International, Inc.
St. Joseph County

Notice is hereby given that the above-mentioned company, located at 3520 Westmoor Street, South Bend, Indiana, 46628-1373, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim significant source modification to construct two Carbon Vapor Deposition (CVD) units, each controlled by an internal flare. Based on 8760 hours per year of operation, the limited allowable emissions are 1.81 tons/year for VOCs; 4.35 tons/year for NOx; 5.21 tons/year for CO; 0.026 tons/year for SO2; 0.083 tons/year for PM; 0.003 tons/year for PM10/PM2.5 and 0.34 tons/year for total Hazardous Air Pollutants (HAPs).

The company has submitted an application for a significant source and permit modification under the Part 70 regulations (326 IAC 2-7). The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid permit modification is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this proposed permit should or should not be issued. Appropriate comments should be related to any air quality issues, interpretation of the state and federal rules, calculations made, technical issues, or the effect that the operation of this source would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the St. Joseph County Public Library, 304 South Main Street, South Bend, Indiana. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003 Indianapolis, Indiana 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have fifteen (15) days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or at (317) 233-0178.

Company Official's Signature:
Company Official's Printed Name: Dennis Webster, Director, Integrated Supply Chain
Company Name: Honeywell International, Inc.

2t: 2: 22

STATE OF INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT – OFFICE OF WATER QUALITY - NPDES PUBLIC NOTICE NO. 2012 – 2G - RD; DATE OF NOTICE: FEBRUARY 22, 2012; DATE RESPONSE DUE: MARCH 22, 2012. DRAFT RENEWAL: SISTERS OF THE HOLY CROSS, Permit No. IN0000922, ST. JOSEPH COUNTY, 100 Lourdes Hall – St. Mary's Campus, Notre Dame, IN. This industrial facility discharges 0.10 million gallons daily of non-process wastewater & storm water into the St. Joseph River. Permit Manager: Alison Beumer at 317/234-8210, abeumer@idem.in.gov. Contact the permit manager for an E copy or inquire at your local county Health Department. Response Procedures: The proposed decision to issue a permit is tentative. Interested persons are invited to submit written comments on the Draft permit which must be post-

2999 LEGALS

sidered in the decision to issue a Final permit. Public Hearing Request: IDEM will hold a public hearing if there is a significant degree of public interest. A request for public hearing must be made in writing before the Response Due date. Public Notice of this hearing will be published in the local county paper, and mailed to everyone submitting comments and/or requesting notice at least 30 days prior to the hearing. All written requests must include: the name and address of the person making the request, the interest of the person making the request, persons represented by the person making the request, the reason for the request and the issues proposed for consideration at the hearing. Please deliver all correspondence to the address above, mail code 65-42 PS, to the permit writer listed. Please tell anyone you think would be interested in this matter. For your rights & responsibilities see:www.in.gov/idem/5474.htm; Public Participation Guide: www.in.gov/idem/4172.htm ; Citizen Guide: www.in.gov/idem/5803.htm

1t: 2: 22

Rental Information/Service ..3020
Apartments Furnished 3500
Apartments Unfurnished.....3550
Condo/Townhome/Villas.....3560
Farms 3575
Homes Furnished 3600
Homes Unfurnished.....3650
Mobile Homes.....3700
Modular Homes 3725
Other Towns 3750
Parking & Garages 3775
Recreation/Campsites 3800
Rent-to-Own 3825
Resorts/Lake Cottages 3850
Rooms 3900
Share Living Quarters.....3925
Wanted to Rent.....3950

3020 RENTAL INFORMATION/ SERVICES

ALL REAL ESTATE advertised herein is subject to the Federal Fair Housing Act which makes it illegal to advertise "any preference, limitation, or discrimination based on race, color, religion, sex, handicap, familial status, or national origin, or intention to make any such preference, limitation, or discrimination".

We will not knowingly accept any advertising for real estate which is in violation of the law. All persons are hereby informed that all dwellings advertised are available on an equal opportunity basis. Persons having reason to believe they have been discriminated against on the basis of race, religion, color, sex, familial status, national origin or ancestry, or handicap may contact South Bend Human Rights Commission(574) 235-9355.

3500 APARTMENTS, FURNISHED

Efficiencies. Stove, refrigerator & air, Wi-fi. US 933. Monthly & weekly rates. 574-234-9157

3550 APARTMENTS, UNFURNISHED

Affordable Kensard Manor Apts
701 Kensard Ct. Mishawaka
Starting at $460, 574-256-5325

Affordable Summit Ford
1 Month free rent. Spacious, clean units on a quiet street with $450 + electric. No Processing fee. Doug 574 298-9400

EMERGENCY CLUB APTS
A Great Place to Live. Now Open Sat. from 10am- 3pm
Call for Details 574-235-9484

COURTYARD PLACE APTS.
1 bdrm. $425
2 bdrm. $450
Security Deposit From
ZERO to $99
No application fee.
Phone **574-288-2597**

Check Out Our Specials. Maple Lane Apartments
574-277-3731

MONROE PARK APARTMENTS
$150 off 1st month rent on 1 Bdrm Apts. Call 289-4132

Indiana Department of Environmental Management
Office of Air Management

Significant Source Modification Evaluation Sheet

Company Name:	Honeywell International, Inc		
Location:	3250 Westmoor Street, South Bend, IN 46628	**Permit No:**	141-31500i-00172
Permit Reviewer:	Kristen Willoughby	**Date Receipt of Application:**	2/15/2012
		Date of review:	2/23/2012
Description of the interim construction:	2 carbon vapor deposition units (CVD-26 & CVD-27)		
Public Notice Period =	2/22/2012	to	3/7/2012
Public Notice Date + 3 days = 17 days =	3/12/2012		

Interim Petition Applicability: 326 IAC 2-13-1

(a) Existing Source with valid permit;

(b) Exemptions:

(1) construction of a PSD source or PSD modification;

(2) construction or modification in nonattainment area that would emit those pollutants for which the nonattainment designation is based.

(3) any modification subject to 326 IAC 2-4.1.

(c) Public notice comment period is 14 calendar days.

Instructions: Check (✓) appropriate answers and make a recommendation.

1. Did the applicant submit a written petition for an interim significant permit revision or significant source modification?

☒ Yes Go to question 2.
☐ No Ignore verbal request.

2. Did the applicant pay the applicable interim permit fee? $625 for TV, FESOP, and SSOA. $500 for MSOP.

☒ Yes Go to question 3.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(1).

Comments: _____

3. Did the applicant state acceptance of federal enforceability of an interim significant permit revision or significant source modification?

☒ Yes Go to question 4.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(D).

4. Did the applicant or its authorized agent sign the application?

☒ Yes Go to question 5.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(E).

5. Did the applicant submit a notarized affidavit stating that the applicant will proceed at its own risk (if the interim significant permit revision or significant source modification is issued), including, but not limited to:

   (a) Financial risk,

   (b) Risk that additional emission controls may be required,

   (c) Risk that the final significant permit revision or significant source modification may be denied.

   ☒ Yes Go to question 6.
   ☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(F).

6. Did the applicant begin construction prior to submitting the interim significant permit revision or significant source modification application?

   ☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(6).
   ☒ No Go to question 7.

7. What is the type of the interim construction?

   ☐ New Source Deny the application, pursuant to 326 IAC 2-13-1(a)
   ☒ Modification to an existing source Go to question 8.

8. Did the applicant present data in the interim significant permit revision or significant source modification that is sufficient to determine PSD, NSPS, NESHAP, and state rule compliance?

   ☒ Yes Go to question 9.
   ☐ No Deny the application pursuant to:
   326 IAC 2-13-1(c)(2)(B), for PSD;
   326 IAC 2-13-1(c)(2)(C), for NSPS or NESHAP;
   326 IAC 2-13-1(c)(2)(C), for state rules.

9. Is the proposed modification to be located in a nonattainment area?

   ☐ Yes Go to question 10.
   ☒ No Go to question 11.

   County: St Joseph County

   Comments: _____

10. Will the proposed modification emit the pollutant for which the area is nonattainment in quantities greater than the significant levels?

    ☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(a)(2).
    ☐ No Go to question 11.

11. Did the petition include a complete description of the process?

    ☒ Yes Go to question 12.
    ☐ No Deny the petition, pursuant to 326 IAC 2-13-1(c)(2).

12. Did the interim significant permit revision or significant source modification petition contain conditions accepting either emission controls (baghouse, afterburners, scrubbers, etc.) or enforceable limits or other suitable restriction to avoid PSD applicability; as well as control parameters (incinerator operating temperature, baghouse pressure drop, etc.)? The specific limits must be explicitly spelled out (i.e.: The gas consumption of the boiler shall not exceed 29 million cubic feet per month.) A statement such as that the company agrees to conditions such that PSD rules are not applicable is not acceptable.

    ☒ Yes Go to question 13.
    ☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(B).

13. Do the emission controls and/or throughput limits prevent PSD applicability?

☒ Yes Go to question 14.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(B).

14. Will the modification, after application of all emission controls and/or throughput limitations comply with all applicable New Source Performance Standards (NSPS) (40 CFR 60)?

☒ Yes Go to question 15.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).

15. Will the modification, after application of all emission controls and/or throughput limitations comply with all applicable National Emission Standards for Hazardous Air Pollutants (NESHAP)?

☒ Yes Go to question 16.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).

16. Will the modification, after application of all emission controls and/or throughput limitations, comply with all applicable state rules?

☒ Yes Go to question 17.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).

17. Does the applicant dispute applicability of any applicable state or federal rule?

☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).
☒ No Go to question 18.

18. Is there good reason to believe that the applicant does not intend to construct in accordance with the interim significant permit revision or significant source modification petition?

☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(1).
☒ No Go to question 19.

19. Is there good reason to believe that information in the petition has been falsified?

☐ Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(7).
☒ No Approve the interim significant permit revision or significant source modification petition.

20. Has the petition been adequately public noticed? A proof of publication copy is necessary.

☒ Yes Go to question 21.
☐ No Deny the application, pursuant to 326 IAC 2-13-1(e).

Newspaper: South Bend Tribune

Date of publication: February 22, 2012

21. Were comments received within seventeen (17) days after the public notice of the interim significant permit revision or significant source modification?

(14 calendar days for comment period + 3 working days for mailing)

☐ Yes Evaluate the comments received, and make a recommendation.
☒ No Issue the final interim significant permit revision or significant source modification approval.

Recommendation: Approval

Date the applicant was informed of the decision: 3/13/2012

Method of informing the applicant: email

Attachment A Emissions Calculations
From Chemical Vapor Deposition (CVD) Units
Company Name: Honeywell International, Inc.
Address City IN Zip: 3520 Westmoor Street, South Bend, IN 46628-1373
Permit Modification Number:
Permit Reviewer:
Application Date:

Process Emissions

Unit	VOC Emission Factor (lb/unit/hr)	CO Emission Factor (lb/unit/hr)	Benzene Emission Factor (lb/unit/hr)	Toluene Emission Factor (lb/unit/hr)	Styrene Emission Factor (lb/unit/hr)	Maximum Operating Time for Non-Woven Batch Operation (hrs/yr)	Maximum Operating Time for Random Fiber Batch Operation (hrs/yr)	Uncontrolled VOC Emissions (tons/yr)	Potential CO Emissions (tons/yr)	Uncontrolled Benzene Emissions (tons/yr)	Uncontrolled Toluene Emissions (tons/yr)	Uncontrolled Styrene Emissions (tons/yr)	Uncontrolled Total HAPs Emissions (tons/yr)	Control Efficiency	Controlled VOC Emissions (tons/yr)	Controlled Benzene Emissions (tons/yr)	Controlled Toluene Emissions (tons/yr)	Controlled Styrene Emissions (tons/yr)	Controlled Total HAPs Emissions (tons/yr)
CVD-26	15.62	0.66	2.11	0.225	0.209	5800	7900	45.3	2.61	6.12	0.653	0.606	7.38	98.0%	0.91	0.122	0.013	0.012	0.148
CVD-27	15.62	0.66	2.11	0.225	0.209	5800	7900	45.3	2.61	6.12	0.653	0.606	7.38	98.0%	0.91	0.122	0.013	0.012	0.148
							Totals for CVD 26 & 27	90.6	5.2	12.2	1.3	1.2	14.8		1.81	0.24	0.026	0.024	0.30

Methodology
Uncontrolled Emissions (tons/yr) = Emission Factor (lb/unit/hr) x 1 unit x Maximum Operating Time for this Batch Operation (hrs/yr)
Controlled Emissions (tons/yr) = Uncontrolled Emissions (tons/yr) x (1- Control Efficiency)
Emission Factors for CO is the highest average emission rate from the 2004 stack test, validated by IDEM, OAQ, increased with a safety factor of 10%.
Uncontrolled VOC and Organic HAP emissions are based on historic stack test data for the non-woven process wich has the highest total reactant gas flow rate. As such the potential soak hours for Non-woven process is used.

Combustion Emissions from CVDs 26 & 27

Heat Input Capacity MMBtu/hr	Potential Throughput MMCF/yr
11.00	87

	Pollutant					
	PM*	PM10*	PM2.5*	SO2	NOx	VOC
Emission Factor in lb/MMCF	1.90	7.60	7.60	0.600	100 **see below	5.50
Potential Emission in tons/yr	0.083	0.330	0.330	0.026	4.35	0.239

*PM emission factor is filterable PM only. PM10 and PM2.5 emission factor is filterable and condensable PM10 and PM2.5 combined.
**Emission Factors for NOx: Uncontrolled = 100, Low NOx Burner = 50, Low NOx Burners/Flue gas recirculation = 32

	HAPs - Organics					HAPs - Metals					
	Benzene	Dichlorobenzene	Formaldehyde	Hexane	Toluene	Lead	Cadmium	Chromium	Manganese	Nickel	Total
Emission Factor in lb/MMcf	0.00210	0.00120	0.07500	1.80000	0.00340	0.0005	0.0011	0.0014	0.0004	0.0021	
Potential Emission in tons/yr	0.000091	0.000052	0.003259	0.078210	0.000148	0.000022	0.000048	0.000061	0.000017	0.000091	**0.082**

The five highest organic and metal HAPs emission factors are provided above.
Additional HAPs emission factors are available in AP-42, Chapter 1.4.

Methodology
All emission factors are based on normal firing.
MMBtu = 1,000,000 Btu
MMCF = 1,000,000 Cubic Feet of Gas
Potential Throughput (MMCF) = Heat Input Capacity (MMBtu/hr) x 7,900 hrs/yr x 1 MMCF/1,000 MMBtu
Emission Factors are from AP 42, Chapter 1.4, Tables 1.4-1, 1.4-2, 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03 (SUPPLEMENT D 3/98)
Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

	Greenhouse Gas		
	CO2	CH4	N2O
Emission Factor in lb/MMcf	120,000	2.30	0.23
Potential Emission in tons/yr	5,214	0.10	0.01
Summed Potential Emissions in tons/yr	5,214		
CO2e Total in tons/yr	5,219		

Methodology
The N2O Emission Factor for uncontrolled is 2.2. The N2O Emission Factor for low Nox burner is 0.64.
Emission Factors are from AP 42, Table 1.4-2 SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03.
Greenhouse Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.
Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton
CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (21) + N2O Potential Emission ton/yr x N2O GWP (310).

Total Emissions	PM	PM10	PM2.5	SO2	NOx	VOC	CO	CO2e
Uncontrolled (tons/yr)	0.083	0.330	0.330	0.026	4.345	91	5.21	5,219
Controlled (tons/yr)	0.083	0.330	0.330	0.026	4.345	1.812	5.21	5,219

The CO Emissions from Combustion are included in the process calculations.

	Benzene	Dichloro-benzene	Formaldehyde	Hexane	Toluene	Lead	Cadmium	Chromium	Manganese	Nickel	Styrene	Total HAPs
Uncontrolled (tons/yr)	12.2	0.00005	0.003	0.078	1.31	0.00002	0.00005	0.00006	0.00002	0.00009	1.21	14.8
Controlled (tons/yr)	0.245	0.00006	0.003	0.078	0.026	0.00002	0.00005	0.00006	0.00002	0.00009	0.024	0.377

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Katherine Beach
Honeywell International, Inc
3520 Westmoor St
South Bend, IN 46628

DATE: March 16, 2012

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Interim
141-31500i-00172

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Dennis Webster (Director – Integrated Supply Chain)
Tom Rarick (ERM)
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff	MIDENNEY 3/16/2012 Honeywell International 141-31500i-00172 (final)			AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender	▶	Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: **CERTIFICATE OF MAILING ONLY**	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee Remarks
1		Katherine Beach Honeywell International 3520 Westmoor St South Bend IN 46628 (Source CAATS) via confirm delivery									
2		Dennis Webster Dir - Integrated Supply Chain Honeywell International 3520 Westmoor35200 Westmoor St South Bend IN 46628 *(RO CAATS)*									
3		Laurence A. McHugh Barnes & Thornburg 100 North Michigan South Bend IN 46601-1632 *(Affected Party)*									
4		Mr. Wayne Falda South Bend Tribune 255 W Colfax Ave South Bend IN 46626 *(Affected Party)*									
5		South Bend City Council / Mayors Office 227 W. Jefferson Blvd. South Bend IN 46601 *(Local Official)*									
6		St. Joseph County Board of Commissioners 227 West Jefferson Blvd, South Bend IN 46601 *(Local Official)*									
7		St. Joseph County Health Department 227 W Jefferson Blvd, Room 825 South Bend IN 46601-1870 *(Health Department)*									
8		Tom Rarick Environmental Resources Management (ERM) 11350 N Meridian Suite 320 Carmel IN 46032 *(Consultant)*									
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is $50,000 per piece subject to a limit of $50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is $500. The maximum indemnity payable is $25,000 for registered mail, sent with optional postal insurance. See ***Domestic Mail Manual*** **R900, S913**, and **S921** for limitations of coverage on inured and COD mail. See ***International Mail Manual*** for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
7			

FACSIMILIE OF PS Form 3877