



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

TO: Interested Parties / Applicant

DATE: May 24, 2012

RE: Scepter, Inc. / 083-31692I-00015

FROM: Matthew Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Notice of Decision: Approval - Effective Immediately

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to IC 13-15-5-3, this permit is effective immediately, unless a petition for stay of effectiveness is filed and granted according to IC 13-15-6-3, and may be revoked or modified in accordance with the provisions of IC 13-15-7-1.

If you wish to challenge this decision, IC 4-21.5-3 and IC 13-15-6-1 require that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days of the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures
FNPER.dot12/03/07



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

Mr. John Marlin
Scepter, Inc.
6467 North Scepter Road
Bicknell, IN 47512

May 24, 2012

Re: Interim Significant Permit Revision Petition Approval
083-316921-00015

Dear Mr. Marlin:

On April 25, 2012, the Office of Air Quality (OAQ) received an interim Significant Permit Revision petition from Scepter, Inc., located at 6467 North Scepter Road, in Bicknell, Indiana for construction of a new cross cooling system.

A public notice of the interim Significant Permit Revision petition was published in the Sun Commercial on May 4, 2012. The public comment period ended on May 18, 2012.

Since there are no comments received during the public comment period, pursuant to 326 IAC 2-13-1(i), the interim Significant Permit Revision petition is in effect upon issuance and will expire on the effective date of the final Significant Permit Revision permit.

The interim Significant Permit Revision petition may be revoked after its effective date upon a written finding by the Indiana Department of Environmental Management (IDEM) that any of the reasons for denial in 326 IAC 2-13-1(h) exist or if the final Significant Permit Revision permit is denied. The IDEM has reviewed this interim Significant Permit Revision petition and has not found any such reason. The facilities specified in the interim Significant Permit Revision petition may not operate until the final Significant Permit Revision permit is issued by OAQ.

The interim Significant Permit Revision petition is federally enforceable. Detailed construction and operation conditions will be specified in the final Significant Permit Revision permit 083-31692-00015.

If you have any questions regarding this interim Significant Permit Revision petition, please contact Brian Williams, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call at (800) 451-6027, and ask for Brian Williams or extension 4-5375, or dial (317) 234-5375.

Sincerely,

Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

Enclosure: Interim Permit Evaluation

bmw

cc: File – Knox County
Knox County Health Department
U.S. EPA, Region V
Compliance and Enforcement Branch

Indiana Department of Environmental Management Office of Air Management

Interim Significant Permit Revision / Significant Source Modification Evaluation Sheet

Company Name: Scepter, Inc.	
Location: 6467 North Scepter Road, Bicknell, IN 47512	Permit No: 083-31692I-00015
Permit Reviewer: Brian Williams	Date Receipt of Application: 4/25/2012
	Date of review: 5/21/2012
Description of the interim construction: Scepter, Inc. has proposed to construct a new cross cooling system. The new cooling system will be used to accelerate the cooling off process for the salt cake being generated by the rotary furnaces.	
Public Notice Period = 5/4/2012 to 05/18/2012	
Public Notice Date + 3 days = 17 days = 5/21/2012	

Interim Petition Applicability: 326 IAC 2-13-1

- (a) Existing Source with valid permit;
- (b) Exemptions:
 - (1) construction of a PSD source or PSD modification;
 - (2) construction or modification in nonattainment area that would emit those pollutants for which the nonattainment designation is based.
 - (3) any modification subject to 326 IAC 2-4.1.
- (c) Public notice comment period is 14 calendar days.

Instructions: Check (✓) appropriate answers and make a recommendation.

1. Did the applicant submit a written petition for an interim significant permit revision or significant source modification?
 - Yes Go to question 2.
 - No Ignore verbal request.

2. Did the applicant pay the applicable interim permit fee? \$625 for TV, FESOP, and SSOA. \$500 for MSOP.
 - Yes Go to question 3.
 - No Deny the application, pursuant to 326 IAC 2-13-1(c)(1).

Comments: _____

3. Did the applicant state acceptance of federal enforceability of an interim significant permit revision or significant source modification?
 - Yes Go to question 4.
 - No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(D).

4. Did the applicant or its authorized agent sign the application?
 - Yes Go to question 5.
 - No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(E).

5. Did the applicant submit a notarized affidavit stating that the applicant will proceed at its own risk (if the interim significant permit revision or significant source modification is issued), including, but not limited to:
- (a) Financial risk,
 - (b) Risk that additional emission controls may be required,
 - (c) Risk that the final significant permit revision or significant source modification may be denied.

Yes Go to question 6.
 No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(F).

6. Did the applicant begin construction prior to submitting the interim significant permit revision or significant source modification application?

Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(6).
 No Go to question 7.

7. What is the type of the interim construction?

New Source Deny the application, pursuant to 326 IAC 2-13-1(a)
 Modification to an existing source Go to question 8.

8. Did the applicant present data in the interim significant permit revision or significant source modification that is sufficient to determine PSD, NSPS, NESHAP, and state rule compliance?

Yes Go to question 9.
 No Deny the application pursuant to:
326 IAC 2-13-1(c)(2)(B), for PSD;
326 IAC 2-13-1(c)(2)(C), for NSPS or NESHAP;
326 IAC 2-13-1(c)(2)(C), for state rules.

9. Is the proposed modification to be located in a nonattainment area?

Yes Go to question 10.
 No Go to question 11.

County: _____ County

Comments: _____

10. Will the proposed modification emit the pollutant for which the area is nonattainment in quantities greater than the significant levels?

Yes Deny the application, pursuant to 326 IAC 2-13-1(a)(2).
 No Go to question 11.

11. Did the petition include a complete description of the process?

Yes Go to question 12.
 No Deny the petition, pursuant to 326 IAC 2-13-1(c)(2).

12. Did the interim significant permit revision or significant source modification petition contain conditions accepting either emission controls (baghouse, afterburners, scrubbers, etc.) or enforceable limits or other suitable restriction to avoid PSD applicability; as well as control parameters (incinerator operating temperature, baghouse pressure drop, etc.)? The specific limits must be explicitly spelled out (i.e.: The gas consumption of the boiler shall not exceed 29 million cubic feet per month.) A statement such as that the company agrees to conditions such that PSD rules are not applicable is not acceptable.

Yes Go to question 13.
 No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(B).

13. Do the emission controls and/or throughput limits prevent PSD applicability?
 Yes Go to question 14.
 No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(B).
14. Will the modification, after application of all emission controls and/or throughput limitations comply with all applicable New Source Performance Standards (NSPS) (40 CFR 60)?
 Yes Go to question 15.
 No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).
15. Will the modification, after application of all emission controls and/or throughput limitations comply with all applicable National Emission Standards for Hazardous Air Pollutants (NESHAP)?
 Yes Go to question 16.
 No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).
16. Will the modification, after application of all emission controls and/or throughput limitations, comply with all applicable state rules?
 Yes Go to question 17.
 No Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).
17. Does the applicant dispute applicability of any applicable state or federal rule?
 Yes Deny the application, pursuant to 326 IAC 2-13-1(c)(2)(C).
 No Go to question 18.
18. Is there good reason to believe that the applicant does not intend to construct in accordance with the interim significant permit revision or significant source modification petition?
 Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(1).
 No Go to question 19.
19. Is there good reason to believe that information in the petition has been falsified?
 Yes Deny the application, pursuant to 326 IAC 2-13-1(h)(7).
 No Approve the interim significant permit revision or significant source modification petition.
20. Has the petition been adequately public noticed? A proof of publication copy is necessary.
 Yes Go to question 21.
 No Deny the application, pursuant to 326 IAC 2-13-1(e).

Newspaper: Sun Commercial

Date of publication: 05/04/2012

21. Were comments received within seventeen (17) days after the public notice of the interim significant permit revision or significant source modification?
(14 calendar days for comment period + 3 working days for mailing)
 Yes Evaluate the comments received, and make a recommendation.
 No Issue the final interim significant permit revision or significant source modification approval.

Comments: _____

Recommendation: Approve the interim construction revision

Date the applicant was informed of the decision: 05/22/2012

Method of informing the applicant: Email



083-31692I-00015

April 24, 2012

IDEM Air Permits Administration
ATTN: Mr. Brian Williams, Sr. Environmental Manager
100 North Senate Avenue
MC 61-53, IGCN 1003
Indianapolis, IN 46204-2251



**RE: Interim Approval Petition
Related to Rotary Dross Cooler Permit Revision Application
Scepter, Inc - F083-00015**

Dear Mr. Williams:

Please find attached an Interim Approval Petition for a dross cooler system proposed for Scepter, Inc.'s Bicknell, Indiana secondary aluminum processing facility. A related permit modification application was submitted on March 30, 2012.

Enclosed with this letter are the following documents:

- 1) Petition form with supplemental attachment
- 2) Notice of 14 Day Public Comment Period
- 3) Affidavit of Construction
- 4) Interim Petition Checklist
- 5) Check in the amount of \$625 for the review fee

Please let us know if you have any questions or need additional. I can be reached at (615) 224-2126.

Sincerely,
URS Corporation

Mr. Michael May, P.E.
Project Environmental Engineer

Enclosures

URS Corporation
1000 Corporate Centre Drive, Suite 250
Franklin, TN 37067-6209
Tel: 615.771.2480
Fax: 615.771.2459
www.urscorp.com

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY**

**PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION, SIGNIFICANT SOURCE
MODIFICATION, MINOR PERMIT REVISION, OR MINOR SOURCE MODIFICATION**

Source Name: Scepter, Inc.
 Source Address: 6467 North Scepter Road, Bicknell, IN 47512
 Mailing Address: 6467 North Scepter Road, Bicknell, IN 47512
 SIC/NAICS Code: 3341/331314

Description of the Operation or Equipment: *SEE ATTACHED SUPPLEMENT*

Write the detailed description of the operation or equipment, including the maximum capacity of the process: units/hour or maximum rating of the equipment such as heating input/hour. Also indicate if there is an air pollution control device, and its operating specifications (i.e.: % efficiency).

Potential to Emit: *SEE ATTACHED SUPPLEMENT*

The (pollutant) potential to emit are ? tons/year. Show the methodology and calculations of the potential to emit before and after control in detail.

PSD Requirements: *SEE ATTACHED SUPPLEMENT*

Write the conditions, limits, and/or restrictions that will be in effect to ensure that the construction does not qualify as a major PSD source or major PSD modification.

Examples:

- (a) If the potential to emit is less than the PSD significant level, then use the following recommended sentence:
- The potential to emit is less than the PSD Significant levels, therefore, PSD rules and requirements do not apply.
- (b) If the company wants to limit the emissions, then such restriction should be stated in this interim petition, such as:
- (i) the amount of raw material consumed on a daily or monthly rolled basis,
 - (ii) the amount of fuel combusted on a daily or monthly rolled basis,
 - (ii) a specification of the control device being used.
- (c) If the company needs to use the netting process, then the following information should be specified:
- (i) any corresponding shutdown of equipment being replaced,
 - (ii) a condition related to any limitation on the new equipment=s operation,
 - (iii) information on the actual contemporaneous increases and decreases.

NSPS Requirements: *SEE ATTACHED SUPPLEMENT*

Write the conditions, limits, and/or restrictions that will be in effect to ensure that the construction complies with applicable NSPS rules.

Examples:

- (a) If the operation or equipment is not subject to any NSPS rules, then use the following recommended sentence:

There is no applicable NSPS rule applicable to this operation or equipment.

- (b) If the operation or equipment is subject to NSPS, conditions listing those specific limits and/or requirements should be indicated.

NESHAP Requirements: *SEE ATTACHED SUPPLEMENT*

Write the conditions, limits, and/or restrictions that will be in effect to ensure that the construction complies with applicable NESHAP rules.

Examples:

- (a) If the operation or equipment is not subject to any NESHAP rules, then use the following recommended sentence:

There is no applicable NESHAP rule applicable to this operation or equipment.

- (b) If the operation or equipment is subject to NESHAP, conditions listing those specific limits and/or requirements should be indicated.

State Rules & Requirements: *SEE ATTACHED SUPPLEMENT*

Write all the applicable state rules and requirements: such as opacity, PM limits, VOC content.

Federal Enforceability:

The company consents to the federal enforceability of this interim petition.

Signature: *Garney B. Scott III*

Printed Name: Garney B. Scott, III

Title or Position: President

Phone Number: (931)535-3565

Date: 4/23/12

Supplement to
PETITION FOR INTERIM SIGNIFICANT PERMIT REVISION

Source Name: Scepter, Inc.

Source Address: 6467 North Scepter Road, Bicknell, In 47512

Description of the Operation or Equipment:

Hot salt cake from the rotary furnaces will be transferred at a maximum rate of 8,000 Lb/Hour via a front-end loader onto vibratory fed conveyor into a water cooled rotary cooler (non-contact cooling water). This tumbling action will allow the hot salt cake to break down into approximately marble size chunks as it cools down to approximately 200°F.

Air emissions from this process should be minimal, with the only real potential is particulate matter being created by the handling and tumbling of the salt cake material. These emissions will be controlled two-fold. First of all, the entire operation will take place inside the plant building, which is enclosed on all four sides. Secondly, emissions generated by the tumbling of the material within the rotary cooler will be captured by hoods located on either end (inlet and outlet) of the cooler and ducted to a pulsejet baghouse with a removal efficiency of 95-99%.

Based on the current permitted allowable limits for particulate matter, addition of this new unit would cause the facility to exceed the 100 ton per year Title V major source threshold. As a means to offset the new emissions, Scepter is requesting deletion of certain permitted emission units and should therefore remain a non -Title V source. The deleted emission units would be: -EU-1A and EU-1B due to the elimination of Furnace No. 1 and Furnace No 2, and the -Salt cake cooling system which is no longer operated.

Potential to Emit (PTE):

The PTE without control is not known and would be difficult to estimate by calculation. The unit is designed and built by Scepter for it's own use and there is no manufacturers performance data relative to emissions. The PTE after controls are estimated as follows:

The baghouse to be installed is an approximately 15,000 acfm, pulse jet baghouse, which will be exhausted outside the building. Based on a 15,000 acfm baghouse with a very conservative emission rate of 0.01 gr/dscf, the annual (assuming 24-hr per day operation) emission rate would

be 1.29 Lb/Hour or 5.6 tons per year of particulate matter. (Please see the attached calculation sheet.)

PSD Requirements:

In order to render the requirements of 326 IAC 2-2 (PSD) not applicable, the source shall comply with the following:

- (1) The amount of aluminum processed in the rotary furnaces shall not exceed 91,980 tons per twelve (12) consecutive month period with compliance determined at the end of each month.
- (2) The PM emissions from the rotary furnaces shall not exceed 1.6 pounds per ton of aluminum processed.

Scepter plans to control emissions from the dross cooler unit and is requesting a restriction of 1.29 Lb/Hour of particulate emissions from the control device. The control device is a MikroPul pulse jet baghouse with a maximum gas flow rate of 15,000 ACFM and will be installed to operate in a negative pressure condition.

NSPS Requirements:

There is no NSPS rule applicable to this operation or equipment.

NESHAP Requirements:

There is no NESHAP rule applicable to this operation or equipment because this source is and will continue to remain an Area source under 40 CFR 63 Subpart RRR.

State Rules and Requirements:

In order to comply with the requirements of 326 IAC 2-8-4 (FESOP), the source shall comply with the following:

- (1) The amount of aluminum processed in the rotary furnaces shall not exceed 91,980 tons per twelve (12) consecutive month period with compliance determined at the end of each month.
- (2) The PM10 emissions from the rotary furnaces shall not exceed 1.6 pounds per ton of aluminum processed.

- (2) The PM_{2.5} emissions from the rotary furnaces shall not exceed 1.6 pounds per ton of aluminum processed.

The following State Rules are also applicable:

- 1) Particulate Emission Limitations for Manufacturing Processes

326 IAC 6-3 (Rule 3) establishes emission limitations for particulate emissions. The operation covered by this Petition is subject to Section 6-3-1 subsection (e) which provides allowable rate of emission based on process weight rate. Using the process weight rate table, and entering at a process weight of 8,000 Lb/Hour (4 Tons/Hour), the Allowable Rate of Emission shall not exceed 10.4 Lb/Hour. However, Scepter is requesting a restriction of 1.29 Lb/Hour or 5.6 Tons/Year of particulate matter.

- 2) Opacity Limitations

326 IAC 5-1 (Rule 1) sets forth opacity limitations for a source or facility. The operation covered by this Petition is subject to Section 5-1-2 subsection (1).

Dross Cooler Emission Calculation

lb/hr= (gr/ft³)(Q)(60)/7000

gr/ft³ 0.01
Q= 15,000 cfm

lb/hr= **1.29** T/yr= 5.6

**NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT**

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification
for **Scepter, Inc.**
in **Knox County**

Notice is hereby given that the above company located at 6467 North Scepter Road, Bicknell, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a rotary dross cooler with a baghouse as air pollution control. Based on 8,760 hours per year of operation, the Particulate Matter emissions are 5.6 tons per year, respectively. *Particulate matter emissions would be limited to 1.29 Lb/Hour or 5.6 tons per year.*

The company has submitted an application for a significant permit revision. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the **Bicknell-Vigo Township Public Library, 201 West Second Street, Bicknell, Indiana, (47512)**. All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178.

Company Official's Signature:



Company Official's Printed Name:

Garney B. Scott, III

Company Name:

Scepter, Inc.

Affidavit of Construction

I, Garney B. Scott III
being duly sworn upon my oath, depose and say:
(Name of the Authorized Representative)

1. I live in Davidson County, Tennessee and being of sound mind and over twenty-one (21) years of age, I am competent to give this affidavit.

2. I hold the position of President for Scepter, Inc.
(Title) (Company Name)

3. By virtue of my position with Scepter, Inc., I have personal
(Company Name)

knowledge of the representations contained in this affidavit and am authorized to make these representations on behalf of Scepter, Inc.
(Company Name)

4. I, the undersigned, have submitted an interim significant permit revision petition to the Office of Air Quality for the construction of a rotary dross cooler.

5. Scepter, Inc.

recognizes the following risks:
(Company Name)

- (a) own financial risk, (b) that IDEM may require additional or different control technology for the final approval, (c) that IDEM may deny issuance of the final approval, and
- (d) any additional air permitting requirements.

Further Affiant said not.

I affirm under penalties of perjury that the representations contained in this affidavit are true, to the best of my information and belief.

Signature: Garney B. Scott III

Printed Name: Garney B. Scott III

Phone No.: (931) 535-3565

Date: 4/23/12

STATE OF ~~INDIANA~~ TENNESSEE
COUNTY OF Humphreys)


Subscribed and sworn to me, a notary public in and for Humphreys

County and State of Tennessee on this 23rd day of April

, 20 12
My Commission expires: My Commission

Expires Jan. 15, 2013 Signature: Sharon H. McNabb

Printed Name: Sharon H. McNabb



revised 3/23/01 drp

Indiana Department of Environmental Management Office of Air Quality

Interim Petition Checklist	
Instructions: (a) Please answer yes or no. (b) Enclosed this checklist with the completed interim petition package.	
Company Name: Scepter Inc.	
Location: 6467 North Scepter Road, Bicknell, Indiana	
Yes	1. Is the written interim petition prepared?
Yes	2. Is the written petition signed and dated?
Yes	3. Is the public notice drafted?
Yes	4. Is the filing and review fee enclosed? \$625 for TV, FESOP, and SSOA. \$500 for MSOP.
Yes	5. Is the account number written on the check or money order?
Yes	6. Is the Affidavit of Construction signed, dated, and notarized?
Yes	7. Is the proposed modification/revision described in detail?
Yes	8. Is the proposed modification/revision a modification or addition to an existing source?
Yes	9. Is the proposed modification/revision located in an attainment area for all the criteria pollutants?
No	10. Is the proposed modification/revision located in a nonattainment area? If yes, answer No. 11.
	11. Is the pollutant, which the nonattainment designation is based on, going to be emitted in this proposed modification/revision?
Yes	12. Are potential emissions calculated?
Yes	13. Is federal enforceability consent specifically indicated?
Yes	14. Are specific conditions, limitations, and/or restrictions included that preclude applicability of PSD?
No	15. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NSPS?
Yes	16. Are specific conditions, limitations, and/or restrictions included that preclude applicability of NESHAP?
Yes	17. Are specific conditions, limitations, and/or restrictions included that assure compliance with all applicable state air pollution rules?
Yes	18. Has a regular modification/revision permit application been submitted to OAQ?
No	19. Has the proposed modification/revision commenced prior to the submission of the interim permit petition?
Yes	20. The interim petition comment period has been decided to be: <u>14 calendar days</u>
Additional Comments:	



NA GSHA

46204
IND
IN-US

WED - 25 APR A1
STANDARD OVERNIGHT

TRK# 7934 8908 2859

0201

2101112190225
NDER



Ref #
Invoice #
PO #
Dept #

20500022 54210.00001

Ship Date: 24APR12
Act/Wgt: 1.0 LB
CAD: 3950335/NET3250



Delivery Address Bar Code

For FedEx Express® Ship

APR 26 2012
Dept of Environmental Intelligence
Office of Air Quality
REC'D
Stamp and Logistics

FROM: URS
CARR: FEDEX
TRK#: 00793489082859
RCUD: 04/25/2012 10:04

TO: IDEM
PH:
MSC: 0000000547
PCS: 1



RESTORE FROM 8493.2LUB

018010582928

2859
04.25

1

MSC: 00000005

FLR:
IDEM

AFFP
NOTICE OF 14-DAY PERIOD

Affidavit of Publication

STATE OF IN }
COUNTY OF KNOX } SS

NOTICE OF 14-DAY PERIOD
FOR PUBLIC COMMENT

Proposed Approval of Interim Significant Permit Revision/Significant Source Modification for Scepter, Inc. in Knox County


Tiffany Johnson, being duly sworn, says:

That she is accounting clerk of the Sun Commercial, a daily newspaper of general circulation, printed and published in Vincennes, Knox County, In; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:


May 04, 2012

That said newspaper was regularly issued and circulated on those dates.

SIGNED:


accounting clerk

Subscribed to and sworn to me this 4th day of May 2012.


Melanie Miller,

My commission expires: September 26, 2015

00099223 00229971

Ginny Major/Acct./HR Mgr
Scepter, Inc.
6467 North Scepter Road
Bicknell, IN 47512


Notice is hereby given that the above company located at 6467 North Scepter Road, Bicknell, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a rotary dross cooler with a baghouse as air pollution control. Based on 8,760 hours per year of operation, the Particulate Matter emissions are 5.6 tons per year, respectively. Particulate matter emissions would be limited to 1.29 Lb/Hour or 5.6 tons per year.

The company has submitted an application for a significant permit revision. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk.

Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the Bicknell-Vigo Township Public Library, 201 West Second Street, Bicknell, Indiana, (47512). All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251.

Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice.

Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178. May 4, 11.



NOTICE OF 14-DAY PERIOD FOR PUBLIC COMMENT
Proposed Approval of Interim Significant Permit Revision/Significant Source Modification for Scepter, Inc. in Knox County
Notice is hereby given that the above company located at 6467 North Scepter Road, Bicknell, Indiana, has made application to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for an interim permit to construct a rotary dross cooler with a baghouse as air pollution control. Based on 8,760 hours per year of operation, the Particulate Matter emissions are 5.6 tons per year, respectively. Particulate matter emissions would be limited to 1.29 Lb/Hour or 5.6 tons per year. The company has submitted an application for a significant permit revision. The OAQ shall review the application in accordance with the Permit Review Rules. Operation of the source cannot commence until a valid operating permit is issued. The construction of the proposed project is entirely at the applicant's own risk. Notice is hereby given that there will be a period of 14 days from the date of publication of this notice during which any interested person may comment on why this interim permit should or should not be issued. Appropriate comments should be related to air quality issues, interpretation of the applicable state and federal rules, calculations made, technical issues, or the effect that the operation of this facility would have on any aggrieved individuals. A copy of the application and staff review is available for examination at the Bicknell-Vigo Township Public Library, 201 West Second Street, Bicknell, Indiana, (47512). All comments, along with supporting documentation, should be submitted in writing to the IDEM, OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251. Persons not wishing to comment at this time, but wishing to receive notice of future proceedings conducted related to this action, must submit a written request to the Office of Air Quality (OAQ), at the above address. All interested parties of record will receive a notice of the decision on this matter and will then have 15 days after receipt of the Notice of Decision to file a petition for administrative review. Procedures for filing such a petition will be enclosed with the Notice. Questions should be directed to OAQ, 100 North Senate Avenue, MC 61-53, Room 1003, Indianapolis, Indiana, 46204-2251, or call (800) 451-6027 or (317) 233-0178. May 4, 11.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Mitchell E. Daniels Jr.
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: John Marlin
Scepter Inc.
6467 N Scepter Rd
Bicknell, IN 47512

DATE: May 24, 2012

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
Interim
083-316921-00015

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 11/30/07

Mail Code 61-53

IDEM Staff Scepter Inc. 083-316921-00015 (final)	CDENNY 5/24/2012 Indiana Department of Environmental Management Office of Air Quality - Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
---	---	---	--

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest Del. Fee	Remarks
1		John Marlin Scepter Inc. 6467 N Scepter Rd Bicknell IN 47512 (Source CAATS)										
2		Garney B Scott III President Scepter Inc. 1485 Scepter Ln Waverly TN 37188 (RO CAATS)										
3		Mr. Wendell Hibdon Plumbers & Steam Filters Union, Local 136 2300 St. Joe Industrial Park Dr Evansville IN 47720 (Affected Party)										
4		Knox County Health Department 520 S. 7th Street Vincennes IN 47591-1038 (Health Department)										
5		Knox County Commissioners 111 Washington Ave Vincennes IN 47591 (Local Official)										
6		Mr. Billy Nichols URS Corp 1000 Corporate Centre Drive, Ste. 250 Franklin TN 37067 (Affected Party)										
7		Bicknell City Council and Mayors Office 119 E. 2nd St. Bicknell IN 47512 (Local Official)										
8		Mr. Mark Wilson Evansville Courier & Press P.O. Box 268 Evansville IN 47702-0288 (Affected Party)										
9		Mr. John Blair 800 Adams Ave Evansville IN 47713 (Affected Party)										
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)
The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50,000 per occurrence. The maximum indemnity payable on Express mail merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See <i>Domestic Mail Manual R900, S913, and S921</i> for limitations of coverage on insured and COD mail. See <i>International Mail Manual</i> for limitations of coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.		