



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

TO: Interested Parties / Applicant

DATE: September 26, 2012

RE: Conrail Railway Superfund Site / 039 - 32244 - 00596

FROM: Matthew Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

## Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FNPER-AM.dot12/3/07



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

September 26, 2012

L. Christopher Oakes  
Conrail Railway Superfund Site  
1200 Peachtree Street, NE - Box 13  
Atlanta, GA 30309

Re: Exempt Construction and Operation Status,  
E039-32244-00596

Dear L. Christopher Oakes:

The application from Conrail Railway Superfund Site, received on August 23, 2012, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-1.1-3, it has been determined that the following stationary air stripper remediation system located at 2600 West Lusher Avenue, Elkhart, Indiana 46516 is classified as exempt from air pollution permit requirements:

- (a) One (1) low profile air stripper system, identified as AS-1, constructed in 2004, approved for modification in 2012, equipped with two (2) granular activated carbon (GAC) vapor units for VOC control, exhausting to stack S-01, capacity: 1,000 gallons of water per minute.
1. Opacity [326 IAC 5-1]  
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-1 (Applicability) and 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
    - (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
    - (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
  2. Fugitive Dust Emissions [326 IAC 6-4]  
The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

This exemption supersedes Registration No. 039-18602-00596, issued on May 27, 2004.

A copy of the Exemption is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.idem.in.gov](http://www.idem.in.gov)

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source. If you have any questions on this matter, please contact Charles Sullivan, OAQ, 100 North Senate Avenue, MC 61-53 IGCN 1003, Indianapolis, Indiana, 46204-2251, at 317-232-8422 or at 1-800-451-6027 (ext 2-8422).

Sincerely,



Nathan C. Bell, Section Chief  
Permits Branch  
Office of Air Quality

Attachments: Technical Support Document (TSD), Appendix A

NB/cbs

cc: File - Elkhart County  
Elkhart County Health Department  
Compliance and Enforcement Branch  
Billing, Licensing and Training Section

**Indiana Department of Environmental Management  
Office of Air Quality**

Technical Support Document (TSD) for a Registration Transitioning to an  
Exemption

**Source Description and Location**

<b>Source Name:</b>	<b>Conrail Railway Superfund Site</b>
<b>Source Location:</b>	<b>2600 West Lusher Avenue, Elkhart, IN 46516</b>
<b>County:</b>	<b>Elkhart</b>
<b>SIC Code:</b>	<b>4959 (Sanitary Services, Not Elsewhere Classified)</b>
<b>Exemption No.:</b>	<b>E039-32244-00596</b>
<b>Permit Reviewer:</b>	<b>Charles Sullivan</b>

On August 23, 2012, the Office of Air Quality (OAQ) received an application from Conrail Railway Superfund Site related to the construction and operation of a groundwater pump and treat system at an existing site for remediation of soil and groundwater contaminated with hydrocarbons and transition from a Registration to an Exemption.

**Existing Approvals**

The source has been operating under Registration No. 039-18602-00596, issued on May 27, 2004.

Due to this application, the source is transitioning from a Registration to an Exemption.

**County Attainment Status**

The source is located in Elkhart County.

Pollutant	Designation
SO <sub>2</sub>	Better than national standards.
CO	Unclassifiable or attainment effective November 15, 1990.
O <sub>3</sub>	Attainment effective July 19, 2007, for the 8-hour ozone standard. <sup>1</sup>
PM <sub>10</sub>	Unclassifiable effective November 15, 1990.
NO <sub>2</sub>	Cannot be classified or better than national standards.
Pb	Not designated.

<sup>1</sup>Attainment effective October 18, 2000, for the 1-hour ozone standard for the South Bend-Elkhart area, including Elkhart County, and is a maintenance area for the 1-hour National Ambient Air Quality Standards (NAAQS) for purposes of 40 CFR 51, Subpart X\*. The 1-hour standard was revoked effective June 15, 2005.

Unclassifiable or attainment effective April 5, 2005, for PM2.5.

- (a) **Ozone Standards**  
Volatile organic compounds (VOC) and Nitrogen Oxides (NOx) are regulated under the Clean Air Act (CAA) for the purposes of attaining and maintaining the National Ambient Air Quality Standards (NAAQS) for ozone. Therefore, VOC and NOx emissions are considered when evaluating the rule applicability relating to ozone. Elkhart County has been designated as attainment or unclassifiable for ozone. Therefore, VOC and NOx emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

- (b) **PM<sub>2.5</sub>**  
Elkhart County has been classified as attainment for PM<sub>2.5</sub>. On May 8, 2008 U.S. EPA promulgated the requirements for Prevention of Significant Deterioration (PSD) for PM<sub>2.5</sub> emissions. These rules became effective on July 15, 2008. On May 4, 2011 the air pollution control board issued an emergency rule establishing the direct PM<sub>2.5</sub> significant level at ten (10) tons per year. This rule became effective, June 28, 2011. Therefore, direct PM<sub>2.5</sub> and SO<sub>2</sub> emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2. See the State Rule Applicability – Entire Source section.
- (c) **Other Criteria Pollutants**  
Elkhart County has been classified as attainment or unclassifiable in Indiana for for all other criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.

#### **Fugitive Emissions**

The fugitive emissions of criteria pollutants, hazardous air pollutants, and greenhouse gases are counted toward the determination of 326 IAC 2-1.1-3 (Exemptions) applicability.

#### **Background and Description of Emission Units and Pollution Control Equipment**

The Office of Air Quality (OAQ) has reviewed an application, submitted by Conrail Railyard Superfund Site on August 23, 2012, relating to the operation of an air stripper remediation system at its superfund site located at 2600 West Lusher Avenue, Elkhart County, Indiana. Due to this application, the source is transitioning from a Registration to an Exemption.

The following is a list of the modified emission unit and pollution control devices:

- (a) One (1) low profile air stripper system, identified as AS-1, constructed in 2004, approved for modification in 2012, equipped with two (2) granular activated carbon (GAC) vapor units for VOC control, exhausting to stack S-01, capacity: 1,000 gallons of water per minute.

#### **Enforcement Issues**

There are no pending enforcement actions related to this source.

#### **Emission Calculations**

See Appendix A of this TSD for detailed emission calculations.

#### **Permit Level Determination – Exemption**

The following table reflects the unlimited potential to emit (PTE) of the entire source before controls. Control equipment is not considered federally enforceable until it has been required in a federally enforceable permit.

Process/ Emission Unit	Potential To Emit of the Entire Source (tons/year)									
	PM	PM10*	PM2.5	SO <sub>2</sub>	NO <sub>x</sub>	VOC	CO	GHGs as CO <sub>2</sub> e**	Total HAPs	Worst Single HAP
Air Stripper System (AS-1)	0.0	0.0	0.0	0.0	0.0	2.18	0.0	0.0	2.18	1.40 (Trichloroethene)
Paved Roads (fugitive)	negl	negl	negl	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Total PTE of Entire Source</b>	<b>negl</b>	<b>negl</b>	<b>negl</b>	<b>0.0</b>	<b>0.0</b>	<b>2.18</b>	<b>0.0</b>	<b>0.0</b>	<b>2.18</b>	<b>1.40 (Trichloroethene)</b>
Exemptions Levels**	5	5	5	10	10	10	25	100,000	25	10
Registration Levels**	25	25	25	25	25	25	100	100,000	25	10

negl. = negligible  
 \*Under the Part 70 Permit program (40 CFR 70), particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM10), not particulate matter (PM), is considered as a "regulated air pollutant".  
 \*\*The 100,000 CO<sub>2</sub>e threshold represents the Title V and PSD subject to regulation thresholds for GHGs in order to determine whether a source's emissions are a regulated NSR pollutant under Title V and PSD.

Criteria Pollutants (PM10, PM2.5, SO<sub>2</sub>, NO<sub>x</sub>, VOC, and CO)

- (a) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1) of all regulated criteria pollutants are less than the levels listed in 326 IAC 2-1.1-3(e)(1). Therefore, the source is subject to the provisions of 326 IAC 2-1.1-3 (Exemptions).

Hazardous Air Pollutants

- (b) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1) of any single HAP is less than ten (10) tons per year and the PTE of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-7.

Greenhouse Gases (GHGs) as CO<sub>2</sub>e

- (c) The potential to emit (PTE) (as defined in 326 IAC 2-1.1-1) greenhouse gases (GHGs) is less than the Title V subject to regulation threshold of one hundred thousand (100,000) tons of CO<sub>2</sub> equivalent emissions (CO<sub>2</sub>e) per year. Therefore, the source is not subject to the provisions of 326 IAC 2-7.

**Federal Rule Applicability Determination**

New Source Performance Standards (NSPS)

- (a) There are no New Source Performance Standards (NSPS) (326 IAC 12 and 40 CFR Part 60) included in the permit.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

- (b) The requirements of the National Emission Standards for Hazardous Air Pollutants (NESHAPs) for Site Remediation, 40 CFR 63.7880-40 through CFR 63.7957, Subpart GGGGG (326 IAC 20-87), are not included in the permit, since the source does not have the potential to emit 10 tons per year or more of any hazardous air pollutant or 25 tons per year of any combination of hazardous air pollutants.

- (c) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs) (326 IAC 14, 326 IAC 20 and 40 CFR Part 63) included in the permit.

Compliance Assurance Monitoring (CAM)

- (d) Pursuant to 40 CFR 64.2, Compliance Assurance Monitoring (CAM) is not included in the permit, because the unlimited potential to emit of the source is less than the Title V major source thresholds and the source is not required to obtain a Part 70 or Part 71 permit.

<b>State Rule Applicability Determination</b>
---

The following state rules are applicable to the source:

- (a) 326 IAC 2-1.1-3 (Exemptions)  
Exemption applicability is discussed under the Permit Level Determination – Exemption section above.
- (b) 326 IAC 2-4.1 (Major Sources of Hazardous Air Pollutants (HAP))  
The potential to emit of any single HAP is less than ten (10) tons per year and the potential to emit of a combination of HAPs is less than twenty-five (25) tons per year. Therefore, this source is an area source under Section 112 of the Clean Air Act (CAA) and not subject to the provisions of 326 IAC 2-4.1.
- (c) 326 IAC 2-6 (Emission Reporting)  
Pursuant to 326 IAC 2-6-1, this source is not subject to this rule, because it is not required to have an operating permit under 326 IAC 2-7 (Part 70), it is not located in Lake, Porter, or LaPorte County, and it does not emit lead into the ambient air at levels equal to or greater than 5 tons per year. Therefore, 326 IAC 2-6 does not apply.
- (d) 326 IAC 5-1 (Opacity Limitations)  
Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:
- (1) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
  - (2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.
- (e) 326 IAC 6-4 (Fugitive Dust Emissions Limitations)  
Pursuant to 326 IAC 6-4 (Fugitive Dust Emissions Limitations), the source shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4.
- (f) 326 IAC 6-5 (Fugitive Particulate Matter Emission Limitations)  
The source is not subject to the requirements of 326 IAC 6-5, because the source does not have potential fugitive particulate emissions greater than 25 tons per year. Therefore, 326 IAC 6-5 does not apply.
- (g) 326 IAC 8-1-6 (VOC Rules: General Reduction Requirements for New Facilities)  
Each of the emission units at this source is not subject to the requirements of 326 IAC 8-1-6, since the unlimited VOC potential emissions from each emission unit is less than twenty-five (25) tons per year.

### Conclusion and Recommendation

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant. An application for the purposes of this review was received on August 23, 2012.

The construction and operation of this source shall be subject to the conditions of the attached proposed Exemption No. E039-32244-00596. The staff recommends to the Commissioner that this Exemption be approved.

### IDEM Contact

- (a) Questions regarding this proposed permit can be directed to Charles Sullivan at the Indiana Department Environmental Management, Office of Air Quality, Permits Branch, 100 North Senate Avenue, MC 61-53 IGCM 1003, Indianapolis, Indiana 46204-2251 or by telephone at (317) 232-8422 or toll free at 1-800-451-6027 extension 2-8422.
- (b) A copy of the findings is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>
- (c) For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.in.gov/idem](http://www.in.gov/idem)

**TSD Appendix A: Emission Calculations  
Input Data and VOC/HAP Water Concentrations**

**Company Name:** Conrail Railyard Superfund Site  
**Source Address:** 2600 West Lusher Avenue, Elkhart, IN 46516  
**Exemption No.:** E039-32244-00596  
**Reviewer:** Charles Sullivan  
**Date:** 9/12/2012

**Description**

This sheet estimates future potential emissions from the groundwater pump and treat system at the Conrail Railyard Superfund Site in Elkhart, Indiana. The plant consists of an air stripper with GAC vapor units treating the exhaust. The system is to be modified in cooperation with USEPA to increase groundwater pumping rate. Contaminant concentrations may also increase as a result of other changes to the pumping system.

For the purposes of this estimate, contaminants reaching the treatment system are conservatively assumed to be entirely emitted. The contaminant concentrations are also conservatively assumed to be present at the maximum concentration measured during 2004-2012 monthly samplings. Compounds that have not been detected, or have been detected only once during these samplings, are assumed to be present. During operations, all water effluent data from the plant have been reported below detection for the VOC compounds, so that 100% transfer from water to air within the air stripper is assumed.

As long as potential (uncontrolled) emissions are less than 10 tons/year of any individual hazardous air pollutant (HAP) and 25 tons/year of combined HAPs, only notification to IDEM is required for this change per 326 IAC 2-5.5-6(d)(10). All of the compounds listed below are HAPs except for cis-1,2-Dichloroethene.

**DATA**

<b>Name</b>	<b>Proposed Unit</b>	<b>Basis</b>
Water flow	1,000 gpm	Maximum design basis for upgraded system (URS)
Operating hours	8,760 hours	Conservative assumption
GAC % removal - two stage	95 %	Design basis. Canisters monitored for breakthrough influent/ intermediate/stack emission
Conversion	3,785 liters/gal	
Conversion	453,592 grams/lb	

**Measured Constituent Concentrations in Influent Water**

1,1,1-Trichloroethane	7.3 ug/L	Maximum from 2004-2012 monthly measurement data
1,1- Dichloroethene	2.5 ug/L	Maximum from 2004-2012 monthly measurement data; all nondetect results
Carbon tetrachloride	74 ug/L	Maximum from 2004-2012 monthly measurement data
Chloroform	120 ug/L	Maximum from 2004-2012 monthly measurement data
Chloromethane	55 ug/L	Maximum from 2004-2012 monthly measurement data; all nondetect results
cis-1,2-Dichloroethene	140 ug/L	Maximum from 2004-2012 monthly measurement data
Tetrachloroethene	5.1 ug/L	Maximum from 2004-2012 monthly measurement data; only one detection.
trans-1,2-Dichloroethene	3 ug/L	Maximum from 2004-2012 monthly measurement data; only one detection.
Trichloroethene	640 ug/L	Maximum from 2004-2012 monthly measurement data
Vinyl chloride	12 ug/L	Maximum from 2004-2012 monthly measurement data

**TSD Appendix A: Emission Calculations  
Potential to Emit VOC and HAP**

**Company Name: Conrail Railyard Superfund Site  
Source Address: 2600 West Lusher Avenue, Elkhart, IN 46516  
Exemption No.: E039-32244-00596  
Reviewer: Charles Sullivan  
Date: 9/12/2012**

**Potential to Emit Volatile Organic Compounds (VOC) and Hazardous Air Pollutants (HAP)**

<b>Name</b>	<b>Value</b>	<b>Unit</b>	<b>Formula</b>
Uncontrolled emissions (i.e., maximum mass of constituent before GAC treatment)		lb/hr	= $\frac{\text{water flow (gal/min)} \times 60 \text{ (min/hr)} \times 3.785 \text{ (liters/gal)} \times \text{constituent concentration (ug/liter)}}{10^6 \text{ (ug/gram)} \times 453.592 \text{ (grams/lb)}}$
Controlled Emissions		lb/hr	= $(\text{Uncontrolled emissions}) \times (1 - [\% \text{GAC removal}])$

**\*2012 Potential to Emit**

<b>Uncontrolled Emissions</b>	<b>lb/hr</b>	<b>tons/yr</b>
1,1,1-Trichloroethane	3.7E-03	0.02
Carbon tetrachloride	0.037	0.16
Chloroform	0.060	0.26
cis-1,2-Dichloroethene	0.070	0.31
Trichloroethene	0.320	1.40
Vinyl chloride	0.006	0.03
<b>Total</b>	<b>0.50</b>	<b>2.18</b>

<b>Controlled Emissions</b>	<b>lb/hr</b>	<b>tons/yr</b>
1,1,1-Trichloroethane	1.8E-04	8.0E-04
Carbon tetrachloride	1.9E-03	0.01
Chloroform	3.0E-03	0.01
cis-1,2-Dichloroethene	3.5E-03	0.02
Trichloroethene	1.6E-02	0.07
Vinyl chloride	3.0E-04	1.3E-03
<b>Total</b>	<b>0.02</b>	<b>0.11</b>

\*2012 emissions based on maximum constituent concentrations observed between 2004-2012 (page 1) and an assumed pumping rate of 1,000 gpm.



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
**Governor**

*Thomas W. Easterly*  
**Commissioner**

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

## **SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED**

**TO:** L Christopher Oakes  
Conrail Railway Superfund Site  
1200 Peachtree St, NE- Box 13  
Atlanta, GA 30309

**DATE:** September 26, 2012

**FROM:** Matt Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

**SUBJECT:** Final Decision  
Exemption - Transition from Registration  
039 - 32244 - 00596

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:  
Richard Russell, System Director  
Anthony Limke URS Corporation  
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at [jbrush@idem.IN.gov](mailto:jbrush@idem.IN.gov).

Final Applicant Cover letter.dot 11/30/07

# Mail Code 61-53

IDEM Staff	LPOGOST 9/26/2012 Conrail Railyard Superfund Site 039 - 32244 - 00596 final)		AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING	
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204	Type of Mail:  <b>CERTIFICATE OF MAILING ONLY</b>	

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		L Christopher Oakes Conrail Railyard Superfund Site 1200 Peachtree St, NE- Box 13 Atlanta GA 30309 (Source CAATS) Via confirmed delivery										
2		Richard Russell System Director Conrail Railyard Superfund Site 1200 Peachtree St, NE- Box 13 Atlanta GA 30309 (RO CAATS)										
3		Elkhart City Council and Mayors Office 229 South Second Street Elkhart IN 46516 (Local Official)										
4		Elkhart County Health Department 608 Oakland Avenue Elkhart IN 46516 (Health Department)										
5		Elkhart County Board of Commissioners 117 North Second St. Goshen IN 46526 (Local Official)										
6		Anthony Limke URS Corporation 525 Vine St. Cincinnati OH 45202 (Consultant)										
7												
8												
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See <b>Domestic Mail Manual R900, S913, and S921</b> for limitations of coverage on inured and COD mail. See <b>International Mail Manual</b> for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--