



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Michael R. Pence*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

TO: Interested Parties / Applicant

DATE: March 15, 2013

RE: E & B Paving / 147-26328-05298

FROM: Matthew Stuckey, Branch Chief  
Permits Branch  
Office of Air Quality

## Notice of Decision – Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the enclosed matter. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.

Enclosures  
FNPER-AM.dot12/3/07





# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Michael R. Pence*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

Steve Henderson, Director of Regulatory Affairs  
E & B Paving, Inc.  
286 W 300 N  
Anderson, IN 46012

March 15, 2013

Re: 157-32910-05298  
Portable Source Relocation Letter for  
SSOA No. 147-26328-05298

Dear Mr. Henderson:

Approval is hereby granted to operate the portable ready-mix concrete batch plant, described in SSOA No. 147-26328-05298 issued on April 3, 2008. This source is to be located at 10750 E. 900 N., Lafayette, Indiana in Tippecanoe County. This plant was previously located at near the junction of Cherry Lane and McCormick Road, behind the Purdue University Schwartz Tennis Center, Lafayette, Indiana in Tippecanoe County, and the site approval was issued on April 9, 2012.

Relocation of this plant must take place within 120 days after the issuance of this decision. This approval supersedes all previous site approval letters.

Advance written notice to the Office of Air Quality (OAQ), Compliance and Enforcement Branch, of start-up is required in order for the OAQ to perform an inspection. The notification shall be submitted to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

If the plant is not operating in compliance with all applicable regulations upon inspection, the plant must cease operation upon notification to you by OAQ staff of such non-compliance. Operations may only resume once remedial actions have been taken and approved by the OAQ.

A copy of the SSOA is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: [www.idem.in.gov](http://www.idem.in.gov)

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions concerning this relocation site approval, please contact Charles Sullivan, of my staff, at 317-232-8422 or 1-800-451-6027, ext. 2-8422.

Sincerely,



Chrystal Wagner, Section Chief  
Permits Branch  
Office of Air Quality

CW/cbs

Enclosures: Notice of Decision

cc: File-Tippecanoe County  
Tippecanoe County Health Department  
Compliance and Enforcement Branch  
Billing, Licensing and Training Section





# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Michael R. Pence*  
Governor

*Thomas W. Easterly*  
Commissioner

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
www.idem.IN.gov

## SOURCE SPECIFIC OPERATING AGREEMENT OFFICE OF AIR QUALITY

**E & B Paving, Inc.**

**(Portable)**


(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this SSOA.

This SSOA is issued to the above mentioned company under the provisions of 326 IAC 2-1.1, 326 IAC 2-9 and 40 CFR 52.780, with conditions listed on the attached pages.

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this SSOA, are those applicable at the time the SSOA was issued. The issuance or possession of this SSOA shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a Source Specific Operating Agreement (SSOA) under 326 IAC 2-9.

Source Specific Operating Agreement No. 147-26328-05298	
Issued by: <i>Original Signed by:</i>  Iryn Calilung, Section Chief Permits Branch Office of Air Quality	Issuance Date: April 3, 2008

First Portable Source Relocation No. 005-29075-05298, issued on April 6, 2010  
Second Portable Source Relocation No. 157-29778-05298, issued on October 28, 2010  
Third Portable Source Relocation No. 157-31637-05298, issued on April 9, 2012

Fourth Portable Source Relocation No. 157-32910-05298	
Issued by:  Chrystal Wagner, Section Chief Permits Branch Office of Air Quality	Issuance Date: March 15, 2013

## SECTION A SOURCE SUMMARY

This SSOA is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 and A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits pursuant to 326 IAC 2.

### A.1 General Information

---

The Permittee owns and operates a portable ready-mix concrete batch plant.

Initial Source Address:	4950 E. A.W. Mulzer Drive, Dale, IN 46723
General Source Phone Number:	765-643-5358
SIC Code:	3273
County Location:	Spencer County (initial permit)
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Source Specific Operating Agreement (SSOA) Not 1 of 28 Source Categories

### A.2 Source Summary

---

This portable source consists of the following:

- (1) Ready-Mix Concrete Batch Operation [326 IAC 2-9-9]

### A.3 SSOA Applicability [326 IAC 2-9-1]

---

- (a) This source, otherwise required to have a permit under 326 IAC 2-5.1, 326 IAC 2-5.5, 326 IAC 2-6.1, 326 IAC 2-7, or 326 IAC 2-8, has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Source Specific Operating Agreement (SSOA) under 326 IAC 2-9.
- (b) Pursuant to 326 IAC 2-9-1(g), the source may apply for up to four (4) different SSOAs contained in 326 IAC 2-9.

**SECTION B GENERAL CONDITIONS**

**B.1 Definitions [326 IAC 2-1.1-1]**

Terms in this SSOA shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-1.1-1) shall prevail.

**B.2 Enforceability**

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA), and by citizens in accordance with the Clean Air Act.

**B.3 Severability**

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

**B.4 Property Rights or Exclusive Privilege**

This permit does not convey any property rights of any sort or any exclusive privilege.

**B.5 Duty to Provide Information**

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

**B.6 Prior Permits Superseded [326 IAC 2-1.1-9.5]**

- (a) All terms and conditions of permits established prior to SSOA No. 147-26328-05298 and issued pursuant to permitting programs approved into the state implementation plan have been either:
  - (1) incorporated as originally stated,
  - (2) revised, or
  - (3) deleted.
- (b) All previous registrations and permits are superseded by this permit.

**B.7 Annual Notification [326 IAC 2-9-1(d)]**

Pursuant to 326 IAC 2-9-1(d):

- (a) An annual notification shall be submitted by an authorized individual to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this SSOA.
- (b) The annual notice shall be submitted in the format attached no later than January 30 of each year to:

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, IN 46204-2251

- (c) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

B.8 Source Modification Requirement [326 IAC 2-9-1(e)]

Pursuant to 326 IAC 2-9-1(e), before the Permittee modifies its operations in such a way that it will no longer comply with the applicable restrictions and conditions of this SSOA, it shall obtain the appropriate approval from IDEM, OAQ under 326 IAC 2-2, 326 IAC 2-3, 326 IAC 2-4.1, 326 IAC 2-5.1, 326 IAC 2-6.1, 326 IAC 2-7, and 326 IAC 2-8.

B.9 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)] [IC 13-14-2-2] [IC 13-17-3-2] [IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a permitted source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.10 Permit Revocation [326 IAC 2-1.1-9] [326 IAC 2-9-1(j)]

- (a) Pursuant to 326 IAC 2-1.1-9 (Revocation of Permits), this permit to operate may be revoked for any of the following causes:
- (1) Violation of any conditions of this permit.
  - (2) Failure to disclose all the relevant facts, or misrepresentation in obtaining this permit.
  - (3) Changes in regulatory requirements that mandate either a temporary or

permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this permit shall not require revocation of this permit.

- (4) Noncompliance with orders issued pursuant to 326 IAC 1-5 (Episode Alert Levels) to reduce emissions during an air pollution episode.
  - (5) For any cause which establishes in the judgment of IDEM the fact that continuance of this permit is not consistent with purposes of this article.
- (b) Pursuant to 326 IAC 2-9-1(j), noncompliance with any applicable provision 326 IAC 2-9 or any requirement contained in this SSOA may result in the revocation of this SSOA and make this source subject to the applicable requirements of a major source.

## SECTION C

## SOURCE OPERATION CONDITIONS

Entire Source

### Emission Limitations and Standards [326 IAC 2-9]

#### C.1 Fugitive Dust Emissions [326 IAC 6.8-10-3]

Pursuant to 326 IAC 6.8-10-3 (formerly 326 IAC 6-1-11.1) (Lake County Fugitive Particulate Matter Control Requirements), the particulate matter emissions from source wide activities shall meet the following requirements:

- (a) The average instantaneous opacity of fugitive particulate emissions from a paved road shall not exceed ten percent (10%).
- (b) The average instantaneous opacity of fugitive particulate emissions from an unpaved road shall not exceed ten percent (10%).
- (c) The opacity of fugitive particulate emissions from exposed areas shall not exceed ten percent (10%) on a six (6) minute average.
- (d) The opacity of fugitive particulate emissions from continuous transfer of material onto and out of storage piles shall not exceed ten percent (10%) on a three (3) minute average.
- (e) The opacity of fugitive particulate emissions from storage piles shall not exceed ten percent (10%) on a six (6) minute average.
- (f) There shall be a zero (0) percent frequency of visible emission observations of a material during the inplant transportation of material by truck or rail at any time.
- (g) The opacity of fugitive particulate emissions from the inplant transportation of material by front end loaders and skip hoists shall not exceed ten percent (10%).
- (h) Material processing facilities shall include the following:
  - (1) There shall be a zero (0) percent frequency of visible emission observations from a building enclosing all or part of the material processing equipment, except from a vent in the building.
  - (2) The PM10 emissions from building vents shall not exceed twenty-two thousandths (0.022) grains per dry standard cubic foot and ten percent (10%) opacity.
  - (3) The PM10 stack emissions from a material processing facility shall not exceed twenty-two thousandths (0.022) grains per dry standard cubic foot and ten percent (10%) opacity.
  - (4) The opacity of fugitive particulate emissions from the material processing facilities, except a crusher at which a capture system is not used, shall not exceed ten percent (10%) opacity.
  - (5) The opacity of fugitive particulate emissions from a crusher at which a capture system is not used shall not exceed fifteen percent (15%).

- (i) The opacity of particulate emissions from dust handling equipment shall not exceed ten percent (10%).
- (j) Material transfer limits shall be as follows:
  - (1) The average instantaneous opacity of fugitive particulate emissions from batch transfer shall not exceed ten percent (10%).
  - (2) Where adequate wetting of the material for fugitive particulate emissions control is prohibitive to further processing or reuse of the material, the opacity shall not exceed ten percent (10%), three (3) minute average.
  - (3) Slag and kish handling activities at integrated iron and steel plants shall comply with the following particulate emissions limits:
    - (A) The opacity of fugitive particulate emissions from transfer from pots and trucks into pits shall not exceed twenty percent (20%) on a six (6) minute average.
    - (B) The opacity of fugitive particulate emissions from transfer from pits into front end loaders and from transfer from front end loaders into trucks shall comply with the fugitive particulate emission limits in 326 IAC 6.8-10-3(9).
- (k) Any facility or operation not specified in 326 IAC 6.8-10-3 shall meet a twenty percent (20%), three (3) minute average opacity standard.

The Permittee shall achieve these limits by controlling fugitive particulate matter emissions\* according to the Fugitive Dust Control Plan, which is included as Attachment A to this SSOA.

#### **Compliance Requirements [326 IAC 2-1.1-11] [326 IAC 2-9]**

##### **C.2 Compliance with Applicable Requirements [326 IAC 2-9-1(i)]**

Pursuant to 326 IAC 2-9-1(i), the owner or operator is hereby notified that this operating agreement does not relieve the Permittee of the responsibility to comply with the provisions of any applicable federal, state, or local rules, or any New Source Performance Standards (NSPS), 40 CFR Part 60, or National Emission Standards for Hazardous Air Pollutants (NESHAP), 40 CFR Part 61 or 40 CFR Part 63.

#### **Record Keeping and Reporting Requirements [326 IAC 2-9]**

##### **C.3 General Record Keeping Requirements [326 IAC 2-9-1(f)]**

Pursuant to 326 IAC 2-9-1(f), records of all required monitoring data, reports and support information required by this SSOA shall be physically present or electronically accessible at the source location for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

##### **C.4 Reporting Requirements [326 IAC 2-9-1(h)]**

Pursuant to 326 IAC 2-9-1(h), any exceedance of any requirement contained in this operating agreement shall be reported, in writing, within one (1) week of its occurrence. Said report shall include information on the actions taken to correct the exceedance, including measures to reduce emissions, in order to comply with the established limits. If an exceedance is the result of a malfunction, then the provisions of 326 IAC 1-6 apply.

## Portable Source Requirements

### C.5 Relocation of Portable Sources [326 IAC 2-14-4]

---

- (a) This permit is approved for operation in all areas of Indiana. This determination is based on the requirements of Prevention of Significant Deterioration in 326 IAC 2-2 and Emission Offset in 326 IAC 2-3.
- (b) A request to relocate shall be submitted to IDEM, OAQ at least thirty (30) days prior to the intended date of relocation. This submittal shall include the following:
  - (1) A list of governmental officials entitled to receive notice of application to relocate. [IC 13-15-3-1]
  - (2) A list of adjacent landowners that the Permittee will send written notice to not more than ten (10) days after submission of the request to relocate. [IC 13-15-8]
  - (3) The new location address of the portable source.
  - (4) Whether or not this portable source will be relocated to another source.
  - (5) If relocating to another source:
    - (A) Name, location address, and permit number of the source this portable source is relocating to.
    - (B) Whether or not the sources will be considered as one source. See Non Rule Policy (NRP) Air-005 and Air-006.
  - (6) If the sources will be considered as one source, whether or not the source to be relocated to has received the necessary approvals from IDEM to allow the relocation.
- (c) A "Relocation Site Approval" letter shall be obtained prior to relocating.
- (d) A valid operation agreement consists of this document and any subsequent "Relocation Site Approval" letter specifying the current location of the portable plant.

## SECTION D

## OPERATION CONDITIONS

Operation Description: Ready-Mix Concrete Batch Operation [326 IAC 2-9-9]

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

### Emission Limitations and Standards [326 IAC 2-9]

#### D.1 Ready-Mix Concrete Batch Operation Limitation [326 IAC 2-9-9(b)(1)]

Pursuant to 326 IAC 2-9-9(b)(1), the production from the concrete batch operation shall not exceed three hundred thousand (300,000) cubic yards per year.

#### D.2 Opacity [326 IAC 2-9-9(b)(3)]

Pursuant to 326 IAC 2-9-9(b)(3), fugitive particulate emissions from the cement and aggregate silos shall be controlled by operating dust collectors such that visible emissions do not exceed twenty percent (20%) opacity in twenty-four (24) consecutive readings in a six (6) minute period. Compliance with this limitation shall be determined by 40 CFR 60, Appendix A, Method 9.

#### D.3 Fugitive Emissions [326 IAC 2-9-9(b)(4)] [326 IAC 2-9-9(b)(8)]

(a) Pursuant to 326 IAC 2-9-9(b)(4), the fugitive particulate matter (PM) emissions from all aggregate storage piles, unpaved roadways, and aggregate transfer processes of this source shall be controlled by applying water on an as needed basis, such that the following visible emission conditions are met:

- (1) The visible emissions from any storage pile shall not exceed twenty percent (20%) in twenty-four (24) consecutive readings in a six (6) minute period. This limitation shall not apply during periods when application of control measures are ineffective or unreasonable due to sustained high wind speeds. The opacity shall be determined using 40 CFR 60, Appendix A, Method 9, except that the opacity shall be observed at approximately four (4) feet from the surface at the point of maximum opacity. The observer shall stand at least fifteen (15) feet, but no more than one-fourth (1/4) mile, from the plume and at approximately right angles to the plume.
- (2) The visible emissions from unpaved roadways shall not exceed an average instantaneous opacity of twenty percent (20%). Average instantaneous opacity shall be the average of twelve (12) instantaneous opacity readings, taken for four (4) vehicle passes, consisting of three (3) opacity readings for each vehicle pass. The three (3) opacity readings for each vehicle pass shall be taken as follows:
  - (A) The first reading shall be taken at the time of emission generation.
  - (B) The second reading shall be taken five (5) seconds after the first.
  - (C) The third reading shall be taken five (5) seconds after the second reading, or ten (10) seconds after the first reading.

The three (3) readings shall be taken approximately four (4) feet from the surface at the point of maximum opacity. The observer shall stand at least fifteen (15) feet, but no more than one-fourth (1/4) mile, from the plume and at approximately right angles to the plume.

- (3) Visible emissions from the aggregate transferring processes shall not exceed an average instantaneous opacity of twenty percent (20%). The average instantaneous opacity shall be the average of three (3) opacity readings taken five (5) seconds, ten (10) seconds, and fifteen (15) seconds after the end of one (1) material loading or unloading operation. The three (3) readings shall be taken at the point of maximum opacity. The observer shall stand at least fifteen (15) feet, but no more than one-fourth (1/4) mile, from the plume and at approximately right angles to the plume.
- (b) Pursuant to 326 IAC 2-9-9(b)(8), the fugitive particulate emissions at the ready-mix concrete batch plant shall not escape beyond the property lines or boundaries of the source property, right of way, or easement on which the source is located pursuant to 326 IAC 6-4.

#### **Compliance Determination Requirements [326 IAC 2-9]**

##### **D.4 Particulate [326 IAC 2-9-9(b)(5)] [326 IAC 2-9-9(b)(6)]**

Pursuant to 326 IAC 2-9-9(b)(5) and 326 IAC 2-9-9(b)(6), the owner or operator shall comply with the following:

- (a) All equipment that generate particulate matter (PM) emissions and any associated control devices shall be operated and maintained at all times of plant operation, in such a manner, as to meet all of the requirements of Conditions D.2 and D.3.
- (b) All cement transferring processes shall always be enclosed.

#### **Record Keeping and Reporting Requirements [326 IAC 2-9]**

##### **D.5 Record Keeping Requirements [326 IAC 2-9-9(b)(2)] [326 IAC 2-9-9(b)(7)]**

Pursuant to 326 IAC 2-9-9(b)(2) and 326 IAC 2-9-9(b)(7):

- (a) The source shall keep annual production records of the concrete batch operation at the site on a calendar year basis.
- (b) The source shall maintain records on the types of air pollution control devices used at the source and the operation and maintenance manuals for those control devices.
- (c) Section C - General Record Keeping Requirements of this SSOA contains the Permittee's obligations with regard to the records required by this condition.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**SOURCE SPECIFIC OPERATING AGREEMENT (SSOA)  
ANNUAL NOTIFICATION**

This form should be used to comply with the notification requirements under 326 IAC 2-9.

<b>Company Name:</b>	E & B Paving, Inc.
<b>Address:</b>	Portable
<b>Phone #:</b>	765-643-5358
<b>SSOA #:</b>	147-26328-05298

I hereby certify that E & B Paving, Inc. is:

still in operation.

I hereby certify that E & B Paving, Inc. is:

no longer in operation.

in compliance with the requirements of SSOA 147-26328-05298.

not in compliance with the requirements of SSOA 147-26328-05298.

<b>Authorized Individual (typed):</b>
<b>Title:</b>
<b>Signature:</b>
<b>Date:</b>

If there are any conditions or requirements for which the source is not in compliance, provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be achieved.

<b>Noncompliance:</b>

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY**

**PORTABLE SOURCE RELOCATION NOTIFICATION  
CERTIFICATION**

Source Name: E & B Paving, Inc.  
Source Address: Portable  
Mailing Address: 286 W. 300 N., Anderson, IN 46012  
SSOA No.: 147-26328-05298

This certification shall be included when submitting a portable source relocation notification as required by this SSOA.

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the notification are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Phone:

Date:

Attachment A  
Fugitive Dust Control Plan

E & B Paving, Inc.  
SSOA # 147-26328-05298  
Issued: April 3, 2008

## CONCRETE PLANT SITE FUGITIVE DUST CONTROL PLAN

1. Fugitive particulate matter (dust) emissions from interior roads and parking lots shall be controlled by one or more of the following measures:
  - a. Paving with asphalt.
  - b. Treating with emulsified asphalt on an as needed basis.
  - c. Treating with calcium chloride on an as needed basis.
  - d. Treating with water on an as needed basis.
2. Fugitive particulate matter (dust) emissions from aggregate stockpiles shall be controlled by one or more of the following measures:
  - a. Clean and maintain stockpile areas.
  - b. Treating around the stockpile areas with water on an as needed basis.
  - c. Treating the stockpiles with water on an as needed basis.
3. Fugitive particulate matter (dust) emissions from conveying of aggregates shall be
  - a. controlled by treating with water on an as needed basis.
4. Fugitive particulate matter (dust) emissions from the transferring of aggregates shall be controlled by one of the following measures:
  - a. Locate stockpiles as close as possible to feed bins.
  - b. Limit transfer points to three foot drops or less.
  - c. Apply water on an as needed basis.
5. Fugitive particulate matter (dust) emissions from transporting of aggregates shall be controlled by one of the following measures:
  - a. Tarping the aggregate hauling vehicles.
  - b. Ensure tailgates are tight and do not leak.
  - c. Maintain a 10 MPH speed limit on site.
6. Fugitive particulate matter (dust) emissions from the loading and unloading of aggregates shall be controlled by one or more of the following measures:
  - a. Limit free fall distance.
  - b. Limit the rate of discharge of the aggregate.
  - c. Apply water on an as needed basis.
7. Material Handling Operations
  - a. The size of the aggregate stockpiles will vary. Materials delivered to the plant site will be kept reasonably balanced with plant production. The actual mixing of the concrete mixture is done inside the concrete plant mixing drum. Emissions are controlled, at this point, by plant dust control systems.
8. Plan Implementation
  - A. The effective date of this plan was December 13, 1996.
  - B. Date of most recent update: April 2, 2012.
9. *DEFINITIONS:*
  - a. An "as-needed basis" means the frequency or quantity of application necessary to minimize visible particulate matter emissions.



