



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence
Governor

Thomas W. Easterly
Commissioner

Brian Foster
Covanta Indianapolis, Inc.
2320 S. Harding Street
Indianapolis, IN 46221

March 6, 2014

Re: Response to Review Request No. 097-34215-00123
for Minor Source Modification 097-32213-00123

Dear Mr. Foster,

On February 20, 2014, the Office of Air Quality (OAQ) received a letter from Covanta Indianapolis, Inc. requesting an extension to the eighteen (18) month construction deadline required in Minor Source Modification No. 097-32213-00123, issued September 17, 2012. The Minor Source Modification (097-32213-00123) was issued for the construction of the following emission units:

(a) Carbide Lime System, to be constructed in 2013.

Note: Covanta Indianapolis, Inc. has indicated that this system will consist of the following components:

1. One (1) enclosed dual carbide lime unloading and preparation building.
2. Two (2) Recirculation Pump with Remote Controlled Slurry cannons for preparing the carbide into slurry at approximately 20% solids.
3. Two (2) Carbide Lime Slurry Feed Pumps.
4. One (1) 50,000 Gallon Carbide Lime Slurry Storage Tank.
5. One (1) Carbide Lime Slurry Tank Mixer.
6. Two (2) Carbide Lime feed Pumps.
7. Piping to convey the carbide lime into the existing pebble lime shaking system.
8. Flow meters.
9. Valves, controls, and instruments

On February 20, 2014, the source notified OAQ that construction had not begun for the Carbide Lime System and requested that the commencement of construction time period for these units be extended to December 17, 2014.

There have been no changes in rule applicability in the interim for the carbide lime system, and there are no pending permits that will consume Prevention of Significant Deterioration (PSD) increment for the local area. Pursuant to 326 IAC 2-1.1-9 and 326 IAC 2-7-10.5(i), the Commissioner may revoke a construction approval, if construction is not commenced within 18 months of the original issuance date of that approval or if construction is suspended for a continuous period of one (1) year or more. OAQ will exercise its discretion not to revoke Minor Source Modification No. 097-32213-00123 issued on September 17, 2012 provided construction commences on or before December 17, 2014, or the company provides sufficient justification to warrant an additional extension.



A State that Works

No revision to the permit was necessary to accommodate the construction delay. All conditions of the permit shall remain unchanged and in effect. Please attach a copy of this letter to the front of the original permit. A copy of the permit is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Deena Patton, at (800) 451-6027, press 0 and ask for Deena Patton or extension 4-5400, or dial (317) 234-5400

Sincerely,



Nathan C. Bell, Section Chief
Permits Branch
Office of Air Quality

NB/dp

cc: File - Marion County
U.S. EPA, Region V
Marion County Health Department
Compliance and Enforcement Branch

Mail Code 61-53

IDEM Staff	LPOGOST 3/6/2014 Covanta Indianapolis, Inc. 097 - 34215 - 00123 final)		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee
											Remarks
1		Brian Foster Covanta Indianapolis, Inc. 2320 S Harding St Indianapolis IN 46221 (Source CAATS)									
2		Joseph Miller Covanta Indianapolis, Inc. 2320 S Harding St Indianapolis IN 46221 (RO CAATS)									
3		Marion County Health Department 3838 N, Rural St Indianapolis IN 46205-2930 (Health Department)									
4		Ms. Patricia Miller 1041 S. Muesing Rd Indianapolis IN 46239-9186 (Legislator)									
5		Indianapolis City Council and Mayors Office 200 East Washington Street, Room E Indianapolis IN 46204 (Local Official)									
6		Lawrence City Council and Mayors Office 9001 East 59th Street #205 Lawrence IN 46216 (Local Official)									
7		Marion County Commissioners 200 E. Washington St. City County Bldg., Suite 801 Indianapolis IN 46204 (Local Official)									
8		Matt Mosier Office of Sustainability City-County Bldg/200 E Washington St. Rm# 2460 Indianapolis IN 46204 (Local Official)									
9											
10											
11											
12											
13											
14											
15											

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
---	--	--	--