



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence
Governor

Thomas W. Easterly
Commissioner

To: Interested Parties

Date: May 20, 2014

From: Matthew Stuckey, Chief
Permits Branch
Office of Air Quality

Source Name: Kraft Foods Group, Inc.

Permit Level: FESOP–Administrative Amendment

Permit Number: 113-34324-00017

Source Location: 151 West Ohio Street, Kendallville, Indiana

Type of Action Taken: Changes that are administrative in nature

Notice of Decision: Approval

Please be advised that on behalf of the Commissioner of the Department of Environmental Management, I have issued a decision regarding the matter referenced above. Pursuant to 326 IAC 2, this approval was effective immediately upon submittal of the application.

The final decision is available on the IDEM website at: <http://www.in.gov/apps/idem/caats/>
To view the document, select Search option 3, then enter permit 34324.

If you would like to request a paper copy of the permit document, please contact IDEM's central file room:

Indiana Government Center North, Room 1201
100 North Senate Avenue, MC 50-07
Indianapolis, IN 46204
Phone: 1-800-451-6027 (ext. 4-0965)
Fax (317) 232-8659

(continues on next page)

If you wish to challenge this decision, IC 4-21.5-3-7 requires that you file a petition for administrative review. This petition may include a request for stay of effectiveness and must be submitted to the Office of Environmental Adjudication, 100 North Senate Avenue, Government Center North, Suite N 501E, Indianapolis, IN 46204, **within eighteen (18) calendar days from the mailing of this notice**. The filing of a petition for administrative review is complete on the earliest of the following dates that apply to the filing:

- (1) the date the document is delivered to the Office of Environmental Adjudication (OEA);
- (2) the date of the postmark on the envelope containing the document, if the document is mailed to OEA by U.S. mail; or
- (3) The date on which the document is deposited with a private carrier, as shown by receipt issued by the carrier, if the document is sent to the OEA by private carrier.

The petition must include facts demonstrating that you are either the applicant, a person aggrieved or adversely affected by the decision or otherwise entitled to review by law. Please identify the permit, decision, or other order for which you seek review by permit number, name of the applicant, location, date of this notice and all of the following:

- (1) the name and address of the person making the request;
- (2) the interest of the person making the request;
- (3) identification of any persons represented by the person making the request;
- (4) the reasons, with particularity, for the request;
- (5) the issues, with particularity, proposed for considerations at any hearing; and
- (6) identification of the terms and conditions which, in the judgment of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing documents of the type issued by the Commissioner.

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178. Callers from within Indiana may call toll-free at 1-800-451-6027, ext. 3-0178.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence
Governor

Thomas W. Easterly
Commissioner

Robert Bortner
Kraft Foods Group, Incorporated
151 West Ohio Street
Kendallville, IN, 46755

May 20, 2014

Re: 113-34324-00017
Third Administrative Amendment to
F113-23211-00017

Dear Robert Bortner:

Kraft Foods Global, Inc. was issued a Federally Enforceable State Operating Permit (FESOP) Renewal No. F113-23211-00017 on April 16, 2008 for a stationary confectionary manufacturing operation located at 151 West Ohio Street, Kendallville, IN, 46755. On March 19, 2014, the Office of Air Quality (OAQ) received an application from the source requesting a change of the company name.

1. Pursuant to 326 IAC 2-8-10(a)(4), this change to the permit is considered an administrative amendment because the permit is amended to indicate a change in ownership or operational control of the source where there is no other change in the permit is necessary.

The company name has been revised throughout the permit as follows:

Company Name: ~~Kraft Foods Global, Inc.~~
Kraft Foods Group, Incorporated

Additional Changes

IDEM, OAQ made additional revisions to the permit as described below in order to update the language to match the most current version of the applicable rule, to eliminate redundancy within the permit, and to provide clarification regarding the requirements of these conditions.

1. Pursuant to 326 IAC 2-7-1(39), starting July 1, 2011, greenhouse gases (GHGs) emissions are subject to regulation at a source with a potential to emit (PTE) 100,000 tons per year or more of CO₂ equivalent emissions (CO₂e). Therefore, CO₂e emissions have been calculated for this source. Based on the calculations, the unlimited PTE GHGs from the entire source is less than 100,000 tons of CO₂e per year (see Appendix A for the calculations). This did not require any changes to the permit.
2. IDEM has clarified Section B - Certification.
3. IDEM has clarified Section B - Annual Compliance Certification.
4. IDEM, OAQ has clarified the rule cites for the Preventive Maintenance Plan.
5. IDEM has added the telephone and facsimile information for the Northern Regional Offices to Section B - Emergency Provisions.
6. IDEM has clarified Section B - Permit Renewal.
7. On October 27, 2010, the Indiana Air Pollution Control Board issued revisions to 326 IAC 2. These revisions resulted in changes to the rule sites listed in the permit. These changes are not



A State that Works

- changes to the underlining provisions. The change is only to site of these rules in Section B - Operational Flexibility. IDEM, OAQ has clarified the rule sites for the Preventive Maintenance Plan
8. IDEM has clarified Section B - Annual Compliance Certification.
 9. IDEM has revised Section C - Overall Source Limit to specify that the potential to emit greenhouse gases (GHGs) from the entire source shall be limited to less than one hundred thousand (100,000) tons of CO2 equivalent emissions (CO2e) per twelve (12) consecutive month period.
 10. IDEM has revised Section C - Compliance Monitoring to clearly describe when new monitoring for new and existing units must begin.
 11. IDEM has revised Section C - Compliance Monitoring. The reference to recordkeeping has been removed due to the fact that other conditions already address recordkeeping. The voice of the condition has been change to clearly indicate that it is the Permittee that must follow the requirements of the condition. In, addition, IDEM is changing the Section C Compliance Monitoring Condition to clearly describe when new monitoring for new and existing units must begin.
 12. IDEM has revised Section C - Instrument Specifications to indicate that the analog instrument must be capable of measuring the parameters outside the normal range.
 13. IDEM, OAQ has clarified the Permittee's responsibility with regards to record keeping under Section C - General Record Keeping.
 14. IDEM, OAQ has clarified the interaction of the Quarterly Deviation and Compliance Monitoring Report and the Emergency Provisions
 15. IDEM has decided to clarify Section D.2 - Visible Emissions Notations.
 16. IDEM has decided to clarify Section D.2 - Parametric Monitoring.
 17. IDEM has decided to clarify Section D.3 - Visible Emissions Notations.
 18. IDEM has decided to clarify the language on the Quarterly Deviation and Compliance Monitoring Report Form.

The permit has been revised as follows with deleted language as strikeouts and new language **bolded**:

B.8 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]

- (a) A certification required by this permit meets the requirements of 326 IAC 2-8-5(a)(1) if:
 - (i1) it contains a certification by an "authorized individual", as defined by 326 IAC 2-1.1-1(1), and
 - (ii2) the certification states that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) The Permittee may use the attached Certification Form, or its equivalent with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.
- (c) An "authorized individual" is defined at 326 IAC 2-1.1-1(1).

...
B.9 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. All certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than ~~April 15~~ **July 1** of each year to:

...
B.11 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)][326 IAC 2-8-5(a)(1)]

...
B.12 Emergency Provisions [326 IAC 2-8-12]

- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:

- (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ **or Northern Regional Office** within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance and Enforcement Branch), or
Telephone Number: 317-233-0178 (ask for Office of Air Quality, Compliance and Enforcement Branch)
Facsimile Number: 317-233-6865

Northern Regional Office phone: (574) 245-4870; fax: (574) 245-4877.

...
B.16 Permit Renewal [326 IAC 2-8-3(h)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(4042). The renewal application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

...
B.18 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-8-15(b) **and (c)** ~~through (d)~~ without a prior permit revision, if each of the following conditions is met:

- (5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-8-15(b) ~~through (d)~~ **(b)(1) and (c)**. The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ in the notices specified in 326 IAC 2-8-15(b)(2), ~~(e)(1)~~, and ~~(d)(b)(1) and (c)~~.

- (b) Emission Trades [326 IAC 2-8-15(e)(b)]
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(e)(b).
- (c) Alternative Operating Scenarios [326 IAC 2-8-15(d)(c)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ, or U.S. EPA is required.

...
C.2 Overall Source Limit [326 IAC 2-8]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

- (a) Pursuant to 326 IAC 2-8:
 - (1) The potential to emit any regulated pollutant, except particulate matter (PM) **and greenhouse gases (GHGs)**, from the entire source shall be limited to less than one hundred (100) tons per twelve (12) consecutive month period.
 - (2) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
 - (3) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.
 - (4) **The potential to emit greenhouse gases (GHGs) from the entire source shall be limited to less than one hundred thousand (100,000) tons of CO₂ equivalent emissions (CO₂e) per twelve (12) consecutive month period.**
- (c) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided **that** the source's potential to emit does not exceed the above specified limits.

...
C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

- (a) **For new units:**
Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units shall be implemented on and after the date of initial start-up.
- (b) **For existing units:**
Unless otherwise specified in this permit, for all monitoring requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance ~~or of initial start-up, whichever is later~~, to begin such monitoring. If, due to circumstances beyond the Permittee's control, any monitoring equipment required by

this permit cannot be installed and operated no later than ninety (90) days after permit issuance ~~or the date of initial startup, whichever is later~~, the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

~~Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units or emission units added through a permit revision shall be implemented when operation begins.~~

...
C.12 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)] [326 IAC 2-8-5(1)]

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale. **The analog instrument shall be capable of measuring values outside of the normal range.**

...
C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. **Support information includes the following, where applicable:**

- (AA) All calibration and maintenance records.
- (BB) All original strip chart recordings for continuous monitoring instrumentation.
- (CC) Copies of all reports required by the FESOP.

Records of required monitoring information include the following, where applicable:

- (AA) The date, place, as defined in this permit, and time of sampling or measurements.
- (BB) The dates analyses were performed.
- (CC) The company or entity that performed the analyses.
- (DD) The analytical techniques or methods used.
- (EE) The results of such analyses.
- (FF) The operating conditions as existing at the time of sampling or measurement.

These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

...
C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

- (a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. **Proper notice submittal under Section B –Emergency Provisions satisfies the reporting requirements of this paragraph.** Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported except that a deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. This report shall be submitted not later than thirty (30) days after the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.
- ...

D.2.6 Visible Emissions Notations

- (a) **Daily Visible** emission notations of the confectionary process line 13 stack exhaust shall be performed **once per day** during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.
- ...

D.2.7 Parametric Monitoring

- (a) The Permittee shall record the pressure drop across the dust collector used in conjunction with the confectionary process line 13, at least once per day when the confectionary process line 13 is in operation. ~~When for any one reading, the pressure drop across the baghouse is outside the normal range of 0.5 and 6.0 inches of water or a range established during the latest stack test, the Permittee shall take reasonable response steps.~~ **When for any one reading, the pressure drop across the dust collector is outside the normal range, the Permittee shall take reasonable response. The normal range for this unit is a pressure drop between 0.5 and 6.0 inches of water unless a different upper-bound or lower-bound value for this range is determined during the latest stack test.** Section C- Response to Excursions or Exceedances contains the Permittee's obligation with regard to the reasonable response steps required by this condition. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps shall be considered a deviation from this permit.
- (b) The instrument used for determining the pressure shall comply with Section C – Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated or replaced at least once every six (6) months.
- ...

D.3.5 Visible Emissions Notations

- (a) **Daily Visible** emission notations of the central vacuum system stack exhaust shall be performed **once per day** during normal daylight operations when exhausting to the atmosphere. A trained employee shall record whether emissions are normal or abnormal.
- ...

D.3.6 Parametric Monitoring

- (a) The Permittee shall record the pressure drop across the baghouse used in conjunction with the central vacuum system, at least once per day when the central vacuum system is in operation. ~~When for any one reading, the pressure drop across the baghouse is~~

outside the normal range of 3.0 and 6.0 inches of water or a range established during the latest stack test, the Permittee shall take reasonable response steps. **When for any one reading, the pressure drop across the dust collector is outside the normal range, the Permittee shall take reasonable response. The normal range for this unit is a pressure drop between 3.0 and 6.0 inches of water unless a different upper-bound or lower-bound value for this range is determined during the latest stack test.** Section C- Response to Excursions or Exceedances contains the Permittee's obligation with regard to the reasonable response steps required by this condition. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps shall be considered a deviation from this permit.

- (b) The instrument used for determining the pressure shall comply with Section C – Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated or replaced at least once every six (6) months.

This report shall be submitted quarterly based on a calendar year. **Proper notice submittal under Section B –Emergency Provisions satisfies the reporting requirements of paragraph (a) of Section C-General Reporting.** Any deviation from the requirements of this permit, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".

All other conditions of the permit shall remain unchanged and in effect. Please find attached the entire FESOP as amended.

A copy of the permit is available on the Internet at: <http://www.in.gov/ai/appfiles/idem-caats/>. For additional information about air permits and how the public and interested parties can participate, refer to the IDEM's Guide for Citizen Participation and Permit Guide on the Internet at: www.idem.in.gov

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Dominic Williams of my staff at 317-234-6555 or 1-800-451-6027, and ask for extension 4-6555.

Sincerely,



Nathan C. Bell, Section Chief
Permits Branch
Office of Air Quality

Attachments: Updated Permit and Appendix A (calculations)

NB/DW

cc: File - Noble County
Noble County Health Department
U.S. EPA, Region V
Compliance and Enforcement Branch



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence
Governor

Thomas W. Easterly
Commissioner

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT RENEWAL
OFFICE OF AIR QUALITY**

**Kraft Foods Group, Incorporated
151 W Ohio St
Kendallville, Indiana 46755**

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. An emergency does constitute an affirmative defense in an enforcement action provided the Permittee complies with the applicable requirements set forth in Section B, Emergency Provisions.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17. This permit also addresses certain new source review requirements for existing equipment and is intended to fulfill the new source review procedures pursuant to 326 IAC 2-8-11.1, applicable to those conditions

Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a FESOP under 326 IAC 2-8.

FESOP No. F113-23211-00017	
Original signed by: Matthew Stuckey, Deputy Branch Chief Permits Branch Office of Air Quality	Issuance Date: April 16, 2008 Expiration Date: April 16, 2018
First Administrative Amendment No. 113-28049-00017, issued November 3, 2008 Significant Permit Revision No. 113-29431-00017, issued October 29, 2010 Second Administrative Amendment No. 113-29889-00017, issued December 3, 2010	
Third Administrative Amendment No. 113-34324-00017	
Issued by:  Nathan C. Bell, Section Chief Permits Branch Office of Air Quality	Issuance Date: May 20, 2014 Expiration Date: April 16, 2018

TABLE OF CONTENTS

A	SOURCE SUMMARY	5
A.1	General Information [326 IAC 2-8-3(b)]	
A.2	Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]	
A.3	Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]	
A.4	FESOP Applicability [326 IAC 2-8-2]	
B	GENERAL CONDITIONS	8
B.1	Definitions [326 IAC 2-8-1]	
B.2	Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]	
B.3	Term of Conditions [326 IAC 2-1.1-9.5]	
B.4	Enforceability [326 IAC 2-8-6]	
B.5	Severability [326 IAC 2-8-4(4)]	
B.6	Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]	
B.7	Duty to Provide Information [326 IAC 2-8-4(5)(E)]	
B.8	Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]	
B.9	Annual Compliance Certification [326 IAC 2-8-5(a)(1)]	
B.10	Compliance Order Issuance [326 IAC 2-8-5(b)]	
B.11	Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)]	
B.12	Emergency Provisions [326 IAC 2-8-12]	
B.13	Prior Permits Superseded [326 IAC 2-1.1-9.5]	
B.14	Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]	
B.15	Deviations from Permit Requirements and Conditions [326 IAC 2-8-4(3)(C)(ii)]	
B.16	Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]	
B.17	Permit Renewal [326 IAC 2-8-3(h)]	
B.18	Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]	
B.19	Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]	
B.20	Source Modification Requirement [326 IAC 2-8-11.1]	
B.21	Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2][IC13-30-3-1]	
B.22	Transfer of Ownership or Operational Control [326 IAC 2-8-10]	
B.23	Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]	
B.24	Advanced Source Modification Approval [326 IAC 2-8-4(11)] [326 IAC 2-1.1-9]	
B.25	Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]	
C	SOURCE OPERATION CONDITIONS	17
	Emission Limitations and Standards [326 IAC 2-8-4(1)]	
C.1	Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]	
C.2	Overall Source Limit [326 IAC 2-8]	
C.3	Opacity [326 IAC 5-1]	
C.4	Open Burning [326 IAC 4-1] [IC 13-17-9]	
C.5	Incineration [326 IAC 4-2] [326 IAC 9-1-2]	
C.6	Fugitive Dust Emissions [326 IAC 6-4]	
C.7	Stack Height [326 IAC 1-7]	
C.8	Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]	
	Testing Requirements [326 IAC 2-8-4(3)]	
C.9	Performance Testing [326 IAC 3-6]	
	Compliance Requirements [326 IAC 2-1.1-11]	
C.10	Compliance Requirements [326 IAC 2-1.1-11]	

TABLE OF CONTENTS (Continued)

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

- C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]
- C.12 Monitoring Methods [326 IAC 3][40 CFR 60][40 CFR 63]
- C.13 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)][326 IAC 2-8-5(1)]

Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

- C.14 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]
- C.15 Risk Management Plan[326 IAC 2-8-4] [40 CFR 68]
- C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5] [326 IAC 2-7-6]

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

- C.17 General Record Keeping Requirements[326 IAC 2-8-4(3)] [326 IAC 2-8-5]
- C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

Stratospheric Ozone Protection

- C.19 Compliance with 40 CFR 82 and 326 IAC 22-1

D.1 FACILITY OPERATION CONDITIONS..... 24

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.1.1 Particulate [326 IAC 6-2-3]
- D.1.2 Sulfur Dioxide (SO₂) [326 IAC 2-8]
- D.1.3 Sulfur Dioxide (SO₂) [326 IAC 7-1.1-1] [326 IAC 7-2-1]
- D.1.4 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

Compliance Determination Requirements

- D.1.5 Sulfur Dioxide Emissions and Sulfur Content

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

- D.1.6 Visible Emissions Notations

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.1.7 Record Keeping Requirements
- D.1.8 Reporting Requirements

D.2 FACILITY OPERATION CONDITIONS..... 27

Emission Limitations and Standards [326 IAC 2-8-4(1)]

- D.2.1 Particulate [326 IAC 2-2] [326 IAC 2-8]
- D.2.2 Particulate [326 IAC 6-3-2]
- D.2.3 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

Compliance Determination Requirements

- D.2.4 Particulate Control
- D.2.5 Testing Requirements [326 IAC 2-8-5(a)(1), (4)] [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

- D.2.6 Visible Emissions Notations
- D.2.7 Parametric Monitoring
- D.2.8 Broken or Failed Bag Detection

Record Keeping and Reporting Requirement [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

- D.2.9 Record Keeping Requirements

TABLE OF CONTENTS (Continued)

D.3 FACILITY OPERATION CONDITIONS 32

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.3.1 Particulate [326 IAC 2-8] [326 IAC 2-2]

D.3.2 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

Compliance Determination Requirements

D.3.3 Particulate Control

D.3.4 Testing Requirements [326 IAC 2-8-5(a)(1), (4)] [326 IAC 2-1.1-11]

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

D.3.5 Visible Emissions Notations

D.3.6 Parametric Monitoring

D.3.7 Broken or Failed Bag Detection

D.3.8 Record Keeping Requirements

Certification Form 35

Semi-Annual Natural Gas Fired Boiler Certification Form 36

Emergency Occurrence Form 37

Quarterly Report Form 39

Quarterly Deviation and Compliance Monitoring Report Form 40

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-8-3(b)]

The Permittee owns and operates a stationary confectionary manufacturing operation.

Source Address:	151 West Ohio St, Kendallville, Indiana 46755
General Source Phone Number:	260-347-1300
SIC Code:	2064
County Location:	Noble
Source Location Status:	Attainment for all criteria pollutants
Source Status:	Federally Enforceable State Operating Permit Program Minor Source, Section 112 of the Clean Air Act Not 1 of 28 Source Categories

A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-8-3(c)(3)]

This stationary source consists of the following emission units and pollution control devices:

- (a) Two (2) natural gas fired boilers, identified as EU1 and EU2, constructed in 1949 and each rated at 8.1 million Btu/hour. Boilers EU1 and EU2 use either No. 6 fuel oil or No. 2 fuel oil as a back up fuel.
- (b) One (1) natural gas fired boiler, identified as EU3, constructed in 1961 and rated at 9.0 million Btu/hr. Boiler EU3 uses either No. 6 fuel oil or No. 2 fuel oil as a back up fuel.
- (c) Marbits Line (Lines 6, 7, and 8) sugar storage bin with two (2) baghouses, constructed in 1997 and 1983.
- (d) Dried Marshmallow Bits Production Department (Lines 6-8), consisting of the following:
 - (1) Line 6 & 7 kitchen area, consisting of five (5) cook kettles with wet rotoclone, constructed in 1997.
 - (2) Line 6 Production, constructed in 1997 with a maximum throughput of 1.5 tons of material per hour, consisting of the following:
 - (A) Extruder, starch drum, cooling drum with baghouse.
 - (B) Vac-U-Max transfer system with baghouse.
 - (C) Proctor Schwartz dryer with baghouse.
 - (3) Line 7 Production, constructed in 1983, with a maximum capacity of 1.5 tons of material per hour, consisting of the following:
 - (A) Extruder, starch drum, cooling drum with baghouse.
 - (B) Vac-U-Max transfer system with baghouse.
 - (C) Proctor-Schwartz dryer with baghouse.

- (4) Line 8 Production, constructed in 1996, with a maximum capacity of 1.11 tons of material per hour, consisting of the following:
 - (A) Extruder, starch drum, cooling drum with baghouse.
 - (B) Vac-U-Max transfer system with baghouse.
 - (C) Proctor Schwartz dryer with baghouse.
- (e) A confectionary process line 13 producing marshmallow bits, with a dust collector as control, constructed in 2003, with a maximum capacity of 0.63 tons of material per hour.
- (f) A central vacuum system with one (1) baghouse for controlling plant air emissions, constructed in 2003, with a maximum grain loading of 0.006 grains/acf.

A.3 Insignificant Activities [326 IAC 2-7-1(21)][326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities:

- (a) Caramels Department, consisting of the following:
 - (1) System a-b; four (4) cook kettles with wet rotoclones.
 - (2) System c-d; four (4) cook kettles with wet rotoclones.
- (b) Sugar Handling, consisting of the following:
 - (1) Four (4) storage silos for rail car unloading with baghouse.
 - (2) Carmel/Marshmallow sugar in plant storage bin with a baghouse.
 - (3) Two (2) sugar receiving hoppers for the marshmallow lines 8-12 with a baghouse on each.
 - (4) Two (2) sugar weigh hoppers for the caramel department and (2) sugar weigh hoppers for marshmallow lines (Lines 1-5).
- (c) Marshmallow Production Department (Lines 1-5) constructed in 1961, with a maximum throughput of 2,800 lbs per hour each, consisting of the following: [326 IAC 6-3-2]
 - (1) Kitchen Area.
 - (A) Lines 1 & 2 - four (4) cook kettles with wet rotoclones.
 - (B) Lines 3 & 4 and the Creme line - four (4) cook kettles with wet rotoclones.
 - (2) Extruders, starch drums, cooling drums, baggers and one (1) starch silo, with seven (7) baghouses.
 - (3) One (1) starch bag dump station with (1) baghouse.
 - (4) Four (4) Vac-U-Max transfer systems with four (4) baghouses.
- (d) Clean-up systems consisting of the following.
 - (1) Marshmallow extrusion area Spencer Vacuum Cleaner System with cyclone and bag filter.
 - (2) Marbit extrusion area Spencer Vacuum Cleaner System with cyclone and bag filter.

- (e) Marshmallow Production Department (Lines 9 - 12), constructed in 1996, with a maximum throughput of 1.8, 1.8, 1.5 and 3.25 tons of materials per hour, respectively, for Lines 9-12, consisting of the following: [326 IAC 6-3-2]
 - (1) Line 9 - 12 kitchen area - nine (9) cook kettles with two (2) wet rotoclones.
 - (2) Extruders, starch drums, cooling drums for lines 9-12 with four (4) baghouses.
 - (3) Five (5) Vac-U-Max transfer systems with four (4) baghouses.
 - (4) Baggers for lines 9 - 12 with baghouse.
- (f) Two (2) negative-pressure pneumatic conveying systems, constructed in 2004, used to convey a sugar-gelatin blend in marshmallow production, transporting approximately 3,600 pounds of material every 1-2 hours, with emissions discharged back into a batch kettle.

A.4 FESOP Applicability [326 IAC 2-8-2]

This stationary source, otherwise required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) to renew a Federally Enforceable State Operating Permit (FESOP).

SECTION B GENERAL CONDITIONS

B.1 Definitions [326 IAC 2-8-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations (IC 13-11, 326 IAC 1-2 and 326 IAC 2-7) shall prevail.

B.2 Permit Term [326 IAC 2-8-4(2)][326 IAC 2-1.1-9.5][IC 13-15-3-6(a)]

- (a) This permit, F113-23211-00017, is issued for a fixed term of ten (10) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions, modifications, or amendments of this permit do not affect the expiration date of this permit.
- (b) If IDEM, OAQ, upon receiving a timely and complete renewal permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, until the renewal permit has been issued or denied.

B.3 Term of Conditions [326 IAC 2-1.1-9.5]

Notwithstanding the permit term of a permit to construct, a permit to operate, or a permit modification, any condition established in a permit issued pursuant to a permitting program approved in the state implementation plan shall remain in effect until:

- (a) the condition is modified in a subsequent permit action pursuant to Title I of the Clean Air Act; or
- (b) the emission unit to which the condition pertains permanently ceases operation.

B.4 Enforceability [326 IAC 2-8-6] [IC 13-17-12]

Unless otherwise stated, all terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM, the United States Environmental Protection Agency (U.S. EPA) and by citizens in accordance with the Clean Air Act.

B.5 Severability [326 IAC 2-8-4(4)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.6 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]

This permit does not convey any property rights of any sort or any exclusive privilege.

B.7 Duty to Provide Information [326 IAC 2-8-4(5)(E)]

- (a) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to IDEM, OAQ copies of records required to be kept by this permit.
- (b) For information furnished by the Permittee to IDEM, OAQ, the Permittee may include a claim of confidentiality in accordance with 326 IAC 17.1. When furnishing copies of requested records directly to U. S. EPA, the Permittee may assert a claim of confidentiality in accordance with 40 CFR 2, Subpart B.

B.8 Certification [326 IAC 2-8-3(d)][326 IAC 2-8-4(3)(C)(i)][326 IAC 2-8-5(1)]

- (a) A certification required by this permit meets the requirements of 326 IAC 2-8-5(a)(1) if:
 - (1) it contains a certification by an "authorized individual", as defined by 326 IAC 2-1.1-1(1), and

- (2) the certification states that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) The Permittee may use the attached Certification Form, or its equivalent with each submittal requiring certification. One (1) certification may cover multiple forms in one (1) submittal.
- (c) An "authorized individual" is defined at 326 IAC 2-1.1-1(1).

B.9 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- (a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. All certifications shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted no later than July 1 of each year to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The methods used for determining the compliance status of the source, currently and over the reporting period consistent with 326 IAC 2-8-4(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ may require to determine the compliance status of the source.

The submittal by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

B.10 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.11 Preventive Maintenance Plan [326 IAC 1-6-3][326 IAC 2-8-4(9)]

- (a) A Preventive Maintenance Plan meets the requirements of 326 IAC 1-6-3 if it includes, at a minimum:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;

- (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
- (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

The Permittee shall implement the PMPs.

- (b) If required by specific condition(s) in Section D of this permit where no PMP was previously required, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) no later than ninety (90) days after issuance of this permit or ninety (90) days after initial start-up, whichever is later, including the following information on each facility:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The PMP extension notification does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

The Permittee shall implement the PMPs.

- (c) A copy of the PMPs shall be submitted to IDEM, OAQ upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ. IDEM, OAQ may require the Permittee to revise its PMPs whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions. The PMPs and their submittal do not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (d) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.12 Emergency Provisions [326 IAC 2-8-12]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation except as provided in 326 IAC 2-8-12.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly

signed, contemporaneous operating logs or other relevant evidence that describe the following:

- (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
- (2) The permitted facility was at the time being properly operated;
- (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements in this permit;
- (4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ or Northern Regional Office, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality, Compliance and Enforcement Branch), or
Telephone Number: 317-233-0178 (ask for Office of Air Quality, Compliance and Enforcement Branch)
Facsimile Number: 317-233-6865
Northern Regional Office phone: (574) 245-4870; fax: (574) 245-4877.

- (5) For each emergency lasting one (1) hour or more, the Permittee submitted the attached Emergency Occurrence Report Form or its equivalent, either by mail or facsimile to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
 - (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.

- (e) The Permittee seeking to establish the occurrence of an emergency shall make records available upon request to ensure that failure to implement a PMP did not cause or contribute to an exceedance of any limitations on emissions. However, IDEM, OAQ may require that the Preventive Maintenance Plans required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ by telephone or facsimile of an emergency lasting more than one (1) hour in accordance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
- (g) Operations may continue during an emergency only if the following conditions are met:
 - (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
 - (A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
 - (B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial economic value.

Any operations shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.

B.13 Prior Permits Superseded [326 IAC 2-1.1-9.5]

- (a) All terms and conditions of permits established prior to F113-23211-00017 and issued pursuant to permitting programs approved into the state implementation plan have been either:
 - (1) incorporated as originally stated,
 - (2) revised, or
 - (3) deleted.
- (b) All previous registrations and permits are superseded by this permit.

B.14 Termination of Right to Operate [326 IAC 2-8-9][326 IAC 2-8-3(h)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-9.

B.15 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-8-4(5)(C)][326 IAC 2-8-7(a)][326 IAC 2-8-8]

- (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Federally Enforceable State Operating Permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)] The notification by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ determines any of the following:
 - (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]
- (c) Proceedings by IDEM, OAQ to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-8-8(b)]
- (d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

B.16 Permit Renewal [326 IAC 2-8-3(h)]

- (a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ and shall include the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(42). The renewal application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

- (b) A timely renewal application is one that is:
 - (1) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (2) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.
- (c) If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified, pursuant to 326 IAC 2-8-3(g), in writing by IDEM, OAQ any additional information identified as being needed to process the application.

B.17 Permit Amendment or Revision [326 IAC 2-8-10][326 IAC 2-8-11.1]

- (a) Permit amendments and revisions are governed by the requirements of 326 IAC 2-8-10 or 326 IAC 2-8-11.1 whenever the Permittee seeks to amend or modify this permit.

- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

Any such application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.18 Operational Flexibility [326 IAC 2-8-15][326 IAC 2-8-11.1]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-8-15(b) and (c) without a prior permit revision, if each of the following conditions is met:

- (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- (2) Any approval required by 326 IAC 2-8-11.1 has been obtained;
- (3) The changes do not result in emissions which exceed the limitations provided in this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
- (4) The Permittee notifies the:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

and

United States Environmental Protection Agency, Region V
Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- (5) The Permittee maintains records on-site, on a rolling five (5) year basis, which document all such changes and emission trades that are subject to 326 IAC 2-8-15(b)(1) and (c). The Permittee shall make such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ in the notices specified in 326 IAC 2-8-15(b)(1) and (c).

- (b) Emission Trades [326 IAC 2-8-15(b)]
The Permittee may trade emissions increases and decreases at the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-8-15(c).
- (c) Alternative Operating Scenarios [326 IAC 2-8-15(c)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (d) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

B.19 Source Modification Requirement [326 IAC 2-8-11.1]

A modification, construction, or reconstruction is governed by the requirements of 326 IAC 2.

B.20 Inspection and Entry [326 IAC 2-8-5(a)(2)][IC 13-14-2-2][IC 13-17-3-2][IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a FESOP source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.21 Transfer of Ownership or Operational Control [326 IAC 2-8-10]

- (a) The Permittee must comply with the requirements of 326 IAC 2-8-10 whenever the Permittee seeks to change the ownership or operational control of the source and no other change in the permit is necessary.
- (b) Any application requesting a change in the ownership or operational control of the source shall contain a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new Permittee. The application shall be submitted to:

Indiana Department of Environmental Management
Permit Administration and Support Section, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003

Indianapolis, Indiana 46204-2251

Any such application does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]

B.22 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-8-4(6)] [326 IAC 2-8-16][326 IAC 2-1.1-7]

- (a) The Permittee shall pay annual fees to IDEM, OAQ no later than thirty (30) calendar days of receipt of a billing. Pursuant to 326 IAC 2-7-19(b), if the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-4230 (ask for OAQ, Billing, Licensing, and Training Section), to determine the appropriate permit fee.

B.23 Advanced Source Modification Approval [326 IAC 2-8-4(11)] [326 IAC 2-1.1-9]

- (a) The requirements to obtain a permit modification under 326 IAC 2-8-11.1 are satisfied by this permit for the proposed emission units, control equipment or insignificant activities in Sections A.2 and A.3.
- (b) Pursuant to 326 IAC 2-1.1-9 any permit authorizing construction may be revoked if construction of the emission unit has not commenced within eighteen (18) months from the date of issuance of the permit, or if during the construction, work is suspended for a continuous period of one (1) year or more.

B.24 Credible Evidence [326 IAC 2-8-4(3)][326 IAC 2-8-5][62 FR 8314] [326 IAC 1-1-6]

For the purpose of submitting compliance certifications or establishing whether or not the Permittee has violated or is in violation of any condition of this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information relevant to whether the Permittee would have been in compliance with the condition of this permit if the appropriate performance or compliance test or procedure had been performed.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

Emission Limitations and Standards [326 IAC 2-8-4(1)]

C.1 Particulate Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) Pounds per Hour [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2(e)(2), particulate emissions from any process not exempt under 326 IAC 6-3-1(b) or (c) which has a maximum process weight rate less than 100 pounds per hour and the methods in 326 IAC 6-3-2(b) through (d) do not apply shall not exceed 0.551 pounds per hour.

C.2 Overall Source Limit [326 IAC 2-8]

The purpose of this permit is to limit this source's potential to emit to less than major source levels for the purpose of Section 502(a) of the Clean Air Act.

(a) Pursuant to 326 IAC 2-8:

- (1) The potential to emit any regulated pollutant, except particulate matter (PM) and greenhouse gases (GHGs), from the entire source shall be limited to less than one hundred (100) tons per twelve (12) consecutive month period.
- (2) The potential to emit any individual hazardous air pollutant (HAP) from the entire source shall be limited to less than ten (10) tons per twelve (12) consecutive month period; and
- (3) The potential to emit any combination of HAPs from the entire source shall be limited to less than twenty-five (25) tons per twelve (12) consecutive month period.
- (4) The potential to emit greenhouse gases (GHGs) from the entire source shall be limited to less than one hundred thousand (100,000) tons of CO₂ equivalent emissions (CO₂e) per twelve (12) consecutive month period.

(b) Pursuant to 326 IAC 2-2 (PSD), potential to emit particulate matter (PM) from the entire source shall be limited to less than two hundred fifty (250) tons per twelve (12) consecutive month period.

(c) This condition shall include all emission points at this source including those that are insignificant as defined in 326 IAC 2-7-1(21). The source shall be allowed to add insignificant activities not already listed in this permit, provided that the source's potential to emit does not exceed the above specified limits.

(d) Section D of this permit contains independently enforceable provisions to satisfy this requirement.

C.3 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-1 (Applicability) and 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A,

Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.4 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1.

C.5 Incineration [326 IAC 4-2] [326 IAC 9-1-2]

The Permittee shall not operate an incinerator except as provided in 326 IAC 4-2 or in this permit. The Permittee shall not operate a refuse incinerator or refuse burning equipment except as provided in 326 IAC 9-1-2 or in this permit.

C.6 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.7 Stack Height [326 IAC 1-7]

The Permittee shall comply with the applicable provisions of 326 IAC 1-7 (Stack Height Provisions), for all exhaust stacks through which a potential (before controls) of twenty-five (25) tons per year or more of particulate matter or sulfur dioxide is emitted by using ambient air quality modeling pursuant to 326 IAC 1-7-4.

C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
 - (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
 - (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) **Procedures for Asbestos Emission Control**
The Permittee shall comply with the applicable emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements are applicable for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) **Demolition and Renovation**
The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) **Indiana Licensed Asbestos Inspector**
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Licensed Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos.

Testing Requirements [326 IAC 2-8-4(3)]

C.9 Performance Testing [326 IAC 3-6]

- (a) For performance testing required by this permit, a test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

no later than thirty-five (35) days prior to the intended test date. The protocol submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The Permittee shall notify IDEM, OAQ of the actual test date at least fourteen (14) days prior to the actual test date. The notification submitted by the Permittee does not require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ not later than forty-five (45) days after the completion of the testing. An extension may be granted by IDEM, OAQ if the Permittee submits to IDEM, OAQ a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.10 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U. S. EPA.

Compliance Monitoring Requirements [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.11 Compliance Monitoring [326 IAC 2-8-4(3)][326 IAC 2-8-5(a)(1)]

- (a) For new units:
Unless otherwise specified in the approval for the new emission unit(s), compliance monitoring for new emission units shall be implemented on and after the date of initial start-up.
- (b) For existing units:
Unless otherwise specified in this permit, for all monitoring requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance to begin such monitoring. If, due to circumstances beyond the Permittee's control, any monitoring equipment required by this permit cannot be installed and operated no later than ninety (90) days after permit issuance the Permittee may extend the compliance schedule related to the equipment for an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

C.12 Instrument Specifications [326 IAC 2-1.1-11] [326 IAC 2-8-4(3)][326 IAC 2-8-5(1)]

- (a) When required by any condition of this permit, an analog instrument used to measure a parameter related to the operation of an air pollution control device shall have a scale such that the expected maximum reading for the normal range shall be no less than twenty percent (20%) of full scale. The analog instrument shall be capable of measuring values outside of the normal range.
- (b) The Permittee may request that the IDEM, OAQ approve the use of an instrument that does not meet the above specifications provided the Permittee can demonstrate that an alternative instrument specification will adequately ensure compliance with permit conditions requiring the measurement of the parameters.

Corrective Actions and Response Steps [326 IAC 2-8-4][326 IAC 2-8-5(a)(1)]

C.13 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

Pursuant to 326 IAC 1-5-2 (Emergency Reduction Plans; Submission):

- (a) The Permittee shall maintain the most recently submitted written emergency reduction plans (ERPs) consistent with safe operating procedures.

- (b) Upon direct notification by IDEM, OAQ that a specific air pollution episode level is in effect, the Permittee shall immediately put into effect the actions stipulated in the approved ERP for the appropriate episode level. [326 IAC 1-5-3]

C.14 Risk Management Plan [326 IAC 2-8-4] [40 CFR 68]

If a regulated substance, as defined in 40 CFR 68, is present at a source in more than a threshold quantity, the Permittee must comply with the applicable requirements of 40 CFR 68.

C.15 Response to Excursions or Exceedances [326 IAC 2-8-4] [326 IAC 2-8-5]

Upon detecting an excursion where a response step is required by the D Section or an exceedance of a limitation in this permit:

- (a) The Permittee shall take reasonable response steps to restore operation of the emissions unit (including any control device and associated capture system) to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing excess emissions.
- (b) The response shall include minimizing the period of any startup, shutdown or malfunction. The response may include, but is not limited to, the following:
 - (1) initial inspection and evaluation;
 - (2) recording that operations returned or are returning to normal without operator action (such as through response by a computerized distribution control system); or
 - (3) any necessary follow-up actions to return operation to normal or usual manner of operation.
- (c) A determination of whether the Permittee has used acceptable procedures in response to an excursion or exceedance will be based on information available, which may include, but is not limited to, the following:
 - (1) monitoring results;
 - (2) review of operation and maintenance procedures and records; and/or
 - (3) inspection of the control device, associated capture system, and the process.
- (d) Failure to take reasonable response steps shall be considered a deviation from the permit.
- (e) The Permittee shall record the reasonable response steps taken.

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-8-4][326 IAC 2-8-5]

- (a) When the results of a stack test performed in conformance with Section C - Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall submit a description of its response actions to IDEM, OAQ, no later than seventy-five (75) days after the date of the test.
- (b) A retest to demonstrate compliance shall be performed no later than one hundred eighty (180) days after the date of the test. Should the Permittee demonstrate to IDEM, OAQ that retesting in one hundred eighty (180) days is not practicable, IDEM, OAQ may extend the retesting deadline
- (c) IDEM, OAQ reserves the authority to take any actions allowed under law in response to noncompliant stack tests.

The response action documents submitted pursuant to this condition do require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

C.17 General Record Keeping Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-5]

(a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. Support information includes the following, where applicable:

- (AA) All calibration and maintenance records.
- (BB) All original strip chart recordings for continuous monitoring instrumentation.
- (CC) Copies of all reports required by the FESOP.

Records of required monitoring information include the following, where applicable:

- (AA) The date, place, as defined in this permit, and time of sampling or measurements.
- (BB) The dates analyses were performed.
- (CC) The company or entity that performed the analyses.
- (DD) The analytical techniques or methods used.
- (EE) The results of such analyses.
- (FF) The operating conditions as existing at the time of sampling or measurement.

These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.

(b) Unless otherwise specified in this permit, for all record keeping requirements not already legally required, the Permittee shall be allowed up to ninety (90) days from the date of permit issuance or the date of initial start-up, whichever is later, to begin such record keeping.

C.18 General Reporting Requirements [326 IAC 2-8-4(3)(C)] [326 IAC 2-1.1-11]

(a) The Permittee shall submit the attached Quarterly Deviation and Compliance Monitoring Report or its equivalent. Proper notice submittal under Section B –Emergency Provisions satisfies the reporting requirements of this paragraph. Any deviation from permit requirements, the date(s) of each deviation, the cause of the deviation, and the response steps taken must be reported except that a deviation required to be reported pursuant to an applicable requirement that exists independent of this permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. This report shall be submitted not later than thirty (30) days after the end of the reporting period. The Quarterly Deviation and Compliance Monitoring Report shall include a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1(1). A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit.

(b) The address for report submittal is:

Indiana Department of Environmental Management
Compliance and Enforcement Branch, Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251

(c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or

certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ on or before the date it is due.

- (d) Reporting periods are based on calendar years, unless otherwise specified in this permit. For the purpose of this permit "calendar year" means the twelve (12) month period from January 1 to December 31 inclusive.

Stratospheric Ozone Protection

C.19 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with applicable standards for recycling and emissions reduction.

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Emissions Unit Description:

- (a) Two (2) natural gas fired boilers, identified as EU1 and EU2, constructed in 1949 and each rated at 8.1 million Btu/hour. Boilers EU1 and EU2 use either No. 6 fuel oil or No. 2 fuel oil as a back up fuel.
- (b) One (1) natural gas fired boiler, identified as EU3, constructed in 1961 and rated at 9.0 million Btu/hr. Boiler EU3 uses either No. 6 fuel oil or No. 2 fuel oil as a back up fuel.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.1.1 Particulate [326 IAC 6-2-3]

Pursuant to 326 IAC 6-2-3 (d) (Particulate Emission Limitations for Sources of Indirect Heating: emission limitations for facilities specified in 326 IAC 6-2-1 (b)), PM emissions from all facilities used for indirect heating purposes which were existing and in operation on or before June 8, 1972, shall in no case exceed 0.8 pounds of particulate matter per million British thermal units heat input. Therefore, the three (3) boilers (identified as EU1, EU2, and EU3) shall not exceed 0.8 lbs of PM per MMBtu.

D.1.2 Sulfur Dioxide (SO₂) [326 IAC 2-8]

Pursuant to 326 IAC 2-8 (FESOP),

- (a) The combined input of No. 6 fuel oil for the two 8.1 MMBtu/hr boilers (identified as EU1 and EU2) and the one 9.0 MMBtu/hr boiler (identified as EU3) shall be limited to 848,000 gallons per twelve (12) consecutive month period with compliance determined at the end of each month. For the purpose of determining compliance with this limit, one (1) gallon of No. 2 fuel oil shall be considered equivalent to 0.301 gallons of No. 6 fuel oil, based on sulfur dioxide emissions.
- (b) The sulfur content of the No. 2 fuel oil shall not exceed five-tenths percent (0.5%) by weight.

The sulfur content of the No. 6 fuel oil shall not exceed one and five-tenths percent (1.5%) by weight.
- (c) Compliance with this condition limits SO₂ emissions from the entire source to less than 99.9 tons per year. Therefore, the requirements of 326 IAC 2-7 (Part 70 Permit Program) are not applicable.

D.1.3 Sulfur Dioxide (SO₂) [326 IAC 7-1.1-1] [326 IAC 7-2-1]

Pursuant to 326 IAC 7-1.1 (SO₂ Emissions Limitations), the SO₂ emissions from boilers EU1, EU2, and EU3 shall not exceed 0.5 pound per MMBtu heat input when burning No. 2 fuel oil and 1.6 pounds per MMBtu heat input when burning No. 6 fuel oil. Pursuant to 326 IAC 7-2-1, compliance shall be demonstrated on a calendar month average.

D.1.4 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

A Preventive Maintenance Plan is required for boilers EU1, EU2, and EU3. Section B – Preventive Maintenance Plan contains the Permittee's obligation with regard to the preventive maintenance plan required by this condition.

Compliance Determination Requirements

D.1.5 Sulfur Dioxide Emissions and Sulfur Content

Compliance shall be determined utilizing one of the following options.

- (a) Pursuant to 326 IAC 3-7-4, the Permittee shall demonstrate that the sulfur dioxide emissions do not exceed 0.5 pounds per million Btu heat input when burning No. 2 fuel oil and 1.6 pounds per MMBtu heat input when burning No. 6 fuel oil by:
 - (1) Providing vendor analysis of fuel delivered, if accompanied by a vendor certification, or;
 - (2) Analyzing the oil sample to determine the sulfur content of the oil via the procedures in 40 CFR 60, Appendix A, Method 19.
 - (A) Oil samples may be collected from the fuel tank immediately after the fuel tank is filled and before any oil is combusted; and
 - (B) If a partially empty fuel tank is refilled, a new sample and analysis would be required upon filling.
- (b) Compliance may also be determined by conducting a stack test for sulfur dioxide emissions from the two (2) 8.1 MMBtu per hour boilers and the one (1) 9.0 MMBtu per hour boiler, using 40 CFR 60, Appendix A, Method 6 in accordance with the procedures in 326 IAC 3-6.

A determination of noncompliance pursuant to any of the methods specified in (a) or (b) above shall not be refuted by evidence of compliance pursuant to the other method.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

D.1.6 Visible Emissions Notations

- (a) Visible emission notations of the boiler stack exhaust for the two (2) 8.1 MMBtu per hour boilers and the one (1) 9.0 MMBtu per hour boiler shall be performed once per day during normal daylight operations when burning fuel oil. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (d) If abnormal emissions are observed, the Permittee shall take reasonable response steps. Section C - Response to Excursions or Exceedances contains the Permittee's obligation with regard to reasonable response steps required by this condition. Failure to take response steps shall be considered a deviation from this permit.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.1.7 Record Keeping Requirements

- (a) To document the compliance status with Conditions D.1.2 and D.1.3, the Permittee shall maintain records in accordance with (1) through (6) below.

- (1) Calendar dates covered in the compliance determination period;
- (2) Actual fuel oil usage since last compliance determination period and equivalent sulfur dioxide emissions;
- (3) A certification, signed by the owner or operator, that the records of the fuel supplier certifications represent all of the fuel combusted during the period, the natural gas fired boiler certification does require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1); and

If the fuel supplier certification is used to demonstrate compliance the following, as a minimum, shall be maintained:

- (4) Fuel supplier certifications;
- (5) The name of the fuel supplier; and
- (6) A statement from the fuel supplier that certifies the sulfur content of the fuel oil.

The Permittee shall retain records of all recording/monitoring data and support information for a period of five (5) years, or longer if specified elsewhere in this permit, from the date of the monitoring sample, measurement, or report. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit.

- (b) To document the compliance status with Condition D.1.6, the Permittee shall maintain records of visible emission notations of the boiler stack exhausts for the two (2) 8.1 MMBtu per hour boilers and the one (1) 9.0 MMBtu per hour boiler once per day. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the process did not operate that day).
- (c) Section C - General Record Keeping Requirements of this permit contains the Permittee's obligations with regard to the records required by this condition.

D.1.8 Reporting Requirements

- (a) The natural gas boiler certification shall be submitted using the reporting forms located at the end of this permit, or its equivalent, not later than thirty (30) days after the end of the six (6) month period being reported. The natural gas-fired boiler certification does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1.
- (b) A quarterly summary of the information to document the compliance status with Condition D.1.2 shall be submitted using the reporting forms located at the end of this permit, or their equivalent, not later than thirty (30) days after the end of the quarter being reported. Section C – General Reporting contains the Permittee's obligation with regard to the reporting required by this condition. The report submitted by the Permittee does require a certification that meets the requirements of 326 IAC 2-8-5(a)(1) by an "authorized individual" as defined by 326 IAC 2-1.1-1.

SECTION D.2 EMISSIONS UNIT OPERATION CONDITIONS

Emissions Unit Description:

- (c) Marbits Line (Lines 6, 7, and 8) sugar storage bin with two (2) baghouses, constructed in 1997 and 1983.
- (d) Dried Marshmallow Bits Production Department (Lines 6-8), consisting of the following:
 - (1) Line 6 & 7 kitchen area, consisting of five (5) cook kettles with wet rotoclone, constructed in 1997.
 - (2) Line 6 Production, constructed in 1997 with a maximum throughput of 1.5 tons of material per hour, consisting of the following:
 - (A) Extruder, starch drum, cooling drum with baghouse.
 - (B) Vac-U-Max transfer system with baghouse.
 - (C) Proctor Schwartz dryer with baghouse.
 - (3) Line 7 Production, constructed in 1983, with a maximum capacity of 1.5 tons of material per hour, consisting of the following:
 - (A) Extruder, starch drum, cooling drum with baghouse.
 - (B) Vac-U-Max transfer system with baghouse.
 - (C) Proctor-Schwartz dryer with baghouse.
 - (4) Line 8 Production, constructed in 1996, with a maximum capacity of 1.11 tons of material per hour, consisting of the following:
 - (A) Extruder, starch drum, cooling drum with baghouse.
 - (B) Vac-U-Max transfer system with baghouse.
 - (C) Proctor Schwartz dryer with baghouse.
- (e) A confectionary process line 13 producing marshmallow bits, with a dust collector as control, constructed in 2003, with a maximum capacity of 0.63 tons of material per hour.

Insignificant Activities:

- (a) Caramels Department, consisting of the following:
 - (1) System a-b; four (4) cook kettles with wet rotoclones.
 - (2) System c-d; four (4) cook kettles with wet rotoclones.
- (b) Sugar Handling, consisting of the following:
 - (1) Four (4) storage silos for rail car unloading with baghouse.
 - (2) Carmel/Marshmallow sugar in plant storage bin with a baghouse.
 - (3) Two (2) sugar receiving hoppers for the marshmallow lines 8-12 with a baghouse on each.

- (4) Two (2) sugar weigh hoppers for the caramel department and (2) sugar weigh hoppers for marshmallow lines (Lines 1-5).
- (c) Marshmallow Production Department (Lines 1-5) constructed in 1961, with a maximum throughput of 2,800 lbs per hour each, consisting of the following: [326 IAC 6-3-2]
 - (1) Kitchen Area.
 - (A) Lines 1 & 2 - four (4) cook kettles with wet rotoclones.
 - (B) Lines 3 & 4 and the Creme line - four (4) cook kettles with wet rotoclones.
 - (2) Extruders, starch drums, cooling drums, baggers and one (1) starch silo, with seven (7) baghouses.
 - (3) One (1) starch bag dump station with (1) baghouse.
 - (4) Four (4) Vac-U-Max transfer systems with four (4) baghouses.
- (d) Clean-up systems consisting of the following.
 - (1) Marshmallow extrusion area Spencer Vacuum Cleaner System with cyclone and bag filter.
 - (2) Marbit extrusion area Spencer Vacuum Cleaner System with cyclone and bag filter.
- (e) Marshmallow Production Department (Lines 9 - 12), constructed in 1996, with a maximum throughput of 1.8, 1.8, 1.5 and 3.25 tons of materials per hour, respectively, for Lines 9-12, consisting of the following: [326 IAC 6-3-2]
 - (1) Line 9 - 12 kitchen area - nine (9) cook kettles with two (2) wet rotoclones.
 - (2) Extruders, starch drums, cooling drums for lines 9-12 with four (4) baghouses.
 - (3) Five (5) Vac-U-Max transfer systems with four (4) baghouses.
 - (4) Baggers for lines 9 - 12 with baghouse.
- (f) Two (2) negative-pressure pneumatic conveying systems, constructed in 2004, used to convey a sugar-gelatin blend in marshmallow production, transporting approximately 3,600 pounds of material every 1-2 hours, with emissions discharged back into a batch kettle.

(The information describing the process contained in this emissions unit description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.2.1 Particulate [326 IAC 2-2] [326 IAC 2-8]

Pursuant to 326 IAC 2-8, the potential to emit of PM and PM10 from the confectionary process line 13 shall not exceed 2.99 pounds of PM and PM10 per hour.

Compliance with this limit, combined with emissions from insignificant activities, renders 326 IAC 2-7 (Part 70 Program) not applicable to the source and ensures a PSD minor source status for PM and PM10.

D.2.2 Particulate [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2 (Particulate Emission Limitations for Manufacturing Processes), the allowable particulate emission rate shall not exceed the limits listed in the table below:

Emission Units	Process Weight (ton/hr)	Particulate Emission Limit (lb/hr)
Line 1	1.405	5.15
Line 2	1.405	5.15
Line 3	1.405	5.15
Line 4	1.405	5.15
Line 6	1.50	5.38
Line 7	1.50	5.38
Line 8	1.11	4.40
Line 9	1.67	5.78
Line 10	1.31	4.91
Line 11	1.31	4.91
Line 12	2.55	7.68
Line 13	0.63	2.99

The pounds per hour limitations were calculated with the following equation:

Interpolation of the data for the process weight rate up to 60,000 pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67}$$

where E = rate of emission in pounds per hour;
and P = process weight rate in tons per hour

D.2.3 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

A Preventive Maintenance Plan is required for these facilities and their control devices. Section B - Preventive Maintenance Plan contains the Permittee's obligation with regard to the preventive maintenance plan required by this condition.

Compliance Determination Requirements

D.2.4 Particulate Control

- (a) In order to comply with Conditions D.2.1 and D.2.2, the baghouses and dust collectors for particulate control shall be in operation at all times when the confectionary process lines 1 through 4 and 6 through 13 are in operation.
- (b) In the event that bag failure is observed in a multi-compartment baghouse, if operations will continue for ten (10) days or more after the failure is observed before the failed units will be repaired or replaced, the Permittee shall promptly notify the IDEM, OAQ of the expected date the failed units will be repaired or replaced. The notification shall also include the status of the applicable compliance monitoring parameters with respect to normal, and the results of any response actions taken up to the time of notification.

D.2.5 Testing Requirements [326 IAC 2-8-5(a)(1), (4)] [326 IAC 2-1.1-11]

Not later than 180 days after startup of the confectionary process Line 13, in order to demonstrate compliance with Condition D.2.1, the Permittee shall perform PM and PM-10 testing utilizing methods as approved by the Commissioner. This test shall be repeated at least once every five (5) years from the date of this valid compliance demonstration. PM-10 includes filterable and condensable PM-10. Testing shall be conducted in accordance with the provisions of 326 IAC 3-6 (Source Sampling Procedures). Section C- Performance Testing contains the Permittee's obligation with regard to the performance testing required by this condition.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

D.2.6 Visible Emissions Notations

- (a) Visible emission notations of the confectionary process line 13 stack exhaust shall be performed once per day during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) If abnormal emissions are observed, the Permittee shall take reasonable response steps. Section C - Response to Excursions or Exceedances contains the Permittee's obligation with regard to reasonable response steps required by this condition. Failure to take response steps shall be considered a deviation from this permit.

D.2.7 Parametric Monitoring

- (a) The Permittee shall record the pressure drop across the dust collector used in conjunction with the confectionary process line 13, at least once per day when the confectionary process line 13 is in operation. When for any one reading, the pressure drop across the dust collector is outside the normal range, the Permittee shall take reasonable response. The normal range for this unit is a pressure drop between 0.5 and 6.0 inches of water unless a different upper-bound or lower-bound value for this range is determined during the latest stack test. Section C - Response to Excursions and Exceedances contains the Permittee's obligation with regard to the reasonable response steps required by this condition. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps shall be considered a deviation from this permit.
- (b) The instrument used for determining the pressure shall comply with Section C - Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated or replaced at least once every six (6) months.

D.2.8 Broken or Failed Bag Detection

In the event that bag failure has been observed:

- (a) For a single compartment baghouses controlling emissions from a process operated continuously, a failed unit and the associated process shall be shut down immediately until the failed unit has been repaired or replaced. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).
- (b) For a single compartment baghouse controlling emissions from a batch process, the feed to the process shall be shut down immediately until the failed unit have been repaired or replaced. The emissions unit shall be shut down no later than the completion of the processing of the material in the line. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).

Bag failure can be indicated by a significant drop in the baghouse's pressure reading with abnormal visible emissions, by an opacity violation, or by other means such as gas temperature, flow rate, air infiltration, leaks, dust traces or triboflows.

Record Keeping and Reporting Requirement [326 IAC 2-8-4(3)] [326 IAC 2-8-16]

D.2.9 Record Keeping Requirements

- (a) To document the compliance status with Condition D.2.6, the Permittee shall maintain records of daily visible emission notations of the confectionary process line 13 stack exhaust. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the process did not operate that day).
- (b) To document the compliance status with Condition D.2.7, the Permittee shall maintain the following:
 - (1) Weekly records of the pressure drop during normal operation when venting to the atmosphere. The Permittee shall include in its daily record when a pressure drop reading is not taken and the reason for the lack of a pressure drop reading (e.g., the process did not operate that day).
 - (2) Documentation of the dates vents are redirected.
- (c) Section C - General Record Keeping Requirements of this permit contains the Permittee's obligation with regard to the records required by this condition.

SECTION D.3

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-8-4(10)]

- (f) A central vacuum system with one (1) baghouse for controlling plant air emissions, constructed in 2003, with a maximum grain loading of 0.006 grains/acf.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-8-4(1)]

D.3.1 Particulate [326 IAC 2-8] [326 IAC 2-2]

Pursuant to 326 IAC 2-8, the potential to emit of PM and PM10 from the central vacuum system shall not exceed 1.14 pounds of PM and PM10 per hour. This limit combined with other PM and PM10 limits for other units at the source, and emissions from insignificant activities ensures PSD minor status for PM10.

Compliance with this limit renders 326 IAC 2-7 (Part 70 Program) and 326 IAC 2-2 (Prevention of Significant Deterioration) not applicable to the source.

D.3.2 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

A Preventive Maintenance Plan is required for this facility and its control device. Section B - Preventive Maintenance Plan contains the Permittee's obligation with regard to the preventive maintenance plan required by this condition.

Compliance Determination Requirements

D.3.3 Particulate Control

- (a) In order to comply with Condition D.3.1, the baghouse for particulate control shall be in operation and control emissions from the central vacuum system at all times when the central vacuum system is in operation.
- (b) In the event that bag failure is observed in a multi-compartment baghouse, if operations will continue for ten (10) days or more after the failure is observed before the failed units will be repaired or replaced, the Permittee shall promptly notify the IDEM, OAQ of the expected date the failed units will be repaired or replaced. The notification shall also include the status of the applicable compliance monitoring parameters with respect to normal, and the results of any response actions taken up to the time of notification.

D.3.4 Testing Requirements [326 IAC 2-8-5(a)(1), (4)] [326 IAC 2-1.1-11]

Not later than 180 days after issuance of this FESOP, in order to demonstrate compliance with Condition D.3.1, the Permittee shall perform PM and PM-10 testing for the central vacuum system, utilizing methods as approved by the Commissioner. This test shall be repeated at least once every five (5) years from the date of this valid compliance demonstration. PM-10 includes filterable and condensable PM-10. Testing shall be conducted in accordance with the provisions of 326 IAC 3-6 (Source Sampling Procedures). Section C- Performance Testing contains the Permittee's obligation with regard to the performance testing required by this condition.

Compliance Monitoring Requirements [326 IAC 2-8-4] [326 IAC 2-8-5(a)(1)]

D.3.5 Visible Emissions Notations

- (a) Visible emission notations of the central vacuum system stack exhaust shall be performed once per day during normal daylight operations when exhausting to the atmosphere. A trained employee shall record whether emissions are normal or abnormal.

- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) If abnormal emissions are observed, the Permittee shall take reasonable response steps. Section C - Response to Excursions or Exceedances contains the Permittee's obligation with regard to reasonable response steps required by this condition. Failure to take response steps shall be considered a deviation from this permit.

D.3.6 Parametric Monitoring

- (a) The Permittee shall record the pressure drop across the baghouse used in conjunction with the central vacuum system, at least once per day when the central vacuum system is in operation when venting to the atmosphere. When for any one reading, the pressure drop across the dust collector is outside the normal range, the Permittee shall take reasonable response. The normal range for this unit is a pressure drop between 3.0 and 6.0 inches of water unless a different upper-bound or lower-bound value for this range is determined during the latest stack test. Section C - Response to Excursions and Exceedances contains the Permittee's obligation with regard to the reasonable response steps required by this condition. A pressure reading that is outside the above mentioned range is not a deviation from this permit. Failure to take response steps shall be considered a deviation from this permit.
- (b) The instrument used for determining the pressure shall comply with Section C - Instrument Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated or replaced at least once every six (6) months.

D.3.7 Broken or Failed Bag Detection

In the event that bag failure has been observed:

- (a) For a single compartment baghouses controlling emissions from a process operated continuously, a failed unit and the associated process shall be shut down immediately until the failed unit has been repaired or replaced. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).
- (b) For a single compartment baghouse controlling emissions from a batch process, the feed to the process shall be shut down immediately until the failed unit have been repaired or replaced. The emissions unit shall be shut down no later than the completion of the processing of the material in the line. Operations may continue only if the event qualifies as an emergency and the Permittee satisfies the requirements of the emergency provisions of this permit (Section B - Emergency Provisions).

Bag failure can be indicated by a significant drop in the baghouse's pressure reading with abnormal visible emissions, by an opacity violation, or by other means such as gas temperature, flow rate, air infiltration, leaks, dust traces or triboflows.

D.3.8 Record Keeping Requirements

- (a) To document the compliance status with Condition D.3.5, the Permittee shall maintain records of daily visible emission notations of the central vacuum system stack exhaust. The Permittee shall include in its daily record when a visible emission notation is not taken and the reason for the lack of visible emission notation (e.g., the process did not operate that day).

- (b) To document the compliance status with Condition D.3.6, the Permittee shall maintain weekly records of the pressure drop during normal operation when venting to the atmosphere. The Permittee shall include in its daily record when a pressure drop reading is not taken and the reason of the lack of a pressure drop reading (e.g., the process did not operate that day).
- (c) Section C - General Record Keeping Requirements of this permit contains the Permittee's obligation with regard to the records required by this condition.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP) CERTIFICATION

Source Name: Kraft Foods Group, Incorporated
Source Address: 151 West Ohio St, Kendallville, Indiana 46755
FESOP No.: F13-23211-00017

**This certification shall be included when submitting monitoring, testing reports/results
or other documents as required by this permit.**

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify) _____
- Report (specify) _____
- Notification (specify) _____
- Affidavit (specify) _____
- Other (specify) _____

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
SEMI-ANNUAL NATURAL GAS FIRED BOILER CERTIFICATION**

Source Name: Kraft Foods Group, Incorporated
Source Address: 151 West Ohio St, Kendallville, Indiana 46755
FESOP Permit No.: F113-23211-00017

<input type="checkbox"/> Natural Gas Only <input type="checkbox"/> Alternate Fuel burned From: _____ To: _____
--

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
Signature: _____
Printed Name: _____
Title/Position: _____
Date: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE BRANCH
100 North Senate Avenue
MC 61-53 IGCN 1003
Indianapolis, Indiana 46204-2251
Phone: 317-233-0178
Fax: 317-233-6865**

**FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
EMERGENCY OCCURRENCE REPORT**

Source Name: Kraft Foods Group, Incorporated
Source Address: 151 West Ohio St, Kendallville, Indiana 46755
FESOP Permit No.: F113-23211-00017

This form consists of 2 pages

Page 1 of 2

<input type="checkbox"/> This is an emergency as defined in 326 IAC 2-7-1(12) <ul style="list-style-type: none">• The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-0178, ask for Compliance Section); and• The Permittee must submit notice in writing or by facsimile within two (2) working days (Facsimile Number: 317-233-6865), and follow the other requirements of 326 IAC 2-7-16

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency:
Describe the cause of the Emergency:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency started:
Date/Time Emergency was corrected:
Was the facility being properly operated at the time of the emergency? Y N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _x , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY COMPLIANCE DATA SECTION

FESOP Quarterly Report

Source Name: Kraft Foods Group, Incorporated
Source Address: 151 West Ohio St, Kendallville, Indiana 46755
FESOP Permit No.: F113-23211-00017
Facility: Two (2) 8.1 MMBtu per hour boilers, one (1) 9.0 MMBtu per hour boiler
Parameter: Fuel oil usage and sulfur content by weight
Limit: Fuel usage 848,000 gallons of No. 6 fuel oil per twelve (12) consecutive month period. For the purpose of determining compliance with this limit, one (1) gallon of No. 2 fuel oil shall be considered equivalent to 0.301 gallons of No. 6 fuel oil. Sulfur content: 1.5% by weight for No. 6 fuel oil, 0.5% for No. 2 fuel oil

QUARTER: _____ YEAR: _____

Month	Fuel Oil Usage for previous 11 months (gallons)	Fuel oil usage for current month (gallons)	12 Month Total Fuel Usage (gallons)
Month 1			
Month 2			
Month 3			

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Submitted by: _____
Title / Position: _____
Signature: _____
Date: _____
Phone: _____

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION
FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: Kraft Foods Group, Incorporated
Source Address: 151 West Ohio St, Kendallville, Indiana 46755
FESOP Permit No.: F113-23211-00017

Months: _____ to _____ Year: _____

Page 1 of 2

<p>This report shall be submitted quarterly based on a calendar year. Proper notice submittal under Section B –Emergency Provisions satisfies the reporting requirements of paragraph (a) of Section C- General Reporting. Any deviation from the requirements of this permit, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p>	
<input type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed by: _____

Title / Position: _____

Date: _____

Phone: _____

**Appendix A: Emission Calculations
Summary**

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Uncontrolled

Emission Units	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	GHGs as CO ₂ e	HAPs	Worst Case HAP
Boilers Burning Natural Gas	0.21	0.84	0.84	0.07	11.04	0.61	9.27	13323.83	2.08E-01	Hexane 1.99E-01
Boilers Burning No.2 Fuel Oil	1.52	2.51	2.51	54.08	15.23	0.26	3.81	16439.96	5.41E-03	Selenium 1.66E-03
Boilers Burning No.6 Fuel Oil	12.51	13.62	13.62	173.29	40.47	0.83	3.68	18336.38	1.04E-01	Nickel 6.22E-02
<i>*Worst Case Emissions from Boilers</i>	12.51	13.62	13.62	173.29	40.47	0.83	9.27	18336.38	2.08E-01	Hexane 1.99E-01
Caramels Department	0.00	0.00	0.00	0.00	0.00	2.08	0.00	0.00	0.00	N/A
Process Lines 1 through 12	5080.36	5080.36	5080.36	0.00	0.00	72.30	0.00	0.00	0.00	N/A
**Central Vacuum System	95.79	95.79	95.79	0.00	0.00	0.00	0.00	0.00	0.00	N/A
***Process Line 13	191.63	191.63	191.63	0.00	0.00	0.00	0.00	0.00	0.00	N/A
Total Uncontrolled/Unlimited Emissions (tons/year)	5380.29	5381.40	5381.40	173.29	40.47	75.21	9.27	18336.38	2.08E-01	

Unlimited/Controlled

Emission Units	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	GHGs as CO ₂ e	HAPs	Worst Case HAP
Boilers Burning Natural Gas	0.21	0.84	0.84	0.07	11.04	0.61	9.27	13323.83	2.08E-01	Hexane 1.99E-01
Boilers Burning No.2 Fuel Oil	1.52	2.51	2.51	54.08	15.23	0.26	3.81	16439.96	5.41E-03	Selenium 1.66E-03
Boilers Burning No.6 Fuel Oil	12.51	13.62	13.62	173.29	40.47	0.83	3.68	18336.38	1.04E-01	Nickel 6.22E-02
<i>*Worst Case Emissions from Boilers</i>	12.51	13.62	13.62	173.29	40.47	0.61	9.27	18336.38	2.08E-01	Hexane 1.99E-01
Caramels Department	0.00	0.00	0.00	0.00	0.00	2.08	0.00	0.00	0.00	N/A
Process Lines 1 through 12	50.80	50.80	50.80	0.00	0.00	72.30	0.00	0.00	0.00	N/A
** Central Vacuum System	0.96	0.96	0.96	0.00	0.00	0.00	0.00	0.00	0.00	N/A
*** Process Line 13	1.92	1.92	1.92	0.00	0.00	0.00	0.00	0.00	0.00	N/A
Total Controlled/Unlimited Emissions (tons/year)	66.19	67.30	67.30	173.29	40.47	74.98	9.27	18336.38	2.08E-01	

Limited/Controlled

Emission Units	PM	PM10	PM2.5	SO ₂	NO _x	VOC	CO	GHGs as CO ₂ e	HAPs	Worst Case HAP
Boilers Burning Natural Gas	0.21	0.84	0.84	0.07	11.04	0.61	9.27	13323.83	2.08E-01	Hexane 1.99E-01
Boilers Burning No.2 Fuel Oil	0.85	1.40	1.40	30.10	8.48	0.14	2.12	16439.96	5.41E-03	Selenium 1.66E-03
Boilers Burning No.6 Fuel Oil	7.21	7.85	7.85	99.85	23.32	0.48	2.12	18336.38	1.04E-01	Nickel 6.22E-02
<i>*Worst Case Emissions from Boilers</i>	7.21	7.85	7.85	99.85	23.32	0.61	9.27	18336.38	2.08E-01	Hexane 1.99E-01
Caramels Department	0.00	0.00	0.00	0.00	0.00	2.08	0.00	0.00	0.00	N/A
Process Lines 1 through 12	50.80	50.80	50.80	0.00	0.00	72.30	0.00	0.00	0.00	N/A
** Central Vacuum System	5.00	5.00	5.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A
*** Process Line 13	13.10	13.10	13.10	0.00	0.00	0.00	0.00	0.00	0.00	N/A
Total Limited/Controlled Emissions (tons/year)	76.11	76.75	76.75	99.85	23.32	74.98	9.27	18336.38	2.08E-01	

*Emission rates take from the worst case emission between Natural Gas, No. 2 Fuel Oil and No. 6 Fuel Oil.

** Central vacuum system is limited to 5.0 tons per year in order to limit PTE of PM/PM10/PM2.5 from the entire source to less than 250 and 100 tons per year, respectively.

*** The confectionary process line 13 is limited to 13.10 tons per year in order to limit PTE of PM/PM10/PM2.5 from the entire source to less than 250 and 100 tons per year, respectively.

Appendix A: Emission Calculations
Three (3) Natural Gas Fired Boilers (EU1, EU2 and EU3)

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Heat Input Capacity MMBtu/hour	Potential Throughput MMCF/year
25.2 (3 Units Total)	220.8

Pollutant							
Emission Factor (lb/MMCF)	PM* 1.9	PM10* 7.6	PM2.5* 7.6	SO ₂ 0.6	NO _x 100 **see below	VOC 5.5	CO 84.0
Potential To Emit (tons/year)	0.21	0.84	0.84	0.07	11.0	0.61	9.27

*PM emission factors are filterable and PM10/PM2.5 emission factors are filterable and condensable combined.

**Emission factors for NO_x: Uncontrolled = 100 lb/MMCF

Emission factors from AP-42, Chapter 1.4, Tables 1.4-1, 1.4-2, and 1.4-3, SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03 (July, 1998).

All Emission factors are based on normal firing.

MMBtu = 1,000,000 Btu

MMCF = 1,000,000 Cubic Feet of Gas

MMCF = 1,000,000 Cubic Feet of Gas

METHODOLOGY

Potential Throughput (MMCF/year) = Heat Input Capacity (MMBtu/hr) * 8760 hours/year * 1 MMCF/1000 MMBtu

Potential To Emit (tons/year) = Potential Throughput (MMCF/year) * Emission Factor (lb/MMCF) * 1 ton/2000 lbs

HAPS Calculations

HAPS - Organics

Emission Factor (lb/MMCF)	Benzene 2.1E-03	Dichlorobenzene 1.2E-03	Formaldehyde 7.5E-02	Hexane 1.8E+00	Toluene 3.4E-03
Potential To Emit (tons/year)	2.32E-04	1.32E-04	8.28E-03	1.99E-01	3.75E-04

HAPS - Metals

Emission Factor (lb/MMCF)	Lead 5.0E-04	Cadmium 1.1E-03	Chromium 1.4E-03	Manganese 3.8E-04	Nickel 2.1E-03
Potential To Emit (tons/year)	5.52E-05	1.21E-04	1.55E-04	4.19E-05	2.32E-04

Total HAPs 2.08E-01

The five highest organic and metal HAPs emission factors provided above are from AP-42, Chapter 1.4, Table 1.4-2, 1.4-3 and 1.4-4 (July, 1998).

Additional HAPs emission factors are available in AP-42, Chapter 1.4.

METHODOLOGY

Potential Throughput (MMCF/year) = Heat Input Capacity (MMBtu/hr) * 8760 hours/year * 1 MMCF/1000 MMBtu

Potential To Emit (tons/year) = Potential Throughput (MMCF/year) * Emission Factor (lb/MMCF) * 1 ton/2000 lbs

Greenhouse Gas Calculations

	Greenhouse Gas		
	CO ₂	CH ₄	N ₂ O
Emission Factor in	120,000	2.3	2.2
Potential Emission	13,245	0.3	0.2
Summed Potential Emissions in tons/yr	13,246		
CO ₂ e Total in tons/yr	13,324		

Methodology

The N₂O Emission Factor for uncontrolled is 2.2. The N₂O Emission Factor for low Nox burner is 0.64.

Emission Factors are from AP 42, Table 1.4-2 SCC #1-02-006-02, 1-01-006-02, 1-03-006-02, and 1-03-006-03.

Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Emission (tons/yr) = Throughput (MMCF/yr) x Emission Factor (lb/MMCF)/2,000 lb/ton

CO₂e (tons/yr) = CO₂ Potential Emission ton/yr x CO₂ GWP (1) + CH₄ Potential Emission ton/yr x CH₄ GWP (25) + N₂O

Potential Emission ton/yr x N₂O GWP (298).

Appendix A: Emission Calculations
Three (3) Boilers (EU1, EU2, and EU3) Using No. 2 Fuel Oil

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Heat Input Capacity MMBtu/hour	Potential Throughput kgals/year	S = Weight % Sulfur 0.5
25.2 (3 Units Total)	1523	

Emission Factor (lb/kgal)	Pollutant						
	PM*	PM10*	PM2.5*	SO ₂	NO _x	VOC	CO
	2.00	3.30	3.30	71.00 (142.0 S)	20.00	0.34	5.00
Potential To Emit (tons/year)	1.52	2.51	2.51	54.08	15.23	0.26	3.81

*PM emission factor is filterable PM only. PM 10 and PM2.5 are filterable and condensable combined.
 Note: Emission factors are from AP-42, Tables 1.3-1, 1.3-2, and 1.3-3 (SCC 1-03-005-01/02/03) Supplement E 9/98.
 1 gallon of No. 2 fuel oil has a heating value of 144905 Btu per gallon.

METHODOLOGY

Potential Throughput (kgals/year) = Heat Input Capacity (MMBtu/hr) * 8760 hours/year * 1 kgal/1000 gal * 1 gal/0.144905 MMBtu
 Potential To Emit (tons/year) = Potential Throughput (MMCF/year) * Emission Factor (lb/kgal) * 1 ton/2000 lbs

HAPS Calculations**HAPs - Metals**

Emission Factor (lb/MMBtu)	Arsenic	Beryllium	Cadmium	Chromium	Lead
	4.00E-06	3.00E-06	3.00E-06	3.00E-06	9.00E-06
Potential To Emit (tons/year)	4.42E-04	3.31E-04	3.31E-04	3.31E-04	9.93E-04

HAPs - Metals (continued)

Emission Factor (lb/MMBtu)	Mercury	Mangamese	Nickel	Selenium
	3.00E-06	6.00E-06	3.00E-06	1.50E-05
Potential To Emit (tons/year)	3.31E-04	6.62E-04	3.31E-04	1.66E-03

No data was available in AP-42 for organic HAPs.

Total HAPs 5.41E-03

METHODOLOGY

Potential To Emit (tons/year) = Heat Input Capacity (MMBtu/hr) * Emission Factor (lb/MMBtu) * 8760 hours/year * 1 ton/2000lb

Greenhouse Gas Calculations

Emission Factor in l	Greenhouse Gas		
	CO2	CH4	N2O
	21,500	0.216	0.26
Potential Emission in tons/yr	16,377	0.2	0.2
Summed Potential Emissions in tons/yr	16,377		
CO2e Total in tons/yr	16,440		

Methodology

The CO2 Emission Factor for #1 Fuel Oil is 21500. The CO2 Emission Factor for #2 Fuel Oil is 22300.
 Emission Factors are from AP 42, Tables 1.3-3, 1.3-8, and 1.3-12 (SCC 1-03-005-01/02/03) Supplement E 9/99 (see erata file)
 Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.
 Emission (tons/yr) = Throughput (kgals/ yr) x Emission Factor (lb/kgal)/2,000 lb/ton
 CO2e (tons/yr) = CO2 Potential Emission ton/yr x CO2 GWP (1) + CH4 Potential Emission ton/yr x CH4 GWP (25) + N2O
 Potential Emission ton/yr x N2O GWP (298).

Appendix A: Emission Calculations
Three (3) Boilers (EU1, EU2, and EU3) with Fuel Usage Limit on No. 2 Fuel Oil

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Heat Input Capacity MMBtu/hr	Fuel Usage Limit kgals/year	S = Weight % Sulfur 0.5
25.2 (3 Units Total)	848	

Emission Factor (lb/kgal)	Pollutant						
	PM*	PM10*	PM2.5*	SO ₂	NO _x	VOC	CO
	2.00	3.30	3.30	71.00 (142 S)	20.00	0.34	5.00
Limited PTE (tons/year)	0.85	1.40	1.40	30.10	8.48	0.14	2.12

*PM emission factor is filterable PM only. PM10/PM2.5 emission factor is filterable and condensable combined.
 Note: Emission factors are from AP-42, Tables 1.3-1, 1.3-2, and 1.3-3 (SCC 1-03-005-01/02/03) Supplement E 9/98

METHODOLOGY

Fuel Usage Limit = 848 kgals per year or 8,48,000 gallons per year
 Limited PTE (tons/year) = Fuel Usage Limit (kgals/year) * Emission Factor (lb/kgal) * 1 ton/2000 lbs

Appendix A: Emission Calculations
Three (3) Boilers (EU1, EU2, and EU3) Using No. 6 Fuel Oil

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Heat Input Capacity MMBtu/hour	Potential Throughput kgals/year	S = Weight % Sulfur 1.5
25.2 (3 Units Total)	1472	

Pollutant							
Emission Factor (lb/kgal)	**PM 17.0 *see below	**PM 18.5 *see below	**PM 18.5 *see below	SO ₂ 235.5 (157.0 S)	NOx 55.0	VOC 1.13	CO 5.0
Potential To Emit (tons/year)	12.51	13.62	13.62	173.29	40.47	0.83	3.68

**PM emission factor is filterable PM only. Condensable PM emission factor is 1.5 lb/kgal. Assume all PM emissions are equal to PM10.

*PM emission factor for #6 fuel oil is 9.19 (S) + 3.22 lb/kgal

1 gallon of No. 6 fuel oil has a heating value of 150,000 Btu per gallon.

Emission Factors are from AP-42, Tables 1.3-1, 1.3-2, and 1.3-3 (SCC 1-03-004-02/03, 1-02-004-02/03, and 1-03-004-04) Supplement E 9/98.

METHODOLOGY

Potential Throughput (kgals/year) = Heat Input Capacity (MMBtu/hour) * 8760 hours/year * 1 kgal/1000 gal x 1 gal/0.150 MMBtu

Potential To Emit (tons/year) = Potential Throughput (MMCF/year) * Emission Factor (lb/kgal) * 1 ton/2000 lbs

HAPS Calculations

HAPs - Organics					
Emission Factor in lb/kgal	Benzene 2.1E-04	Formaldehyde 3.3E-02	Naphthalene 1.1E-03	Toluene 6.2E-03	Xylene 1.1E-04
Potential Emission in tons/yr	1.57E-04	2.43E-02	8.31E-04	4.56E-03	8.02E-05

HAPs - Metals					
Emission Factor in lb/kgal	Antimony 5.3E-03	Cobalt 6.0E-03	Lead 1.5E-03	Manganese 3.0E-03	Nickel 8.5E-02
Potential Emission in tons/yr	3.86E-03	4.43E-03	1.11E-03	2.21E-03	6.22E-02

Total HAPs 1.04E-01

The five highest organic and metal HAPs emission factors are provided above.

Additional HAPs emission factors are available in AP-42, Chapter 1.3.

METHODOLOGY

Potential Throughput (kgals/year) = Heat Input Capacity (MMBtu/hour) * 8760 hours/year * 1 kgal/1000 gal x 1 gal/0.150 MMBtu

Potential To Emit (tons/year) = Potential Throughput (MMCF/year) * Emission Factor (lb/kgal) * 1 ton/2000 lbs

Greenhouse Gas Calculations

Greenhouse Gas			
Emission Factor in kg/mmBtu	CO ₂ 75.1	CH ₄ 0.003	N ₂ O 0.0006
Potential Emission in tons/yr	18,275	0.7	0.1
Summed Potential Emissions in tons/yr	18,275		
CO ₂ e Total in tons/yr	18,336		

Methodology

The CO₂ Emission Factor for #5 Fuel Oil is 72.93 The CO₂ Emission Factor for #6 Fuel Oil is 75.1.

Emission Factors are from Tables C-1 and 2 of 40 CFR Part 98 Subpart C.

Global Warming Potentials (GWP) from Table A-1 of 40 CFR Part 98 Subpart A.

Emission (tons/yr) = Heat Input Capacity mmBtu/hr x Emission Factor (kg/mmBtu) x 2.20462 lb/kg x 8760 hrs/yr /2,000 lb/ton

CO₂e (tons/yr) = CO₂ Potential Emission ton/yr x CO₂ GWP (1) + CH₄ Potential Emission ton/yr x CH₄ GWP (25) + N₂O Potential Emission ton/yr x N₂O GWP (298).

Appendix A: Emission Calculations
Three (3) Boilers (EU1, EU2, and EU3) with Fuel Usage Limit on No. 6 Fuel Oil

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Heat Input Capacity MMBtu/hr	Fuel Usage Limit kgals/year	S = Weight % Sulfur 1.5
25.2 (3 Units Total)	848	

Emission Factor in lb/kgal	Pollutant						
	PM** 17.0 *see below	PM10** 18.5 *see below	PM2.5** 18.5 *see below	SO ₂ 236 (157 S)	NO _x 55.0	VOC 1.13	CO 5.0
Limited PTE (tons/year)	7.21	7.85	7.85	99.9	23.32	0.48	2.12

**PM emission factor is filterable PM only. Condensable PM emission factor is 1.5 lb/kgal.

*PM emission factor for #6 fuel oil is 9.19 (s) + 3.22 lb/kgal

1 gallon of No. 6 fuel oil has a heating value of 150,000 Btu

Emission Factors are from AP-42, Tables 1.3-1, 1.3-2, and 1.3-3 (SCC 1-03-004-02/03, 1-02-004-02/03, and 1-03-004-04) Supplement E 9/98.

METHODOLOGY

Fuel Usage Limit = 848 kgals per year or 848,000 gallons per year

Limited PTE (tons/year) = Fuel Usage Limit (kgals/year) * Emission Factor (lb/kgal) * 1 ton/2000 lbs

**Appendix A: Emission Calculations
PM/PM10/PM2.5
From Confectionary Process Lines**

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Process Line No	Max. Throughput Rate (ton/hour)	* PM/PM10/PM2.5 Emission Factor (lb/ton)	Uncontrolled Emissions		Controlled Emissions	
			PTE PM/PM10/PM2.5 (lbs/hour)	PTE PM/PM10/PM2.5 (tons/year)	PTE PM/PM10/PM2.5 (lbs/hour)	PTE PM/PM10/PM2.5 (tons/year)
6	1.50	70	105	459.90	1.05	4.60
7	1.50	70	105	459.90	1.05	4.60
8	1.11	70	77.7	340.33	0.78	3.40
1	1.41	70	98.35	430.77	0.98	4.31
2	1.41	70	98.35	430.77	0.98	4.31
3	1.41	70	98.35	430.77	0.98	4.31
4	1.41	70	98.35	430.77	0.98	4.31
9	1.67	70	116.9	512.02	1.17	5.12
10	1.31	70	91.7	401.65	0.92	4.02
11	1.31	70	91.7	401.65	0.92	4.02
12	2.55	70	178.5	781.83	1.79	7.82
TOTAL			1159.90	5080.36	11.60	50.80

Assume all PM emissions are equal to PM10 emissions

Control = The (11) baghouses used in conjunction with the eleven (11) confectionary process lines are considered integral to control.

*** NOTE:**

There are no available emission factors available for confectionary processing.

The source submitted emission rate data from a stack test result conducted at a similar facility in MI. However, in order to assume the worst case scenario, an emission factor from AP-42, Chapter 9.9.1, Table 9.9.1-2, Wheat Milling - SCC 3-02-007-34 (5/98) was used.

** The uncontrolled VOC emissions were provided by the source, the amount of ingredients and its mixture is of proprietary information

METHODOLOGY

Before Controls

PTE of PM/PM10/PM2.5 (lbs/hour) = Max. Throughput Rate (ton/hour) * Emission Factor (lb/ton)

PTE of PM/PM10/PM2.5 (tons/year) = Max.Throughput Rate (ton/hour) * Emission Factor (lb/ton) * 8760 hours/year * 1 ton/2000 lbs

After Controls

PTE of PM/PM10/PM2.5 (tons/year) = Max Trthroughput Rate (tons/hour) * Emission Factor (lb/ton) * 8760 hours/year * 1 ton2000 lbs *(1- Control Efficiency %)

**Appendix A : Emission Calculations
PM/PM10/PM2.5 Emissions
From Process Lines 13**

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Process Line No	Max. Throughput Rate (ton/hour)	* PM/PM10/PM2.5 Emission Factor (lb/ton)	Control Efficiency (%)	Before Controls**		After Control
				PTE PM/PM10/PM2.5 (lbs/hour)	(tons/year)	PTE PM/PM10/PM2.5 (tons/year)
13	0.63	70	99%	43.75	191.63	1.92
TOTAL				191.63		1.92

** The source is limited to 2.99 lb/hr or 13.10 tons/year to remain a PSD minor source.

2.99 13.10

Assume all PM emissions are equal to PM10 emissions

Control = One (1) dust collector with 99% control efficiency

There are no available emission factors available for confectionary processing.

The source submitted emission rate data from a stack test result conducted at a similar facility in MI. However, in order to assume the worst case scenario, an emission factor from AP-42, Chapter 9.9.1, Table 9.9.1-2, Wheat Milling - SCC 3-02-007-34 (5/98) was used.

METHODOLOGY

Before Controls

PTE of PM/PM10/PM2.5 (lbs/hour) = Max. Throughput Rate (ton/hour) * Emission Factor (lb/ton)

PTE of PM/PM10/PM2.5 (tons/year) = Max.Throughput Rate (ton/hour) * Emission Factor (lb/ton) * 8760 hours/year * 1 ton/2000 lbs

After Controls

PTE of PM/PM10/PM2.5 After Controls (tons/year) = Max.Throughput Rate (ton/hour) * Emission Factor (lb/ton) * 8760 hours/year * 1 ton/2000 lbs * (1- Control Efficiency %)

**Appendix A: Emission Calculations
VOC Emissions
From Confectionary Process Lines**

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

Process/Products	Line(s)	Primary VOC Emission Points	Worst Case VOC Input (lbs/hour)*	Estimated VOC Percent Evaporation**	PTE of VOC (lbs/hour)	PTE of VOC (tons/year)
Caramels	a, b, c, and d	mixer	1.19	40.0%	0.47	2.08
Marshmallows	1	temper kettle, extruder exit	5.40	15.0%	0.81	3.55
Marshmallows	2	temper kettle, extruder exit	5.40	15.0%	0.81	3.55
Marshmallows	3	temper kettle, extruder exit	5.40	15.0%	0.81	3.55
Marshmallows	4	temper kettle, extruder exit	5.40	15.0%	0.81	3.55
Marshmallows	5	temper kettle, extruder exit	2.29	15.0%	0.34	1.51
Marshmallows	9	temper kettle, extruder exit	2.94	15.0%	0.44	1.93
Marshmallows	10	temper kettle, extruder exit	2.94	15.0%	0.44	1.93
Marshmallows	11	temper kettle, extruder exit	2.45	15.0%	0.37	1.61
Marshmallows	12	temper kettle, extruder exit	5.30	15.0%	0.80	3.48
Marbits	6	oven	3.97	100%	3.97	17.38
Marbits	7	oven	3.97	100%	3.97	17.38
Marbits	8	oven	2.94	100%	2.94	12.86
Marbits ¹	13	oven	0.0	NA	0.0	0.0

Total PTE of VOCs (tons/year) = 74.38

METHODOLOGY

*The VOC input data was provided by the source and based upon worst case flavor VOC content and flavor usage rate.

The amount of products produced, amount/type of flavoring, and the type of VOC used in the products is proprietary information.

**Estimated VOC percent evaporation provided by the source and based upon process temperatures and vapor pressure of VOC.

Based on information provided by the source, the VOC that does not evaporate remains in the product that is shipped.

¹ Line 13 has not been used for the last 3 year and will need to be modified before restarting.

$$\text{PTE of VOC (lbs/hour)} = [\text{Worst Case VOC Input (lbs/hour)}] * [\text{Estimated VOC Percent Evaporation (\%)}]$$

$$\text{PTE of VOC (tons/year)} = [\text{PTE of VOC (lbs/hour)}] * [8760 \text{ hours/year}] * [1 \text{ ton}/2000 \text{ lbs}]$$

The VOC emitted is not a hazardous air pollutant (HAP)

**Appendix A : Emission Calculations
PM/PM10/PM2.5 Emissions
From Central Vacuum System**

Company Name: Kraft Foods Group, Incorporated
Address: 151 West Ohio St, Kendallville, Indiana 46755
Permit No.: F113-29431-00017
Reviewer: Marcia Earl
Date: July 2010

POTENTIAL TO EMIT OF PM/PM10 FROM CENTRAL VACUUM SYSTEM WITH A BAGHOUSE

		After Control	Before Control**	
		PTE PM/PM10/P (ton/year)	PTE PM/PM10/PM2.5 (ton/year)	(lb/hr)
Equipment = Baghouse				
Grain Loading in grains/acf =	0.006	0.96	95.79	21.87
Air Flow Rate in acf/min =	4176			
Control Efficiency in % =	99%			

The source is limited to 1.14 lbs/hr or 5.00 tons/y, **1.14 **5.00**

* Assume all PM emissions are equal to PM10 emissions

METHODOLOGY

After Control

PTE PM/PM10/PM2.5 (ton/year) = Grain loading (grains/acf) * Air flow rate (acf/min) * 60 min/hour * 1 lb/7000 grains * 8760 hour/year * 1ton /2000 lbs

Before Control

PTE PM/PM10/PM2.5 (ton/year) = Grain loading (grains/acf) * Air flow rate (acf/min) * 60 min/hour * 1 lb/7000 grains * 8760 hour/year * 1ton /2000 lbs * 1/(1-Control efficiency %)

PTE PM/PM10/PM2.5 (lbs/hour) = Grain loading (grains/acf) * Air flow rate (acf/min) * 60 min/hour * 1 lb/7000 grains * 1/(1-Control efficiency %)



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence
Governor

Thomas W. Easterly
Commissioner

SENT VIA U.S. MAIL: CONFIRMED DELIVERY AND SIGNATURE REQUESTED

TO: Robert Bortner
Kraft Foods Group, Inc.
151 West Ohio Street
Kendallville, Indiana 46755

DATE: May 20, 2014

FROM: Matt Stuckey, Branch Chief
Permits Branch
Office of Air Quality

SUBJECT: Final Decision
FESOP – Administrative Amendment
113-34324-00017

Enclosed is the final decision and supporting materials for the air permit application referenced above. Please note that this packet contains the original, signed, permit documents.

The final decision is being sent to you because our records indicate that you are the contact person for this application. However, if you are not the appropriate person within your company to receive this document, please forward it to the correct person.

A copy of the final decision and supporting materials has also been sent via standard mail to:
Mike Hughes, Plant Manager / Kraft Foods Group, Inc.
OAQ Permits Branch Interested Parties List

If you have technical questions regarding the enclosed documents, please contact the Office of Air Quality, Permits Branch at (317) 233-0178, or toll-free at 1-800-451-6027 (ext. 3-0178), and ask to speak to the permit reviewer who prepared the permit. If you think you have received this document in error, please contact Joanne Smiddie-Brush of my staff at 1-800-451-6027 (ext 3-0185), or via e-mail at jbrush@idem.IN.gov.

Final Applicant Cover letter.dot 6/13/2013

Mail Code 61-53

IDEM Staff	AWELLS 5/20/2014 Kraft Foods Group Incorporated 113-34324-00017 Final		Type of Mail: CERTIFICATE OF MAILING ONLY	AFFIX STAMP HERE IF USED AS CERTIFICATE OF MAILING
Name and address of Sender		Indiana Department of Environmental Management Office of Air Quality – Permits Branch 100 N. Senate Indianapolis, IN 46204		

Line	Article Number	Name, Address, Street and Post Office Address	Postage	Handing Charges	Act. Value (If Registered)	Insured Value	Due Send if COD	R.R. Fee	S.D. Fee	S.H. Fee	Rest. Del. Fee	Remarks
1		Robert Bortner Kraft Foods Group Incorporated 151 West Ohio St Kendallville IN 46755 (Source CAATS) confirmed delivery										
2		Mike Hughes Plant Mgr Kraft Foods Group Incorporated 151 West Ohio St Kendallville IN 46755 (RO CAATS)										
3		Noble County Board of Commissioners 101 North Orange Street Albion IN 46701 (Local Official)										
4		Noble County Health Department 2090 N. State Rd 9, Suite C Albion IN 46701-9566 (Health Department)										
5		Mr. Steve Christman NISWMD 2320 W 800 S, P.O. Box 370 Ashley IN 46705 (Affected Party)										
6		Frederick & Iva Moore 6019 W 650 N Ligonier IN 46767 (Affected Party)										
7		Kendallville City Council and Mayors Office 234 S. Main Street Kendallville IN 46755 (Local Official)										
8												
9												
10												
11												
12												
13												
14												
15												

Total number of pieces Listed by Sender	Total number of Pieces Received at Post Office	Postmaster, Per (Name of Receiving employee)	The full declaration of value is required on all domestic and international registered mail. The maximum indemnity payable for the reconstruction of nonnegotiable documents under Express Mail document reconstructing insurance is \$50,000 per piece subject to a limit of \$50, 000 per occurrence. The maximum indemnity payable on Express mil merchandise insurance is \$500. The maximum indemnity payable is \$25,000 for registered mail, sent with optional postal insurance. See Domestic Mail Manual R900, S913, and S921 for limitations of coverage on inured and COD mail. See International Mail Manual for limitations o coverage on international mail. Special handling charges apply only to Standard Mail (A) and Standard Mail (B) parcels.
6			