CONSTRUCTION PERMIT
OFFICE OF AIR MANAGEMENT

Ferro Corporation
1301 North Flora Street
Plymouth, Indiana 46563

This permit is issued to the above mentioned company (herein known as the Permittee) under the provisions of 326 IAC 2-1 and 40 CFR 52.780, with conditions listed on the attached pages.

Construction Permit No.: CP-099-9439-00025	
Issued by: Paul Dubenetzky, Branch Chief Office of Air Management	Issuance Date:

TABLE OF CONTENTS

SECTION A SOURCE SUMMARY 3
A.1 General Information 3
A.2 Emission Units and Pollution Control Equipment Summary 3
A.3 Part 70 Permit Applicability 3

SECTION B GENERAL CONDITIONS 4
B.1 General Construction Conditions 4
B.2 Effective of the Permit [IC13-15-5-3] 4
B.3 Revocation of Permits [326 IAC 2-1-9(b)] 4
B.4 Permit Review Rules [326 IAC 2] 4
B.5 First Time Operation Permit [326 IAC 2-1-4] 4
B.6 General Operation Conditions 5
B.7 Preventive Maintenance Plan [326 IAC 1-6-3] 5
B.8 Malfunction Report [326 IAC 1-6-2] 5
B.9 Transfer of Permit [326 IAC 2-1-6] 6
B.10 Permit Revocation [326 IAC 2-1-9] 6
B.11 Availability of Permit [326 IAC 2-1-3(l)] 6

SECTION C SOURCE OPERATION CONDITIONS 7

Emission Limitations and Standards
C.1 PSD Major Source Status [326 IAC 2-2] [40 CFR52.21] 7
C.2 Opacity [326 IAC 5-1] 7
C.3 Operation of Equipment 7
C.4 Asbestos Abatement Projects - Accreditation [326 IAC 14-10] [326 IAC 18-1] 7

Compliance Monitoring Requirements
C.5 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18-1] [40 CFR 61.140] . . . 7&8

Record Keeping Requirements
C.6 General Record Keeping Requirements . . . . . 8&9

Stratospheric Ozone Protection
C.7 Compliance with 40 CFR 82 and 326 IAC 22-1 9

SECTION D.1 FACILITY OPERATION CONDITIONS
Blender 10

Emission Limitations and Standards
D.1.1 PM Process Operation [326 IAC 6-3] 10
D.1.2 Air Toxics Modeling [326 IAC 2-1-3(j)] 10

Compliance Determination
D.1.3 Testing Requirements 10

Malfunction Report . . . . . 11 & 12

SECTION A SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Management (OAM), and presented in the permit application.

A.1 General Information

The Permittee owns and operates a custom resin production operation.

Responsible Official:	Hugh Gainey
Source Address:	1301 N. Flora Street, Plymouth, Indiana 46563
Mailing Address:	1301 N. Flora Street, Plymouth, Indiana 46563
SIC Code:	3087
County Location:	Marshall
County Status:	Attainment for all criteria pollutants
Source Status:	Minor Source, under PSD Rules Major Source, under Title V Rules

A.2 Emission Units and Pollution Control Equipment Summary

This stationary source consists of the following emission units and pollution control devices:

(a) One (1) Blender, designated as M-30, with two (2) blending tanks, with a maximum combined capacity of 44,000 lbs per batch and exhausts to the existing building ventilation system.

A.3 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

(a) It is a major source, as defined in 326 IAC 2-7-1(22).

SECTION B GENERAL CONSTRUCTION AND OPERATION CONDITIONS

THIS SECTION OF THE PERMIT IS BEING ISSUED UNDER THE PROVISIONS OF 326 IAC 2-1 AND 40 CFR 52.780, WITH CONDITIONS LISTED BELOW.

Construction Conditions [326 IAC 2-1-3.4]

B.1 General Construction Conditions

(a) The data and information supplied with the application shall be considered part of this permit. Prior to any proposed change in construction which may affect allowable emissions, the change must be approved by the Office of Air Management (OAM).

(b) This permit to construct does not relieve the Permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.

B.2 Effective Date of the Permit [IC13-15-5-3]

Pursuant to IC 13-15-5-3, this permit becomes effective upon its issuance.

B.3 Revocation of Permits [326 IAC 2-1-9(b)]

Pursuant to 326 IAC 2-1-9(b)(Revocation of Permits), the Commissioner may revoke this permit if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

B.4 Permit Review Rules [326 IAC 2]

Notwithstanding Operation Condition B.5, all requirements and conditions of this construction permit shall remain in effect unless modified in a manner consistent with procedures established for modifications of construction permits pursuant to 326 IAC 2 (Permit Review Rules).

B.5 First Time Operation Permit [326 IAC 2-1-4]

This document shall also become a first-time operation permit pursuant to 326 IAC 2-1-4 (Operating Permits) when, prior to start of operation, the following requirements are met:

(a) The attached affidavit of construction shall be submitted to the Office of Air Management (OAM), Permit Administration & Development Section, verifying that the facilities were constructed as proposed in the application. The facilities covered in the Construction Permit may begin operating on the date the Affidavit of Construction is postmarked or hand delivered to IDEM.

(b) If construction is completed in phases; i.e., the entire construction is not done continuously, a separate affidavit must be submitted for each phase of construction. Any permit conditions associated with operation start up dates such as stack testing for New Source Performance Standards (NSPS) shall be applicable to each individual phase.

(c) The Permittee shall receive an Operation Permit Validation Letter from the Chief of the Permit Administration & Development Section and attach it to this document.

(d) The operation permit will be subject to annual operating permit fees pursuant to 326 IAC 2-1-7.1 (Fees).

Operation Conditions

B.6 General Operation Conditions

(a) The data and information supplied in the application shall be considered part of this permit. Prior to any change in the operation which may result in an increase in allowable emissions exceeding those specified in 326 IAC 2-1-1 (Construction and Operating Permit Requirements), the change must be approved by the Office of Air Management (OAM).

(a) The Permittee shall comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC13-17) and the rules promulgated thereunder.

B.7. Preventive Maintenance Plan [326 IAC 1-6-3]

Pursuant to 326 IAC 1-6-3 (Preventive Maintenance Plans), the Permittee shall prepare and maintain a preventive maintenance plan, including the following information:

(a) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices.

(b) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions.

(c) Identification of the replacement parts which will be maintained in inventory for quick replacement.

The preventive maintenance plan shall be submitted to IDEM, OAM upon request and shall be subject to review and approval.

B.8 Malfunctions Report [326 IAC 1-6-2]

Pursuant to 326 IAC 1-6-2 (Records; Notice of Malfunction):

(a) A record of all malfunctions, including startups or shutdowns of any facility or emission control equipment, which result in violations of applicable air pollution control regulations or applicable emission limitations shall be kept and retained for a period of three (3) years and shall be made available to the Indiana Department of Environmental Management (IDEM), Office of Air Management (OAM) or appointed representative upon request.

(b) When a malfunction of any facility or emission control equipment occurs which lasts more than one (1) hour, said condition shall be reported to OAM, using the Malfunction Report Forms (2 pages). Notification shall be made by telephone or facsimile, as soon as practicable, but in no event later than four (4) daytime business hours after the beginning of said occurrence.

(c) Failure to report a malfunction of any emission control equipment shall constitute a violation of 326 IAC 1-6, and any other applicable rules. Information of the scope and expected duration of the malfunction shall be provided, including the items specified in 326 IAC 1-6-2(a)(1) through (6).

(d) Malfunction is defined as any sudden, unavoidable failure of any air pollution control

equipment, process, or combustion or process equipment to operate in a normal and usual manner. [326 IAC 1-2-39]

B.9 Transfer of Permit [326 IAC 2-1-6]

Pursuant to 326 IAC 2-1-6 (Transfer of Permits):

(a) In the event that ownership of this custom resin production operation is changed, the Permittee shall notify OAM, Permit Branch, within thirty (30) days of the change. Notification shall include the date or proposed date of said change.

(b) The written notification shall be sufficient to transfer the permit from the current owner to the new owner.

(c) The OAM shall reserve the right to issue a new permit.

B.10 Permit Revocation [326 IAC 2-1-9]

Pursuant to 326 IAC 2-1-9(a)(Revocation of Permits), this permit to construct and operate may be revoked for any of the following causes:

(a) Violation of any conditions of this permit.

(b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this permit.

(c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this permit shall not require revocation of this permit.

(d) Noncompliance with orders issued pursuant to 326 IAC 1-5 (Episode Alert Levels) to reduce emissions during an air pollution episode.

(e) For any cause which establishes in the judgment of IDEM, the fact that continuance of this permit is not consistent with purposes of 326 IAC 2-1 (Permit Review Rules).

B.11 Availability of Permit [326 IAC 2-1-3(l)]

Pursuant to 326 IAC 2-1-3(l), the Permittee shall maintain the applicable permit on the premises of the source and shall make this permit available for inspection by the IDEM, or other public official having jurisdiction.

SECTION C **SOURCE OPERATION CONDITIONS**

Entire Source

Emission Limitation and Standards

C.1 PSD Minor Source Status [326 IAC 2-2] [40 CFR 52.21]

(a) The total source potential emissions of volatile organic compounds (VOC) are less than 250 tons per year. Therefore the requirements of 326 IAC 2-2 (Prevention of Significant Deterioration) and 40 CFR 52.21 will not apply.

(b) Any change or modification which may increase the potential emissions to the following:

1. 25 tons per year or more (326 IAC 2-1),

2. 100 tons per year or more, and greater than 10 tons per year for a single HAP or combination HAPs greater than 25 tons per year (326 IAC 2-7),

1. 250 tons per year or more (326 IAC 2-2),

from the equipment covered in this construction permit must be approved by the Office of Air Management (OAM) before such change may occur.

C.2 Opacity Limitations [326 IAC 5-1-2]

Pursuant to 326 IAC 5-1-2 (Visible Emission Limitations) except as provided in 326 IAC 5-1-3 (Temporary Exemptions), the visible emissions shall meet the following:

(a) visible emissions shall not exceed an average of 40% opacity in 24 consecutive readings.

(b) visible emissions shall not exceed 60% opacity for more than a cumulative total of 15 minutes (60 readings) in a 6-hour period.

C.3 Operation of Equipment

All air pollution control equipment listed in this permit shall be in placed or operated at all times that the emission units vented to the control equipment are in operation, as described in Section D of this permit.

C.4 Asbestos Abatement Projects - Accreditation [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

Prior to the commencement of any demolition or renovation activities, the Permittee shall use an Indiana accredited asbestos inspector to inspect thoroughly the affected facility or part of the facility where the demolition or renovation operation will occur for the presence of asbestos, including Category I and Category II nonfriable asbestos containing material. The requirement that the inspector be accredited is federally enforceable.

Compliance Monitoring Requirements

C.5 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61.140]

(a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification

requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.

(b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:

(1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or

(2) If there is a change in the following:

(A) asbestos removal or demolition start date;

(B) removal or demolition contractor; or

(3) Waste disposal site.

(c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).

(d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management
Asbestos Section, Office of Air Management
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

(e) Procedures for Asbestos Emission Control
The Permittee shall comply with the emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-4 emission control requirements are mandatory for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.

(f) Indiana Accredited Asbestos Inspector
The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a renovation/demolition, to use an Indiana Accredited Asbestos Inspector to thoroughly inspect the affected portion of the facility for the presence of asbestos. The requirement that the inspector be accredited is federally enforceable.

Record Keeping Requirements

C.6 General Record Keeping Requirements

(a) Records of all required monitoring data and support information shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be kept at the source location and available within one (1) hour upon verbal request of an IDEM, OAM, representative, for a minimum of

three (3) years. They may be stored elsewhere for the remaining two (2) years providing they are made available within thirty (30) days after written request.

(b) Records of required monitoring information shall include, where applicable:

(1) The date, place, and time of sampling or measurements;

(2) The dates analyses were performed;

(3) The company or entity performing the analyses;

(4) The analytic techniques or methods used;

(5) The results of such analyses; and

(6) The operating conditions existing at the time of sampling or measurement.

(c) Support information shall include, where applicable:

(1) Copies of all reports required by this permit;

(2) All original strip chart recordings for continuous monitoring instrumentation;

(3) All calibration and maintenance records;

(4) Records of preventive maintenance shall be sufficient to demonstrate that improper maintenance did not cause or contribute to a violation of any limitation on emissions or potential to emit. To be relied upon subsequent to any such violation, these records may include, but are not limited to: work orders, parts inventories, and operator's standard operating procedures.

(d) All record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

Stratospheric Ozone Protection

C.7 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

(a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.

(b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.

(c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

SECTION D.1 FACILITY CONDITIONS

One (1) Blender, designated as M-30, with two (2) blending tanks, with a maximum combined capacity of 44,000 lbs per batch and exhausts to the existing building ventilation system.

Emissions Limitation and Standards

D.1.1 PM Process Operations [326 IAC 6-3]:

Pursuant to 326 IAC 6-3 (Process Operations), the following facilities shall have a PM allowable emissions using the following equation:

(a) $E = 4.10\ P^{0.67}$

Where: E = PM allowable emissions in pounds hour
P = Process weight rate in tons per hour.

(b) The allowable PM emissions limit, determined from 326 IAC 6-3, shall be 28.56 lb/hr.

D.1.2 Air Toxics Modeling [326 IAC 2-1-3(j)]

Pursuant to 326 IAC 2-1-3(j), the source shall re-submit new stack information and air toxics modeling if the stack information, originally submitted on the application, changes after construction. The source shall have sixty (60) days to submit such information and mail to the following address:

Indiana Department of Environmental Management
Office of Air Management
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015.

Compliance Determination Requirements

D.1.3 Testing Requirements

Testing of this facility is not specifically required by this permit. However, if testing is required, compliance with the PM limit specified in Condition D.1.1 shall be determined by a performance test conducted in accordance with Section C - Performance Testing. This does not preclude testing requirements on this facility under 326 IAC 2-7-5 and 326 IAC 2-7-6.

MALFUNCTION REPORT

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR MANAGEMENT
FAX NUMBER - 317 233-5967

This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

THIS FACILITY MEETS THE APPLICABILITY REQUIREMENTS BECAUSE: IT HAS POTENTIAL TO EMIT 25 LBS/HR PARTICULATES ?_____, 100 LBS/HR VOC ?_____, 100 LBS/HR SULFUR DIOXIDE ?_____ OR 2000 LBS/HR OF ANY OTHER POLLUTANT ?_____ EMISSIONS FROM MALFUNCTIONING CONTROL EQUIPMENT OR PROCESS EQUIPMENT CAUSED EMISSIONS IN EXCESS OF APPLICABLE LIMITATION _____.

THIS MALFUNCTION RESULTED IN A VIOLATION OF: 326 IAC _____ OR, PERMIT CONDITION # _____ AND/OR PERMIT LIMIT OF _____

THIS INCIDENT MEETS THE DEFINITION OF 'MALFUNCTION' AS LISTED ON REVERSE SIDE ? Y N

THIS MALFUNCTION IS OR WILL BE LONGER THAN THE ONE (1) HOUR REPORTING REQUIREMENT ? Y N

COMPANY: Ferro Corporation PHONE NO. (219) 935-5131

LOCATION: (CITY AND COUNTY) Plymouth/Marshall
PERMIT NO. 099-9439 AFS PLANT ID: 099-00025 AFS POINT ID: _____ INSP: _____
CONTROL/PROCESS DEVICE WHICH MALFUNCTIONED AND REASON: _____
_____

DATE/TIME MALFUNCTION STARTED: _____/_____/ 19____ _____ AM / PM

ESTIMATED HOURS OF OPERATION WITH MALFUNCTION CONDITION: _____

DATE/TIME CONTROL EQUIPMENT BACK-IN SERVICE_____/_____/ 19____ _____ AM/PM

TYPE OF POLLUTANTS EMITTED: TSP, PM-10, SO2, VOC, OTHER: _____

ESTIMATED AMOUNT OF POLLUTANT EMITTED DURING MALFUNCTION: _____
_____

MEASURES TAKEN TO MINIMIZE EMISSIONS: _____
_____

REASONS WHY FACILITY CANNOT BE SHUTDOWN DURING REPAIRS:

CONTINUED OPERATION REQUIRED TO PROVIDE ESSENTIAL* SERVICES: _____
CONTINUED OPERATION NECESSARY TO PREVENT INJURY TO PERSONS: _____
CONTINUED OPERATION NECESSARY TO PREVENT SEVERE DAMAGE TO EQUIPMENT: _____
INTERIM CONTROL MEASURES: (IF APPLICABLE) _____
_____
_____

MALFUNCTION REPORTED BY:
_____ TITLE: _____
(SIGNATURE IF FAXED)

MALFUNCTION RECORDED BY: _____ DATE: _____ TIME: _____
FAX NUMBER - 317 233-5967

Please note - This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

326 IAC 1-6-1 Applicability of rule

Sec. 1. The requirements of this rule (326 IAC 1-6) shall apply to the owner or operator of any facility which has the potential to emit twenty-five (25) pounds per hour of particulates, one hundred (100) pounds per hour of volatile organic compounds or SO2, or two thousand (2,000) pounds per hour of any other pollutant; or to the owner or operator of any facility with emission control equipment which suffers a malfunction that causes emissions in excess of the applicable limitation.

326 IAC 1-2-39 "Malfunction" definition

Sec. 39. Any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner. (Air Pollution Control Board; 326 IAC 1-2-39; filed Mar 10, 1988, 1:20 p.m. : 11 IR 2373)

***Essential services** are interpreted to mean those operations, such as, the providing of electricity by power plants. Continued operation solely for the economic benefit of the owner or operator shall not be sufficient reason why a facility cannot be shutdown during a control equipment shutdown.

If this item is checked on the front, please explain rationale:

_____

_____

Indiana Department of Environmental Management
Office of Air Management

Technical Support Document (TSD) for New Construction and Operation

Source Background and Description

Source Name:	Ferro Corporation
Source Location:	1301 N. Flora Street, Plymouth, IN. 46563
County:	Marshall
Construction Permit No.:	CP-099-9439-00025
SIC Code:	3087
Permit Reviewer:	Nysa L. James

The Office of Air Management (OAM) has reviewed an application from Ferro Corporation relating to the construction and operation of one (1) blender consisting of the following equipment:

(a) One (1) Blender, designated as M-30, with two (2) blending tanks, with a maximum combined capacity of 44,000 lbs per batch and exhausts to the existing building ventilation system.

Stack Summary

Stack ID	Operation	Height (feet)	Diameter (feet)	Flow Rate (acfm)	Temperature (^{0}F)
general ventilation (D5)	M-30 Blender	35	unknown	1500-2500	Ambient

This information may change after the facility is constructed. If the stack information changes after construction, the source shall be required to re-submit the new stack information and new modeling for the air toxics modeling for styrene.

Recommendation

The staff recommends to the Commissioner that the construction and operation be approved. This recommendation is based on the following facts and conditions:

Information, unless otherwise stated, used in this review was derived from the application and additional information submitted by the applicant.

An application for the purposes of this review was received on February 4, 1998, with additional information received on February 16, 1998.

Emissions Calculations

The source has submitted their emission calculations. The Office of Air Management (OAM) has reviewed and verified those emission calculations to be correct.

Total Potential and Allowable Emissions

Indiana Permit Allowable Emissions Definition (after compliance with applicable rules, based on 8,760 hours of operation per year at rated capacity):

Pollutant	Allowable Emissions (tons/year)	Potential Emissions (tons/year)
Particulate Matter (PM)	28.56	13.14
Particulate Matter (PM10)	28.56	13.14
Sulfur Dioxide (SO_2)	--	--
Volatile Organic Compounds (VOC)	--	21.02
Carbon Monoxide (CO)	--	--
Nitrogen Oxides (NO_x)	--	--
Styrene	--	18.74
Methyl Methacrylate	--	2.09
Methanol	--	0.19
Combination of HAPs	--	21.02

(a) Allowable emissions are determined from the applicability of rule 326 IAC 6-3. The blender shall comply with 326 IAC 6-3-2(c) using the following equation:

E = 4.10P^0.67; where P = process weight in tons per hour
E = rate of emission in pounds per hour

E = 4.10 * 2.0ton/hr^0.67 = 6.52 lb/hr; 6.52 lb/hr *4.38 = 28.56 ton/yr.

(b) The potential emissions before control are less than the allowable emissions, therefore, the potential emissions before control are used for the permitting determination.

(c) Allowable emissions (as defined in the Indiana Rule) of a single hazardous air pollutant (HAP) are greater than 10 tons per year and/or the allowable emissions of any combination of the HAPs are greater than 25 tons per year. Therefore, pursuant to 326 IAC 2-1, a construction permit is required.

County Attainment Status

(a) Volatile organic compounds (VOC) are precursors for the formation of ozone. Therefore, VOC emissions are considered when evaluating the rule applicability relating to the ozone standards. Marshall County has been designated as attainment or unclassifiable for ozone. Therefore, VOC emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2 and 40 CFR 52.21.

(b) Marshall County has been classified as attainment or unclassifiable for particulate matter, NO_x, SO_2 and CO. Therefore, these emissions were reviewed pursuant to the

requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2 and 40 CFR 52.21.

Source Status

Existing Source PSD, Part 70 or FESOP Definition (emissions after controls, based on 8,760 hours of operation per year at rated capacity and/ or as otherwise limited):

Pollutant	Emissions (ton/yr)
PM	0.35
PM10	0.35
SO_2	--
VOC	49.15
CO	--
NO_x	--

(a) This existing source is **not** a major stationary source because no attainment regulated pollutant is emitted at a rate of 250 tons per year or more, and it is not in one of the 28 listed source categories.

(b) These emissions were based on previous construction permits issued and are the following:
1.) Registration 099-00025, issued November 16, 1990.
2.) Registration 099-4351-00025, issued February 21, 1995.
3.) Construction Permit 099-4443-00025, issued October 30, 1995.

Proposed Modification

PTE from the proposed modification (based on 8,760 hours of operation per year at rated capacity including enforceable emission control and production limit, where applicable):

Pollutant	PM (ton/yr)	PM10 (ton/yr)	SO_2 (ton/yr)	VOC (ton/yr)	CO (ton/yr)	NO_x (ton/yr)
Proposed Modification	13.14	13.14	--	21.02	--	--
PSD or Offset Threshold Level	250	250	250	250	250	250

This modification to an existing minor stationary source is not major because the emission increase is less than the PSD significant levels. Therefore, pursuant to 326 IAC 2-2, and 40 CFR 52.21, the PSD requirements do not apply.

Part 70 Permit Determination

326 IAC 2-7 (Part 70 Permit Program)

This existing source has submitted their Part 70 (T-099-7538-00025) application on December 11, 1996. The equipment being reviewed under this permit shall be incorporated in the submitted Part 70 application.

Federal Rule Applicability

(a) There are no New Source Performance Standards 40 CFR Part 60 applicable to these facilities.

(b) There are no NESHAP 40 CFR Part 63 applicable to these facilities.

State Rule Applicability

326 IAC 2-1-3.3 (Maximum Achievable Control Technology) does not apply to the facility because even though single HAP potential emissions are greater than 10 ton/yr, the facility is a modification to an existing process. Therefore, 326 IAC 2-1-3.3 does not apply.

326 IAC 5-1-2 (Opacity Limitations):

Pursuant to 326 IAC 5-1-2 (Visible Emission Limitations) except as provided in 326 IAC 5-1-3 (Temporary Exemptions), the visible emissions shall meet the following:

(a) visible emissions shall not exceed an average of 40% opacity in 24 consecutive readings.

(b) visible emissions shall not exceed 60% opacity for more than a cumulative total of 15 minutes (60 readings) in a 6-hour period.

326 IAC 6-3-2(c) (Process Operations):

Pursuant to 326 IAC 6-3 (Process Operations):

(a) The blender shall comply with 326 IAC 6-3-2(c) using the following equation:

$E = 4.10P^{0.67}$ where: E = rate of emission in pounds per hour,
P = process weight in tons per hour.

326 IAC 8-1-6 does not apply because the potential VOC emissions are less than 25 tons/yr.

No other 326 IAC 8 rules apply.

Air Toxic Emissions

Indiana presently requests applicants to provide information on emissions of the 187 hazardous air pollutants set out in the Clean Air Act Amendments of 1990. These pollutants are either carcinogenic or otherwise considered toxic and are commonly used by industries. They are listed as air toxics on the Office of Air Management (OAM) Construction Permit Application Form Y.

(a) This modification will emit levels of air toxics less than those which constitute a major source according to Section 112 of the 1990 Amendments to Clean Air Act.

(b) The source has submitted their emission calculations. The Office of Air Management (OAM) has reviewed and verified those emission calculations to be correct.

(c) This proposed modification will emit levels of air toxics greater than those that constitute major source applicability according to Section 112 of the Clean Air Act. The concentrations of these air toxics were modeled and found to be (in worst case possible) as follows:

HAP	Styrene
Concentrations (ug/m3)	89.9
PEL (ug/m3)	420000.0
% PEL	0.02

The concentrations of these air toxics were compared to the Permissible Exposure Limits (PEL) developed by the Occupational Safety and Health Administration (OSHA). The Office of Air Management (OAM) does not have at this time any specific statutory or regulatory authority over these substances.

Conclusion

The construction of this blender will be subject to the conditions of the attached proposed **Construction Permit No. CP-099-9439-00025.**